

PUBLIC INFORMATION

DRAFT

Revised Outer Continental Shelf Lease Exploration Plan Chukchi Sea, Alaska

Burger Prospect: Posey Area Blocks 6714, 6762, 6764, 6812, 6912, 6915 Chukchi Sea Lease Sale 193

> Revision 1 (May 2011) Revision 2 (August 2014)

Submitted to: U.S. Department of the Interior Bureau of Ocean Energy Management Alaska OCS Region

> Submitted by: Shell Gulf of Mexico Inc. 3601 C Street, Suite 1000 Anchorage, AK 99503



TABLE OF CONTENTS

Р	'n	σ	e
1	a	ዶ	c

ACRONYMS &	ABBREVIATIONS	VII
ACRONYMS &	ABBREVIATIONS	VII
CROSS-REFERE	ENCE TO APPLICABLE REGULATIONS	XV
SECTION 1.0	REVISED EXPLORATION PLAN CONTENTS	1-1
a)	Description, Objectives, and Schedule for the Exploration Drilling Program	1-5
b)	Location	1-7
c)	Drilling Units	.1-16
d)	Service Fee	. 1-18
SECTION 2.0	GENERAL INFORMATION	2-1
a)	Application and Permits	2-1
b)	Drilling Fluids	2-2
c)	Chemical Products	2-2
d)	New or Unusual Technology	2-3
e)	Bonds, Oil Spill Financial Responsibility, and Well Control Statements	2-3
f)	Suspension of Operations	2-4
g)	Blowout Scenario	2-4
h)	Contact Information	2-5
SECTION 3.0	GEOLOGICAL AND GEOPHYSICAL INFORMATION (PROPRIETARY AND CONFIDENTIAL)	3-1
SECTION 4.0	HYDROGEN SULFIDE INFORMATION	4-1
a)	Concentration	4-1
b)	Classification	4-2
c)	Contingency Plan	4-2
d)	Modeling Report	4-2
SECTION 5.0	BIOLOGICAL, PHYSICAL, AND SOCIOECONOMIC INFORMATION	5-1
a)	Biological Environment Reports	5-1
b)	Physical Environment Reports	5-4
c)	Socioeconomic Study Reports	5-7

SECTION 6.0	SOLID AND LIQUID WASTE AND DISCHARGE INFORMATION	1
a)	Projected Generated Wastes	1
b)	Ocean Discharges and Disposal Methods	1
c)	NPDES Permits	7
d)	Modeling Report	9
e)	Cooling Water Intake)
SECTION 7.0	AIR EMISSIONS INFORMATION	1
a)	Projected Emissions	1
b)	Emission Reduction Measures	3
c)	Processes, Equipment, Fuels, and Combustibles	3
d)	Distance to Shore	3
e)	Impact from Non-Exempt Drilling Units7-3	3
f)	Modeling Report (30 CFR 550.218(f))7-0	5
SECTION 8.0	OIL AND HAZARDOUS SUBSTANCES SPILL INFORMATION	1
a)	Oil Spill Response Planning	1
b)	Location of Primary Oil Spill Equipment Base and Staging Area	1
c)	Name(s) of Spill Removal Organization(s) for Both Equipment and Personnel8-2	2
d)	Calculated Volume of Worst Case Discharge Scenario [30 CFR 254.26(a)]	2
e)	Description of Worst Case Discharge Scenario	3
f)	Modeling Report	3
SECTION 9.0	ALASKA OUTER CONTINENTAL SHELF PLANNING INFORMATION9-	1
a)	Emergency Plan9-	1
b)	Critical Operations and Curtailment Plan and Drilling Ice Management Plan9-	1
c)	Well Control Plan9-	1
d)	Fuel Transfer Plan9-2	2
e)	Partial Wells9-2	2
f)	Surface Intervention-Capping and Containment System9-3	3
SECTION 10.0	ENVIRONMENTAL MONITORING	1
a)	Monitoring Systems	1
b)	Incidental Takes	2

SECTION 11.0	LEASE STIPULATIONS INFORMATION11-1
Stipulati	on No. 1 - Protection of Biological Resources
Stipulati	on No. 2 - Orientation Program
Stipulati	on No. 3 - Transportation of Hydrocarbons11-4
Stipulati	on No. 4 - Industry Site-Specific Bowhead Whale Monitoring Program
Stipulati Whaling	on No. 5- Lease Sale 193 Conflict Avoidance Mechanisms to Protect Subsistence and Other Subsistence Harvesting Activities
Stipulati	on No. 6 - Pre-Booming Requirements for Fuel Transfers
Stipulati Steller's	on No. 7 - Lighting of Lease Structures to Minimize Effects to Spectacled and eider
SECTION 12.0	ENVIRONMENTAL MITIGATION MEASURE INFORMATION12-1
a)	Permits and Authorizations
b)	Protected Species
c)	Mitigation Measures
SECTION 13.0	SUPPORT VESSELS AND AIRCRAFT INFORMATION
a)	Planned Vessel and Aircraft List
b)	Air Emissions
c)	Drilling Fluids and Chemical Products Transportation
d)	Solid and Liquid Wastes Transportation
e)	Vicinity Map and Travel Routes
SECTION 14.0	ONSHORE SUPPORT FACILITIES INFORMATION14-1
a)	General
b)	Air Emissions
c)	Unusual Solid and Liquid Wastes
d)	Waste Disposal
SECTION 15.0	COASTAL ZONE MANAGEMENT ACT
SECTION 16.0	ENVIRONMENTAL IMPACT ANALYSIS
SECTION 17.0	ADMINISTRATIVE
SECTION 18.0	BIBLIOGRAPHY

LIST OF TABLES

Table 1-1	Comparison of the Exploration Drilling Program Under Shell's Approved EP Revision 1 and EP Revision 2	1-4
Table 1.a-1	Shell Lease Blocks and Drill Sites Covered in the EP Revision 2 for the Exploration Drilling Program Started in 2012 (Protraction NR03-02, Posey Area Block)	1-5
Table 1.c-1	Specifications of the Discoverer and the Polar Pioneer	1-18
Table 2.a-1	Permit Applications Pending or Approved	2-1
Table 2.b-1	Drilling Fluid Type, Quantity and Discharge Rates for MLC, Conductor and Surface-Cased Sections	2-2
Table 2.b-2	Drilling Fluid Type, Quantity and Discharge Rates for Well Sections below the Surface Casing, after the Riser is Established	2-2
Table 2.g-1	Calculated Maximum Daily Oil Flow Rates for Wells at Drill Sites	2-4
Table 6.b-1	NPDES Exploration Facilities GP Waste Streams Generated During Drilling	6-2
Table 6.b-2	NPDES Exploration Facilities GP Waste Streams Generated Daily	6-4
Table 6.b-3	Wastes Generated on the Drilling Units that are not Discharged	6-6
Table 6.c-1	Drilling Fluid Components for the Upper Portions of the Well (MLC, Conductor and Surface-Cased Sections)	6-7
Table 6.c-2	Drilling Fluid Components for the lower portions of the well after the riser and BOP are established	6-8
Table 6.e-1	Screen Mesh Size on Water Intakes on the Discoverer	6-10
Table 6.e-2	Screen Mesh Size on Water Intakes on the Polar Pioneer	6-10
Table 7.a-1	3-Year Project Duration Emissions (tons) ¹	7-2
Table 7.e-1	Application of BOEM Exemption Formula to the Discoverer	7-4
Table 7.e-2	Application of BOEM Exemption Formula to the Discoverer and Support Vessels	7-4
Table 7.e-3	Application of BOEM Exemption Formula to the Polar Pioneer	7-4
Table 7.e-4	Application of BOEM Exemption Formula to the <i>Polar Pioneer</i> and Support Vessels	7-5
Table 7.e-5	Application of BOEM Exemption Formula to the <i>Discoverer</i> and the <i>Polar Pioneer</i>	7-5
Table 7.e-6	Application of BOEM Exemption Formula to the <i>Discoverer</i> , the <i>Polar Pioneer</i> , and Combined Support Vessels	7-6
Table 8.d-1	Oil Volume of the Worst Case Discharge Planning Scenario for the Chukchi Sea OSRP	8-2
Table 8.d-2	Comparison of the WCD Planning Scenario Developed for the Chukchi Sea Regional OSRP with the WCD Calculated for EP Revision 2 for Two Relief	0.2
T_{a} b $10.0.1$	Well Scenarios.	8-3
1 able 10.0-1	Monitoring Equipment on the <i>Polar Ploneer</i> and the <i>Discoverer</i>	10-1

Table 10.b-1	Number of Potential Exposures of Cetaceans and Pinnipeds (w/out Pacific walrus) to Received Sound Levels in the Water of >120 dB rms Generated by
	Exploration Drilling and >160 dB rms Generated by ZVSP surveys during each
	Mammal Populations are Compared to Estimates Assuming 100% Daily
	Turnover of Individuals in Areas Exposed to Level B Thresholds
Table 11.0-1	Dates and Locations of Meetings Held Regarding Shell's Chukchi Sea Exploration Drilling Program for the Development of the POC11-12
Table 12.b-1	Species Found in the Northeastern Chukchi Sea and Protected Under the ESA 12-1
Table 12.b-2	Marine Mammals ¹ Found in the Northeastern Chukchi Sea and Protected Under
	the MMPA
Table 13.a-1	Specifications of Support Vessel Types
Table 13.a-2	Specifications of the Major Oil Spill Response Vessels
Table 13.a-3	Fuel Storage Capacity and Trip Information for Support Vessels and Aircraft13-9
Table 13.b-1	Project Annual Air Pollutant Emissions (Tons Per Year) from Support Vessels Associated with the Drilling Units
Table 13.d-1	Onshore Waste Disposal Facilities, Waste Type, Amount, Rate, and Disposal Method
Table 14.b-1	Hourly Air Emissions Associated with Onshore Facilities in Barrow, Alaska14-8
Table 14.b-2	Annual Air Emissions Associated with Onshore Facilities in Barrow, Alaska
LIST OF FIGU	<u>RES</u>

LIST OF FIGURES

Figure 1.b-1	Location Map Exploration Drilling Program	1-8
Figure 1.b-2	Burger Prospect Location Map	1-9
Figure 1.b-3	Bathymetry and Planned Drilling Unit Maximum Anchor Radius - Burger A	1-10
Figure 1.b-4	Bathymetry and Planned Drilling Unit Maximum Anchor Radius - Burger F	1-11
Figure 1.b-5	Bathymetry and Planned Drilling Unit Maximum Anchor Radius - Burger J	1-12
Figure 1.b-6	Bathymetry and Planned Drilling Unit Maximum Anchor Radius - Burger R	1-13
Figure 1.b-7	Bathymetry and Planned Drilling Unit Maximum Anchor Radius - Burger S	1-14
Figure 1.b-8	Bathymetry and Planned Drilling Unit Maximum Anchor Radius - Burger V	1-15
Figure 13.e-1	Marine Vessel Routes	13-12
Figure 13.e-2	Flight Corridors	13-13
Figure 14.a-1	Barrow Camp Locations	14-3
Figure 14.a-2	Barrow Hangar and Passenger Processing Facility	14-4
Figure 14.a-3	Barrow Proposed Passenger Processing Facility Expansion	14-5
Figure 14.a-4	Barrow 75 Man Camp Location	14-6
Figure 14.a-5	Wainwright Camp Location	14-7

LIST OF APPENDICES

- Appendix A Outer Continental Shelf Plan Information Forms (Form 137)
- Appendix B Marine Mammal Monitoring and Mitigation Plan
- Appendix C Environmental Impact Analysis
- Appendix D Plan of Cooperation
- Appendix E Bird Strike Avoidance and Lighting Plan Chukchi Sea, Alaska
- Appendix F Critical Operations and Curtailment Plan
- Appendix G Drilling Ice Management Plan
- Appendix H Well Control Plan
- Appendix I Fuel Transfer Plan
- Appendix J Adaptive Approach to Ice Management in Areas Occupied by Pacific Walruses
- Appendix K AQRP and NEPA Emissions Inventories

ACRONYMS & ABBREVIATIONS

ACRONYMS & ABBREVIATIONS		
~	approximately	
0	degree(s)	
'	minute(s)	
"	second(s)	
2D	two-dimensional	
3D	three-dimensional	
4MP	Marine Mammal Monitoring and Mitigation Plan	
ac	acre(s)	
ACMP	Alaska Coastal Management Program	
ACS	Alaska Clean Seas	
ADEC	Alaska Department of Environmental Conservation	
ADNR	Alaska Department of Natural Resources	
AES	ASRC Energy Services	
AEWC	Alaska Eskimo Whaling Commission	
APD	Application for Permit to Drill	
API	American Petroleum Institute	
APM	Application for Permit to Modify	
AQRP	Air Quality Regulatory Program	
ASA	Applied Science Associates, Inc.	
ASRC	Arctic Slope Regional Corporation	
AWAC	acoustical waves and current meter	
bbl	barrel(s)	
BOEM	Bureau of Ocean Energy Management	
BOP	blowout preventer	
BSEE	Bureau of Safety and Environmental Enforcement	
Burger #1 well	OCS-Y-1413 (legacy Burger #1 well)	
BWASP	Bowhead Whale Aerial Survey Project	
CDPF	catalytic diesel particulate filters	
CESQG	Conditionally Exempt Small Quantity Generator	
CFR	Code of Federal Regulations	
CLO	community liaison officer	
cm	centimeter(s)	
СО	carbon monoxide	
COCP	Critical Operations and Curtailment Plan	
Com Center	Communications and Call Centers	
cu yd	cubic yard	
CZMA	Coastal Zone Management Act	
dB	decibel(s)	
DIMP	Drilling Ice Management Plan	
Discoverer	drillship M/V Noble Discoverer	
DNV	Det Norske Veritas	
DPP	development and production plan	
Е	East	
EA	Environmental Assessment - National Environmental Policy Act	
EIA	Environmental Impact Analysis	
EMP	Environmental Monitoring Program	
ENE	east-northeast	
EP	Exploration Plan	
EP Revision 1	Chukchi Sea Exploration Plan Revision 1 (Shell 2011)	
EP Revision 2	Chukchi Sea Exploration Plan Revision 2	

ACRONYMS & ABBREVIATIONS		
EPA	U.S. Environmental Protection Agency	
ESA	Endangered Species Act	
F	Fahrenheit	
FONSI	Finding of No Significant Impact - National Environmental Policy Act	
FR	Federal Register	
ft.	foot/feet	
ft3	cubic feet	
FTP	Fuel Transfer Plan	
G&G	geological and geophysical	
gal	gallon(s)	
GEMS	Geoscience Earth & Marine Services, Inc.	
GOM	Gulf of Mexico	
GP	general permit	
H2S	hydrogen sulfide	
hp	horsepower	
hr.	hour(s)	
HSWUA	Hanna Shoal Walrus Use Area	
HSSE	Health, Safety, Security and Environment	
IHA	Incidental Harassment Authorization	
IMO	International Maritime Organization	
in	inch(es)	
Initial Chukchi Sea	Shell's initial Chukchi Sea Exploration Plan (Shell 2009) – approved by MMS December	
EP	2009	
IRA	Indian Reorganization Act	
KDR	Kitchen/dining/recreation	
KIC	Kikiktagruk Inupiat Corporation	
ka	kilogram(s)	
km	kilometer(s)	
km2	square kilometer(s)	
lh	pound(s)	
IBCHU	Ledward Ray Critical Habitat Unit	
LDCHO	Letter of Authorization	
m	mater(s)	
m ³	cubic meter(s)	
mi	statuto mile(s)	
mi2	statute mile(s)	
min	square minute(a)	
	Intitute(S)	
MARFOL	maximum anticipated well pressure	
MAWE	maximum anticipated wen pressure	
MLC	medsured deput	
MLC		
	Marine Marriel Distantion Act	
	Marine Mammal Protection Act	
MMS	U.S. Department of the Interior, Minerals Management Service	
MODU	woone Offshore Drilling Unit	
MIS W	municipal solid waste	
	metric ton(s)	
MI/V	Motor Vessel	
N/A	not applicable	
NAAQS	National Ambient Air Quality Standards	
NaCl	sodium chloride	
NAD 83	North American Datum 1983	
NARL	Naval Arctic Research Laboratory	

ACRONYMS & ABBREVIATIONS		
NE	northeast	
NMFS	National Marine Fisheries Service	
n mi	nautical mile(s)	
NNE	north-northeast	
NOI	Notice of Intent	
NOx	nitrogen oxide	
NPDES	National Pollutant Discharge Elimination System	
NSB	North Slope Borough	
NTL	Notice to Lessee	
NWAB	Northwest Arctic Borough	
NWP	Nationwide Permit	
OCS	Outer Continental Shelf	
OSFR	oil spill financial responsibility	
OSR	oil spill response	
OSRO	oil spill response organization	
OSRP	oil spill response plan	
OSRV	oil spill response vessel	
OST	oil storage tanker	
OSV	offshore supply vessel	
OWS	oil-water separator	
OxyCat	oxidation catalysts	
PM	particulate matter	
PM2.5	particulate matter less than 2.5 microns	
PM10	particulate matter less than 10 microns	
ppb	parts per billion	
ppm	parts per million	
PPOR	potential place of refuge	
POC	Plan of Cooperation	
Polar Pioneer	Mobile Offshore Drilling Unit (MODU) Transocean Polar Pioneer	
PSD	Prevention of Significant Deterioration	
psi	pounds per square inch	
PSO	Protected Species Observer	
PTD	proposed total depth	
RKB	rotary kelly bushing	
rms	root mean square	
ROV	Remotely Operated Vehicle	
RQ	reportable quantity	
RS/FO	Regional Supervisor, Field Operations	
SA	subsistence advisor	
SAPP	sodium acid pyrophosphate	
SAR	Search and Rescue	
SCR	selective catalytic reduction	
sec	second(s)	
Shell	Shell Gulf of Mexico Inc.	
SO2	sulfur dioxide	
SS	subsea	
SSV	sound source verification	
SWEPI	Shell Western Exploration and Production Inc.	
ТА	temporarily abandon	
TBD	to be determined	
TD	total depth	
TDS	Treatment/disposal/ storage	

ACRONYMS & ABBREVIATIONS		
TSP	Total Suspended Particulate	
TVD	true vertical depth	
UAS	Unmanned Aerial System	
UIC	Ukpeagvik Inupiat Corporation	
ULSD	ultra-low sulfur diesel	
UN	United Nations	
U.S.	United States	
USACE	U.S. Army Corps of Engineers	
USCG	U.S. Coast Guard	
USFWS	U.S. Fish and Wildlife Service	
USGS	U.S. Geological Survey	
UTM	Universal Transverse Mercator	
VOC	volatile organic compound	
V/V	volume/volume	
VHF-AM	very high frequency – amplitude modulation	
WBM	water based mud	
WCD	Worst Case Discharge	
WCP	Well Control Plan	
WNW	west-northwest	
XC	Xanthomonas campestris, also known as xanthan gum	
YBP	years before present	
ZVSP	zero-offset vertical seismic profile	
~	approximately	
0	degree(s)	
'	minute(s)	
"	second(s)	
2D	two-dimensional	
3D	three-dimensional	
4MP	Marine Mammal Monitoring and Mitigation Plan	
ac	acre(s)	
ACMP	Alaska Coastal Management Program	
ACS	Alaska Clean Seas	
ADEC	Alaska Department of Environmental Conservation	
ADNR	Alaska Department of Natural Resources	
AES	ASRC Energy Services	
AEWC	Alaska Eskimo Whaling Commission	
APD	Application for Permit to Drill	
API	American Petroleum Institute	
APM	Application for Permit to Modify	
AQRP	Air Quality Regulatory Program	
ASA	Applied Science Associates, Inc.	
ASRC	Arctic Slope Regional Corporation	
AVO	Amplitude versus Offset	
AWAU	acoustical waves and current meter	
	Oil formation and unto factor at managing a (http://dl)	
D0 DOEM	On formation volume factor at pressure p (bbl/stb)	
BOEM	Bureau of Ocean Energy Management	
	Discourse of Sofety and Environmental Enforcement	
DOEE	Dureau of Safety and Environmental Enforcement	
Durger #1 well	Doubled Whele Agriel Survey Droject	
CDDE	ostolytic diosol particulate filters	
2D 3D 4MP ac ACMP ACS ADEC ADNR AES AEWC APD API APM AQRP ASA ASRC AVO AWAC bbl Bo BOEM BOP BSEE Burger #1 well BWASP CDPF	two-dimensional three-dimensional Marine Mammal Monitoring and Mitigation Plan acre(s) Alaska Coastal Management Program Alaska Coastal Management Program Alaska Clean Seas Alaska Department of Environmental Conservation Alaska Department of Natural Resources ASRC Energy Services Alaska Eskimo Whaling Commission Application for Permit to Drill American Petroleum Institute Application for Permit to Modify Air Quality Regulatory Program Applied Science Associates, Inc. Arctic Slope Regional Corporation Amplitude versus Offset acoustical waves and current meter barrel(s) Oil formation volume factor at pressure p (bbl/stb) Bureau of Ocean Energy Management blowout preventer Bureau of Safety and Environmental Enforcement OCS-Y-1413 (legacy Burger #1 well) Bowhead Whale Aerial Survey Project catalytic diesel particulate filters	

ACRONYMS & ABBREVIATIONS		
CESQG	Conditionally Exempt Small Quantity Generator	
CFR	Code of Federal Regulations	
CLO	community liaison officer	
cm	centimeter(s)	
CMG	Computer Modelling Group	
CO	carbon monoxide	
COCP	Critical Operations and Curtailment Plan	
Com Center	Communications and Call Centers	
Ср	centipoise	
cu yd	cubic yard	
CZMA	Coastal Zone Management Act	
dB	decibel(s)	
DIMP	Drilling Ice Management Plan	
Discoverer	drillship M/V Noble Discoverer	
DNV	Det Norske Veritas	
DPP	development and production plan	
E	East	
EA	Environmental Assessment - National Environmental Policy Act	
EIA	Environmental Impact Analysis	
EMP	Environmental Monitoring Program	
ENE	east-northeast	
EP	Exploration Plan	
EP Revision 1	Chukchi Sea Exploration Plan Revision 1 (Shell 2011)	
EP Revision 2	Chukchi Sea Exploration Plan Revision 2	
EPA	U.S. Environmental Protection Agency	
ESA	Endangered Species Act	
F	Fahrenheit A	
FBHP1	flowing pressure at the upper most producing level	
FBHP2	flowing pressure at the 13-3/8 in. (340 mm) casing shoe	
FONSI	Finding of No Significant Impact - National Environmental Policy Act	
FR	Federal Register	
ft.	foot/feet	
ft ³	cubic feet	
FTP	Fuel Transfer Plan	
FWHP	flowing pressure at the top of the BOP stack	
G&G	geological and geophysical	
gal	gallon(s)	
GEMS	Geoscience Earth & Marine Services, Inc.	
GOM	Gulf of Mexico	
GOR	gas/oil ratio	
GP	general permit	
H ₂ S	hydrogen sulfide	
hp	horsepower	
hr.	hour(s)	
HSWUA	Hanna Shoal Walrus Use Area	
HSSE	Health, Safety, Security and Environment	
IHA	Incidental Harassment Authorization	
IMO	International Maritime Organization	
in.	inch(es)	
Initial Chukchi Sea EP	Shell's initial Chukchi Sea Exploration Plan (Shell 2009) – approved by MMS December	
	2009	
іка	mutan Reorganization Act	

ACRONYMS & ABBREVIATIONS						
KDR	Kitchen/dining/recreation					
KIC	Kikiktagruk Inupiat Corporation					
kg	kilogram(s)					
km	kilometer(s)					
km ²	square kilometer(s)					
Kup A	Kuparuk A sand					
Kup C	Kuparuk C sand					
Kup D	Kuparuk D sand					
lb.	pound(s)					
LBCHU	Ledyard Bay Critical Habitat Unit					
LCU	Lower Cretaceous Unconformity					
LOA	Letter of Authorization					
LWD	Logging While Drilling					
m	meter(s)					
m ³	cubic meter(s)					
mD	millidarcies					
mi	statute mile(s)					
mi ²	square miles					
min	minute(s)					
MARPOL	International Convention for the Prevention of Pollution from Ships					
MAWP	maximum anticipated well pressure					
MD	measured depth					
MLC	mudline cellar					
MLT	measured log thickness					
mm	millimeter(s)					
MMCF	million cubic feet					
MMPA	Marine Mammal Protection Act					
MMS	U.S. Department of the Interior, Minerals Management Service					
MODU	Mobile Offshore Drilling Unit					
MSW	municipal solid waste					
mt	metric ton(s)					
M/V	Motor Vessel					
N/A	not applicable					
NAAOS	National Ambient Air Quality Standards					
NaCl	sodium chloride					
NAD 83	North American Datum 1983					
NARL	Naval Arctic Research Laboratory					
NE	northeast					
NMFS	National Marine Fisheries Service					
n mi	nautical mile(s)					
NNE	north-northeast					
NOI	Notice of Intent					
NO.	nitrogen oxide					
NPDES	National Pollutant Discharge Elimination System					
NSB	North Slope Borough					
NTL	Notice to Lessee					
NWAB	Northwest Arctic Borough					
NWP	Nationwide Permit					
OCS	Outer Continental Shelf					
OSFR	oil spill financial responsibility					
OSR	oil spill response					
OSRO	oil spill response					
OSRO	oil spill response organization					

ACRONYMS & ABBREVIATIONS						
OSRP	oil spill response plan					
OSRV	oil spill response vessel					
OST	oil storage tanker					
OSV	offshore supply vessel					
OWC	Oil-water contact					
OWS	oil-water separator					
OxyCat	oxidation catalysts					
PFID	pyrolysis-flame ionization detection					
PM	particulate matter					
PM _{2.5}	particulate matter less than 2.5 microns					
PM ₁₀	particulate matter less than 10 microns					
ppb	parts per billion					
ppm	parts per million					
PPOR	potential place of refuge					
POC	Plan of Cooperation					
Polar Pioneer	Mobile Offshore Drilling Unit (MODU) Transocean Polar Pioneer					
PSD	Prevention of Significant Deterioration					
psi	pounds per square inch					
psia	pounds per square inch absolute					
psig	pounds per square inch gauge					
PSO	Protected Species Observer					
PTD	proposed total depth					
RB	reservoir barrel					
RFC	reflection coefficient					
RFT	repeat formation tester					
RKB	rotary kelly bushing					
rms	root mean square					
ROV	Remotely Operated Vehicle					
RQ	reportable quantity					
RS/FO	Regional Supervisor, Field Operations					
Rsi	Solution (or dissolved) gas/oil ration at initial reservoir pressure					
SA	subsistence advisor					
SAPP	sodium acid pyrophosphate					
SAR	Search and Rescue					
scf	standard cubic feet					
SCR	selective catalytic reduction					
sec	second(s)					
Shell	Shell Gulf of Mexico Inc.					
SO ₂	sulfur dioxide					
SS	subsea					
SSV	sound source verification					
STB	stock tank barrel					
SWEPI	Shell Western Exploration and Production Inc.					
S _{wi}	initial water saturation					
TA	temporarily abandon					
TBD	to be determined					
TD	total depth					
TDS	Treatment/disposal/ storage					
TSP	Total Suspended Particulate					
TVD	true vertical depth					
TVT	true vertical thickness					
UAS	Unmanned Aerial System					

ACRONYMS & ABBREVIATIONS					
UIC	Ukpeagvik Inupiat Corporation				
ULSD	ultra-low sulfur diesel				
UN	United Nations				
U.S.	United States				
USACE	U.S. Army Corps of Engineers				
USCG	U.S. Coast Guard				
USFWS	U.S. Fish and Wildlife Service				
USGS	U.S. Geological Survey				
UTM	Universal Transverse Mercator				
VOC	volatile organic compound				
V/V	volume/volume				
VHF-AM	very high frequency – amplitude modulation				
WBM	water based mud				
WCD	Worst Case Discharge				
WCP	Well Control Plan				
WNW	west-northwest				
XC	Xanthomonas campestris, also known as xanthan gum				
YBP	years before present				
ZVSP	zero-offset vertical seismic profile				

P*PPP*

Regulation Section	Regulatory Information	Exploration Plan (EP) Section				
Bureau of Ocean Energy Management						
30 Code of Federal Regulations (CFR) 550.211	What must the EP include	Section 1.0				
(a)	Description, objectives and schedule	Section 1.0 b)				
(b)	Location	Section 1.0 c)				
(c)	Drilling Unit	Section 1.0 d)				
(d)	Service fee	Section 1.0 e)				
30 CFR 550.212	What information must accompany the EP	Sections 2.0-17.0				
(a)	General information required by 550.213	Section 2.0				
(b)	Geological and geophysical (G&G) information required by 550.214	Section 3.0 ¹				
(c)	Hydrogen sulfide information required by 550.215	Section 4.0				
(d)	Biological, physical, and socioeconomic information required by 550.216	Section 5.0				
(e)	Solid and liquid wastes and discharges information and cooling water intake information required by 550.217	Section 6.0				
(f)	Air emissions information required by 550.218	Section 7.0				
(g)	Oil and hazardous substance spills information required by 550.219	Section 8.0				
(h)	Alaska planning information required by 550.220					
(i)	Environmental monitoring information required by 550.221	Section 10.0				
(j)	Lease stipulations information required by 550.222	Section 11.0				
(k)	Mitigation measures information required by 550.223	Section 12.0				
(1)	Support vessel and aircraft information required by 550.224	Section 13.0				
(m)	Onshore support facilities information required by 550.225	Section 14.0				
(n)	Coastal zone management information required by 550.226	Section 15.0				
(0)	Environmental impact analysis information required by 550.227	Section 16.0				
(p)	Administrative information required by 550.228	Section 17.0				
30 CFR 550.213	General Information	Section 2.0				
(a)	Applications and permits	Section 2.0 a)				
(b)	Drilling fluids	Sections 2.0 b), and 6.0				
(c)	Chemical products	Section 2.0 c)				
(d)	New or unusual technology	Section 2.0 d)				
(e)	Bonds, oil spill financial responsibility (OSFR), and well control statements	Section 2.0 e)				
(e)(1)	Activity and facility bonds (see 30 CFR 256, subpart I)	Section 2.0 e)				
(e)(2)	Oil spill financial responsibility for facilities (30 CFR 553)	Section 2.0 e)				
(e)(3)	Relief well financial capability and can conduct other emergency well control operations	Section 2.0 e)				
(f)	Suspensions of operations	Sections 2.0 f) and 9.0				
(g)	Blowout scenario	Sections 2.0 g) and 8.0 e)				
(h)	Contact	Section 2.0 h)				
30 CFR 550.2 14 ¹	G&G Information Required by 550.214 ¹	Section 3.0 ¹				
(a)	Geological description	Section 3.0 a)				
(b)	Structure contour maps	Section 3.0 b)				
(c)	Two-dimensional (2D) and three-dimensional (3D) seismic lines	Section 3.0 c)				
(d)	Geological cross-sections	Section 3.0 d)				
(e)	Shallow hazards reports	Sections 3.0 e), 3.0 f)				
(f)	Shallow hazards assessments	Section 3.0 f)				

Regulation Section	Regulatory Information	Exploration Plan (EP) Section	
(g)	High resolution seismic lines	Section 3.0 g)	
(h)	Stratigraphic column	Section 3.0 h)	
(i)	Time-vs-depth charts	Section 3.0 i)	
(j)	Geochemical information	Section 3.0 j)	
(k)	Future G&G activities	Section 3.0 k)	
30 CFR 550.215	Hydrogen Sulfide (H ₂ S) Information	Section 4.0	
(a)	Concentration	Section 4.0 a)	
(b)	Classification	Section 4.0 b)	
(c)	Contingency plan	Section 4.0 c)	
(d)	Modeling report	Section 4.0 d)	
(d)(1)	Site specific and area analysis	not applicable (N/A)	
(d)(2)	H ₂ S emissions	N/A	
30 CFR 550.216	Biological, Physical and Socioeconomic Information	Section 5.0	
(a)	Biological environment reports	Section 5.0 a)	
(b)	Physical environment reports	Section 5.0 b)	
(c)	Socioeconomic study reports	Section 5.0 c)	
30 CFR 550.217	Solid and Liquid Wastes and Discharges Information and Cooling Water Intake Information	Section 6.0	
(a)	Projected wastes	Section 6.0 a)	
(a)(1)	Method used to determine this information	Section 6.0 a)	
(a)(2)	Plans for treating, storing and downhole disposal of wastes	Section 6.0 a)	
(b)	Projected ocean discharges	Section 6.0 b)	
(b)(1)	Table of waste name, projected amounts, rate of discharge	Section 6.0 b)	
(b)(2)	Description of discharge method	Section 6.0 a)	
(c)	National Pollutant Discharge Elimination System (NPDES) permit	Section 6.0 c)	
(c)(1)	Compliance discussion	Section 6.0 c)	
(c)(2)	Copy of the application	Not part of this submission	
(d)	Modeling report	Section 6.0 d)	
(e)	Projected cooling water intake	Section 6.0 e)	
30 CFR 550.218	Air Emissions Information	Section 7.0	
(a)	Projected emissions	Section 7.0 a)	
(a)(1)	For each source on the drill rig list the following:		
(a)(1)(i)	Projected peak hourly emissions	Section 7.0 a)	
(a)(1)(ii)	Total annual emissions in tons per year	Section 7.0 a)	
(a)(1)(iii)	Emissions over the duration of the EP	Section 7.0 a)	
(a)(1)(iy)	Frequency and duration of emissions	Section 7.0 a)	
(a)(1)(v)	Total of all emissions listed in (a)(1)(i) through (iv)	Section 7.0 a)	
(a)(2)	Basis for emission calculations	Section 7.0 a)	
(a)(3)	Base projected emissions on maximum rated capacity of the equipment	Section 7.0 a)	
(a)(4)	(4) Specific drill unit emissions		
(b)	Emission reduction measures	Section 7.0 a)	
(c)	Processes, equipment, fuels, and combustibles	Section 7.0 c)	
(d)	Distance to shore	Section 7.0 d)	
(e)	Non-exempt drilling units	Section 7.0 e)	
(f)	Modeling report	Section 7.0 f)	
30 CFR 550.219	Oil and Hazardous Substance Spills Information	Section 8.0	

Regulation Section	Regulatory Information	Exploration Plan (EP) Section	
(a)	Oil spill response planning	Section 8.0 a)	
(a)(1)	Oil Spill Response Plan (OSRP)	Section 8.0 a)	
(a)(2)	OSRP to include:	Section 8.0 a)	
(a)(2)(i)	Discussion of regional OSRP	Section 8.0 a)	
(a)(2)(ii)	Location of primary oil spill equipment base and staging area	Section 8.0 b)	
(a)(2)(iii)	Name(s) of oil spill removal organizations for both equipment and personnel	Section 8.0 c), OSRP	
(a)(2)(iv)	Calculated volume of the worst case discharge (WCD)	Sections 2.20 g) ,3.0 l), 8.0 d), e)	
(a)(2)(v)	Description of the worst case scenario discharge	Section 8.0 e)	
(b)	Modeling report	Section 8.0 f)	
30 CFR 550.220	Alaska Planning Information	Section 9.0	
(a)	Emergency plans	Section 9.0 a)	
(b)	Critical operations and curtailment procedures	Section 9.0 b)	
30 CFR 550.221	Environmental Monitoring Information	Section 10.0	
(a)	Monitoring systems	Section 10.0 a)	
(b)	Incidental takes	Section 10.0 b)	
(b)(1)	Threatened and endangered species list under the Endangered Species Act (ESA)	Section 12.0 b)	
(b)(2)	Marine mammals	Section 12.0 b)	
(c)	Flower Garden Banks National Marine Sanctuary	N/A	
30 CFR 550.222	Lease Stipulations Information	Section 11.0	
	Stipulation No. 1	Section 11.0	
	Stipulation No. 2	Section 11.0	
	Stipulation No. 3	Section 11.0	
	Stipulation No. 4	Section 11.0	
	Stipulation No. 5	Section 11.0	
	Stipulation No. 6	Section 11.0	
	Stipulation No. 7	Section 11.0	
30 CFR 550.223	Mitigation Measures Information	Section 12.0	
(a)	Mitigation measure beyond those required by regulations	Section 12.0 c)	
(b)	Mitigation measures to avoid/minimize incidental takes of:	Section 12.0 c)	
(b)(1)	Threatened and endangered species list under the ESA	Section 12.0 b)	
(b)(2)	Marine mammals	Section 12.0 b)	
30 CFR 550.224	Support Vessel and Aircraft Information	Section 13.0	
(a)	General	Section 13.0 a)	
(b)	Air emissions	Section 13.0 b)	
(c)	Drilling fluids and chemical products transportation	Section 13.0 c)	
(d)	Solid and liquid wastes transportation	Section 13.0 d)	
(e)	Vicinity map	Section 13.0 e)	
30 CFR 550.225	Onshore Support Facilities Information	Section 14.0	
(a)	General	Section 14.0 a)	
(a)(1)	Onshore facility existing, to be constructed or expanded	Section 14.0 a)	
(a)(2)	Onshore facilities in the western Gulf of Mexico (GOM)	N/A	
(b)	Air emissions	Section 14.0 b)	
(c)	Unusual solid and liquid wastes	Section 14.0 c)	

Regulation Section	Regulatory Information	Exploration Plan (EP) Section	
(d)	Waste disposal	Section 14.0 d)	
30 CFR 550.226	Coastal Zone Management Information	Section 15.0, N/A	
(a)	Consistency certification	N/A	
(b)	Other information	N/A	
30 CFR 550.227	Environmental Impact Analysis Information	Section 16.0	
(a)	General requirements	Appendix C	
(a)(1)	Assess the potential environmental impacts	Appendix C	
(a)(2)	Be project specific	Appendix C	
(a)(3)	Be as detailed as necessary		
(b)	Resources, conditions and activities	Appendix C	
(b)(1)	Meteorology, oceanography, geology, and shallow hazards	Appendix C	
(b)(2)	Air and water quality	Appendix C	
(b)(3)	Benthic communities, marine mammals, sea turtles, coastal and	Appendix C	
	marine birds, fish and shellfish, and plant life		
(b)(4)	Threatened and endangered species and their critical habitat	Appendix C	
(b)(5)	Sensitive biological resources or habitats	Appendix C	
(b)(6)	Archaeological resources	Appendix C	
(b)(7)	Socioeconomic resources	Appendix C	
(b)(8)	Other coastal and marine uses	Appendix C	
(b)(9)	Other resources, conditions, and activities identified by the Regional Supervisor	N/A	
(c)	Environmental impacts	Appendix C	
(c)(1)	Analyze the potential direct and indirect impacts	Appendix C	
(c)(2)	Analyze and potential cumulative impacts	Appendix C	
(c)(3)	Describe the potential impacts and their consequences and implications	Appendix C	
(c)(4)	Describe potential mitigation measures	Appendix C	
(c)(5)	Summarize information incorporated by reference	Appendix C	
(d)	Consultation	Appendix C	
(e)	References cited	Appendix C	
30 CFR 550.228	Administrative Information	Section 17.0	
(a)	Exempted information description	Section 17.0 a)	
(b)	Bibliography	Section 17.0 b)	
(b)(1)	List of all report and materials referenced	Section 17.0 b)	
(b)(2)	Location of referenced materials not submitted with EP	Section 17.0 b)	
Notice to Lessee (NTL)-	Blowout scenario required by 30 CFR 550.213 and 219	Section 2.0 d), and Section 8	
2010-00	Assumptions & calculations used to determine WCD volume	Section 3.0 l), Section 8 d)	
United States (U.S.) Enviro	nmental Protection Agency (EPA) – NPDES		
40 CFR 122.21 Application for a permit		Separate document	
National Marine Fisheries	Service (NMFS)		
50 CFR 216.107	Separate document		
U.S Fish and Wildlife Servi	ice (USFWS)	1	
50 CFR 18.124	Separate document		
U.S. Army Corps of Engine	eers (USACE)	-	
33 CFR 325.1	Applications for permits	Separate document	

¹ Section 3 not included in the public version of the Chukchi Sea EP Revision 2

SECTION 1.0 REVISED EXPLORATION PLAN CONTENTS

Shell Gulf of Mexico Inc. (Shell) submitted its initial Chukchi Sea Exploration Plan (Initial Chukchi Sea EP; Shell 2009) to the former U.S. Department of the Interior Minerals Management Service (MMS), now Bureau of Ocean Energy Management hereinafter collectively referred to as BOEM, in May of 2009. The initial Chukchi Sea EP was deemed submitted by BOEM on 20 October 2009. BOEM subsequently prepared a draft Environmental Assessment (EA) wherein it analyzed the potential impacts of the proposed exploration drilling program, and it released that draft for public review and comment. On 7 December 2009, following the close of public comment, BOEM issued a final EA and Finding of No Significant Impact (FONSI), and approved Shell's initial Chukchi Sea EP. In that initial Chukchi Sea EP, Shell identified seven Outer Continental Shelf (OCS) lease blocks (Posey Area Blocks 6713, 6714, 6763, 6764, 6912 and Karo Area Blocks 6864 and 7007) of interest in three prospects (Burger, Crackerjack, and Southwest Shoebill) that contained five potential drill sites (Burger C, F, J, Southwest Shoebill C, and Crackerjack C). The exploration drilling activities contemplated by the initial Chukchi Sea EP included the exploration drilling of an exploration well at up to three of the above-referenced five potential drill sites using the drillship Motor Vessel (M/V) Frontier Discoverer, which is now known as the M/V Noble Discoverer (Discoverer). Shell planned to initiate exploration drilling activities under the initial Chukchi Sea EP in the summer of 2010, but the exploration drilling activities were postponed when BOEM suspended all exploration drilling activities in the Arctic following the Deepwater Horizon (BP Macondo blowout) incident in the GOM.

In 2011, Shell submitted to BOEM a revised EP (EP Revision 1). This revision included Shell's plan to drill six exploration wells at only the Burger Prospect starting in 2012. This EP was subsequently approved by the BOEM 16 December 2011. In 2012, Shell mobilized the *Discoverer* and its support vessels to the Burger A drill site on the Burger Prospect. Burger A was drilled to a depth of 1,505 feet (ft.) and was temporarily abandoned according to the Bureau of Safety and Environmental Enforcement (BSEE) regulations at 30 CFR 250.1721-1723. In accordance with the terms and conditions of BOEM's prior approval of EP Revision 1, Shell plans to continue exploration drilling operations at its Burger Prospect (Figures 1.b-1 and 1.b-2) in this document, EP Revision 2.

This document (EP Revision 2) includes Shell's plans to resume drilling operations at the currently approved drill sites at the Burger Prospect (Table 1.a-1). This revision includes the following additions of another drilling unit, the Mobile Offshore Drilling Unit (MODU) Transocean *Polar Pioneer* (*Polar Pioneer*), plus some additional support vessels. Other differences between this EP Revision 2 and the approved EP Revision 1 are included in Table 1-1.

Differences between EP Revision 1 and EP Revision 2

The following are the most salient differences between EP Revision 1 and EP Revision 2. A larger list of changes is located in Table 1-1.

Additional Drilling Unit

Under Chukchi Sea EP Revision 2, Shell plans to drill all six exploration wells using either the *Discoverer* and/or the *Polar Pioneer*. Thus, EP Revision 2 includes simultaneous use of both drilling units whereas only the drillship *Discoverer* was in EP Revision 1. The *Discoverer* is ice-strengthened for operating in Arctic OCS waters. The *Discoverer* includes state-of-the-art drilling and well control equipment. The *Polar Pioneer* is a non-self-propelled semi-submersible drilling unit capable of drilling in harsh environments, and also includes state-of-the-art drilling and well control equipment. In the event of a well control incident that called for drilling a relief well, each drilling unit will serve as its own primary relief well drilling unit and as the secondary relief well drilling unit for the other drilling unit.

Additional Support Vessels and Trip Frequencies

Vessel changes between EP Revision 1 and EP Revision 2 include the use of additional support vessels and oil spill response (OSR) equipment for Shell's exploration drilling program in the Chukchi Sea (Table 1-1). These adjustments have been made in direct response to Shell's experiences during the 2012 season, the planned use of a second drilling unit, and discharge monitoring requirements under the new NPDES exploration facilities General Permit (GP). Vessel types identified may be used to support exploration drilling activities in the Chukchi Sea (e.g., ice management, anchor handling, offshore supply, and OSR augmentation) and are therefore included in the Chukchi Sea EP Revision 2. The use of all vessel types identified is analyzed in the Environmental Impact Analysis (EIA) (Appendix C). EP Revision 2 also includes the potential use of a Mudline Cellar (MLC) Remote Operated Vehicle (ROV) system housed on an offshore supply vessel (OSV). The MLC ROV system, if permissible under applicable permits or authorizations and available, will be capable of constructing an MLC prior to the arrival of a drilling unit.

Under EP Revision 2, the expected frequency of visits by OSVs to the drilling units has been increased from 17 round trips per season to 30 round trips per season.

There have also been changes in the designated locations of some support vessels and the frequency of their use, with some being moored in Kotzebue Sound. Further information regarding the location and specifications of all vessel types proposed for use is provided in Section 13.

Additional Aircraft and Flight Frequencies

Under EP Revision 2, Shell plans to utilize an additional helicopter for crew changes, and increase the frequency of crew change flights from 12 round trips per week up to an estimated 40 round trips per week. An additional fixed wing aircraft is provided for in EP Revision 2 as the platform for conducting ice reconnaissance flights. Further information regarding the location and specifications of all aircraft types proposed for use is provided in Section 13.

Similarities between EP Revision 1 and EP Revision 2

In comparison to the differences noted previous between EP Revision 1 and EP Revision 2, many aspects of the proposed drilling program remain similar. The following are the most salient items that have not changed from EP Revision 1 to EP Revision 2:

- Burger Prospect drill sites the number (six) and locations (Table 1.a-1 and Figure 1.b-1) of drill sites, remain the same,
- Worst Case Discharge (WCD) the calculated WCD flow rates and volumes (Table 2.g-1) for each of the six potential Burger Prospect wells remain the same,
- Oil Spill Response Plan (OSRP) although some administrative changes are noted in the Chukchi Sea OSRP and the addition of the second drilling unit *Polar Pioneer* (Section 8), Shell's response in the event of a loss of well control remains the same,
- Well Control Plan (WCP) the WCP was changed to incorporate language more familiar to Shell's well engineers and respondents to a well control event; however, there have been no changes to the substance of Shell's well control procedures,
- Critical Operations and Curtailment Plan (COCP) the text has been updated to include the second drilling unit *Polar Pioneer*, key personnel titles have changed, and the curtailment decision protocol has been updated to include the new key personnel; however, there have been no changes to the quality or substance of Shell's COCP, and
- Drilling Ice Management Plan (DIMP) contains minor changes and updates; ice management objectives and principles are clearly defined, the drilling units and attending ice management vessels have been updated; however, there have been no changes to the quality or substance of Shell's approach to ice management.

In addition to the EP changes, since EP Revision 1 was approved, several actions from the federal government may shape how Shell will operate under EP Revision 2. These actions include:

- Polar Bear Critical Habitat was vacated in January 2013 when the U.S. District Court for the District of Alaska ruled that the USFWS proposed critical habitat designation did not meet the requirements of the ESA;
- Change in ESA status of certain ice seals the bearded seal (Beringia distinct population segment) and the ringed seal were listed as threatened in December 2012; in July 2014 the threatened listing for the bearded seal was vacated and remanded by the U.S. District Court for the District of Alaska to NMFS;
- Addition of the Hanna Shoal Walrus Use Area (HSWUA) this is a large area (approximately 9,500 square miles [mi²]) to the northeast of the Burger Prospect that the USFWS designated as an area utilized by Pacific walrus during the summer months (Incidental Take Regulations Federal Register (FR) notice 78 FR 35364, 12 June, 2013); Shell will apply to acquire a variance from the USFWS to allow vessels to enter into the HSWUA;
- Air emissions regulations are now administered by BOEM rather than the Environmental Protection Agency (EPA). In December 2011, jurisdiction for regulating air emissions for projects on the OCS in areas off the coast of the North Slope Borough (NSB) in Alaska was changed from the EPA to BOEM (Consolidated Appropriations Act, Page 1048). As a result, the air permit for the *Discoverer* drill ship in the Chukchi Sea was terminated by the EPA in January 2014 (79 FR, Page 2442). Shell now seeks authorization from BOEM for air pollutants emitted for activities described in EP Revision 2.

Parameter	Approved EP Revision 1	EP Revision 2		
Drilling Units	Discoverer	Discoverer and Polar Pioneer		
MLC	Discoverer	Discoverer, Polar Pioneer, MLC ROV system		
Construction				
Support Vessels	 Drilling Support Vessels: Ice Management vessel (x1) Anchor handler (x1) OSVs (x2) Shallow water landing craft (x1) Oil Spill Response Support Vessels: Oil spill response vessel (OSRV) (x1) OSR tug and barge (x1) Oil storage tanker (OST) for recovered liquids (x1) Oil spill containment system tug and barge (x1) Oil spill containment system Anchor handler (x1) 	 Drilling Support Vessels: Ice Management Vessels (x2) Anchor Handlers (x3) Supply Tug and barges (x2) OSVs (x3) Support Tugs (x2) Science vessels (x2) Shallow water vessels (x2) MLC ROV system vessel (x1) Oil Spill Response Support Vessels: OSRV (x1) OSR tug and barge (x1) OSTs (x2) Oil spill containment system tug and barge (x1) OSR tug and barge for nearshore response (x1) 		
Aircraft	 S-92 or AW139 for crew change S-61, S92 or EC225 for Search and Rescue (SAR) Fixed wing aircraft for protected species observer (PSO) flights Fixed-wing aircraft – crew change from Wainwright to regional jet service in Barrow 	 S-92 Helicopters (or similar) for crew change (x3) S-92 Helicopter (or similar) for SAR Fixed wing aircraft for PSO and ice monitoring flights (x2) Fixed-wing- crew change from Wainwright to regional jet service in Barrow 		
Aircraft Flights	 Helicopter Crew Change Flights- Approximately 12 round trips/week for crew change/resupply Fixed wing aircraft for PSO Fixed wing aircraft crew change between Barrow & Wainwright up to 4 times per week 	 Helicopter Crew Change Flights- Approximately 40 round trips/week for crew changes/resupply Fixed wing aircraft for PSO and ice monitoring flights daily Fixed wing aircraft crew change between Barrow and Wainwright once every 3 weeks 		
Drilling Unit	Discharges as listed in Section 6 of EP	Revised discharges volumes/rates in Section 6 of		
Discharges	Revision I	EP Revision 2		
Drilling Unit Authorizations	Burger drill sites were authorized under National Pollutant Discharge Elimination System (NPDES) exploration facilities General Permit (GP) AKG-28-0000	Notices of Intent (NOI) to discharge certain wastes at the Burger drill sites will be filed under the new NPDES exploration facilities GP AKG- 28-8100		
Drilling Fluid	List of approved components are in Table	Additional drilling components have been added		
Components	6.c-1 of EP Revision 1	and are in Tables 6.c-1 and 6.c-2 of EP Revision 2		
Shorebase	Barrow – 75 person man camp	 Barrow – lease 40 person man camp; add a kitchen unit to the 75 person man camp; add hangar space for an additional helicopter Wainwright – additional existing yard space has been leased for response equipment storage 		

Table 1-1Comparison of the Exploration Drilling Program Under Shell's Approved EP
Revision 1 and EP Revision 2

Parameter	Approved EP Revision 1	EP Revision 2
Secondary	Kulluk	Polar Pioneer will serve as secondary relief well
Relief Well		unit for Discoverer, and Discoverer will serve as
Unit for the		secondary relief well unit for Polar Pioneer
Discoverer		
Air Emissions	Air emissions approved by EPA under	Jurisdiction for regulating air emissions for
Authorization	authorization R10OCS/PSD-AK-09-01	projects on the OCS in areas off the coast of the
		NSB in Alaska was changed from EPA to BOEM
		(Consolidated Appropriations Act)
Containment	Centrally located in the Chukchi Sea or	Located in or near Goodhope Bay within
System	Beaufort Sea	Kotzebue Sound
Location		
H_2S	Requested 'H ₂ S Unknown' classification	Requests ' H_2S Absent' classification; H_2S
Classification		Contingency Plan removed

Table 1-1Comparison of the Exploration Drilling Program Under Shell's Approved EP
Revision 1 and EP Revision 2

As required by 30 CFR 550.212-228, details of the planned exploration drilling program are provided in the following sections and accompanying appendix material. While this submission is a plan revision, Shell acknowledges that, pursuant to 30 CFR 550.285(c), the plan revision could be subject to all of the procedures under 30 CFR 550.231 through 30 CFR 550.235, and has provided a complete EP meeting all the requirements of 30 CFR 550.212. The document also meets the requirements of NTL 2010-06.

a) Description, Objectives, and Schedule for the Exploration Drilling Program

This EP Revision 2 and appendices, including the comprehensive EIA (Appendix C), describe the exploration drilling activities Shell plans to resume in 2015 at six lease blocks within the Burger Prospect for its exploration drilling program in the Chukchi Sea (Figure 1.b-1). Each of the identified lease blocks (Fig 1.b-2) contains a single drill site (Table 1.a-1) which are described and analyzed herein. Shallow hazards data has been collected at each of these drill sites and each drill site has been reviewed for potential shallow hazards and archaeological evidence. Formal shallow hazards reports and archaeological assessments have been submitted to the BOEM in advance of this submission under separate cover for each of the drill sites.

Table 1.a-1Shell Lease Blocks and Drill Sites Covered in the EP Revision 2 for the
Exploration Drilling Program Started in 2012 (Protraction NR03-02, Posey
Area Block)

Proposed	Block	Lease	Coordinate	es (meters) ¹	Latitude	Longitude
Drill Site		Number	Х	Y		
Burger A	6764	OCS-Y-2280	563945.26	7912759.34	N71° 18' 30.92"	W163° 12' 43.17"
Burger F	6714	OCS-Y-2267	564063.30	7915956.94	N71° 20' 13.96"	W163° 12' 21.75"
Burger J	6912	OCS-Y-2321	555036.01	7897424.42	N71° 10' 24.03"	W163° 28' 18.52"
Burger R	6812	OCS-Y-2294	553365.47	7907998.91	N71° 16' 06.57"	W163° 30' 39.44"
Burger S	6762	OCS-Y-2278	554390.64	7914198.48	N71° 19' 25.79"	W163° 28' 40.84"
Burger V	6915	OCS-Y-2324	569401.40	7898124.84	N71° 10' 33.39"	W163° 04' 21.23"

¹ Coordinate system is North American Datum 1983 (NAD 83) UTM Zone 3

' = minute

" = second

The drilling units will move through the Bering Strait and into the Chukchi Sea on or after 1 July and then onto the Burger Prospect as soon as ice and weather conditions allow. Exploration drilling activities will continue until on or about 31 October, and the drilling units and support vessels will exit the Chukchi Sea at the conclusion of each exploration drilling season.

Shell plans to drill exploration wells to a total depth (TD) below objective depth at each of the six possible drill sites. Shell may also elect to construct additional MLCs, using the drilling units or the MLC ROV system, and upper hole segments (i.e., "partial holes") using the drilling units, depending on the available time remaining through the drilling season. If the final well in a drilling season cannot reach objective depth by the end of the drilling season, the well will be suspended in compliance with applicable BSEE regulations and with the approval of the Regional Supervisor, Field Operations (RS/FO)¹.

No unfinished wellbore will remain open at the end of the final drilling season except in an emergency, but any well drilled during any season will be left at the end of any season in a status approved by the RS/FO of BSEE. If a hazardous condition occurs while drilling and requires curtailment of critical operations (or prevents initiating them, depending on the time available) per the provisions of the COCP (Appendix F), the well will either be drilled to objective well depth or secured and permanently abandoned prior to lease termination. Any well on which exploration drilling operations are suspended at the end of any drilling season will be secured and permanently abandoned prior to lease termination.

A well may also be started, temporarily abandoned due to ice, weather, or other conditions, and finished later in the same drilling season during the period covered by this EP Revision 2. This was an operational reality during the 1989–1991 Chukchi Sea exploration drilling campaign.

The actual number of wells that will be drilled in a season will depend upon ice conditions and the length of time available in each exploration drilling season. The predicted "average" drilling season, constrained by prevailing ice conditions and regulatory restrictions, is long enough for a drilling unit to drill an exploration well from spud to proposed total depth (PTD) and possibly construct an additional MLC or drill and secure a partial well. Once the objective intervals are fully evaluated, each exploration well will be plugged and abandoned in compliance with BSEE regulations.

Shell plans to drill six exploration wells to TD over the duration of this EP Revision 2. Any or all of these six possible drill sites may be permitted for drilling by BSEE via Applications for Permits to Drill (APD) to allow for operational flexibility in the event sea ice conditions prevent access to one or more locations.

¹ During the 2012 exploration drilling season, Shell initiated drilling at the Burger A well. The well was drilled to a measured depth of 1,505 ft. rotary kelly bushing (RKB) and is temporarily abandoned according to the BSEE regulations at 30 CFR 250.1721-1723.

b) Location

OCS Lease Sale 193 was held in February 2008 and Shell was subsequently awarded 275 OCS leases (blocks) through a competitive bidding process. The locations of these lease blocks in the Burger Prospect are depicted in Figure 1.b-1 and listed above in Table 1.a-1. Locations of the six drill sites within the blocks are depicted in Figure 1.b-2. Planned drilling unit maximum anchor radii and bathymetry are indicated for each drill site in Figure 1.b-3 through Figure 1.b-8. Surface and bottomhole coordinates, OCS area name and block number, lease number, distance from block line, and other information for each of the drill sites are provided on the respective OCS Plan Information Forms (BOEM-0137) attached to this EP Revision 2 in Appendix A. Public and proprietary versions of the BOEM-0137 forms are part of this EP Revision 2 submission. Proprietary information withheld from the public version includes bottomhole location, true vertical depth (TVD) and measured depth (MD).

Shell is aware that under 30 CFR 550.160 Shell must submit a request to BOEM for right-of-use and easement authorization if Shell wants to place one or more anchors on an adjacent lease block. Regarding the Burger S drill site (see Figure 1.b-7), Shell will apply for right-of-use and easement if any proposed anchor location would reside on an adjacent lease block.

Resupply will be from Dutch Harbor using OSVs. Additional resupply support may be provided via Kotzebue Sound using OSVs. Aviation operations will be conducted primarily from Barrow. These are the plans only for the exploration drilling program covered by this EP Revision 2.



Figure 1.b-1Location Map Exploration Drilling Program

Figure 1.b-2 Burger Prospect Location Map





















Figure 1.b-7 Bathymetry and Planned Drilling Unit Maximum Anchor Radius - Burger S



Figure 1.b-8Bathymetry and Planned Drilling Unit Maximum Anchor Radius - Burger V

c) Drilling Units

All planned exploration drilling in the identified lease blocks will be conducted with the *Discoverer* and the *Polar Pioneer*.

The *Discoverer* is a turret moored self-propelled drillship. Station keeping is accomplished using a turretmoored, 8-point anchor system. The underwater fairleads prevent ice fouling of the anchor lines. Turret mooring allows orientation of the vessel's bow into the prevailing metocean conditions to present minimum hull exposure to drifting ice. The vessel is rotated around the turret by hydraulic jacks. Rotation can be augmented by the use of the fitted bow and stern thrusters. Ice-strengthened sponsons have been retrofitted to the drillship's hull.

The *Discoverer* is classed by Det Norske Veritas (DNV) as a MODU for worldwide service. It is a "1A1 Ship-Shaped Drilling Unit l" and is capable of performing drilling operations offshore of Alaska. The *Discoverer* has been issued with a DNV Appendix to Class stating:

"The structural strength and material quality of the 'Ice Belt' formed by the sponsons below the 8,950 mm A/B level, have been reviewed against the requirements for the DNV ICE-05 Additional Class Notation and found to meet those requirements (as contained in DNV Rules for Classification of Ships, Pt 5 Ch. 1, July 2006) for a design temperature of -15 degrees C."

The *Polar Pioneer* is classed by DNV as a MODU for worldwide service. It is a non-self-propelled, "SPM thruster assisted" semisubmersible offshore drilling unit of twin-hull configuration. The rig is a "+ A1 Column Stabilized Unit" and is capable of performing drilling operations offshore of Alaska. Positioning is accomplished with a combination of an eight-point all chain catenary mooring system and thruster assisted mooring system.

The *Polar Pioneer* was built in 1985, with unlimited operation area, in accordance with the Norwegian Maritime Directorate and to DNV regulations, current at that time. While operating in Norwegian waters, the installation, with its inventory, equipment, crew and machinery was required to comply with current rules and regulations for operation on the Continental Shelf of Norway.

Both drilling units will comply with all of the regulations of DNV, the International Maritime Organization (IMO), and the U.S. Coast Guard (USCG). All exploration drilling operations will be conducted under the provisions of 30 CFR Part 250 Subpart D, and other applicable regulations and notices including those regarding the avoidance of potential drilling hazards, safety and pollution control. The drilling units will undergo inspections by BSEE, DNV and USCG for certification before entering the theater. The DNV certificates will be forwarded to BOEM.

Procedures for monitoring and reacting to ice in the prospect areas are provided in the COCP and the DIMP which are attached as Appendices F and G, respectively.
Discoverer





Specification	Discoverer	Polar Pioneer
Dimensions	-	
Hull Length	514 ft. (156.7 meters [m])	279 ft. (85 m)
Hull Width	85 ft. (26.0 m)	233 ft. (71 m)
Height	274 ft. (83.2 m)	319 ft. (97.3m)
Derrick Height	175 ft. (53.3 m)	170 ft. (51.8 m)
Draft		
Transit Draft	26.9 ft. (8.2 m)	30 ft. (9.15 m)
Operating Draft at Load line	26.9 ft. (8.2 m)	75.4 ft. (23 m)
Berths	124 berths	114 berths
Storage Capacity		
Potable Water	1,670 barrels (bbl) (266 cubic meters [m ³])	4,843 bbl (770 m ³)
Drill Water	5,798 bbl (922 m ³)	11,140 bbl (1,770 m ³)
Liquid Mud	2,400 bbl (382 m ³)	6,180 bbl (982 m ³)
Bulk Cement	6,400 cubic feet (ft ³) (180 m ³)	12,678 ft ³ (359 m ³)
Fuel	6,497 bbl (1,033 m ³)	11,290 bbl (1,794 m ³)
Propulsion Engines(1) MAN Diesel B&W l, 6,480 horsepower (hp)		Not Applicable
Power Plant	(6) Caterpillar 3512 1,476 hp	(5) Bergen KVG-18 3,890 hp
Mooring		
Anchors	9-15 metric ton (mt) Stevshark, 8 each	9 – 15 mt Stevshark, 8 each
Anchor Lines	2.75-inch (in.) (7-centimeters [cm]) wire rope 2.5- in. (6-cm) chain	3.3 in (88 mm) K-4 chain
Anchor Line Length	(8 each) 2,750 ft. (838 m) wire + 1,150 ft. (351 m) chain (useable) per anchor	(8 each) 6,458 to 6675 ft. (1,969 to 2,035 m) chain per anchor
Transit Speed	8.0 knots	N/A (non-self-propelled)
Marine Sanitation Device	OMNIPURE Series 55	Piranha WRS-40

Table 1.c-1 Specifications of the Discoverer and the Polar Pioneer

d) Service Fee

The required permit fee of \$20,652 (six drill sites at \$3,442 each) has been paid in full.

SECTION 2.0 GENERAL INFORMATION

a) Application and Permits

Table 2.a-1 lists permit and authorization applications or plans that have or will be submitted that will support this EP Revision 2, for the wells to be drilled in the Burger Prospect under EP Revision 2. Some permits have already been obtained, and some existing permits need renewal or extension.

Permits & Authorizations	Agency	Submittal Date	Authorization Date	Document Location
Chukchi Sea Exploration Plan Revision 2	BOEM	August 2014	EP Revision 1 approved 15 December 2011	This document
APD	BSEE	Six (6) Burger APD applications submitted – Jan-Sep 2012 Dates to seek amendments to APDs to be determined (TBD)	Burger A $-$ 30 August 2012 ¹ Burger J $-$ 27 September 2012 ¹ Burger V $-$ 18 October 2012 ¹ Amendment authorizations TBD	Separate cover
OSRP	BSEE	Biennial review updates submitted on 8 December 2013 Administrative updates to be filed following submittal of EP Revision 2	17 February 2012; Biennial review updates approved June 2014	Separate cover - 17 February 2012 approved plan found at BSEE Website ²
NPDES GP AKG-28- 8100	ЕРА	NOIs Not yet submitted	To be determined	Separate cover
Marine Mammal Protection Act (MMPA) - IHA	National Marine Fisheries Service (NMFS)	Not yet submitted	To be determined	Separate cover
MMPA – Letters of Authorization	United States Fish and Wildlife Service (USFWS)	Not yet submitted	To be determined	Separate cover
Section 10/404 Nationwide Permit (NWP)#8	United States Army Corps of Engineers (USACE)	Not yet submitted	To be determined	Separate cover
Land Use Permit – Dutch Harbor area	Alaska Department of Natural Resources (ADNR)	Not yet submitted	To be determined	Separate cover
Land Use Permit – Kotzebue Sound area	ADNR	Not yet submitted	To be determined	Separate cover

 Table 2.a-1
 Permit Applications Pending or Approved

¹ BSEE approved APDs for three wells Burger A, J, and V; all only to the depth of the 20-in, casing in each well. These three APDs, plus the APD applications for the remaining three Burger wells (Burger F, R and S) will be amended with applications to seek drilling to TD. Dates to seek amendment are TBD.

²BSEE website at <u>http://www.bsee.gov/uploadedFiles/BSEE/OSRP/Chukchi%20OSRP%20-%20February%202012.pdf</u>

ADNR = Alaska Department of Natural Resources

b) Drilling Fluids

Drilling fluid volumes and discharge rates for each drill site are listed in Tables 2.b-1 and 2.b-2.

Further details regarding waste stream volumes, discharge rates, mud additives and other information can be found in Section 6.0. Drilling fluid constituents are listed in Tables 6.c-1 and 6.c-2.

Table 2.b-1Drilling Fluid Type, Quantity and Discharge Rates for MLC, Conductor and Surface-
Cased Sections

Drill Site	Drilling Fluid Type	Drilling Fluid Quantity	Discharge Rate ¹
Burger A		already complete	already complete
Burger F		3,124 bbl	29.5 bbl/hour (hr.)
Burger J	Sea Water	3,207 bbl	30.3 bbl/hr.
Burger R	and Gel	3,121 bbl	29.4 bbl/hr.
Burger S	Sweeps	3,123 bbl	29.5 bbl/hr.
Burger V]	3,207 bbl	30.3 bbl/hr.

¹ discharge occurs only during drilling; assume 106 drilling hours (does not include non-drilling time); the MLC ROV system if used in lieu of drilling units and as specified will not use drilling fluids

Table 2.b-2	Drilling Fluid Type, Quantity and Discharge Rates for Well Sections below the
	Surface Casing, after the Riser is Established

Drill Site	Drilling Fluid Type ¹	Drilling Fluid Quantity ²	Discharge Rate ^{3,4}
Burger A	WBM	6,231 bbl	69.2 bbl/hr.
Burger F	WBM	6,184 bbl	68.7 bbl/hr.
Burger J	WBM	5,5 46 bbl	61.6 bbl/hr.
Burger R	WBM	6, 3 52 bbl	70.6 bbl/hr.
Burger S	WBM	7,414 bbl	82.4 bbl/hr.
Burger V	WBM	7,8 8 9 bbl	87.7 bbl/hr.

¹WBM – water based mud; see Section 6 for list of components

² Cutting not included in this total

³ Discharge occurs only during drilling; assume 90 drilling hours (does not include non-drilling time)

⁴ Does not include reserve pit volumes (*Discoverer* -1,500 bbl and *Polar Pioneer* -2,427 bbl) discharged at the end of the well at a rate not exceeding 1000 bbl/hr.

In addition to the WBM constituents listed in Section 6, potassium chloride (shale inhibitor) may be used but not discharged to the ocean. This product may be part of the drilling fluid that will be pumped in the hole prior to cementing. This fluid will remain in the hole behind the casing.

c) Chemical Products

Ethylene glycol and caustic soda (sodium hydroxide) quantities are likely to exceed the reportable quantity (RQ) as defined under 40 CFR 302. However, in order for these chemicals to be discharged to the sea, they will meet the toxicity requirements specified in the NPDES permit.

Ethylene glycol (RQ is 5,000 pounds (lb.) or 2,273 kilograms [kg]) is an antifreeze agent that will be used in blowout preventer (BOP) fluid and will be discharged to the seafloor in compliance with NPDES exploration facilities GP AKG-28-8100. Caustic soda (RQ is 1,000 lb. or 455 kg) may be used in the drilling fluid as pH control and will also be discharged to the seafloor in compliance with NPDES exploration facilities GP AKG-28-8100. Chemical products on the drilling vessels will be stored in United Nations (UN) Specification Packaging.

d) New or Unusual Technology

Shell is proposing to potentially use a MLC ROV system when able, under applicable permits or authorizations, and available in addition to the current MLC bit system, to excavate new MLCs.

The subsea (SS) MLC ROV system will be deployed by a dedicated vessel (OSV) and will sit on the sea floor and may use a number of different implements to mobilize the seafloor sediments. These sediments will then be pumped away via use of a pump mounted on the MLC ROV system and discharged on the seafloor away from the excavation site. The implements used could include an excavator bucket, a rotating cutter, auger, drill, and/or rock hammer. The MLC ROV system will require a slope, currently estimated at 15° , to maintain stability.

Examples of MLC ROV Systems



The-MLC ROV system vehicle will be deployed from a vessel rather than a drilling unit. The MLC ROV system will not require any pumping from the surface into the sea, which greatly decreases the discharge of foreign fluids into the water column. Because the geometry of the MLC excavated using the MLC ROV system will be different than a MLC excavated using a MLC bit system deployed from a drilling unit, any well using this new technology will yield a larger volume of cuttings deposited on the seafloor (see Table 6.b-1). The increased volume of the MLC afforded by the MLC ROV system will eliminate the need for a remote SS control panel for well control and allow for SS pumps to be used to clear sediment from the MLC without the utilization of cutting tools.

This specific technology has not been put to use for construction of MLCs, but similar technology has been used for very similar work elsewhere. The technology being proposed is commonly used for the trenching of SS pipelines and cable runs.

e) Bonds, Oil Spill Financial Responsibility, and Well Control Statements

BOEM has determined that Shell has the financial capacity to allow BOEM to waive supplemental bond requirements of Shell (Operator No. YK02117). Shell also has an area wide exploration bond for \$1,000,000 with Federal Insurance Company, Bond #8216-14-86.

Shell is of sound financial strength and reliability and has demonstrated oil spill financial responsibility (OSFR) according to 30 CFR 553 for the facilities planned in the EP Revision 2. In accordance with 30 CFR 553.30(d), Shell is indemnified for \$150,000,000. This financial reliability ensures that Shell has the capability to deal with all emergency situations such as blowout control including relief well drilling and kill operations, if such an unlikely event should occur. This OSFR is current and valid and is renewed yearly when Shell submits audited financial information to BOEM.

This is a planned exploration drilling program with temporary seasonal operations. Drilling unit anchoring systems employed during operations will be removed upon permanent abandonment of each well. Permanent facilities will be limited to the casing, wellhead housings and the permanent guide base remaining after well abandonment. MLC excavations to protect the wellhead, casing and BOPs from potential ice gouge events will remain. Any well on which exploration drilling is suspended is secured in compliance with BSEE regulations and with the approval of the RS/FO, whether it is permanently abandoned (30 CFR 250.1710 through 1717) or temporarily abandoned (30 CFR 250.1721-1723).

f) Suspension of Operations

Shell has plans and mitigation measures in place that accommodate the forced or voluntary suspension of operations during implementation of the proposed exploration drilling program detailed in EP Revision 2. Forced suspension of operations could result from weather, ice conditions, drilling unit mechanical conditions, or downhole conditions, among others. In order to facilitate a possible suspension of operations, Shell has drafted several operational plans containing suspension procedures and protocols in accordance with 30 CFR 550.220, including a COCP, which is discussed in Section 9.0 and attached as Appendix F to EP Revision 2.

g) Blowout Scenario

A blowout scenario was developed for Shell's approved Chukchi Sea Regional OSRP based on 30 CFR 254.47(b). The blowout scenario is described in Section 8.0(d) and (e) of this EP Revision 2 as required by 30 CFR 550.219. This blowout scenario is the same scenario as described in EP Revision 1. The approved OSRP has been prepared to accommodate this same blowout scenario, the change of a second drilling unit (the *Kulluk* will not be drilling in the Beaufort Sea but the *Polar Pioneer* will be drilling near the *Discoverer* on the Burger Prospect), change in name of an OSR contractor, and other administrative changes. Calculation of a WCD is also required by 30 CFR 550.213(g) and NTL 2010-06, and is discussed below.

WCD - Maximum Flow Rate, Duration and Total Volume

Shell calculated WCD flow rates and volumes for a well at each of the drill sites identified in the EP Revision 1 using a combination of nodal analysis and numerical simulation techniques. Burger J was found to have the calculated maximum flow rate (Table 2.g-1). As stated previously, the WCD calculations remain the same in EP Revision 2.

Drill Site	Lease	Estimated WCD Maximum Daily Oil Flow rate (bbl/day)
Burger J	OCS-Y-2321	23,100
Burger S	OCS-Y-2278	19,127
Burger A	OCS-Y-2280	19,031
Burger V	OCS-Y-2324	13,812
Burger F	OCS-Y-2267	11,763
Burger R	OCS-Y-2294	8,689

Table 2.g-1 Calculated Maximum Daily Oil Flow Rates for Wells at Drill Sites

The assumptions and basis for calculation of the WCD are provided in Section 3.0 of the Proprietary version of EP Revision 2. The OSRP blowout planning scenario used for OSR planning exceeds the WCD calculated for Burger J, as discussed in Section 8.0.

Potential for Well Bridging

For calculation of the WCD, Shell has assumed uncontrolled flow to the mudline with no drill pipe in the hole, and no formation bridging. There has been only one penetration of the reservoir and it produced insufficient petrophysical data to be considered sufficient for determining bridging tendency at other sites.

Surface Intervention

Well control is discussed in Section 9.0 of this document and a WCP is provided in Appendix H. Shell will have a capping stack and a containment system tug and barge available for the exploration drilling program. Surface intervention and capping and containment are discussed specifically in Section 9.0. The capping stack system will be carried as equipment on an ice management vessel and the containment system tug and barge will be located in Kotzebue Sound where it can respond if required.

Relief Well Drilling Unit – Availability, Constraints, and Days to Drill and Kill Flow

The relief well drilling procedure is discussed in the OSRP. Shell's WCP is attached as Appendix H. Well control is the process of maintaining positive hydrostatic pressure in the drilled wellbore greater than that in any drilled formation, a process called positive pressure drilling, that prevents gas or fluids from underground reservoirs escaping from the wellbore in an uncontrolled manner.

In the unlikely event of a well blowout, the primary drilling unit will serve as its own relief well drilling unit. If the primary drilling unit is undamaged and capable of drilling its own relief well, drilling operations could begin in as little as three days, with the relief well drilled and flow from the blowout being killed in about 31 days. If the primary drilling unit cannot be used to drill the relief well, the secondary drilling unit would be brought in for that purpose. The *Polar Pioneer* will serve as the secondary relief well drilling unit for the *Discoverer*, and the *Discoverer* will serve as the secondary relief well drilling unit for the *Discoverer*, and the *Discoverer* will serve as the secondary relief well drilling unit for the *Polar Pioneer*. EP Revision 2 assumes that both drilling units will be drilling at the Burger Prospect, in which case the estimated duration of flow prior to drilling a relief well to intersection with the original wellbore and killing the flow is approximately 34 days. Should one drilling unit be as far away as Dutch Harbor, an additional four days will be required for the relief well, bringing total duration of uncontrolled flow to 38 days.

h) Contact Information

Contact Susan Childs, Alaska Venture Support Integrator Manager, Alaska Venture, at telephone number (907) 646-7112 or e-mail at <u>Susan.Childs@Shell.com</u>.

SECTION 3.0 GEOLOGICAL AND GEOPHYSICAL INFORMATION (PROPRIETARY AND CONFIDENTIAL)

OP-L-

SECTION 4.0 HYDROGEN SULFIDE INFORMATION

a) Concentration

During the historic 1989–1991 Chukchi exploration drilling program, no H_2S was recorded while drilling in open-hole conditions in any of the five wells: OCS-Y 1482 Klondike #1, OCS-Y 1275 #1 (Popcorn), OCS-Y 1413 #1 (legacy Burger #1 well), OCS-Y 1320 #1 (Crackerjack) and Chevron OCS-Y 0996 #1 (Diamond). However, two occurrences of minor amounts of H_2S , related to the bacterial digestion of the XC (*Xanthomonas campestris*, also known as xanthan gum) polymer in the mud that was left inside the casing during an extended period of operational suspension, were recorded and are described below. In early October 1989, a string of 13 $\frac{3}{8}$ -in. ($\frac{340}{10}$ mm) casing was set and cemented at 5,516 ft. ($\frac{1}{681}$ m) in the legacy Burger #1 well. The cement was displaced by the same XC polymer-based drilling mud as that used to drill the 17 $\frac{1}{2}$ -in. ($\frac{44.5}{2}$ -cm) hole below 20-in. ($\frac{508}{20}$ mm) casing set at 1,440 ft. ($\frac{439}{20}$ m). The cement was displaced to the float collar some 43 ft. (13 m) above the casing shoe leaving a cement plug in the bottom of the casing along with two check valves (i.e., floats). The cement plugs and floats, along with the hydrostatic pressure from the mud column within the 20-in. (508 mm) casing, prevented formation fluids from entering the casing. The well was temporarily abandoned with a corrosion cap set on top of the wellhead after pressure testing the wellhead hanger. The well remained in this configuration until it was re-entered.

In August 1990, the MLC was cleaned out on the legacy Burger #1 well and the corrosion cap was removed. Then a $12\frac{1}{4}$ -in. (31-cm) bit was run through the old mud to the top of the cement plug inside the casing. The old mud was then displaced out of the 20-in. (508 mm) casing with newly mixed drilling mud. When the bottom portion of the old mud reached the surface, a maximum H₂S concentration of 30 ppm was detected at the shale shaker. As the new mud circulated to surface, the H₂S concentration returned to zero. Once the H₂S concentration returned to zero the $12\frac{1}{4}$ -in. (31-cm) bit then drilled through the cement plug and both check valves. It then proceeded to drill new formation on its way to the main objective target.

It is concluded that the H_2S was the byproduct of bacterial digestion of the polymer in the old mud contained within the 20-in. (508 mm) casing. There had been no H_2S detected while drilling the 17 ¹/₂-in. (445 mm) hole and the casing was sealed during the 10-month time between depositing the mud inside the casing and circulating it out. No other H_2S was recorded while drilling the remaining hole segments to the well's final TD of 8,202 ft. (2,500 m).

In October 1990, the 13 $\frac{3}{8}$ -in. (340 mm) surface casing was set and cemented in the OCS-Y 1320 #1 (Crackerjack) well at 5,448 ft. (1,661 m) in a 17 $\frac{1}{2}$ -in. (445 mm) hole below the 20-in. (508 mm) casing set at 1,326 ft. (404 m). On this casing string, two joints of casing separated the float collar at 5,363 ft. (1,635 m) from the float shoe at 5,448 ft. (1,661 m), leaving at least 85 ft. (26 m) of cement inside the base of the pipe. Again, the cement was displaced with the same XC polymer mud used to drill the 17 $\frac{1}{2}$ -in. (445 mm) hole. The combination of the cement plug and the floats along with the hydrostatic pressure from the mud column within the 13 $\frac{3}{8}$ -in. (340 mm) casing, prevented formation fluids from entering the casing. In addition, an H₂S scavenger, Sulf-X ES at a concentration of 1.0 parts per billion (ppb) was added to the mud to prevent bacterial degradation of the mud (as seen at the legacy Burger #1 well). The Crackerjack well was temporarily abandoned, without drilling out cement inside the surface casing, using a corrosion cap.

In late July 1991, the rig returned to the OCS-Y 1320 #1 (Crackerjack) well and re-entered the temporarily abandoned well. A 12¹/₄-in. (31-cm) bit was run to the top of cement inside the $13^{3}/_{8}$ -in. (340 mm) casing and the old mud was circulated out of the hole. The returned mud was monitored for H₂S by a safety specialist and by mud loggers. When mud from approximately 4,000 ft. (1,219 m) in the well reached the surface, H₂S in trace concentrations was released at the shakers. As the old mud was displaced with new mud, the H₂S concentration fell to zero prior to drilling out the cement plug and

floats, and into new formation. No other H_2S was recorded while drilling the remaining hole segments to the well's final TD of 9,573 ft. (2,918 m).

Again, it is concluded that the H_2S in this well was the product of bacterial digestion of the XC polymer in the old mud. There was no H_2S encountered while drilling the 17 ¹/₂-in. (445 mm) hole and none was released into the mud during subsequent drilling. Apparently, the H_2S scavenger was not completely successful in preventing the H_2S , but the concentration was reduced from that seen in the Burger well after about the same on-bottom time.

No H_2S was detected or released while drilling any of the other wells in the Chukchi Sea during the 1989-1991 campaign. This reinforces the conclusion that the source of H_2S detected in these two wells was indeed the result of bacterial degradation of the polymer mud left in each hole for approximately 10 months each and not from any geologic formation penetrated by either well.

b) Classification

 H_2S is not expected in any hole segment in any exploration well planned in Shell's EP Revision 2. This is based on the absence of H_2S in any previously drilled exploration well in the Chukchi Sea, the Beaufort Sea or the Canadian Beaufort Sea, and the fact that no H_2S was encountered while drilling the legacy Burger #1 well. The legacy Burger #1 well was drilled through the targeted Cretaceous objective at a TD in the Jurassic Kingak Formation at 8,202 ft. (2,500 m). All of the planned exploration wells described in this EP Revision 2 will be targeting the same Cretaceous objective interval, as encountered in the legacy Burger #1 well, and would reach TD above the Kingak Formation.

All of the Burger Prospect drill sites covered by Shell's EP Revision 2 are classified as " H_2S absent" because none of the wells is projected to be drilled below the equivalent stratigraphic interval penetrated by the depth of the legacy Burger #1 well, 8,202 ft. (2,500 m).

c) Contingency Plan

Shell is requesting " H_2S Absent" classification in this EP Revision 2; therefore a contingency plan is no longer included.

d) Modeling Report

All of the Burger Prospect drill sites covered by Shell's EP Revision 2 are classified as " H_2S absent"; therefore a modeling report has not been developed.

SECTION 5.0 BIOLOGICAL, PHYSICAL, AND SOCIOECONOMIC INFORMATION

a) Biological Environment Reports

Results of the shallow hazards surveys indicate that the seafloor at all six drill sites is relatively level and smooth with the exception of ice gouges. Seafloor sediments consist largely of silts and clays. No evidence was observed of hard bottom or other special habitats.

Shell partially funded other types of baseline studies since 2008 as part of a multi-faceted study to gather data regarding resources in the project area, and plans to continue these studies. The studies' focus includes a 30 x 30 nautical mile (n mi) study area ($56 \times 56 \text{ km}$) encompassing Shell's Burger Prospect. The data collected during the course of these programs were used in the EIA (Appendix C). Final reports are currently available for the following studies:

- Benthic ecology of the Burger and Klondike survey areas: 2008 environmental studies program in the northeastern Chukchi Sea (Blanchard et al. 2010a).
- Benthic ecology of the Burger and Klondike survey areas: 2009 environmental studies program in the northeastern Chukchi Sea (Blanchard et al. 2010b).
- Oceanographic assessment of the planktonic communities in the Klondike and Burger survey areas of the Chukchi Sea: report for survey year 2008 (Hopcroft et al. 2009).
- Oceanographic assessment of the planktonic communities in the Klondike and Burger survey areas of the Chukchi Sea: report for survey year 2009 (Hopcroft et al. 2010).
- Distribution and abundance of seabirds in the northeastern Chukchi Sea, 2008 (Gall and Day 2009).
- Distribution and abundance of seabirds in the northeastern Chukchi Sea, 2008 and 2009 (Gall and Day 2010).
- Marine mammal surveys at the Klondike and Burger survey areas in the Chukchi Sea during the 2008 open water season (Brueggeman 2009).
- Marine mammal surveys at the Klondike and Burger survey areas in the Chukchi Sea during the 2009 open water season (Brueggeman 2010).
- Passive acoustic monitoring of marine mammals in the Chukchi Sea 9 September 14 October 2008 (The Cornell Lab of Ornithology 2010).
- Marine mammal distribution and abundance in the northeastern Chukchi Sea during summer and early fall, 2008-2012 (Aerts et al. 2013).
- Distribution and Abundance of Seabirds in the Northeastern Chukchi Sea, 2008-2012 (Gall and Morgan, 2013).
- Oceanographic assessment of the planktonic communities in the northeastern Chukchi Sea (Hopcroft et al. 2013).
- Acoustic Survey of Fishes in the Chukchi Sea Environmental Studies Program in 2012 (Goodman et al. 2013).
- Chukchi Sea Environmental Studies Program 2008-2012: Benthic Ecology of the Northeastern Chukchi Sea (Blanchard and Knowlton, 2013).
- Northeastern Chukchi Sea Joint Acoustic Monitoring Program 2011–2012 (Delarue et al. 2013).

- Continental Shelf Research. Seasonal and inter-annual dynamics of the northeastern Chukchi Sea Ecosystem (Hopcroft and Day, 2013).
- Deep Sea Research Part II: Topical Studies in Oceanography. The Northern Chukchi Sea Benthic Ecosystem: Characterization, Biogeochemistry and Trophic Linkages (Dunton et al. 2014).

In addition to the baseline surveys described above, Shell has partially funded U.S. Geological Survey (USGS) walrus tagging studies in the Chukchi Sea and ringed seal tagging studies in Kotzebue Sound with the Native Village of Kotzebue. Results of these studies are found on the internet at http://alaska.usgs.gov/science/biology/walrus/2008animation_Norseman.html and http://chatabaa.usgs.gov/science/biology/walrus/2008animation_Norseman.html and <a href="http://chatabaa.usgs.gov/science/biology/walrus/

Shell has also collected a large amount of information regarding marine mammals in the northeastern Chukchi Sea, including the area of Shell's Burger Prospect, through its marine mammal monitoring program associated with open water activities. Data collected are summarized in the following reports:

- Funk, D. W., R. Rodrigues, D. S. Ireland, and W. R. Koski (eds.). 2007. Joint Monitoring Program in the Chukchi and Beaufort Seas, July-November 2006. LGL Alaska Report P891-2, Report from LGL Alaska Research Associates, Inc., LGL Ltd., Greeneridge Sciences, Inc., Bioacoustics Research Program, Cornell University, and Bio-Wave Inc. for Shell Offshore, Inc., ConocoPhillips Alaska, Inc., and GX Technology, and National Marine Fisheries Service, U.S. Fish and Wildlife Service. 316 p. plus Appendices.
- Ireland, D.S., D.W. Funk., R. Rodrigues, and W.R. Koski (eds.), 2009. Joint Monitoring Program in the Chukchi and Beaufort seas, open water seasons, 2006–2007. LGL Alaska Report P971–2, Report from LGL Alaska Research Associates, Inc., Anchorage, AK, LGL Ltd., environmental research associates, King City, Ont., JASCO Research, Ltd., Victoria, BC, and Greeneridge Sciences, Inc., Santa Barbara, CA, for Shell Offshore, Inc., Anchorage, AK, ConocoPhillips Alaska, Inc., Anchorage, AK, and the National Marine Fisheries Service, Silver Springs, MD, and the U.S. Fish and Wildlife Service, Anchorage, AK. 485 p. plus Appendices.
- Funk, D.W., D.S. Ireland, R. Rodrigues, and W.R. Koski (eds.). 2010. Joint Monitoring Program in the Chukchi and Beaufort seas, open-water seasons, 2006–2008. LGL Alaska Report P1050-3, Report from LGL Alaska Research Associates, Inc., LGL Ltd., Greeneridge Sciences, Inc., and JASCO Research, Ltd., for Shell Offshore, Inc. and Other Industry Contributors, and National Marine Fisheries Service, U.S. Fish and Wildlife Service. 499 p. plus Appendices.
- Funk, D.W., D.S. Ireland, R. Rodrigues, and W.R. Koski (eds.). 2011. Joint Monitoring Program in the Chukchi and Beaufort seas, open-water seasons, 2006–2009. LGL Alaska Report P1050-2, Report from LGL Alaska Research Associates, Inc., LGL Ltd., Greeneridge Sciences, Inc., and JASCO Applied Sciences, for Shell Offshore, Inc. and Other Industry Contributors, and National Marine Fisheries Service, U.S. Fish and Wildlife Service.
- Funk, D.W., C.M. Reiser, D.S. Ireland, R. Rodrigues, and W.R. Koski (eds.). 2013. Joint Monitoring Program in the Chukchi and Beaufort seas, 2006–2010. LGL Alaska Final Report P1213-2, Report from LGL Alaska Research Associates, Inc., LGL Ltd., Greeneridge Sciences, Inc., and JASCO Research, Ltd., for Shell Offshore, Inc. and Other Industry Contributors, and National Marine Fisheries Service, U.S. Fish and Wildlife Service. 592 p. plus Appendices.
- LGL Alaska Research Associates, Inc., JASCO Applied Sciences, Inc., and Greeneridge Sciences, Inc. 2013. Joint Monitoring Program in the Chukchi and Beaufort Seas, 2012. LGL Alaska Report P1272-2 for Shell Offshore, Inc. ION Geophysical, Inc., and Other Industry Contributors, National Marine Fisheries Service, and U.S. Fish and Wildlife Service. 320 p. plus Appendices.

- Patterson, H., S.B. Blackwell, B. Haley, A. Hunter, M. Jankowski, R. Rodrigues, D. Ireland and D. W. Funk. 2007. Marine mammal monitoring and mitigation during open water seismic exploration by Shell Offshore Inc. in the Chukchi and Beaufort Seas, July–September 2006: 90day report. LGL Draft Rep. P891-1. Rep. from LGL Alaska Research Associates Inc., Anchorage, AK, LGL Ltd., King City, Ont., and Greeneridge Sciences Inc., Goleta, CA, for Shell Offshore Inc., Houston, TX, and Nat. Mar. Fish. Serv., Silver Spring, MD. 199 p.
- Funk, D., D Hannay, D. Ireland, R. Rodrigues, W. Koski. (eds.) 2008. Marine mammal monitoring and mitigation during open water seismic exploration by Shell Offshore Inc. in the Chukchi and Beaufort Seas, July–November 2007: 90-day report. LGL Rep. P969-1. Rep. from LGL Alaska Research Associates Inc., LGL Ltd., and JASCO Research Ltd. for Shell Offshore Inc., Nat. Mar. Fish. Serv., and U.S. Fish and Wild. Serv. 218 pp plus appendices.
- Ireland, D.S., R. Rodrigues, D. Funk, W. Koski, D. Hannay. (eds.) 2009. Marine mammal monitoring and mitigation during open water seismic exploration by Shell Offshore Inc. in the Chukchi and Beaufort Seas, July–October 2008: 90-day report. LGL Rep. P1049-1. Rep. from LGL Alaska Research Associates Inc., LGL Ltd., and JASCO Research Ltd. for Shell Offshore Inc., Nat. Mar. Fish. Serv., and U.S. Fish and Wild. Serv. 277 pp, plus appendices.
- Reiser, C. M, D. W. Funk, R. Rodrigues, and D. Hannay. (eds.) 2010. Marine mammal monitoring and mitigation during open water seismic exploration by Shell Offshore, Inc. in the Alaskan Chukchi Sea, July–October 2009: 90-day report. LGL Rep. P1112-1. Rep. from LGL Alaska Research Associates Inc. and JASCO Research Ltd. for Shell Offshore Inc., Nat. Mar. Fish. Serv., and U.S. Fish and Wild. Serv. 104 pp, plus appendices.
- Reiser, C.M, D.W. Funk, R. Rodrigues, and D. Hannay. (eds.) 2011. Marine mammal monitoring and mitigation during marine geophysical surveys by Shell Offshore, Inc. in the Alaskan Chukchi and Beaufort seas, July–October 2010: 90-day report. LGL Rep. P1171E–1. Rep. from LGL Alaska Research Associates Inc., Anchorage, AK, and JASCO Applied Sciences, Victoria, BC for Shell Offshore Inc., Houston, TX, Nat. Mar. Fish. Serv., Silver Spring, MD, and U.S. Fish and Wild. Serv., Anchorage, AK. 240 pp, plus appendices.
- Bisson, L.N., H.J. Reider, H.M. Patterson, M. Austin, J.R. Brandon, T. Thomas, and M.L. Bourdon. 2013. Marine mammal monitoring and mitigation during exploratory drilling by Shell in the Alaskan Chukchi and Beaufort Seas, July–November 2012: Draft 90-Day Report. D.W. Funk, C.M. Reiser, and W.R. Koski, editors. LGL Rep. P1272D–1. Rep. from LGL Alaska Research Associates Inc., Anchorage, AK, USA, and JASCO Applied Sciences, Victoria, BC, Canada, for Shell Offshore Inc., Houston, TX, USA, National Marine Fisheries Service, Silver Spring, MD, USA, U.S. Fish and Wildlife Service, Anchorage, AK, USA. 266 pp, plus appendices.
- Reider, H.J., L.N. Bisson, M. Austin, A. McCrodan. J. Wladichuk, C.M. Reiser, K.B. Matthews, J.R. Brandon, K. Leonard, and H.M. Patterson. 2013. Marine mammal monitoring and mitigation during Shell's activities in the Chukchi Sea, July–September 2013: 90-Day Report. LGL Report P1272D–2. Report from LGL Alaska Research Associates Inc., Anchorage, AK, USA, and JASCO Applied Sciences, Victoria, BC, Canada, for Shell Gulf of Mexico, Houston, TX, USA, National Marine Fisheries Service, Silver Spring, MD, USA, and U.S. Fish and Wildlife Service, Anchorage, AK, USA. 198 pp, plus appendices.

b) Physical Environment Reports

Archaeological Assessments

Shell has conducted shallow hazards surveys at the six drill sites. Archaeological resource assessments were conducted for each drill site based on geophysical data collected during the surveys. The shallow hazards survey reports and archaeological assessments have been submitted to BOEM under separate cover as listed below.

- Fugro GeoConsulting, Inc. 2010a. Shallow Hazards and Archaeological Assessment Burger Site Survey 1 OCS Lease Sale 193 area Chukchi Sea, Alaska. Report No. 27.2009-2327 V. 1 & 2, prepared by Fugro GeoConsulting, Inc., Houston, TX for Shell Gulf of Mexico Inc., Houston, TX.
- Fugro GeoConsulting, Inc. 2010b. Drill Site Clearance Letter Proposed Burger A Drill Site Block 6764 OCS-Y-2280 Posey Area, Chukchi Sea, Alaska. Report No. 27.2010-2375-1 prepared by Fugro GeoConsulting, Inc., Houston, TX for Shell Gulf of Mexico Inc., Houston, TX.
- Fugro GeoConsulting, Inc. 2010c. Drill Site Clearance Letter Proposed Burger F Drill Site Block 6714 OCS-Y-2267 Posey Area, Chukchi Sea, Alaska. Report No. 27.2010-2375-3 prepared by Fugro GeoConsulting, Inc., Houston, TX for Shell Gulf of Mexico Inc., Houston, TX.
- Fugro GeoConsulting, Inc. 2010d. Drill Site Clearance Letter Proposed Burger S Drill Site Block 6762 OCS-Y-2278 Posey Area, Chukchi Sea, Alaska. Report No. 27.2010-2375-4 prepared by Fugro GeoConsulting, Inc., Houston, TX for Shell Gulf of Mexico Inc., Houston, TX.
- Fugro GeoConsulting, Inc. 2010e. Shallow Hazards and Archaeological Assessment Burger Site Survey 3 OCS Lease Sale 193 area Chukchi Sea, Alaska. Report No. 27.2010-2342 V. 1 & 2, prepared by Fugro GeoConsulting, Inc., Houston, TX for Shell Gulf of Mexico Inc., Houston, TX.
- Fugro GeoConsulting, Inc. 2010f. Drill Site Clearance Letter Proposed Burger V Drill Site Block 6915 OCS-Y-2324 Posey Area, Chukchi Sea, Alaska. Report No. 27.2010-2375-6 prepared by Fugro GeoConsulting, Inc., Houston, TX for Shell Gulf of Mexico Inc., Houston, TX.
- Fugro GeoConsulting, Inc. 2011a. Shallow Hazards and Archaeological Assessment Burger Site Survey 4 OCS Lease Sale 193 area Chukchi Sea, Alaska. Report No. 27.2010-2343 prepared by Fugro GeoConsulting, Inc., Houston, TX for Shell Gulf of Mexico Inc., Houston, TX.
- Fugro GeoConsulting, Inc. 2011b. Drill Site Clearance Letter Proposed Burger R Drill Site Block 6812 OCS-Y-2294 Posey Area, Chukchi Sea, Alaska. Report No. 27.2010-2375-7 prepared by Fugro GeoConsulting, Inc., Houston, TX for Shell Gulf of Mexico Inc., Houston, TX.
- Geoscience Earth & Marine Services, Inc. 2009. Shallow Hazards and Archeological Assessment, Burger J Drill Site Posey Block NR03-02 6912, Chukchi Sea, Alaska. Prepared by Geoscience Earth & Marine Services, Inc., Houston, TX for Shell Gulf of Mexico Inc., Houston, TX.

Results of the shallow hazards surveys are summarized in Section 3.0 of the Proprietary version of EP Revision 2. The results of the archaeological assessments are discussed below and in more detail in Section 3.0 of the EIA (Appendix C) and in the shallow hazards and archaeological assessment reports for Burger J Site Survey (GEMS 2009), Site Survey 1 (Fugro GeoConsulting, Inc. 2010a), Site Survey 3 (Fugro GeoConsulting, Inc. 2010e), and Site Survey 4 (Fugro GeoConsulting, Inc. 2011a).

None of the EP blocks for this EP Revision 2 or drill sites are located in areas that BOEM has identified as having high potential for occurrence of historic archaeological resources. No potential archaeological resources were identified at or near the Burger A, F, J, R, S, or V drill sites. No facilities, shipwrecks, significant debris, or other man-made seafloor obstructions were detected during the shallow hazards surveys. The only man-made object around the proposed sites is the legacy Burger #1 well and wet stored

anchors at Burger A set in 2012. The legacy Burger #1 well was drilled in 1989-1990 in Posey Area Block 6814 (Figure 3.0-2 of the Proprietary version of EP Revision 2). The historic well was plugged and abandoned in 1990, with all surface wellhead equipment contained well below the seafloor at the bottom of the MLC. None of the observed unidentified side-scan sonar contacts and unidentified magnetic anomalies is believed to be of archaeological significance. Fugro GeoConsulting Inc. (2011a) recognized a cluster of seven unidentified magnetic anomalies in the southern portion of Burger Site Survey 4 and thought that they could represent debris of unknown origin and recommended they be avoided. The seven magnetic anomalies are outside the planned drill site area (Burger R drill site) and thus will be avoided. All of the side-scan sonar contacts and magnetic anomalies will be avoided during the exploration drilling operations.

All the EP blocks and drill sites are located in water depths of less than 200 ft. (60 m), which is generally considered to be the low stand of sea level approximately 13,000 years before present (YBP). Recent research in the Bering Sea suggests that the sea level was about 164 ft. (50 m) lower than present approximately 11,000 years ago. Between 9,000 YBP and 7,500 YBP sea level rose from approximately 144 ft. (44 m) to 59 ft. (18 m). These rising marine waters would have inundated all of the planned drill site locations on the Burger Prospect. Early humans could have traversed presently inundated areas within the planned drill sites up until about 9,000 YBP; therefore, these areas, which were sub-aerially exposed prior to 9,000 YBP could hold prehistoric archaeological resources. Such resources are most likely to occur along relict terrestrial landforms such as preserved levees or terraces associated with paleo-river channels or shorelines.

Pleistocene buried channels have been identified in the area of the Burger A, F, and S drill sites. In all three of these cases, the possible levees that might have been constructed on the sides of these subsurface channel features have likely been eroded during the last sea-level rise, and covered in turn by Holocene aged materials, thus the possibility of preserved archaeologically significant sites has been decreased and the potential for disturbance of any such sites by exploration drilling operations is very low. No Pleistocene channels were identified near the Burger J, R, and V drill sites. Both Fugro and GEMS concluded that the potential for the occurrence and preservation of both prehistoric and historic cultural resources at the identified Burger A, F, J, R, S, and V drill sites is very low.

Other Studies of the Physical Environment

Shell participated in the funding of a number of other types of baseline studies in 2008 through 2013 as part of a multi-faceted study to gather data regarding resources in the project area, and Shell is continuing these studies. The study focused on a 30 x 30 n mi study area (56 x 56 km) encompassing Shell's Burger Prospect. The data collected during the course of these programs were used in the EIA. Final reports are currently available for the following:

- Physical oceanographic measurements in the Klondike and Burger survey area of the Chukchi Sea: 2008 and 2009 (Weingartner and Danielson 2010)
- Environmental studies in the Chukchi Sea 2008: chemical characterization (Neff et al. 2010)
- Chukchi Sea environmental studies baseline program 2009 fish sampling chemistry results (Exponent 2010)
- Physical Oceanographic Measurements in the Northeastern Chukchi Sea: 2012 (Weingartner et al. 2013)
- Seasonal Observations of carbonate chemistry and ocean acidification in 2012 (Mathis 2013)

Shell also collected oceanographic information as part of the multi-faceted baseline study conducted at Burger in 2008-2013 as described above. Shell:

- Deployed meteorological buoys (including wave and current sensors) in the Chukchi Sea near the Burger Prospect from 2008 through 2012 (a buoy was not placed at the Burger Prospect in 2013 due to ice but a buoy was placed at the Popcorn and Crackerjack Prospects) and plans to continue to deploy these buoys yearly.
- Deployed an acoustical wave and current meter (AWAC) in the Chukchi Sea near the Burger Prospect in 2008-2010; no current plans to continue this deployment of this particular instrument. However, Shell continues to deploy a seafloor mooring capable of measuring waves and currents at the site.

Shell intends to reestablish a meteorological and air quality monitoring station at Wainwright. Data have been collected and reported for November 2008 through December 2013 in the following reports, which indicate that measured concentrations of air pollutants are well below National Ambient Air Quality Standards (NAAQS).

- AECOM, Inc. 2009a. Wainwright near-term ambient air quality monitoring program first quarter data report November 2008 through January 2009 final. Unpublished report prepared by AECOM, Inc., for ConocoPhillips Alaska, Inc., Anchorage, AK.
- AECOM, Inc. 2009b. Wainwright near-term ambient air quality monitoring program second quarter data report February through April 2009 final. Document No. 01865-104-3220 prepared by AECOM, Inc., for ConocoPhillips Alaska, Inc., Anchorage, AK.
- AECOM, Inc. 2009c. Wainwright near-term ambient air quality monitoring program third quarter data report May through July 2009 final. Document No. 01865-104-3230 prepared by AECOM, Inc., for ConocoPhillips Alaska, Inc., Anchorage, AK,
- AECOM, Inc. 2009d. Wainwright near-term ambient air quality monitoring program fourth quarter data report August through October 2009 final. Document No. 60136620-3240 prepared by AECOM, Inc., for ConocoPhillips Alaska, Inc., Anchorage, AK.
- AECOM, Inc. 2010a. Wainwright near-term ambient air quality monitoring program annual data report November 2008 through November 2009 final. Unpublished report prepared by AECOM, Inc., for ConocoPhillips Alaska, Inc., Anchorage, AK.
- AECOM, Inc. 2010b. Wainwright permanent ambient air quality monitoring program first quarter data report January through March 2010 final. Unpublished report prepared by AECOM, Inc., for ConocoPhillips Alaska, Inc., Anchorage, AK.
- AECOM, Inc. 2010c. Wainwright permanent ambient air quality monitoring program second quarter data report April through June 2010 draft. Unpublished report prepared by AECOM, Inc., for ConocoPhillips Alaska, Inc., Anchorage, AK.
- AECOM, Inc. 2010d. Wainwright permanent ambient air quality monitoring program third quarter data report July through September 2010 draft. Unpublished report prepared by AECOM, Inc., for ConocoPhillips Alaska, Inc., Anchorage, AK.
- AECOM, Inc. 2011a. Wainwright permanent ambient air quality monitoring program fourth quarter data report October through December 2010 draft. Unpublished report prepared by AECOM, Inc., for ConocoPhillips Alaska, Inc., Anchorage, AK.
- AECOM, Inc. 2011b. Wainwright permanent ambient air quality monitoring program annual data report January 2010 through December 2010 final. Unpublished report prepared by AECOM, Inc. for ConocoPhillips Alaska, Inc. Anchorage, AK.

- SLR International Corp. 2013a. Wainwright permanent ambient air quality monitoring program annual data report January 2012 through December 2012 final. Unpublished report prepared by SLR International Corp. for ConocoPhillips Alaska, Inc. Anchorage, Alaska.
- SLR International Corp. 2013b. Wainwright permanent ambient air quality monitoring program quarterly data report January 2013 through March 2013 final. Unpublished report prepared by SLR International Corp. for ConocoPhillips Alaska, Inc. Anchorage, Alaska.
- SLR International Corp. 2013c. Wainwright permanent ambient air quality monitoring program quarterly data report April 2013 through June 2013 final. Unpublished report prepared by SLR International Corp. for ConocoPhillips Alaska, Inc. Anchorage, Alaska.
- SLR International Corp. 2013d. Wainwright permanent ambient air quality monitoring program quarterly data report July 2013 through September 2013 final. Unpublished report prepared by SLR International Corp. for ConocoPhillips Alaska, Inc. Anchorage, Alaska.

c) Socioeconomic Study Reports

Shell continues with its Plan of Cooperation (POC) meetings, as required by the NMFS, USFWS and BOEM in order to gather comments and questions and to address the concerns of the communities that are potentially affected by the planned exploration drilling program.

In addition, Shell offers several programs that involve the training and subsequent hiring of local residents. Programs include the following:

- PSO Program: The PSO program involves intensive training for marine mammal identification and documentation, computer use, and health and safety. Some PSOs are recruited locally from North Slope communities to work during exploration drilling activities, including the planned exploration drilling program.
- Subsistence Advisor (SA) Program: In the SA program, potentially affected villages are represented by one of its residents to relay subsistence information and issues to Shell. The SA speaks with other village members and documents subsistence information. This information may then be integrated into Shell's exploration drilling program.
- Community Liaison Officer (CLO) Program: The CLO program plans to include community liaisons in Wainwright, Point Hope, Point Lay, Barrow, Kaktovik, Nuiqsut, Kotzebue, Nome, and Dutch Harbor that serve as Shell's point of contact for questions regarding Shell activities and programs in the area.
- Cultural Awareness Program: Shell and contractor personnel involved in field operations (i.e., deployed north of Fairbanks, either onshore or offshore) during the planned exploration drilling program will attend an initial and annual refresher orientation, which addresses environmental, social, and cultural concerns related to the project area. The program is designed to increase sensitivity and understanding by Shell and its contractors regarding community values, customs, and lifestyles in the area they will be working, and how to avoid conflicts with Native Alaskans and their subsistence activities. The program stresses the importance of not disturbing archaeological and biological resources and habitats, including endangered species, fisheries, bird colonies, and marine mammals and provides guidance on how to avoid disturbance. The program is discussed in more detail in Section 11.

Shell collected information on the use of coastal areas along the Chukchi Sea for subsistence through its SA Program. Data were collected through a number of person-to-person interviews. Subsistence users from Barrow, Wainwright, Point Lay, and Point Hope were interviewed. The following reports were prepared summarizing and mapping the results of these interviews.

The ASRC Energy Services (2009, 2010) and UMIAQ (2011, 2012, 2013 and 2014) SA reports were previously submitted to BOEM.

- ASRC Energy Services. 2009. Subsistence advisor program summary, North Slope, Alaska. Report prepared for Shell Exploration and Production Company, Houston, TX by ASRC Energy Services, Anchorage, AK.
- ASRC Energy Services. 2010. 2009 Subsistence Advisor Program Annual Summary North Slope, Alaska. Prepared for Shell Exploration and Production Company. Anchorage, AK by ASRC Energy Services, Anchorage, AK. December 2009.
- UMIAQ. 2011. 2010 Subsistence advisor program North Slope, Alaska. Report prepared by UMIAQ, Anchorage, AK for Shell Exploration & Production Company, Anchorage, AK.
- UMIAQ. 2012. 2011 Subsistence advisor program North Slope, Alaska. Report prepared by UMIAQ, Anchorage, AK for Shell Exploration & Production Company, Anchorage, AK.
- UMIAQ. 2013. 2012 Subsistence advisor program North Slope, Alaska. Report prepared by UMIAQ, Anchorage, AK for Shell Exploration & Production Company, Anchorage, AK.
- UMIAQ. 2014. 2013 Subsistence advisor program North Slope, Alaska. Report prepared by UMIAQ, Anchorage, AK for Shell Exploration & Production Company, Anchorage, AK.

Shell conducted interviews with residents of Barrow, Wainwright, Point Lay, and Point Hope to supplement existing formal environmental and resource data for the Chukchi Sea coastline. Data collected pertained to hunting, fishing, land use, and coastal processes such as erosion, ice movement and melting, and coastal dynamics. A report was prepared summarizing and mapping the results of these interviews. The report (Sound Enterprises and Associates, LLC 2008) has been submitted to BOEM. Results of these interviews were used in the preparation of the EIA (Appendix C).

• Sound Enterprises and Associates, LLC, 2008. Shell Exploration and Production Company (SEPCO) Chukchi Village interview program. Report prepared for Shell Exploration and Production Company Houston, TX by Sound Enterprises, LLC, Bainbridge, WA.

Shell also conducted an economic analysis of future oil and gas exploration and development in the Beaufort Sea, Chukchi Sea, and North Aleutian Basin. The results (Northern Economics 2009, Northern Economics, Inc. and Institute of Social and Economic Research 2011) of the analyses have been presented to BOEM and were used in preparation of the EIA, where summaries can be found.

- Northern Economics Inc. 2009. Economic analysis of future offshore oil and gas development: Beaufort Sea, Chukchi Sea, and North Aleutian Basin. Report prepared by Northern Economics, Anchorage Alaska for Shell Exploration and Production, Houston, TX.
- Northern Economics, Inc. and Institute of Social and Economic Research. 2011. Potential National-Level Benefits of Alaska OCS Development. Report prepared by Northern Economics, Inc. and Institute of Social and Economic Research, Anchorage, AK for Shell Exploration & Production, Anchorage, AK.

SECTION 6.0 SOLID AND LIQUID WASTE AND DISCHARGE INFORMATION

a) **Projected Generated Wastes**

The type, composition, and amount of solid and liquid waste expected to be generated on the drilling units during the planned exploration drilling program at the planned drill sites are listed below. Waste and discharge volumes were calculated based on empirical information and past experience; therefore, the actual generated amounts and ocean discharge volumes may differ from these projections.

b) Ocean Discharges and Disposal Methods

The type, composition, and amount of solid and liquid waste expected to be generated on the drilling units during the planned exploration drilling program and discharged to the ocean are listed below in Tables 6.b-1 and 6.b-2. The ocean discharge information will be submitted to the EPA to support NOIs for authorization to conduct these discharges under NPDES exploration facilities GP AKG-28-8100. The projected wastes and discharges listed in these tables are applicable only to the drilling units. Discharges from drilling support vessels will be made pursuant to the International Convention for the Prevention of Pollution from Ships (Marine Pollution or MARPOL) standards and requirements as well as the NPDES Vessel GP.

Additional details regarding the transportation and final disposal location for wastes that will not be discharged to the ocean (Table 6.b-3) are provided in Section 13.

OP.A.

NPDES GP Discharge No. and Composition	Discharge Location	Projected Volume	Projected Rate	Disposal
	Burger A	Cuttings - 1,052 bbl Fluids – 6,231 bbl Total while drilling – 7,283 bbl Reserve pit fluid volume – 1,500 bbl (<i>Discoverer</i>) and 2,427 bbl (<i>Polar Pioneer</i>)	81 bbl/hr. while drilling 1000 bbl/hr. for reserve pit volume	Discharged to the ocean through the disposal caisson
	Burger F	Cuttings - 1,043 bbl Fluids – 6,184 bbl Total while drilling – 7,227 bbl Reserve pit fluid volume – 1,500 bbl (<i>Discoverer</i>) and 2,427 bbl (<i>Polar Pioneer</i>)	81 bbl/hr. while drilling 1000 bbl/hr. for reserve pit volume	Discharged to the ocean through the disposal caisson
D001 ¹ Water-based drilling fluids and drill cuttings (sections drilled after the riser is set)	Burger J	Cuttings – 915 bbl Fluids – 5,546 bbl Total while drilling – 6,461 bbl Reserve pit fluid volume – 1,500 bbl (<i>Discoverer</i>) and 2,427 bbl (<i>Polar Pioneer</i>)	72 bbl/hr. while drilling 1000 bbl/hr. for reserve pit volume	Discharged to the ocean through the disposal caisson
	Burger R	Cuttings - 1,077 bbl Fluids – 6,352 bbl Total while drilling – 7,429 bbl Reserve pit fluid volume – 1,500 bbl (<i>Discoverer</i>) and 2,427 bbl (<i>Polar Pioneer</i>)	83 bbl/hr. while drilling 1000 bbl/hr. for reserve pit volume	Discharged to the ocean through the disposal caisson
	Burger S	Cuttings 1 ,074 bbl Fluids – 6,340 bbl Total while drilling – 7,414 bbl Reserve pit fluid volume – 1,500 bbl (<i>Discoverer</i>) and 2,427 bbl (<i>Polar Pioneer</i>)	83 bbl/hr. while drilling 1000 bbl/hr. for reserve pit volume	Discharged to the ocean through a disposal caisson
	Burger V	Cuttings - 1,153 bbl Fluids – 6,736 bbl Total while drilling – 7,889 bbl Reserve pit fluid volume – 1,500 bbl (<i>Discoverer</i>) and 2,427 bbl (<i>Polar Pioneer</i>)	88 bbl/hr. while drilling 1000 bbl/hr. for reserve pit volume	Discharged to the ocean through a disposal caisson
D012 Excess cement slurry (rinsate from cement tank)	Each drill site	Discoverer - 45 bbl Polar Pioneer – 45 bbl	5 bbl/casing string and when setting plugs 5 bbl/casing string and when setting	Discharged to the ocean through a disposal caisson
D013 ^{2,3} Muds,	Burger A	Estimated at 5,007 bbl (this section completed in 2012)	47.4 bbl/hr. while drilling	Discharged at the ocean floor
cuttings, cement at the seafloor	Burger F	Cuttings – 5,006 bbl; Fluids – 3,124 bbl; 45 bbl cement Total while drilling – 8,175 bbl	77 bbl/hr. while drilling	Discharged at the ocean floor

Table 6.b-1	NPDES Exploratio	n Facilities GI	P Waste Streams	Generated Durin	ng Drilling

NPDES GP Discharge No. and Composition	Discharge Location	Projected Volume	Projected Rate	Disposal
(includes		MLC cuttings only if using the	162 bbl/hr.	Discharged at the ocean
volumes		MLC ROV system ⁴ – 27,197 bbl		floor
from MLC;	Burger J	Cuttings – 5,089 bbl;	79 bbl/hr. while	Discharged at the ocean
conductor		Fluids – 3,207 bbl; 45 bbl cement	drilling	floor
and surface		Total while drilling – 8,341 bbl		
casing		MLC cuttings only if using the	162 bbl/hr.	Discharged at the ocean
strings		MLC ROV system ⁴ – 27,197 bbl		floor
except where	Burger R	Cuttings – 5,003 bbl;	77 bbl/hr. while	Discharged at the ocean
noted)		Fluids – 3,121 bbl; 45 bbl cement	drilling	floor
		Total while drilling – 8,169 bbl		
		MLC cuttings only if using the	162 bbl/hr.	Discharged at the ocean
		MLC ROV system ⁴ – 27,197 bbl		floor
	Burger S	Cuttings – 5,005 bbl;	77 bbl/hr. while	Discharged at the ocean
		Fluids – 3,123 bbl; 45 bbl cement	drilling	floor
		Total while drilling – 8,173 bbl		
		MLC cuttings only if using the	162 bbl/hr.	Discharged at the ocean
		MLC ROV system ⁴ – 27,197bbl		floor
	Burger V	Cuttings – 5,089 bbl;	79 bbl/hr. while	Discharged at the ocean
		Fluids – 3,207 bbl; 45 bbl cement	drilling	floor
		Total while drilling – 8,341 bbl		
		MLC cuttings only if using the	162 bbl/hr.	Discharged at the ocean
		MLC ROV system ⁴ – 27,197 bbl		floor

 Table 6.b-1
 NPDES Exploration Facilities GP Waste Streams Generated During Drilling

¹ Estimated time to drill these sections is 90 hr. drilling time (does not include non-drilling time)

² Estimated time to drill these sections is 106 hr. drilling time (does not include non-drilling time)

 ³ MLC construction time using the MLC ROV system is estimated at 168 hr.
 ⁴ MLC ROV system cuttings volumes and rates are only for the construction of the MLC; MLC ROV system is not capable of drilling the conductor and surface casing sections

Type of Waste NPDES GP Discharge	Composition	Discharge Rate	Season Volume ¹	Treatment, Storage, and Disposal
D002 Deck Drainage	Uncontaminated fresh or seawater	Discoverer – 33 bbl/day	3,960 bbl	uncontaminated water discharged overboard; contaminated water is treated in an oil-water separator (OWS); oily water stored aboard, transported by boat to approved treatment/disposal/storage (TDS) site
		<i>Polar Pioneer</i> - 70 bbl/day	8,400 bbl	uncontaminated water discharged overboard; contaminated water is treated in an OWS; oily water stored aboard, transported by boat to approved TDS site
D003 Sanitary Wastes	Black water	Discoverer – 29.5 bbl/day discharge (based on 124 persons; 10 gallons [gal]/person/day)	3,540 bbl	Discharged through disposal caisson after treatment in a marine sanitation device
		Polar Pioneer – 14,3 bbl/day (based on 114 persons; 5.3 gal/person/day)	1,716 ыл	
D004 Domestic Wastes	Gray water (laundry, galley, lavatory)	Discoverer - 295 bbl/day discharge (based on 124 persons)	35,400 bbl	Discharged through disposal caisson
		Polar Pioneer - 271 bbl/day (based on 114 persons)	32,520 bbl	
D005	Rejected water from watermaker unit	Discoverer - 1,742 bbl/day	209,040 bbl	Discharged through disposal caisson
Unit Wastes		<i>Polar Pioneer</i> - 377 bbl/day	45,286 bbl	
D006 BOP Fluid	Freshwater, concentrate and monoethylene glycol	<i>Discoverer</i> - 16.6 bbl/test	150 bbl (based on 3 function tests, 3 pressure test and 3 retests)	Discharged to the ocean
		<i>Polar Pioneer</i> - 20 bbl/test	180 bbl (based on 3 function tests, 3 pressure test and 3 retests)	
D007		<i>Discoverer</i> - 1.3 bbl/day	151 bbl	Discharged through disposal caisson

 Table 6.b-2
 NPDES Exploration Facilities GP Waste Streams Generated Daily

Type of Waste NPDES GP Discharge	Composition	Discharge Rate	Season Volume ¹	Treatment, Storage, and Disposal
Boiler Blowdown	Water and minerals drained from boiler drums	<i>Polar Pioneer</i> - 6 bbl/day	754 bbl	Discharged directly overboard
D008 Fire Control System Test	Uncontaminated seawater	<i>Discoverer</i> - 36 bbl/test (tested weekly)	607 bbl	Discharged directly overboard
Water		Polar Pioneer - 36 bbl/test (tested monthly)	607 bbl	
D009 Non-contact cooling water	Uncontaminated seawater	Discoverer – 107,314 bbl/day discharge while drilling; 55,200 bbl/day discharge while not drilling	Range of 6,624,000 – 12,877,680 bbl	Discharged overboard to ocean waters at several sites around the hull
		Polar Pioneer – 21,385 bbl/day	2,566,240 bbl	Discharged to ocean through a number of outlets
D010 Uncontaminated ballast water	Uncontaminated seawater	Discoverer – variable Polar Pioneer – 719 bbl/day plus 85,655 bbl when the drilling unit is moved	37,915 bbl 171,935 bbl	Discharged through disposal caisson
D011 Bilge water	Seawater that collects in internal parts of the drilling vessel hull	Discoverer - 754 bbl/day Polar Pioneer - 714 bbl/day	90,514 bbl 85,714 bbl	Treated in OWS, uncontaminated water discharged through disposal caisson, oily water stored aboard, transported by boat to approved TDS site

 Table 6.b-2
 NPDES Exploration Facilities GP Waste Streams Generated Daily

¹ Based on an assumed drilling season of approximately 120 days

Type of Waste	Composition	Projected Generated Amount	Treatment / Storage/ Disposal
Household Trash	Refuse generated through	8500	Not discharged to ocean waters; Burned
	domestic living activities	lb./month/drilling unit	in on board incinerator or stored aboard
	(includes food wastes).	stored and transported	in approved waste containers until
		for disposal;	removed at port and transferred to an
		6,000	approved TDS site
		lb./month/drilling unit	
		incinerated onboard -	
		resulting ash weight of	
		200 lb. included in	
		non-hazardous waste	
		monthly total)	
Non-Hazardous	Non-hazardous waste liquids	62,500	Not discharged to ocean waters; stored
Waste	and solids such as used oils,	lb./month/drilling unit)	aboard in approved waste containers
(solid and liquid)	oily rags, vessel slops;		until removed at port and transferred to
	incinerator ash; steel (to be		an approved TDS site
	recycled); generated through		
	vessel cleaning, maintenance		
	and drilling operations.		
Hazardous Waste	Expired or spent chemicals	50 lb./month/drilling	Not discharged to ocean waters; stored
(Conditionally	left over from cleaning,	unit (CESQG status is	aboard in approved UN rated waste
Exempt Small	maintenance and drilling	anticipated)	containers until removed at port and
Quantity Generator	operations.		transferred to an approved TDS site
[CESQG])			
		/	

 Table 6.b-3
 Wastes Generated on the Drilling Units that are not Discharged

c) NPDES Permits

All discharges from the drilling units while anchored at a drill site during the exploration drilling program (as itemized above in Tables 6.b-1 and 6.b-2) will be made in accordance with the EPA NPDES exploration facilities GP AKG-28-8100.

Drilling support vessels in excess of 300 gross registered tons or having a ballast capacity of 2,133 gal (8 m³) or greater, must acquire authorization to discharge under the Vessel GP for Discharges Incidental to the Normal Operation of Commercial Vessels and Large Recreational Vessels. Authorizations to discharge under this Vessel GP for discharges incidental to normal operations will be undertaken by the vessel owner and/or operator and is not a part of Shell's required permit and authorization application submittals.

Drilling Fluid Products

Products that may be part of the drilling fluid are provided in Tables 6.c-1 and 6.c-2, on a per well basis. This component list and the respective volumes have been designed for drilling depth from the MLC to PTD.

Generic Description	Product Name	Maximum Concentration			
BASE EDUID					
Biopolymer	DUOVIS	5 lb/bbl			
Bentonite	M-I GEL	35 lb/bbl			
Bentonite extender	GELEX	0.05 lb/bbl			
Polyanionic cellulose	Polypac Supreme UL	5 lb/bbl			
	ADDITIVES				
Crushed nut hulls	NUT PLUG	20 lb/bbl			
C	ONTINGENCY PRODUCTS				
Barite	M-IWATE	160 lb/bbl			
Defoamer	DEFOAM-X	0.3 lb/bbl			
Dye	Sodium Fluoresceine Green	0.5 gal/bbl in			
	Dye	seawater			
Caustic soda	stock product	8 lb/bbl			
Citric acid	stock product	5 lb/bbl			
Sodium acid pyrophosphate (SAPP)	stock product	TBD			
Soda ash	stock product	13 lb/bbl			
Biocide	Busan 1060	0.4 lb/bbl			
NaCl brine	Sodium chloride brine	100 lb/bbl			
Hydrogen sulfide scavenger	SAFE-SCAV HS	0.1 lb/bbl			
Surfactant	SCREENKLEEN	2% v/v			
Lubricant	DRILLZONE	7% v/v			

Table 6.c-1	Drilling Fluid Components for the Upper Portions of the Well (MLC, Conductor and
	Surface-Cased Sections)

Generic Description	Product Name	Maximum Concentration		
BASE FLUID				
Soda ash	stock product	12 lb/bbl		
Acrylic polymer	IDCAP D	5 lb/bbl		
Shale/clay inhibitor	EMI-2009	20 lb/bbl		
Shale/clay inhibitor	KLA-STOP	20 lb/bbl		
Biopolymer	DUOVIS	2 lb/bbl		
Biopolymer	Flowzan	2 lb/bbl		
Polyanionic cellulose	POLYPAC SUPREME UL	5 lb/bbl		
Sodium hydroxide	Caustic Soda	8 lb/bbl		
Barite	M-I WATE	160 lb/ bbl		
Sodium chloride in brine	Salt/NaCl	100 lb./bbl		
	ADDITIVES			
Copolymeric shale stabilizer	POROSEAL	19 lb/bbl		
Deflocculant	CF Desco®II	4 lb/ bbl		
Sodium bicarbonate	stock product	10 lb/bbl		
Citric acid	stock product	4 lb/bbl		
Liquid defoamer	DEFOAM-X	0.3 lb/bbl		
Liquid defoamer	DF-9065	0.3 lb/bbl		
Crushed nut hulls	NUT PLUG MED	40 lb/bbl		
Crushed nut hulls	NUT PLUG FINE	40 lb/bbl		
Vegetable, polymer fiber blend	MI SEAL	40 lb/bbl		
Cellulose fiber	MIX IL Fine	25 lb/bbl		
Cellulose fiber	MIX II MED	25 lb/bbl		
Graphite	G-SEAL	20 lb/bbl		
Calcium carbonate	SAFECARB-20	200 lb/bbl		
Calcium carbonate	SAFECARB-40	200 lb/bbl		
Calcium carbonate	SAFECARB-250	200 lb/bbl		
Sodium chloride	stock product	100 lb/bbl		
Resinated lignite	RESINEX	10 lb/bbl		
Sulfonated asphalt	ASPHASOL SUPREME	8 lb/bbl		
	CONTINGENCY PRODUCTS			
Mixture	FORM-A-BLOK	40 lb/bbl		
Cellulose	FORM-A-SET AK	Formulation pill		
H ₂ S Scavenger	Sulf-X	2.5 lb/bbl		
Biocide	Busan 1060	0.4 lb/bbl		
Mixture	Pipelax ENV WH	4% v/v		
Mixture	LUBE 945	3% v/v		
Mixture	CLEAN SPOT	4% v/v		
Surfactant	SCREENKLEEN	2% v/v		
Lubricant	DRILLZONE	7% v/v		
Mixture	SAFE-SCAV HS	0.1 lb/bbl		

Table 6.c-2 Drilling Fluid Components for the lower portions of the well after the riser and BOP are established

Cement Composition

Two types of cement discharges are expected. One of these discharges involves bulk cement plus additives, which are circulated around the conductor and surface casing, and collect in the base of the MLC. The cement cures to a hardened mass surrounding the conductor. The second type of cement discharge involves small volumes of cement washed from the cement pump and lines on the drilling unit at the surface after cementing operations. The total volume of cement slurry discharged to the ocean from each of the operations is approximately 5 bbl and consists of the following primary components and additives.

- Type C Permafrost cement
- API Class G "Premium" cement
- Econolite L (fly ash, calcium oxide) in small amounts
- Halad-344EXP (fluid loss additive) in very small amounts
- Calcium sulfate hemihydrate (accelerator) very small amounts
- Sodium chloride (accelerator) in very small amounts
- Calcium chloride (accelerator) in very small amounts
- SCR-100 (sodium citrate retarder) in very small amounts
- Dual Spacer (surfactant blend) in trace amounts
- Fresh water (mixing fluid)
- Seawater (wash water)

Blowout Preventer Fluid Composition

BOP fluid is a pressured fresh water-based fluid used to operate various components of the SS BOP including rams, locking mechanisms, annular preventers, choke and kill line valves and the hydraulic connectors to the wellhead and to the lower marine riser package. The fluid is discharged at the device after use rather than bringing it back to the surface in a closed loop system. This reduces back-pressure and ensures the devices will function quickly. Only small volumes of BOP fluid are discharged within and just above the MLC (or directly to the ocean if a test is done on the drilling unit deck prior to installation) which dilute and diffuse quickly in the seawater column. It is estimated that nine BOP tests will occur during the drilling of each well for a total of 113 bbl (*Discoverer*) and 180 bbl (*Polar Pioneer*) of BOP fluid per well (Tables 6.b-1 and 6.b-3). The BOP fluid will be a mixture of fresh water (~ 45%), concentrate (~5%) and monoethylene glycol (~50%). The concentrates may contain, but not limited to, Stack Magic, Erifon HD603, and/or Pelagic.

d) Modeling Report

All requested exploration facility NPDES permitted discharges will be carried out in federal waters of the OCS. No expanded mixing zones or zones of deposit are being requested and no modeling was conducted in support of such requests. Shell has carried out modeling of the expected discharges of drill cuttings and drilling fluids and of the projected discharges of cooling water for impact assessment purposes. The results of these modeling efforts are discussed in Section 4 of the EIA (Appendix C).

e) Cooling Water Intake

<u>Discoverer</u>

A saltwater service system supplies the *Discoverer's* requirement for saltwater, including that for the exploration drilling operations. The system is primarily used to supply cooling water to equipment heat exchangers. The amount of seawater that will be used for non-contact cooling water while drilling is estimated at 107,314 bbl/day and 55,200 bbl/day discharge while not drilling. This volume includes cooling water for hydraulic coolers, air-conditioning coolers and all other cooling water service lines. This does not include the seawater volume that would be supplied by the fire water pumps to provide firefighting capability in an emergency situation.

The saltwater service system consists of saltwater pumps), four sea-suctions (each with strainer having holes 5 mm in diameter), and associated distribution piping. Screen mesh sizes on the water intakes are provided below in Table 6.e-1.

Table 6.e-1	Screen Mesh Size on Water Intakes on the Discoverer

Sea-suction	Screen Mesh Size
Pump room Sea Suction	0.2 in. (5.0 mm) diameter holes in plate
Lower Engine Room Sea Suction	0.2 in. (5.0 mm) diameter holes in plate
Upper Engine Room Sea Suction	0.2 in. (5.0 mm) diameter holes in plate
Generator Room Sea Suction	0.2 in. (5.0 mm) diameter holes in plate

The calculated velocity of intake water across the screens is approximately 40 feet per minute (ft. /min) (12.2 m/sec).

Polar Pioneer

Non-contact cooling water is supplied to the *Polar Pioneer* via a general services seawater loop. Seawater is pumped from four screened sea chests; located on the inboard side of the *Polar Pioneer's* four pontoons (Table 6.e-2). The amount of seawater that will be used for non-contact cooling water is estimated at 21,385 bbl per day.

Table 6.e-2 Screen Mesh Size on Water Intakes on the Polar Pic	oneer
--	-------

Sea-suction	Screen Mesh Size
Aft Starboard	0.75 in. (19 mm) Height; 25.75 in. (654 mm) width
Forward Starboard	0.75 in. (19 mm) Height; 25.75 in. (654 mm) width
Aft Port	0.75 in. (19 mm) Height; 25.75 in. (654 mm) width
Forward Port	0.75 in. (19 mm) Height; 25.75 in. (654 mm) width

The calculated velocity of intake water across the screen mesh is calculated to be 0.8 ft./min (0.25 m/min).

SECTION 7.0 AIR EMISSIONS INFORMATION

This section identifies the sources of air emissions and projected emissions from Shell's EP Revision 2, plus it is supported by emission information in Appendix K, *Shell Chukchi Sea Outer Continental Shelf Lease Exploration Plan Revision 2, Appendix K, AQRP and NEPA Emission Inventories.* For purposes of demonstrating exemption from the BOEM Air Quality Regulatory Program (AQRP) (30 CFR Part 550, Subpart C), facility-wide maximum projected emissions generated from the proposed exploration activities are calculated and compared to the BOEM exemption formulas established in 30 CFR 550.303(d). Shell includes in this assessment, emissions from the *Discoverer* and *Polar Pioneer* drilling units and all support vessels operating within 25 mi (40 km) of the *Discoverer* and *Polar Pioneer* while each are anchored at a drill site. The following is a list of the vessels that are included for the air emissions evaluation under 30 CFR 550.303(d):

- Drilling Unit *Discoverer* (x1)
- Drilling Unit Polar Pioneer (x1)
- Ice Management Vessels (x2)
- Anchor handlers (x3)
- OSVs (x2)
- Science Vessels (x2)
- OSRV (x1)
- OSR tug and barge (x1)
- Support tugs (x2)
- Supply tug (x1; used for support purposes)
- OST (x1)
- MLC ROV system vessel (x1)

As required under 30 CFR 550.224, information on support vessels and aircraft that may be used in the exploration drilling program is described in Section 13. Information on the onshore support facilities as required under 30 CFR 550.225 is included in Section 14.

a) Projected Emissions

For the BOEM AQRP, an AQRP emissions inventory is provided in Appendix K that includes detailed documentation of projected emissions including the basis for all calculations (30 CFR 550.218(a)(2)) attributable to operation of the *Discoverer*, *Polar Pioneer* and support vessels operating within 25 mi (40 km) of the drilling units. For purposes of evaluating air emissions under the AQRP, it is estimated that up to two wells may be drilled per season to complete the six wells in a total of three years. Appendix K includes peak hourly emissions for the AQRP as required under 30 CFR 550.218(a)(1)(i). The peak hourly emissions presented in Table A-1 of Appendix K are representative of peak emissions in each of the three years.

Appendix K provides the annual emissions as required by 30 CFR 550.218(a)(1)(ii). The information in these tables provides a summary of emissions from each source category type for each drilling unit and support vessel. Details on the components that contribute to emissions (e.g., propulsion engines, generation engines, boilers, and incinerators) as well as the operational assumptions applied in the emission estimates are provided in Appendix K. A summary of annual emissions for the AQRP emissions inventory from Appendix K is presented in Tables 7.e-1 through 7.e-6 of EP Revision 2.

30 CFR 550.218(a)(1)(iii) requires that "emissions over the duration of the proposed exploration activities" be included under the EP. As previously mentioned, Shell estimates it will require three years

to complete the six wells described and the annual/seasonal emissions are provided in Tables 7.e-1 through 7.e-6. Table 7.a-1 provides the emissions over the duration of the proposed exploration activities that are scaled appropriately (three times increase) to reflect the anticipated project duration total emissions. The AQRP emissions inventory detailed in Appendix K and summarized in Tables 7.e-1 through 7.e-6 represents a conservative assessment of Discoverer, Polar Pioneer and support vessels emissions in any year.

At this time, Shell cannot distinguish between activities (and air emissions) in one year versus those in other years. Consequently, Shell has estimated "Project Duration Total" emissions by assuming the same conservative representation of emissions for each of the three seasons.

Parameter	Discoverer	Discoverer and Support Vessels	Polar Pioneer	Polar Pioneer and Support Vessels	Discoverer and Polar Pioneer	Discoverer, Polar Pioneer and Support Vessels
Carbon Monoxide (CO)	138	866	214	946	352	1,324
Total Suspended Particulate (TSP) (particulate matter less than 2.5 microns [PM _{2.5}] & particulate matter less than 10 microns [PM ₁₀])	26	184	70	211	97	301
sulfur dioxide (SO ₂)	6	29	8	29	14	45
nitrogen oxide (NOx)	493	3,407	1,431	4,242	1,924	5,873
volatile organic compound (VOC)	46	218	66	228	112	351

 Table 7.a-1
 3-Year Project Duration Emissions (tons)¹

Aggregate emissions are based on rounded annual emissions.

Shell presents a conservative depiction of emissions for the purpose of demonstrating its exemption from the AQRP (i.e., the emissions presented overstate what is expected to occur during normal operations). This conservative approach is required by 30 CFR 550.218(a)(3), which requires Shell to base the projected emissions on the maximum rated capacity of the equipment on the proposed drilling units under its physical and operational designs. For example, the AQRP analysis assumes all emission units are operating at the same time every hour of the season which will not occur during normal operation. Section 2.3 of Appendix K provides additional background on the conservative assumptions applied in the AQRP emissions summary.

Appendix K discusses the activity of various emissions units as required by 30 CFR 550.218(a)(1)(iv). As further discussed in Appendix K, diesel-fueled engines are the primary source of emissions associated with the exploration drilling activity. Analogous to how automobiles are driven, diesel engines are not expected to continuously operate at maximum rated power during the proposed exploration activity. In calculating emissions for this exemption analysis, Shell conservatively assumed the engines on the Discoverer and Polar Pioneer were operating at 80 percent load, 100 percent of the season except for the propulsion engines on the Discoverer, which has been assumed to be limited to 48 hours of use per season when the Discoverer is at anchor.

When calculating emissions from engines of the support vessels to determine cumulative emissions, Shell included fuel restrictions on most of the propulsion and generators engines. For those support vessel engines not subject to a fuel restriction, emissions were based on continuous operation all season. As discussed in Appendix K, emissions from the smaller engines are based on the same 80 percent power operating assumption applied to the drilling rig engines.

Maximum projected uncontrolled emissions are compared to AQRP exemption formula criteria under Tables 7.e-1through 7.e-6.

b) Emission Reduction Measures

Shell employs emission reduction measures on the *Discoverer*, *Polar Pioneer*, and on some of the support vessels that are candidates for use with the drilling units in the Chukchi Sea. These emission reduction measures include the following:

- Procuring ultra-low sulfur diesel (ULSD) fuel or a fuel with equal or lower sulfur content to reduce SO₂ emissions for each of the drilling units and all vessels operating as part of the exploration drilling program;
- Use of selective catalytic reduction (SCR) emission controls to reduce NO_X emissions on *Discoverer*'s primary generation units and certain units on support vessels;
- Use of catalytic diesel particulate filters (CDPF) emission controls to reduce CO, particulate matter (PM), and VOC emissions on the *Discoverer*'s primary generation units and certain units on support vessels; and
- Use of oxidation catalysts (OxyCat) emission controls to reduce CO, PM, and VOC emissions on certain units on support vessels.

Shell has elected to present maximum projected emissions in the AQRP emissions inventory for the 30 CFR 550.303(d) exemption formula analyses without consideration of these emission controls on the *Discoverer*'s primary generation units or any of the support vessels. Shell intends to operate these emission controls and purchase ULSD or a fuel with equal or lower sulfur content throughout the exploration season. But, the 30 CFR 550.303(d) exemption analyses in Section 7(e) conservatively assume the emission controls are not employed but ULSD is used. Appendix K provides a summary of the emission reduction measure as applied in the AQRP analysis.

Appendix K documents operating restrictions that are included in the emissions calculations for the support vessels because they reflect the physical and operational design of the proposed activities. These operating restrictions are readily monitored by measuring annual fuel consumption.

c) Processes, Equipment, Fuels, and Combustibles

The *Discoverer* and *Polar Pioneer* engines generate electrical, compressed air, and hydraulic energy for drilling operations. All other processes are secondary and related to general purpose heating (using boilers), transfer of materials about the deck (using cranes), pumping of cement, and incineration (primarily domestic waste). All engines on the *Discoverer, Polar Pioneer* and support vessels will be powered by a fuel purchased with sulfur content at or below 15 ppm. Additional descriptions of these processes and emissions units are provided in Appendix K.

d) Distance to Shore

The minimum distance from a drill site to the shoreline is 64 mi (103 km).

e) Impact from Non-Exempt Drilling Units

As required by 30 CFR 550.218(e), Table 7.e-1 compares projected annual emissions from the *Discoverer* with the exemption criteria at 30 CFR 550.303(d). The comparison confirms the exploration program is exempt and no further air quality review is necessary pursuant to 30 CFR 550.303(d).

Parameter	BOEM formula at 30 CFR 250.303(d) ¹	BOEM Exemption Threshold (Emissions in tons/year)	Total Projected Drilling Unit Emissions Discoverer (tons/year) ²	Exempt?
CO	$E=3400D^{2/3}$	54,400	46	Yes
TSP (PM _{2.5} & PM ₁₀)	E=33.3D	2,131	9	Yes
SO ₂	E=33.3D	2,131	2	Yes
NOx	E=33.3D	2,131	164	Yes
VOC	E=33.3D	2,131	15	Yes

Table 7.e-1 Application of BOEM Exemption Formula to the Discoverer

¹ D=distance from the edge of the Burger Prospect to the nearest onshore area in statute miles (64 mi [103 km])

² As provided in Appendix K.

Table 7.e-2 compares projected annual emissions from the *Discoverer* and its support vessels with the exemption criteria at 30 CFR 550.303(d). The comparison confirms the exploration program is exempt even with projected vessels emissions and no further air quality review is necessary pursuant 30 CFR 550.303(d).

Table 7.e-2	Application of BOEM Exe	nption Formula to the	Discoverer and Support V	/essels
-------------	-------------------------	-----------------------	--------------------------	---------

Parameter	BOEM formula at 30 CFR 250.303(d) ¹	BOEM Exemption Threshold (Emissions in tons/year)	Total Projected Emissions <i>Discoverer</i> and Support Vessels (tons/year) ²	Exempt?
CO	$E=3400D^{2/3}$	54,400	126	Yes
TSP (PM _{2.5} & PM ₁₀)	E=33.3D	2,131	30	Yes
SO ₂	E=33.3D	2,131	5	Yes
NOx	E=33.3D	2,131	544	Yes
VOC	E=33.3D	2,131	41	Yes

¹ D=distance from the edge of the Burger Prospect to the nearest onshore area in statute miles (64 mi [103 km])

² As provided in Appendix K.

Table 7.e-3 compares projected annual emissions from the *Polar Pioneer* with the exemption criteria at 30 CFR 550.303(d). The comparison confirms the exploration program is exempt and no further air quality review is necessary pursuant 30 CFR 550.303(d).

 Table 7.e-3
 Application of BOEM Exemption Formula to the Polar Pioneer

Parameter	BOEM formula at 30 CFR 250.303(d) ¹	BOEM Exemption Threshold (Emissions in tons/year)	Total Projected Drilling Unit Emissions Polar Pioneer (tons/year) ²	Exempt?
СО	$E=3400D^{2/3}$	54,400	77	Yes
TSP (PM _{2.5} & PM ₁₀)	E=33.3D	2,131	25	Yes
SO ₂	E=33.3D	2,131	3	Yes
NOx	E=33.3D	2,131	483	Yes
VOC	E=33.3D	2,131	24	Yes

¹ D=distance from the edge of the Burger Prospect to the nearest onshore area in statute miles (64 mi [103 km])

² As provided in Appendix K.

Table 7.e-4 compares projected annual emissions from the *Polar Pioneer* and its support vessels with the exemption criteria at 30 CFR 550.303(d). The comparison confirms the exploration program is exempt even with projected vessels emissions and no further air quality review is necessary pursuant 30 CFR 550.303(d).

Parameter	BOEM formula at 30 CFR 250.303(d) ¹	BOEM Exemption Threshold (Emissions in tons/year)	Total Projected Emissions <i>Polar Pioneer</i> and Support Vessels (tons/year) ²	Exempt?
СО	$E=3400D^{2/3}$	54,400	165	Yes
TSP (PM _{2.5} & PM ₁₀)	E=33.3D	2,131	41	Yes
SO_2	E=33.3D	2,131	5	Yes
NOx	E=33.3D	2,131	849	Yes
VOC	E=33.3D	2,131	47	Yes

Table 7.6-4 Application of DOEM Excliption Formula to the Folia Fibric and Support Vessel	Table 7.e-4	Application of BOEM Exem	ption Formula to the Pola	r Pioneer and Support Vessels
---	-------------	---------------------------------	---------------------------	-------------------------------

¹ D=distance from the edge of the Burger Prospect to the nearest onshore area in statute miles (64 mi [103 km])

² As provided in Appendix K.

Table 7.e-5 compares projected annual emissions from the *Discoverer* and *Polar Pioneer* with the exemption criteria at 30 CFR 550.303(d). The comparison confirms the exploration program is exempt and no further air quality review is necessary pursuant 30 CFR 550.303(d).

Table 7 o 5	Application of DOEM Examplion Form	aula to the	Discoverer and the Polar Discor
Table 7.e-3	Application of DOEM Exemption Form	una to the	Discoverer and the rotur rioneer

Parameter	BOEM formula at 30 CFR 250.303(d) ¹	BOEM Exemption Threshold (Emissions in tons/year)	Total Projected Emissions Discoverer and Polar Pioneer (tons/year) ²	Exempt?
CO	$E=3400D^{2/3}$	54,400	123	Yes
TSP (PM _{2.5} & PM ₁₀)	E=33.3D	2,131	34	Yes
SO ₂	E=33.3D	2,131	5	Yes
NOx	E=33.3D	2,131	647	Yes
VOC	E=33.3D	2,131	39	Yes

¹D=distance from the edge of the Burger Prospect to the nearest onshore area in statute miles (64 mi, 103 km)

² As provided in Appendix K.

Table 7.e-6 compares projected annual emissions from the *Discoverer*, *Polar Pioneer*, and the combined support vessels with the exemption criteria at 30 CFR 550.303(d). The comparison confirms the exploration program is exempt and no further air quality review is necessary pursuant 30 CFR 550.303(d).

Parameter	BOEM formula at 30 CFR 250.303(d) ¹	BOEM Exemption Threshold (Emissions in tons/year)	Total Projected Emissions Discoverer, Polar Pioneer, and Combined Support Vessels (tons/year) ^{2,3}	Exempt?
CO	$E=3400D^{2/3}$	54,400	482	Yes
TSP (PM _{2.5} &	E=33.3D	2,131	109	Yes
PM ₁₀)				
SO_2	E=33.3D	2,131	16	Yes
NOx	E=33.3D	2,131	2,109	Yes
VOC	E=33.3D	2,131	127	Yes

Table 7.e-6 Application of BOEM Exemption Formula to the Discoverer, the Polar Pioneer, and Combined Support Vessels

¹ D=distance from the edge of the Burger Prospect to the nearest onshore area in statute miles (64 mi, 103 km)

² As provided in Appendix K.

³ Emissions are based on the sum of the *Discoverer*, *Polar Pioneer*, *Discoverer*'s Support Vessels, *Polar Pioneer*'s Support Vessels, and the Common Support Vessels. Because the shared support vessels are included in both Table 7.e-2 and 7.e-4, the aggregate emissions in this column are lower than the sum of the aggregate emissions in Table 7.e-2 and 7.e-4. Adding the aggregate values in Tables 7.e-2 and 7.e-4 would double count the shared support vessels.

f) Modeling Report (30 CFR 550.218(f))

According to 30 CFR 550.218(f), results of the modeling and impact analysis are required to be included only if 30 CFR 550.303 requires the use of an approved air quality model to model projected air emissions in developing EP Revision 2. As discussed in the previous section, the exploration drilling program is exempt from further air quality review using the exemption formula found at 30 CFR 550.303(d); therefore, an impact analysis and use of an approved air quality model is not required under the AQRP.



SECTION 8.0 OIL AND HAZARDOUS SUBSTANCES SPILL INFORMATION

a) Oil Spill Response Planning

Shell prepared a Chukchi Sea Regional Exploration Program OSRP as a fundamental component of the planned exploration drilling program when it submitted EP Revision 1. BSEE approved that Chukchi Sea OSRP 17 February 2012. As per 30 CFR 254.30(a) Shell conducted a biennial review of the Chukchi Sea OSRP and submitted to BSEE administrative changes to the Chukchi Sea OSRP on 18 December 2013. BSEE approved these biennial review administrative changes in June 2014. Shell will submit to BSEE additional administrative changes to the approved OSRP to reflect additional operational changes consistent with EP Revision 2. These additional administrative changes will reflect the change of a second drilling unit (the *Kulluk* will not be drilling in the Beaufort Sea but the *Polar Pioneer* will be drilling near the *Discoverer* on the Burger Prospect), change in name of an OSR contractor, and other administrative changes.

Despite the very low likelihood of a large oil spill event, Shell has designed a response program based upon a regional capability of responding to a range of spill volumes, from small operational spills up to and including an OSRP WCD for planning purposes from an exploration well blowout. Shell's program is developed to fully satisfy federal oil spill planning requirements. The OSRP presents specific information on the response program that includes a description of personnel and equipment mobilization, the incident management team organization, and the strategies and tactics used to implement effective and sustained spill containment and recovery operations.

Shell is committed to conducting safe and environmentally responsible operations in the Chukchi Sea. To achieve this goal, oil spill prevention is a priority in all operations. Prevention practices include personnel training programs and strict adherence to procedures and management practices. All project personnel, including employees and contractors, involved in oil spill contingency response would receive discharge prevention and response training as described in the OSRP. Training drills also would be conducted periodically to familiarize personnel with on-site equipment, proper deployment techniques, and maintenance procedures.

b) Location of Primary Oil Spill Equipment Base and Staging Area

One dedicated OSR barge and on-site OSRV will be staged in the vicinity of the drilling unit(s) when drilling into potential liquid hydrocarbon bearing zones. The OSRV will be positioned within 10 n mi (19 km, approximately 1 hour transit time) of the drilling unit(s) and an OSR tug and barge will be positioned approximately 25 n mi (46 km) from the drilling unit(s) (approximately 3 hours transit time). The OSR barge, and an associated tug, and OSRV possess sufficient storage capacity to provide containment, recovery, and storage for the initial operational period.

An OST will be staged such that it will arrive at the recovery site on the Burger Prospect within 24 hours of departure from its staging location. Response personnel will conduct maintenance, training and other activities to ensure continued readiness in the event they are needed. The OST will possess enough storage capacity to store all recovered liquids (oil and emulsified oil/water) for the initial response or until the second relief OST arrives to supplement the response for the full 30 days. The total storage capacity between the two tankers available for the 30 day response is > 750,000 bbl. By hour 42, two additional dedicated Vessels of Opportunity Skimming Systems would arrive at the spill site to support skimming capacity at the site. The OSR tug and barge, OSRV, and vessels would work in conjunction to sustain containment and skimming operations and transfer recovered fluids to the OSTs for the duration of the response.

An additional ice-strengthened OSR tug and barge with skimming capability, and an associated tug, will be mobilized from its staging location near Kotzebue Sound and re-located to the nearshore zone of the Chukchi Sea within 96 hours for shoreline protection and cleanup support, if necessary. It will be mobilized to arrive prior to the earliest projected time oil could arrive in the Chukchi nearshore zone. The OSR tug and barge would possess storage capacity of 17,000 bbl for recovered liquids. It will also carry response equipment, including one 47 ft. (14 m) skimming vessel, 34 ft. (10 m) workboats, mini-barges, boom and duplex skimming units for nearshore recovery and possibly support nearshore protection. The OSR tug and barge, will carry designated response personnel and will mobilize to recovery areas, deploy equipment and begin operations.

c) Name(s) of Spill Removal Organization(s) for Both Equipment and Personnel

Shell's OSRP is supported by three Oil Spill Removal Organizations (OSROs). AES-Response Operations, UIC-Arctic Response Services and Alaska Clean Seas (ACS) are Shell's primary response action contractors supporting the program. The OSROs would lead the spill response efforts in the offshore, nearshore, and shoreline environments. The OSROs response personnel and OSR equipment would be maintained on standby while critical exploration drilling operations into liquid hydrocarbon bearing zones are underway and provide offshore, nearshore, and shoreline response operations in the unlikely event of an actual oil spill incident. Additionally, each OSRO provides program oversight for their particular scope, overall spill management team support, response training, and additional responders through the Auxiliary Contract Response Teams, North Slope Spill Response Team, and Village Response Teams.

Shell provides dedicated response vessels, skimmers, and equipment for the nearshore and offshore operations. Response activities will be conducted using the Shell or ACS tactics as defined in the Shell's *Beaufort and Chukchi Seas Regional Tactics Manual* and/or *ACS' Technical Manual*, or otherwise as defined in the OSRP.

d) Calculated Volume of Worst Case Discharge Scenario [30 CFR 254.26(a)]

The planning volume (25,000 bbl/day) of a WCD scenario for the Chukchi OSRP is provided in Table 8.d-1. The WCD planning volume for EP Revision 2 has not changed from the WCD planning volume used for EP Revision 1.

Table 8.d-1 Oil Volume of the Worst Case Discharge Planning Scenario for the Chukchi Sea OSRP

Element	Capacity (bbl)	Reference
Possible Daily Volume of Highest	25,000	30 CFR 254 47(b)
Capacity Well	23,000	50 CI K 25 1.17(0)
Total Worst Case Discharge (Daily		
Volume X 30-day Duration of	750,000	30 CFR 254.47(b)
Blowout)		
Total Storage Capacity	750.000	20 CEP 254 47(b)
Requirements	/ 50,000	50 CFK 254.47(0)

* WCD scenario planning volume, which exceeds the calculated WCD volume established under BOEM NTL No. 2010-N06. The calculated daily WCD is established for Burger J at 23,100 bbl/day initially but diminishes over the 30 days.

The WCD planning scenario provided above in Table 8.d-1 exceeds the WCD calculated for EP Revision 2 as indicated below in Table 8.d-2.
Table 8.d-2Comparison of the WCD Planning Scenario Developed for the Chukchi Sea
Regional OSRP with the WCD Calculated for EP Revision 2 for Two Relief Well
Scenarios

	OSRP WCD Planning Scenario	EP Revision 2 Calculated WCD – Two Drilling Units in the Chukchi Sea	EP Revision 2 Calculated WCD – One Drilling Unit as far away as Dutch Harbor			
Maximum Flow Rate	25,000 bbl	23,100 bbl ¹	$23,100 \text{ bbl}^1$			
Total Duration	30 days	34 days	38 days			
Total Oil Volume	750,000 bbl	603,564 bbl	669,479 bbl			

¹ Calculated WCD for Burger J; flow rate diminishes over time

e) Description of Worst Case Discharge Scenario

For exploration drilling operations, the WCD scenario is equal to the daily volume possible from an uncontrolled blowout for period of 30 days. In order to address BOEM NTL No. 2010-N06 and 30 CFR 254.47, the total WCD planning volume was based upon BSEE's planning requirement for a 30-day blowout, and the Chukchi Sea OSRP assumes as a planning standard a maximum flow rate of 25,000 bbl/day resulting in a WCD scenario volume of 750,000 bbl (119,237 m³) of oil during 30 days. This is the same conservative planning standard volume as assumed in EP Revision 1.

f) Modeling Report

The WCD scenario is based upon a spill simulation model of a 25,000 bpd well blowout at the seafloor (or mudline) in the Burger Prospect at Latitude 71° 16' 37.2", Longitude 163° 19' 48.0", the site of the legacy Burger #1 well, in approximately 138-144 ft. (42-44 m) of water. Modeling of the oil plume trajectory was conducted by Applied Science Associates, Inc. (ASA), using historical wind data and the BOEM hydrodynamic ocean-ice current model. The ASA trajectory model includes algorithms for spreading, evaporation, emulsification, and entrainment, all of which are input parameters based on the properties of an Alaska North Slope crude oil with an API gravity of 30.6°.

The ASA's OILMAP software was used to run the trajectory model based on environmental conditions including predominate winds and currents. Oil on the ocean's surface is assumed to move as the sum of vectors: surface currents plus 3.5 percent of the wind speed in the downwind direction. Oil plume migration is driven by ocean currents and prevailing winds for the 30-day duration of this scenario. Wind data used for the trajectory modeling were collected by Shell from 22 locations in the Chukchi Sea during June through November for the years 1980, 1982, and 1983. Data from these three years were used for stochastic modeling. Wind data for the period of 7 August to 6 September was used in the trajectory modeling.

Based upon the collected data, the offshore winds originated from the northeast to southeast 54 percent of the time and the northwest to southwest 23 percent of the time during the June through November period. Three predominant wind directions had a measured frequency of occurrence greater than 10 percent of the time originating from the northeast (NE), east-northeast (ENE) and east (E) based upon the 16 cardinal compass directions. These three wind directions on average occurred at the following frequencies for the June through November period:

- ENE wind = 14.6 percent frequency
- NE wind = 13.8 percent frequency
- E wind = 13.0 percent frequency

The trajectory simulation uses a SS blowout rising through the water column and surfacing above the well location. The trajectory simulation moves and spreads the oil under the influence of local winds measured at the closest station for the 7 August to 6 September time period and the BOEM ocean-current information.

The trajectory shows the oil plume moving into open ocean away from shorelines in a southwesterly direction. From Day 1 through Day 3, the oil movement is directed by winds predominantly from the NE and the predicted current. Through Day 12, the oil movement is away from land into the open ocean. If not intercepted by containment and recovery operations, oil is predicted to begin drifting to the north-northeast (NNE) and toward shorelines by Day 14. The earliest oil is predicted to possibly contact shorelines is Day 25 in the area between Peard Bay and Kasegaluk Lagoon. Following Day 25, unrecovered oil would continue drifting to the NE, offshore and north of land.

In the very unlikely event that strong, sustained winds develop out of the west-northwest (WNW), the trajectory modeling estimates that Day 6 is the earliest possible time oil could reach shore. For planning response mobilization, the WCD scenario assumes oil could intercept the shoreline in no less than six days in the event sustained northwesterly winds develop, potentially affecting the shorelines from Peard Bay to Kasegaluk Lagoon, SW of Wainwright. The WNW wind is used for planning purposes and does not correspond to the actual prevailing E, NE, and ENE winds typical in the area. As a precaution, Shell response would include nearshore and shoreline protection strategy and tactics, and OSROs would be mobilized to implement predesigned protection strategies at priority resource sites.

SECTION 9.0 ALASKA OUTER CONTINENTAL SHELF PLANNING INFORMATION

a) Emergency Plan

The following emergency plans and documentation regarding spill prevention and response actions are included in the OSRP submitted to BSEE:

- Response Action Plan
- Emergency Action Checklist
- Reporting and Notification
- Safety
- Communications
- Deployment Strategies
- Response Strategies
- Non-mechanical Response Options
- Prevention Plan
- Prevention Inspection & Maintenance Program
- Bulk Storage Containers
- Command System
- Best Available Technology

b) Critical Operations and Curtailment Plan and Drilling Ice Management Plan

A copy of Shell's proposed COCP for the Chukchi Sea is attached in Appendix F and a copy of Shell's DIMP is provided in Appendix G. These plans are complementary documents that address the methods by which Shell will cease, limit, or not initiate specific critical operations due to environmental conditions that may be encountered at the exploration drill site. However, the scope of the DIMP is limited to approaching hazardous ice and its potential effects on exploration drilling operations and the drilling unit's safety.

The substance of the COCP remains essentially unchanged from the previous version submitted with EP Revision 1. The text has been updated to include the *Polar Pioneer*, key personnel titles have changed, and the curtailment decision protocol has been updated to include the new key personnel.

The DIMP contains minor changes and updates from the version submitted with EP Revision 1. Ice management objectives and principles are clearly defined and the drilling units and attending ice management vessels has been updated.

c) Well Control Plan

An outline of Shell's WCP is provided in Appendix H. Well control is the process of maintaining barriers in the drilled wellbore that prevent gas or fluids from underground reservoirs escaping from the wellbore in an uncontrolled flow. Note that the WCP attached to EP Revision 2 is worded differently from that attached to EP Revision 1. It was changed to incorporate language more familiar to Shell's well engineers and respondents to a well control event; however, there have been no changes to the substance of Shell's well control procedures.

d) Fuel Transfer Plan

Shell has prepared a Fuel Transfer Plan (FTP) that covers activities with its planned exploration drilling program in the Chukchi Sea. A copy of the plan is provided in Appendix I. Shell has revised the attached FTP from that was submitted to BOEM with EP revision 1 to include a variety of booming scenarios depending on whether the fuel transfer is from vessel-to-vessel, vessel-to-drilling unit and dock-to-vessel.

e) Partial Wells

Two scenarios exist that could result in partial wells being drilled in a multi-year exploration plan:

- Exploration drilling and/or evaluation of the deepest primary objective has not been concluded on a well by the end of the drilling season; or
- A hazardous condition (e.g., ice) forces suspension of the exploration drilling operations, temporary abandonment of a wellbore in a safe and secure manner, and drilling unit demobilization from the Chukchi Sea with no opportunity to return before the end of the drilling season

These scenarios are discussed in more detail below.

Initial Drilling Season

If exploration drilling and/or evaluation of the initial or a subsequent well has not been concluded (i.e., the deepest primary objective has not been penetrated and/or evaluated), before the end of a drilling season, Shell plans to stop the exploration drilling operations, temporarily abandon (TA) the well in compliance with BSEE regulations and leave the drill site for the winter.

Operations may begin on additional wells during the drilling season if there is sufficient time prior to the onset of the end of the drilling season. This work could include MLC construction (using either a drilling unit with a MLC bit or the MLC ROV system), or drilling additional hole sections and cementing casing strings during the time remaining in the drilling season. The best way to suspend a well is to run casing, cement it in the hole, then set a mechanical plug near the top of the well and cap the well. This provides multiple barriers to prevent unexpected flows and leave the well suitable for safe re-entry. The proposed suspension procedure on any unfinished, or partial well, will be provided via submission of an Application for Permit to Modify (APM) for BSEE approval. A drilling unit may return to unfinished drill sites, re-enter the wells and continue exploration drilling or evaluation. Once all objectives have been satisfied, the well will be successfully plugged and permanently abandoned according to BSEE regulations, as were the legacy wells drilled from 1989 through 1992.

If a hazardous condition requires curtailment of critical operations (or prevents initiation of them, depending on time available) per the provisions of the COCP (Appendix F), the well will be suspended and secured using a BSEE-approved procedure, moorings will be recovered if possible and the drilling unit will move to a safe area. Once the hazardous condition has passed, the drilling unit will return to the drill site and conclude exploration drilling operations, evaluation, permanent plugging and abandonment operations.

If, however, the hazardous condition (e.g., ice) does not permit moving back over the well, re-mooring, re-entering and continuing drilling/evaluation operations before the end of any drilling season, the well will remain temporarily abandoned until the next drilling season. The drilling unit may return to the suspended well and finish exploration drilling/evaluation operations during a subsequent drilling season prior to permanently abandoning the well.

Subsequent Drilling Seasons

In a subsequent season, Shell may choose to return to an unfinished drill site where a well has been left temporarily abandoned from a previous season, or Shell may choose to go to a new drill site covered by this EP Revision 2 and start a new well that will meet the exploration program objectives. All wells will be plugged and permanently abandoned in accordance with BSEE regulations. The only exception to this plan involves the inability to return to the drill site following an emergency evacuation due to an approaching hazard such as ice. If a well cannot be permanently abandoned due to ice, it will be properly suspended per BSEE approval before the drilling unit evacuates. At the beginning of a subsequent drilling season, the drilling unit may return to the drill site to permanently abandon the unfinished well or continue exploration drilling/evaluation of the well.

The MLC is constructed such that the ram-type BOP stack (i.e., the bottom section of the stack) can remain installed on the high-pressure wellhead housing as part of the TA procedure with the upper most portion below the Lower Marine Riser Package remaining below the maximum ice keel scour depth. Efforts will be made to preferentially provide a sufficient number of independent verified barriers in the wellbore (a minimum of two) to ensure that the well cannot leak or flow while temporarily abandoned without the lower stack remaining on the well. These barriers can include cement not drilled out from the bottom joints of casing after cementing it in place, double float valves inside the casing, wellhead seal assembly between casing strings, cement plugs, mechanical plugs and sealed hang-off tools. These techniques and barriers are also described in the COCP in Appendix F. If there are a sufficient number of quality barriers left in the well when it is temporarily abandoned, the entire BOP stack will be recovered for repair and testing during the winter season in preparation for the next drilling season.

f) Surface Intervention-Capping and Containment System

In the unlikely event of a blowout in Chukchi Sea, Shells capping and containment capabilities are provided by a combination of a SS capping stack positioned on an ice management vessel, and surface separation equipment on a containment system tug and barge.

Surface intervention involves work done on the wellhead of a SS well. Surface intervention in the OCS involves SS devices used on the top of the well or some device connected thereto (e.g., the BOP stack or wellhead).

A set of SS devices has been assembled for the drilling seasons to provide direct surface intervention capability with the following priorities:

- Attaching a device or series of devices to the well to affect a seal capable of withstanding the maximum anticipated wellhead pressure (MAWP) and closing the assembly to completely seal the well against further flows (commonly called "Cap and Contain")
- Attaching a device or series of devices to the well and diverting flow to surface vessel(s) equipped for separation and disposal of hydrocarbons (commonly called "Cap and Flow")

These devices form what is generally known as a capping stack. The devices include ram-type BOP bodies equipped with blind and/or pipe rams, spacer spools, flow crosses (or mud crosses) for pumping kill weight fluid into the well or for flowing the well in a controlled manner through piping to the surface and connectors to attach to the upper H4 connector mandrel, the high-pressure wellhead housing if the entire BOP stack has been removed.

This equipment will be stored aboard a designated vessel in Alaska with a marine crew aboard, warmstored and ready for use. It is anticipated that surface intervention efforts will successfully stop the flow from a blowout in less time than is required to drill a relief well. Various crossovers, spools, ram sets, and other equipment (including demolition tools for clearing debris away from the well) are included on the designated vessel. Extra studs, nuts, gaskets, hydraulic wrenches and other tools are available to allow the capping stack to be modified aboard the vessel as necessary to provide flexibility to deal with a wide variety of capping situations.

The equipment on the containment system tug and barge is designed for reliability, ease of operation, flexibility and robustness so it could be used for a variety of blowout situations. The capping stack, located on an ice management vessel, and the separation equipment located on the containment system tug and barge, will be available prior to the drilling season.

Efforts to contain the blowout will begin when the equipment arrives to clear debris from the well and a capping stack will be attached as necessary. If these efforts fail to capture all the oil, Shell's OSR support vessels will still be available at the blowout well site to collect and recover fugitive oil emissions from the surface. This equipment will be positioned downwind and down current from the blowout well and will not interfere with either containment efforts or relief well drilling. Containment efforts will continue during relief well drilling operations unless it is unsafe or futile to do so. The surface OSR vessels would remain and oil spill cleanup would continue, as necessary, until the blowout is under control.

PP

SECTION 10.0 ENVIRONMENTAL MONITORING

a) Monitoring Systems

The drilling units will be equipped with the following equipment (or similar, but of equal or superior specifications) used to monitor conditions at the location of either drilling unit:

Equipment	Polar Pioneer	Discoverer		
Novigation Dodon	Europe EAD 2127DD	Furuno ARPA FAR - 28 X 7 SERIES;		
Navigation Kadar	FUIUIIO FAR-212/DD	Furuno FAR - 21 X 7 (-BB) SERIES		
		GMDSS EQUIPMENT		
		Sailor HC 4500 MF / HF control units		
	VHF-AM aeronautical radio	System 4000 GMDSS		
	Aeronautical non-directional beacon	Sailor HF SSB 250W PEP		
Communications	Sailor, Compact-GMDSS station	Thrane & Thrane TT - 3020C / TT - 3022D		
	V-SAT, phone/fax/data	Capsat Transceiver		
	Iridium Scanset-7701 satellite phone	JMC Dual Frequency Navtex Receiver		
		Model NT – 1800		
		Satellite Phone Sailor TT3622B		
		Furuno GPS Navigator GP – 150		
		AIS L3 Communications		
	Kongsberg K-Pos DPM 11 – Positioning	Simrad GL 80 / 85		
Desitioning	mooring system	Furuno FE 700 echo sounder		
rositioning	Kongsbeg Simrad HPR 309	Cassen & Plath GmbH Type 12 Reflector		
	Furuno GPS/WAAS Navigator GP32	compass		
		Standard clinometer model MOELLER 5 / 15		
		degs		
	APM 3000 (SIMRAD/ Kongsberg Albatross)			
Anchor Tensions	computer system for indications of tensions	Plimsoll Anchor tension monitoring system		
	and alarm at specified levels			
	Meteorology instruments installed in	Young Marine Wind Tracker model 06206		
	compliance with all relevant requirements	Sato Sigma - II Barograph model NS II – BR		
Meteorological	(Environmental Management System);	Barometer Hanseatic Instruments		
	measuring wind, barometric pressure, water	Laser mounted flute to measure seawater		
	temperature	inlet temperature		

Environmental Monitoring at Drill Sites While Drilling

As part of the requirements under the NPDES exploration facilities GP, Shell will conduct an Environmental Monitoring Program (EMP) that meets the objectives in the permit AKG-28-8100. The specific details around this monitoring program will be submitted with the NPDES NOI; however, the EMP will generally consist of a 4 phase monitoring program.

- Phase I establishes the baseline conditions of the drill site prior to exploration drilling activities and will either be supported with historical data or supplemental data collected prior to exploration drilling activities. The baseline data generally consist of benthic samples, receiving water chemistry, sediment characteristics, and a visual assessment of the sea floor.
- Phase II requires monitoring to be conducted while exploration drilling activities are occurring and consists of discharge plume monitoring, metals analysis of the drilling fluid, and Phases III and IV are similar in nature and are conducted once exploration drilling activities are completed. Phase III monitoring will occur shortly after exploration drilling operations cease at a drill site. Phase IV is conducted no later than 15 months after exploration drilling operations cease. Benthic samples, sediment characteristics, and a sea bottom survey will be completed during these phases.

The results from this monitoring program will be submitted to EPA as required in permit AKG-28-8100.

Bird and mammal observations will be made from all transiting surface operation vessels throughout exploration drilling activities in accordance with the Marine Mammal Monitoring and Mitigation Plan (4MP) located in Appendix B and the Bird Strike Avoidance and Lighting Plan located in Appendix E.

b) Incidental Takes

Applications will be submitted at a later date for the following MMPA authorizations:

- IHA from NMFS Non-lethal, Incidental Take of Whales and Seals
- LOA from the USFWS Non-lethal, Incidental and Intentional Take of Polar Bear and Pacific Walrus

During the planned exploration drilling program, the two drilling units and transiting support vessels will each have PSOs onboard to observe for marine mammals and record all observations. The PSO program is described in the 4MP (Appendix B) submitted in support of the NMFS IHA and USFWS LOA applications.

Species for which an IHA is sought from NMFS are:

- Mysticetes: bowhead, fin, gray, humpback and minke whales
- Odontocetes: beluga, narwhal, killer whale, and harbor porpoise
- Pinnipeds: bearded, ribbon, ringed, and spotted seals

Table 12.b-2 lists these species and provides the current ESA designation.

Under current guidelines, NMFS assumes that marine mammals exposed to pulsed airgun sounds with received levels ≥ 160 decibels (dB) root mean square (rms) or continuous sounds from vessel activities with received levels ≥ 120 dB rms have the potential to be disturbed. As a result, these sound level thresholds are currently used by NMFS to define acoustic disturbance criteria, also known as the Level B thresholds. Shell plans to conduct a geophysical survey with airguns referred to as a zero-offset vertical seismic profile (ZVSP) survey at each drill site where a well is drilled to PTD. The numbers of marine mammals that may potentially be exposed to pulsed sound levels of ≥ 160 dB (rms) while conducting ZVSP surveys, and continuous sound levels ≥ 120 dB rms during exploration drilling, ice management, anchor handling, MLC construction, and supply vessels using dynamic positioning in a drilling season are

summarized in Table 10.b-1. Shell recognized that NMFS has recently issued draft acoustic guidance (NMFS, 2013) for all sound sources which are specific for the onset of Temporary Threshhold Shift which is considered Level B harassment and Permanent Threshhold Shift which is considered Level A harassment. The criteria for behavioral thresholds which are also considered Level B, have not been developed. Until such time as the acoustic criteria are finalized and released, Shell will utilize the current threshold criteria.

The estimates shown in Table 10.b-1 reflect two methods for calculating the exposure of animals to Level B thresholds. The first of these methods estimates the number of marine mammals that would be present in areas exposed to Level B thresholds within each season and sums them together. Estimates from this method do not account for animal movements into or out of exposed areas (i.e., turnover) that might occur during the course of each season (*Without Daily Turnover*, Table 10.b-1). This method is similar to what has been done in previous NMFS IHA applications. The second method for estimating exposures produces conservatively high estimates and assumes the entire population of animals in the project area turns over each day. Assuming 100% replacement of individual marine mammals every 24 hours likely grossly overestimates turnover in most cases and, therefore, also the number of individuals that would actually be exposed to Level B thresholds (*Assuming Daily Turnover*; Table 10.b-1).

These result in exposure estimates that are larger than prior years, but as stated are considered an overestimate. Though the aggregate activity level will increase from 2012, the resulting impacts to the population are analyzed in the EIA (Appendix C). Any impacts to whales and seals from the planned exploration drilling program would be temporary and result in only short-term disturbance or displacement. From a historical perspective, the temporary activity of offshore exploration drilling and associated support vessel activities, collectively and individually, have not resulted in impacts of biological significance to marine mammals of the Arctic, or interference with the subsistence harvest of those marine mammals by the residents of the communities along the Beaufort and Chukchi Seas.

Many animals exposed to continuous sound levels near 120 dB rms would not react, particularly pinnipeds, and exposure to this sound level should not be considered as "takes by harassment" in such cases. Even for species that may change their behavior or alter their migration route, those changes are likely to be within the normal range of activities for the animals and may not rise to the level of "taking" based on guidance in NMFS (2001). Animals that divert around the activity at the lower sound levels would not approach close enough that they would alter their behavior to the degree that they would be "taken by harassment." Therefore, the actual numbers of animals that will be "taken" is likely much less than the totals shown in Table 10.b-1. In regard to the subsistence harvest of bowhead whale, as a consequence of Shell's planned mitigation measures (see Section 12.0) any effects on the bowhead whale as a subsistence resource also will be negligible.

Species for which an LOA is sought from USFWS are:

- Carnivora Polar bears
- Pinnipedia Pacific walrus

Table 12.b-2 lists these species and provides the current ESA designation.

The LOA application provides an outline of the planned exploration drilling program and includes an updated, drilling program-specific bear and walrus plan titled: *Polar Bear, Pacific Walrus and Grizzly Bear Avoidance and Encounter/Interaction Plan, Chukchi Sea, Alaska, Exploration Drilling Program.* The LOA application does not require the inclusion of take estimates for polar bear or Pacific walrus.

Shell is currently in discussion with USFWS with respect to the approach to operations that may occur in and around the HSWUA during and related to drilling activities. The details of the monitoring and mitigation measures that are to be utilized in relation to the HSWUA will be fully documented in the

LOA and any variance under the HSWUA that Shell receives from USFWS. BOEM will be copied on these requests, when made, and any variance, when they are received.

Table 10.b-1Number of Potential Exposures of Cetaceans and Pinnipeds (w/out Pacific walrus) to
Received Sound Levels in the Water of >120 dB rms Generated by Exploration
Drilling and >160 dB rms Generated by ZVSP surveys during each Exploration
Drilling Season. Estimates Assuming No Turnover of Marine Mammal Populations
are Compared to Estimates Assuming 100% Daily Turnover of Individuals in Areas
Exposed to Level B Thresholds

		Total Number of Individual Marine Mammals Potential Exposed to Sounds ≥120 dB or ≥160 dB				
Species		Without Daily Turnover	Assuming Daily Turnover			
Odontocetes						
Monodo	ontidae					
Be	eluga	65	974			
Na	arwhal	0	1			
Delphin	ridae					
Ki	ller whale	1	14			
Phocoe	nidae					
Ha	arbor porpoise	17	294			
Mysticetes		$\mathbf{A} \mathbf{X} \mathbf{Y}$				
Bo	owhead whale	356	5,164			
Fii	n whale	1	14			
Gr	ay whale	147	2,581			
Hu	umpback whale		14			
Mi	inke whale	3	41			
Pinnipeds						
Be	earded seal	103	1,722			
Ri	bbon seal	6	96			
Ri	nged seal	2,985	50,433			
Sp	ootted seal	60	1,007			

SECTION 11.0 LEASE STIPULATIONS INFORMATION

The source for the italicized text below is the OCS Chukchi Sea Planning Area Oil and Gas Lease Sale 193.

Stipulation No. 1 - Protection of Biological Resources

If previously unidentified biological populations or habitats that may require additional protection are identified in the lease area by the Regional Supervisor, Field Operations (RS/FO), the RS/FO may require the lessee to conduct biological surveys to determine the extent and composition of such biological populations or habitats. The RS/FO shall give written notification to the lessee of the RS/FO's decision to require such surveys.

Based on any surveys that the RS/FO may require of the lessee or on other information available to the RS/FO on special biological resources, the RS/FO may require the lessee to:

- 1) Relocate the site of operations;
- 2) Establish to the satisfaction of the RS/FO, on the basis of a site-specific survey, either that such operations will not have a significant adverse effect upon the resource identified or that a special biological resource does not exist;
- 3) Operate during those periods of time, as established by the RS/FO, that do not adversely affect the biological resources; and/or
- 4) Modify operations to ensure that significant biological populations or habitats deserving protection are not adversely affected.

If any area of biological significance should be discovered during the conduct of any operations on the lease, the lessee shall immediately report such findings to the RS/FO and make every reasonable effort to preserve and protect the biological resource from damage until the RS/FO has given the lessee direction with respect to its protection.

The lessee shall submit all data obtained in the course of biological surveys to the RS/FO with the locational information for drilling or other activity. The lessee may take no action that might affect the biological populations or habitats surveyed until the RS/FO provides written directions to the lessee with regard to permissible actions.

Shell Proposed Actions:

The BOEM has not requested that Shell conduct any biological resource surveys in the area of the planned drill sites. No areas of special biological significance have been identified within or near the blocks identified in this EP Revision 2.

In addition to the shallow hazards surveys, which provide detailed information on the seafloor sediments and relief, Shell conducted or participated in the funding or in the facilitation of several types of environmental studies in and near the prospects in 2008 through 2013 to gather baseline data regarding resources. These studies included coastline surveys to assess the relative environmental sensitivity of Chukchi Sea coastline segments, walrus tagging and monitoring studies, seal tagging and monitoring studies, bird and marine mammal surveys, assessments of the benthic invertebrate communities, oceanographic studies, and sediment quality assessments at the planned drill sites. The results of the marine mammal and bird surveys are summarized in the EIA in Appendix C.

These studies also indicated that there are no areas of special biological significance in the vicinity of the drill sites. Video reconnaissance surveys were conducted at historical drill sites at Burger in 1989, and the results were submitted to BOEM at that time. These surveys also found a relatively flat and featureless

seafloor, with a silty substrate and a benthic fauna typical of the Lease Sale 193 Area (Finney 1989, Boudreau 1989).

Stipulation No. 2 - Orientation Program

The lessee shall include in any exploration plan (EP) or development and production plan (DPP) submitted under 30 CFR 550.211 and 550.241 a proposed orientation program for all personnel involved in exploration or development and production activities (including personnel of the lessee's agents, contractors, and subcontractors) for review and approval by the RS/FO. The program shall be designed in sufficient detail to inform individuals working on the project of specific types of environmental, social, and cultural concerns that relate to the sale and adjacent areas. The program shall address the importance of not disturbing archaeological and biological resources and habitats, including endangered species, fisheries, bird colonies, and marine mammals and provide guidance on how to avoid disturbance. This guidance will include the production and distribution of information cards on endangered and/or threatened species in the sale area. The program shall be designed to increase the sensitivity and understanding of personnel to community values, customs, and lifestyles in areas in which such personnel will be operating. The orientation program shall also include information concerning avoidance of conflicts with subsistence activities and pertinent mitigation.

The program shall be attended at least once a year by all personnel involved in onsite exploration or development and production activities (including personnel of the lessee's agents, contractors, and subcontractors) and all supervisory and managerial personnel involved in lease activities of the lessee and its agents, contractors, and subcontractors.

The lessee shall maintain a record of all personnel who attend the program onsite for so long as the site is active, not to exceed 5 years. This record shall include the name and date(s) of attendance of each attendee.

Shell Proposed Actions:

Shell has developed and is currently implementing an approved orientation program for Shell and contractor personnel involved in Shell's Alaska Venture exploration drilling program that was first approved by the Alaska OCS Region of the BOEM RS/FO on 15 February 2007. An outline of the program was again submitted to BOEM with the initial Chukchi Sea EP, and found by the BOEM RS/FO on 7 December 2009 to satisfy the requirements of Stipulation No. 2. Shell revised the orientation program based on BOEM comments regarding the 2009 orientation program, and submitted the complete orientation program to BOEM for approval on 9 June 2011. The orientation program was approved on 13 June 2012. Shell will periodically make minor changes to the orientation program content to maintain its currency (e.g., updates in safety statistics, permitting requirements) and those changes will be rolled into EP revisions as required. Another update to the approved orientation program will be submitted to BOEM for approval prior to beginning the next drilling season. This update will be substantially the same as the current approved orientation program.

All Shell and contractor personnel involved in field exploration drilling activities will attend an initial training orientation for all personnel and an annual refresher for field deployed personnel. All Alaska office-based Shell and contractor personnel will attend the program at least once at the time they join the team. Field deployed personnel traveling to onshore or offshore locations north of Fairbanks, Alaska will attend annual refresher training. Visitors traveling to land locations (i.e., trips performing low-risk activities less than three days) will receive an abbreviated fit-for purpose orientation as related to their visit. Contractors hired by Shell who reside in an area north of Fairbanks (i.e., a village) may receive a slightly modified version of the cultural awareness orientation that is fit for purpose or allow comparable training (e.g., attendance at Alaska Federation of Natives convention).

Shell will retain and maintain a record, for at least 2 years, of all personnel who attend the program, including relevant attendee and program information. Shell has designed a specific program that addresses environmental, social, and cultural concerns related to the project area. The program is designed to increase sensitivity and understanding by Shell and its contractors of community values, customs, and lifestyles in the area they will be working, and how to avoid conflicts with subsistence activities. The program stresses the importance of not disturbing archaeological and biological resources and habitats, including endangered species, fisheries, bird colonies, and marine mammals and provides guidance on how to avoid disturbance.

Shell's Cultural Awareness Program addresses the following:

- Alaska Native Ethnic Breakdown
- Brief history of land claims
- Formation of regional corporations, and region within which Shell is working
- History of the North Slope
- Cultural diversity
- Comparison of cultural values Patterns of language
- Communication skills and body language
- Guidelines on cultural artifacts
- Local community values and customs
- Whaling

Shell has developed a very robust Health, Safety, Security and Environment (HSSE) Awareness Program, of which the requirements listed in Lease Stipulation 2 are a component of this training. The following areas are highlighted to address the requirement in Lease Stipulation 2.

- Environmental Awareness
 - ESA Major Provisions
 - Endangered and threatened species
 - MMPA of 1972
 - Marine mammal interactions
 - Sensitive Habitats on the North Slope
 - Wildlife interactions
 - Prohibited activities of hunting, trapping and fishing
 - o Environmental requirements, for air, spills and waste
 - Environmental training

The awareness level orientations may be given as face-to-face training, video and computer slides, or via computer based training. Annual refreshers will include the general content noted above but adapted for those already familiar with basic information.

Stipulation No. 3 - Transportation of Hydrocarbons

Pipelines will be required: (a) if pipeline rights-of-way can be determined and obtained; (b) if laying such pipelines is technologically feasible and environmentally preferable; and (c) if, in the opinion of the lessor, pipelines can be laid without net social loss, taking into account any incremental costs of pipelines over alternative methods of transportation and any incremental benefits in the form of increased environmental protection or reduced multiple-use conflicts. The lessor specifically reserves the right to require that any pipeline used for transporting production to shore be placed in certain designated management areas. In selecting the means of transportation, consideration will be given to recommendations of any Federal, State, and local governments and industry.

Following the development of sufficient pipeline capacity, no crude oil production will be transported by surface vessel from offshore production sites, except in the case of an emergency. Determinations as to emergency conditions and appropriate responses to these conditions will be made by the RS/FO.

Shell Proposed Action:

Not applicable to the activities described in this EP Revision 2.

Stipulation No. 4 - Industry Site-Specific Bowhead Whale Monitoring Program

A lessee proposing to conduct exploration operations, including ancillary seismic surveys, on a lease within the blocks identified below during the periods of subsistence use related to bowhead whales, beluga whales, ice seals, walrus, and polar bears will be required to conduct a site-specific monitoring program approved by the RS/FO; unless, based on the size, timing, duration, and scope of the proposed operations, the RS/FO, in consultation with appropriate agencies and co-management organizations, determines that a monitoring program is not necessary. Organizations currently recognized by the National Marine Fisheries Service (NMFS) and the U.S. Fish and Wildlife Service (USFWS) for the comanagement of the marine mammals resources are the Alaska Eskimo Whaling Commission, the Alaska Beluga Whale Committee, the Alaska Eskimo Walrus Commission, the Ice Seal Commission, and the Nanuuq Commission. The RS/FO will provide the appropriate agencies and co-management organizations a minimum of 30 calendar days, but no longer than 60 calendar days to review and comment on a proposed monitoring program prior to Minerals Management Service (MMS) approval. The monitoring program must be approved each year before exploratory drilling operations can be commenced.

The monitoring program will be designed to assess when bowhead and beluga whales, ice seals, walrus, and polar bears are present in the vicinity of lease operations and the extent of behavioral effects on these marine mammals due to these operations. In designing the program, the lessee must consider the potential scope and extent of effects that the type of operation could have on these marine mammals. Experiences relayed by subsistence hunters indicate that, depending on the type of operations, some whales demonstrate avoidance behavior at distances of up to 35 miles. The program must also provide for the following:

- 1) Recording and reporting information on sighting of the marine mammals of concern and the extent of behavioral effects due to operations;
- 2) Coordinating the monitoring logistics beforehand with the MMS Bowhead Whale Aerial Survey Project (BWASP) and other mandated aerial monitoring programs;
- 3) Inviting a local representative to be determined by consensus of the appropriate co-management organizations to participate as an observer in the monitoring program;
- 4) Submitting daily monitoring results to the RS/FO;

- 5) Submitting a draft report on the results of the monitoring program to the RS/FO within 90 days following the completion of the operation. The RS/FO will distribute this draft report to the appropriate agencies and co-management organizations;
- 6) Allowing 30 days for independent peer review of the draft monitoring report; and
- 7) Submitting a final report on the results of the monitoring program to the RS/FO within 30 days after the completion of the independent peer review. The final report will include a discussion of the results of the peer review of the draft report. The RS/FO will distribute this report to the appropriate agencies and co-management organizations.

The RS/FO may extend the report review and submittal timelines if the RS/FO determines such an extension is warranted to accommodate extenuating circumstances.

The lessee will be required to fund an independent peer review of a proposed monitoring plan and the draft report on the results of the monitoring program for bowhead whales. The lessee may be required to fund an independent peer review of a proposed monitoring plan and the draft report on the results of the monitoring program for other co-managed marine mammal resources. This peer review will consist of independent reviewers who have knowledge and experience in statistics, monitoring marine mammal behavior, the type and extent of the proposed operations, and an awareness of traditional knowledge. The peer reviewers will be selected by the RS/FO from experts recommended by the appropriate agencies and co-management resource organizations. The results of these peer reviews will be provided to the RS/FO for consideration in final MMS approval of the monitoring program and the final report, with copies to the appropriate agencies and co-management organizations.

In the event the lessee is seeking a Letter of Authorization (LOA) or Incidental Harassment Authorization (IHA) for incidental take from NMFS and/or USFWS, the monitoring program and review process required under the LOA or IHA may satisfy the requirements of this stipulation. The lessee must advise the RS/FO when it is seeking an LOA or IHA in lieu of meeting the requirements of this stipulation and provide the RS/FO with copies of all pertinent submittals and resulting correspondence. The RS/FO will coordinate with the NMFS and/or USFWS and will advise the lessee if the LOA or IHA will meet these requirements.

The MMS, NMFS, and USFWS will establish procedures to coordinate results from site-specific surveys required by this stipulation and the LOA's or IHA's to determine if further modification to lease operations are necessary.

This stipulation applies to the following blocks:

NR02-06, Chukchi Sea

6624, 6625, 6674, 6675, 6723-6725, 6773-6775, 6822, 6823, 6872

NR03-02, Posey

6872, 6873, 6918-6923, 6967-6973, 7016-7023, 7063-7073, 7112-7123

NR03-03, Colbert

6674, 6723, 6724, 6771-6774, 6820-6824, 6869-6874, 6918-6924, 6966-6974,

7015-7024, 7064-7074, 7113-7124

NR03-04, Solivik Island

6011-6023, 6060-6073, 6109-6122, 6157-6171, 6206-6219, 6255-6268, 6305-6317, 6354-6365, 6403-6414, 6453-6462, 6502-6511, 6552-6560, 6601-6609, 6651-6658, 6701-6707, 6751-6756, 6801-6805, 6851-6854, 6901-6903, 6951, 6952, 7001

NR03-05, Point Lay West

6014-6024, 6062-6073, 6111-6122, 6160-6171, 6209-6221, 6258-6269, 6307-6317, 6356-6365, 6406-6414, 6455-6462, 6503-6510, 6552-6558, 6602-6606, 6652-6655, 6702, 6703 NR04-01, Hanna Shoal 6223, 6267-6273, 6315-6323, 6363-6373, 6411-6423, 6459-6473, 6507-6523, 6556-6573, 6605-6623, 6654-6671, 6703-6721, 6752-6771, 6801-6819, 6851-6868, 6901-6916, 6951-6964, 7001-7010, 7051-7059, 7101-7107 NR04-02, Barrow 6003-6022, 6052-6068, 6102-6118, 6151-6164, 6201-6214, 6251-6262, 6301-6312, 6351-6359, 6401-6409, 6451-6456, 6501-6506, 6551, 6552, 6601, 6602 NR04-03, Wainwright 6002-6006, 6052, 6053 NS04-08, (Unnamed) 6816-6822, 6861-6872, 6910-6922, 6958-6972, 7007-7022, 7055-7072, 7104-7122

This stipulation applies during the time periods for subsistence-harvesting described below for each community.

Subsistence Whaling and Marine Mammal Hunting Activities by Community

Barrow: Spring bowhead whaling occurs from April to June; Barrow hunters hunt from ice leads from Point Barrow southwestward along the Chukchi Sea coast to the Skull Cliff area. Fall whaling occurs from August to October in an area extending from approximately 10 miles west of Barrow to the east side of Dease Inlet. Beluga whaling occurs from April to June in the spring leads between Point Barrow and Skull Cliff; later in the season, belugas are hunted in open water around the barrier islands off Elson Lagoon. Walrus are harvested from June to September from west of Barrow southwestward to Peard Bay. Polar bear are hunted from October to June generally in the same vicinity used to hunt walrus. Seal hunting occurs mostly in winter, but some open water sealing is done from the Chukchi coastline east as far as Dease Inlet and Admiralty Bay in the Beaufort Sea.

Wainwright: Bowhead whaling occurs from April to June in the spring leads offshore of Wainwright, with whaling camps sometimes as far as 10 to 15 miles from shore. Wainwright hunters hunt beluga whales in the spring lead system from April to June but only if no bowheads are in the area. Later in the summer, from July to August, belugas can be hunted along the coastal lagoon systems. Walrus hunting occurs from July to August at the southern edge of the retreating pack ice. From August to September, walrus can be hunted at local haulouts with the focal area from Milliktagvik north to Point Franklin. Polar bear hunting occurs primarily in the fall and winter around Icy Cape, at the headland from Point Belcher to Point Franklin, and at Seahorse Island.

Point Lay: Because Point Lay's location renders it unsuitable for bowhead whaling; beluga whaling is the primary whaling pursuit. Beluga whales are harvested from the middle of June to the middle of July. The hunt is concentrated in Naokak and Kukpowruk Passes south of Point Lay where hunters use boats to herd the whales into the shallow waters of Kasegaluk Lagoon where they are hunted. If the July hunt is unsuccessful, hunters can travel as far north as Utukok Pass and as far south as Cape Beaufort in search of whales. When ice conditions are favorable, Point Lay residents hunt walrus from June to August along the entire length of Kasegaluk Lagoon, south of Icy Cape, and as far as 20 miles offshore. Polar bear are hunted from September to April along the coast, rarely more than 2 miles offshore. **Point Hope**: Bowhead whales are hunted from March to June from whaling camps along the ice edge south and southeast of the point. The pack-ice lead is rarely more than 6 to 7 miles offshore. Beluga whales are harvested from March to June in the same area used for the bowhead whale hunt. Beluga whales can also be hunted in the open water later in the summer from July to August near the southern shore of Point Hope close to the beaches, as well as areas north of the point as far as Cape Dyer. Walruses are harvested from May to July along the southern shore of the point from Point Hope to Akoviknak Lagoon. Point Hope residents hunt polar bears primarily from January to April and occasionally from October to January in the area south of the point and as far out as 10 miles from shore.

This stipulation will remain in effect until termination or modification by the Department of the Interior after consultation with appropriate agencies.

Shell Proposed Actions:

Although none of the blocks listed in Stipulation No. 4 are included in those planned for exploration drilling in Shell's EP Revision 2, Shell voluntarily submitted to the BOEM a site-specific 4MP with EP Revision 1, and provided the 4MP to support its application for an IHA. The 4MP has been updated to reflect the revised drilling program in EP Revision 2, but remains substantially the same as the 4MP that is part of the approved EP Revision 1. The 4MP is located in Appendix B. Shell's POC, 4MP, and other mitigation measures are designed to address this change in area subsistence activities.

Shell intends to use contractors based in the NSB, Northwest Arctic Borough (NWAB) and potentially the Bering Straits region that will in turn provide job opportunities to local residents, including recruitment and training of SAs and PSOs. Summaries of key components of the program are presented below.

Protected Species Observers

Vessel-based monitoring for marine mammals will be done throughout the period of exploration drilling operations to comply with expected provisions in the IHA and LOA that Shell receives. Those provisions will be implemented during the exploration drilling program by a team of trained PSOs. The presence of PSOs onboard drilling and transiting support vessels will be a core component of compliance with the 4MP. The PSOs will be responsible for collecting basic data on observations of marine mammals and for implementing mitigation measures including vessel avoidance measures and factored into decisions concerning operational shutdown. The observations made by PSOs serve as the primary basis for estimation of impacts to marine mammals. Because their ranks include representatives of the Alaska Native community, the PSOs also serve as an important means of providing local hire and local oversight of the monitoring program. PSOs will be stationed on both drilling units, ice management vessels, anchor handlers and other drilling support vessels engaged in transit to and between drill sites, and other operational and intermittent activities to monitor for marine mammals.

Aerial Survey Program

With agreement from hunters in the coastal villages, aerial surveys of coastal areas to approximately 23 mi (37 km) offshore between Point Hope and Point Barrow will begin prior to the arrival of the drilling vessels and will continue until exploration drilling operations in the Chukchi Sea are concluded. The objectives of the aerial survey are to collect data on the distribution and abundance of marine mammals in coastal areas of the eastern Chukchi Sea; and to collect and report data on the distribution, numbers, orientation and behavior of marine mammals, particularly beluga whales, near traditional hunting areas in the eastern Chukchi Sea.

Shell will also conduct photographic aerial surveys over the Burger Prospect. The photographic survey would reduce the number of people on board the aircraft from six persons to two persons (the pilot and copilot) and would serve as a pilot study for future surveys that would use an Unmanned Aerial System

(UAS) to capture the imagery. Successful aerial surveys with only pilots and camera systems were conducted over drilling locations in the Chukchi Sea in 2012. The area to be surveyed is that which is expected to have higher sound levels from the drilling activities.

Acoustic Recorders

A combination of acoustic recorder technologies will be employed to document the distribution of marine mammals; the distribution of marine mammals in relation to activities; to add clarity to the characterization of exploration drilling sound levels, character, and propagation; and to document presence of marine mammals in subsistence hunting areas. This will be accomplished by deploying several acoustic recorder buoys in a wide area surrounding the planned locations. Acoustic monitoring instruments have been deployed in the Chukchi Sea in past years in late July. With drilling scheduled to commence in early July, the deployment date would be pushed forward to occur after ice out and before exploration drilling. Over-wintering sonobuoys have also been located in the proposed exploration drilling area since 2007. In that early drilling related activities would be initiated upon arrival and while the arrays are being deployed, these over-wintered recorders would capture the sound associated with early activities.

Sound Modeling

Sound modeling will be conducted during the exploration drilling program in the Chukchi Sea.

Sound Source Verification

Field measurement of sound propagation profiles of vessels and the drilling units will be conducted during different operational modes, so as to determine those activities that produce the greatest opportunities for mitigation. Shell plans to conduct sound source verification (SSV) on the vessels which did not have a prior SSV in the Chukchi Sea. Since sound levels generated by drilling operations do not exceed sound levels where mitigation measures are required, the utility of SSVs, which are normally used to verify and adjust mitigation distances, is limited. Shell is also utilizing distributed arrays around the drilling location to measure cumulative sound impacts throughout the drilling process. These arrays are generating more useful information than individual SSVs.

Regarding the drilling units, as noted in the 4MP, exploration drilling sounds are expected to vary significantly with time due to variations in the level of operations and the different types of equipment used at different times onboard the drilling units. The goals of these measurements are to quantify the absolute sound levels produced by exploration drilling and to monitor its variations with time, distance and direction from the drilling unit; and to measure the sound levels produced by an end-of-hole ZVSP survey using a stationary sound source.

Additional Studies

Shell plans to participate in additional studies of marine resources in the Chukchi Sea in an effort to gain an understanding of baseline conditions and the distribution of critical resources, to gain an understanding of interactions between industry activities and marine resources, and to contribute to the understanding of resource status and conservation/management needs. The list of potential studies and monitoring projects includes:

- Baseline studies of the air quality, oceanography, sediment chemistry, benthic and planktonic communities, fish, marine birds, and marine mammals in the Burger Prospect area;
- Marine mammal distribution and response to industry activities in the northeastern Chukchi Sea;
- Participation in, and funding of, walrus and ringed seal tagging studies;

- Collection of subsistence use of coastal and offshore waters though a system of SAs; and
- Drilling waste discharge and benthic community monitoring.

With the exception of the discharge monitoring for the NPDES exploration facilities GP, Shell has been participating in these studies since 2006. Reports summarizing the methods and findings of the studies are listed in Section 5.0. Discharge monitoring studies Shell expects to conduct are described in Section 10.0.

<u>Stipulation No. 5- Lease Sale 193 Conflict Avoidance Mechanisms to Protect Subsistence Whaling</u> <u>and Other Subsistence Harvesting Activities</u>

Exploration and development and production operations shall be conducted in a manner that prevents unreasonable conflicts between the oil and gas industry and subsistence activities. This stipulation applies to exploration, development, and production operations on a lease within the blocks identified below during periods of subsistence use related to bowhead whales, beluga whales, ice seals, walruses, and polar bears. The stipulation also applies to support activities, such as vessel and aircraft traffic, that traverse the blocks listed below or Federal waters landward of the sale during periods of subsistence use regardless of lease location. Transit for human safety emergency situations shall not require adherence to this stipulation. This stipulation applies to the following blocks:

NR02-06, Chukchi Sea

6624, 6625, 6674, 6675, 6723-6725, 6773-6775, 6822, 6823, 6872

NR03-02, Posey

6872, 6873, 6918-6923, 6967-6973, 7016-7023, 7063-7073, 7112-7123

NR03-03, Colbert

6674, 6723, 6724, 6771-6774, 6820-6824, 6869-6874, 6918-6924, 6966-6974,

7015-7024, 7064-7074, 7113-7124

NR03-04, Solivik Island

6011-6023, 6060-6073, 6109-6122, 6157-6171, 6206-6219, 6255-6268, 6305-6317, 6354-6365, 6403-6414, 6453-6462, 6502-6511, 6552-6560, 6601-6609, 6651-6658, 6701-6707, 6751-6756, 6801-6805, 6851-6854, 6901-6903, 6951, 6952, 7001

NR03-05, Point Lay West

6014-6024, 6062-6073, 6111-6122, 6160-6171, 6209-6221, 6258-6269, 6307-6317, 6356-6365, 6406-6414, 6455-6462, 6503-6510, 6552-6558, 6602-6606, 6652-6655, 6702, 6703

NR04-01, Hanna Shoal

6223, 6267-6273, 6315-6323, 6363-6373, 6411-6423, 6459-6473, 6507-6523, 6556-6573, 6605-6623, 6654-6671, 6703-6721, 6752-6771, 6801-6819, 6851-6868, 6901-6916, 6951-6964, 7001-7010, 7051-7059, 7101-7107

NR04-02, Barrow

6003-6022, 6052-6068, 6102-6118, 6151-6164, 6201-6214, 6251-6262, 6301-6312, 6351-6359, 6401-6409, 6451-6456, 6501-6506, 6551, 6552, 6601, 6602

NR04-03, Wainwright

6002-6006, 6052, 6053

NS04-08, (Unnamed)

6816-6822, 6861-6872, 6910-6922, 6958-6972, 7007-7022, 7055-7072, 7104-7122

Prior to submitting an exploration plan or development and production plan (including associated oilspill response plans) to the MMS for activities proposed during subsistence-use critical times and locations described below for bowhead whale and other marine mammals, the lessee shall consult with the North Slope Borough, and with directly affected subsistence communities (Barrow, Point Lay, Point Hope, or Wainwright) and co-management organizations to discuss potential conflicts with the siting, timing, and methods of proposed operations and safeguards or mitigating measures that could be implemented by the operator to prevent unreasonable conflicts. Organizations currently recognized by the NMFS and the USFWS for the co-management of the marine mammals resources are the Alaska Eskimo Whaling Commission, the Alaska Beluga Whale Committee, the Alaska Eskimo Walrus Commission, the Ice Seal Commission, and the Nanuuq Commission. Through this consultation, the lessee shall make every reasonable effort, including such mechanisms as a conflict avoidance agreement, to assure that exploration, development, and production activities are compatible with whaling and other marine mammal subsistence hunting activities and will not result in unreasonable interference with subsistence harvests.

A discussion of resolutions reached during this consultation process and plans for continued consultation shall be included in the exploration plan or the development and production plan. In particular, the lessee shall show in the plan how its activities, in combination with other activities in the area, will be scheduled and located to prevent unreasonable conflicts with subsistence activities. The lessee shall also include a discussion of multiple or simultaneous operations, such as ice management and seismic activities, that can be expected to occur during operations in order to more accurately assess the potential for any cumulative effects. Communities, individuals, and other entities who were involved in the consultation shall be identified in the plan. The RS/FO shall send a copy of the exploration plan or development and production plan (including associated oil-spill response plans) to the directly affected communities and the appropriate comanagement organizations at the time the plans are submitted to the MMS to allow concurrent review and comment as part of the plan approval process. In the event no agreement is reached between the parties, the lessee, NMFS, USFWS, the appropriate co-management organizations, and any communities that could be directly affected by the proposed activity may request that the RS/FO assemble a group consisting of representatives from the parties to specifically address the conflict and attempt to resolve the issues. The RS/FO will invite appropriate parties to a meeting if the RS/FO determines such a meeting is warranted and relevant before making a final determination on the adequacy of the measures taken to prevent unreasonable conflicts with subsistence harvests. The lessee shall notify the RS/FO of all concerns expressed by subsistence hunters during operations and of steps taken to address such concerns. Activities on a lease may be restricted if the RS/FO determines it is necessary to prevent unreasonable conflicts with local subsistence hunting activities. In enforcing this stipulation, the RS/FO will work with other agencies and the public to assure that potential conflicts are identified and efforts are taken to avoid these conflicts. Subsistence-harvesting activities occur generally in the areas and time periods listed below.

Subsistence Whaling and Marine Mammal Hunting Activities by Community

Barrow: Spring bowhead whaling occurs from April to June; Barrow hunters hunt from Ice leads from Point Barrow southwestward along the Chukchi Sea coast to the Skull Cliff area; fall whaling occurs from August to October in an area extending from approximately 10 miles west of Barrow to the east side of Dease Inlet. Beluga whaling occurs from April to June in the spring leads between Point Barrow and Skull Cliff; later in the season, belugas are hunted in open water around the barrier islands off Elson Lagoon. Walrus are harvested from June to September from west of Barrow southwestward to Peard Bay. Polar bear are hunted from October to June generally in the same vicinity used to hunt walruses. Seal hunting occurs mostly in winter, but some open-water sealing is done from the Chukchi coastline east as far as Dease Inlet and Admiralty Bay in the Beaufort Sea.

Wainwright: Bowhead whaling occurs from April to June in the spring leads offshore of Wainwright, with whaling camps sometimes as far as 10 to 15 miles from shore. Wainwright hunters hunt beluga whales in the spring lead system from April to June but only if no bowheads are in the area. Later in the summer, from July to August, belugas can be hunted along the coastal lagoon systems. Walrus hunting occurs from July to August at the southern edge of the retreating pack ice. From August to September, walruses can be hunted at local haulouts with the focal area from Milliktagvik north to Point Franklin. Polar bear hunting occurs primarily in the fall and winter around Icy Cape, at the headland from Point Belcher to Point Franklin, and at Seahorse Island.

Point Lay: Because Point Lay's location renders it unsuitable for bowhead whaling, beluga whaling is the primary whaling pursuit. Beluga whales are harvested from the middle of June to the middle of July. The hunt is concentrated in Naokak and Kukpowruk Passes south of Point Lay where hunters use boats to herd the whales into the shallow waters of Kasegaluk Lagoon where they are hunted. If the July hunt is unsuccessful, hunters can travel as far north as Utukok Pass and as far south as Cape Beaufort in search of whales. When ice conditions are favorable, Point Lay residents hunt walruses from June to August along the entire length of Kasegaluk Lagoon, south of Icy Cape, and as far as 20 miles offshore. Polar bears are hunted from September to April along the coast, rarely more than 2 miles offshore.

Point Hope: Bowhead whales are hunted from March to June from whaling camps along the ice edge south and southeast of the point. The pack-ice lead is rarely more than 6 to 7 miles offshore. Beluga whales are harvested from March to June in the same area used for the bowhead whale hunt. Beluga whales can also be hunted in the open water later in the summer from July to August near the southern shore of Point Hope close to the beaches, as well as areas north of the point as far as Cape Dyer. Walruses are harvested from May to July along the southern shore of the point from Point Hope to Akoviknak Lagoon. Point Hope residents hunt polar bears primarily from January to April and occasionally from October to January in the area south of the point and as far out as 10 miles from shore

Shell Proposed Actions:

Shell has actively engaged the NSB, NWAB, and the subsistence communities of Kaktovik, Nuiqsut, Barrow, Wainwright, Point Lay, Point Hope, Kivalina, Kotzebue, Shishmaref, Kiana, Savoonga, and Gambell, and co-management organizations, including the Alaska Eskimo Whaling Commission (AEWC), Alaska Beluga Whale Committee, the Alaska Eskimo Walrus Commission, the Ice Seal Commission, and the Alaska Nanuuq Commission, to discuss potential conflicts between planned oil and gas activities and subsistence use activities. Shell's EP lease blocks do not lie within the stipulation area, but support activities associated with the exploration drilling program will transit the stipulation area.

Plan of Cooperation

Shell began consulting with potentially affected subsistence communities, stakeholders and federal, state, and local agencies in 2006 and prepared a POC for its Chukchi Sea open water activities (3D seismic activities and vessel transit) in November 2007. Shell continues with these consultations through 2014.

Shell will continue to engage with subsistence stakeholders to build on its past efforts to inform and engage the communities that could be potentially affected by exploration drilling activities in the Chukchi Sea. It is also noted that a POC is required for an IHA from the NMFS and LOA from USFWS. Shell's POC, 4MP, and other mitigation measures are designed to address area subsistence activities.

Shell met with public and community leaders beginning in January-April 2009 specifically to discuss the planned 2010 exploration drilling program in the Chukchi Sea, as detailed in the initial Chukchi Sea EP, and to hear their concerns. Shell prepared a written POC based on that effort, which described when and where the meetings were held, what was presented by Shell, the comments received, and Shell's responses to these comments. The POC also identified mitigation measures that Shell prepared in response to these concerns. A copy of the POC was attached as an appendix to the initial Chukchi Sea EP, and was forwarded to NMFS as part of the IHA requirements. Shell's consultation efforts have continued since that time, and in February-April of 2011, Shell held a series of meetings specifically to discuss the exploration drilling activities outline in the EP Revision 1. The dates and locations of the meetings held since 2012 as part of consultation effort associated with exploration drilling in the Chukchi Sea, along with the persons Shell met with, are listed below in Table 11.0-1. Shell has prepared an addendum to the POC originally submitted. The POC addendum included with EP Revision 2 provides information on the meetings held specifically to address the EP Revision 2. The POC addendum is attached in Appendix D of this document.

2012	Meeting Location	Meeting Attendees
23 October	Point Lay	Plan of Cooperation Community Meeting
24 October	Wainwright	Plan of Cooperation Community Meeting
26 October	Kaktovik	Plan of Cooperation Community Meeting
29 October	Barrow	Plan of Cooperation Community Meeting
30 October	Nuiqsut	Plan of Cooperation Community Meeting
6 November	Barrow	NSB Assembly Workshop Meeting
2013	Meeting Location	Meeting Attendees
20 July	Kotzehue	NWAB, City of Kotzebue, KIC (Kikiktagruk Inupiat Corporation) &
29 July	Kotzebue	JRA(Indian Reorganization Act) representatives
5 November	Barrow	NSB Assembly
5 November	Wainwright	Plan of Cooperation Community Meeting
6 November	Point Lay	Plan of Cooperation Community Meeting
8 November	Barrow	Plan of Cooperation Community Meeting
12 November	Point Hope	Plan of Cooperation Community Meeting
2014	Meeting Location	Meeting Attendees
28 January	Kotzebue	Plan of Cooperation Community Meeting
16 June	Barrow	Stakeholder Meeting
16 June	Wainwright	Stakeholder Meeting
30 June	Barrow	Plan of Cooperation Community Meeting
1 July	Wainwright	Plan of Cooperation Community Meeting
7 July	Point Lay	Plan of Cooperation Community Meeting
8 July	Point Hope	Plan of Cooperation Community Meeting
9 July	Kotzebue	Plan of Cooperation Community Meeting
17 July	Deering	Plan of Cooperation Community Meeting

Table 11.0-1	Dates and Locations of Meetings Held Regarding Shell's Chukchi Sea Exploration
	Drilling Program for the Development of the POC

Marine Mammal Co-Management Groups

Shell facilitated meetings with the co-management groups including the AEWC, Alaska Beluga Whale Committee, the Alaska Eskimo Walrus Commission, the Ice Seal Commission, and the Alaska Nanuuq Commission beginning in June 2006, and continues to meet with these groups. Shell will meet with representatives of these co-management groups again to discuss this EP revision to inform them of Shell's planned activities and discuss potential conflicts that could arise with regards to the siting, timing, and method of the planned operations as well as mitigation measures designed to avoid or minimize any such effects.

Stipulation No. 6 - Pre-Booming Requirements for Fuel Transfers

Fuel transfers (excluding gasoline transfers) of 100 barrels or more will require pre-booming of the fuel barge(s). The fuel barge must be surrounded by an oil-spill-containment boom during the entire transfer operation to help reduce any adverse effects from a fuel spill. The lessee's oil-spill-response plans must include procedures for the pre-transfer booming of the fuel barge(s).

Shell Proposed Action:

Shell has prepared a FTP that covers activities with its planned exploration drilling program in the Chukchi Sea. A copy of the plan is provided in Appendix I. Shell has revised the attached FTP from that was submitted to BOEM with EP revision 1 to include a variety of booming scenarios depending on whether the fuel transfer is from vessel-to-vessel, vessel-to-drilling unit and dock-to-vessel.

Stipulation No. 7 - Lighting of Lease Structures to Minimize Effects to Spectacled and Steller's eider

This stipulation will minimize the likelihood that spectacled and Steller's eiders will strike drilling structures or vessels. The stipulation also provides additional protection to eiders within the blocks listed below and Federal waters landward of the sale area, including the Ledyard Bay Critical Habitat Area, during times when eiders are present.

(A) General conditions: The following conditions apply to all exploration activities.

(1) An EP must include a plan for recording and reporting bird strikes. All bird collisions (with vessels, aircraft, or drilling structures) shall be documented and reported within 3 days to MMS. Minimum information will include species, date/time, location, weather, identification of the vessel, and aircraft or drilling structure involved and its operational status when the strike occurred. Bird photographs are not required, but would be helpful in verifying species. Lessees are advised that the USFWS does not recommend recovery or transport of dead or injured birds due to avian influenza concerns.

(2) The following conditions apply to operations conducted in support of exploratory and delineation *drilling*.

(a) Surface vessels (e.g., boats, barges) associated with exploration and delineation drilling operations should avoid operating within or traversing the listed blocks or Federal waters between the listed blocks and the coastline between April 15 and June 10, to the maximum extent practicable. If surface vessels must traverse this area during this period, the surface vessel operator will have ready access to wildlife hazing equipment (including at least three Breco buoys or similar devices) and personnel trained in its use; hazing equipment may located onboard the vessel or on a nearby oil spill response vessel, or in Point Lay or Wainwright. Lessees are required to provide information regarding their operations within the area upon request of MMS. The MMS may request information regarding number of vessels and their dates of operation within the area.

(b) Except for emergencies or human/navigation safety, surface vessels associated with exploration and delineation drilling operations will avoid travel within the Ledyard Bay Critical Habitat Area between July 1 and November 15. Vessel travel within the Ledyard Bay Critical Habitat Area for emergencies or human/navigation safety shall be reported within 24 hours to MMS.

(c) Aircraft supporting drilling operations will avoid operating below 1,500 feet above sea level over the listed blocks or Federal waters between the listed blocks and the coastline between April 15 and June 10, or the Ledyard Bay Critical Habitat Area between July 1 and November 15, to the maximum extent practicable. If weather prevents attaining this altitude, aircraft will use pre-designated flight routes. Predesignated flight routes will be established by the lessee and MMS, in collaboration with the USFWS, during review of the EP. Route or altitude deviations for emergencies or human safety shall be reported within 24 hours to MMS.

(B) Lighting Protocols: The following lighting requirements apply to activities conducted between April 15 and November 15 of each year.

(1) Drilling Structures: Lessees must adhere to lighting requirements for all exploration or delineation drilling structures so as to minimize the likelihood that migrating marine and coastal birds will strike these structures. Lessees are required to implement lighting requirements aimed at minimizing the radiation of light outward from exploration or delineation drilling structures to minimize the likelihood that birds will strike those structures. These requirements establish a coordinated process for a performance-based objective rather than pre-determined prescriptive requirements. The performance-based objective is to minimize the radiation of light outward from exploration/delineation structures while operating on a lease or if staged within nearshore Federal waters pending lease deployment.

Measures to be considered include but need not be limited to the following:

- Shading and/or light fixture placement to direct light inward and downward to living and work structures while minimizing light radiating upward and outward;
- Types of lights;
- Adjustment of the number and intensity of lights as needed during specific activities;
- Dark paint colors for selected surfaces;
- Low-reflecting finishes or coverings for selected surfaces; and
- Facility or equipment configuration.

Lessees are encouraged to consider other technical, operational, and management approaches that could be applied to their specific facilities and operations to reduce outward light radiation. Lessees must provide MMS with a written statement of measures that will be or have been taken to meet the lighting objective, and must submit this information with an EP when it is submitted for regulatory review and approval pursuant to 30 CFR 550.203.

(2) Support Vessels: Surface support vessels will minimize the use of high-intensity work lights, especially when traversing the listed blocks and federal waters between the listed blocks and the coastline. Exterior lights will be used only as necessary to illuminate active, on-deck work areas during periods of darkness or inclement weather (such as rain or fog), otherwise they will be turned off. Interior lights and lights used during navigation could remain on for safety.

For the purpose of this stipulation, the listed blocks are as follows:

NR02-06, Chukchi Sea

6624, 6625, 6674, 6675, 6723-6725, 6773-6775, 6822, 6823, 6872

NR03-02, Posey

6872, 6873, 6918-6923, 6967-6973, 7016-7023, 7063-7073, 7112-7123

NR03-03, Colbert

6674, 6723, 6724, 6771-6774, 6820-6824, 6869-6874, 6918-6924, 6966-6974,

7015-7024, 7064-7074, 7113-7124

NR03-04, Solivik Island

6011-6023, 6060-6073, 6109-6122, 6157-6171, 6206-6219, 6255-6268, 6305-6317, 6354-6365, 6403-6414, 6453-6462, 6502-6511, 6552-6560, 6601-6609, 6651-6658, 6701-6707, 6751-6756, 6801-6805, 6851-6854, 6901-6903, 6951, 6952, 7001

NR03-05, Point Lay West

6014-6024, 6062-6073, 6111-6122, 6160-6171, 6209-6221, 6258-6269, 6307-6317, 6356-6365, 6406-6414, 6455-6462, 6503-6510, 6552-6558, 6602-6606, 6652-6655, 6702, 6703

NR04-01, Hanna Shoal

6223, 6267-6273, 6315-6323, 6363-6373, 6411-6423, 6459-6473, 6507-6523,

6556-6573, 6605-6623, 6654-6671, 6703-6721, 6752-6771, 6801-6819, 6851-6868,

6901-6916, 6951-6964, 7001-7010, 7051-7059, 7101-7107

NR04-02, Barrow

6003-6022, 6052-6068, 6102-6118, 6151-6164, 6201-6214, 6251-6262, 6301-6312,

6351-6359, 6401-6409, 6451-6456, 6501-6506, 6551, 6552, 6601, 6602

NR04-03, Wainwright 6002-6006, 6052, 6053

NS04-08, (Unnamed)

6816-6822, 6861-6872, 6910-6922, 6958-6972, 7007-7022, 7055-7072, 7104-7122

Nothing in this stipulation is intended to reduce personnel safety or prevent compliance with other regulatory requirements (e.g., U.S. Coast Guard (USCG) or Occupational Safety and Health Administration) for marking or lighting of equipment and work areas.

Shell Proposed Actions:

Stipulation No.7 has four parts. Part A(1) mandates that EPs for exploration drilling anywhere in the Chukchi include a plan for recording and reporting bird strikes, and therefore applies to Shell. Parts A(2) and B(2) place restrictions and lighting requirements on vessel and aircraft operations in certain listed blocks, in federal waters shoreward of those blocks, and in the Ledyard Bay Critical Habitat Unit (LBCHU), during specific dates. These restrictions would apply to any activities associated with Shell's EP Revision 2 that would take place in these areas during these dates. Part B(1) places lighting requirements on drilling structures and applies to the use of drilling structures anywhere in the Chukchi Sea, and therefore applies to Shell's EP Revision 2. Part B(2) also places restrictions on the use of lights on support vessels in the listed blocks and federal waters shoreward of these blocks, and these restrictions would apply to any vessel traffic associated with Shell's EP Revision 2 that would occur in these specific areas.

Shell has developed a Bird Strike Avoidance and Lighting Plan (Appendix E) that covers the planned exploration drilling program. In development of the plan, Shell considered all the measures identified for consideration in the stipulation, and selected the most proven and practical measures to minimize the likelihood that marine birds will strike the drilling units or support vessels. Shell's plan includes:

- Bird strike monitoring will include recording and reporting bird strikes for the collection of information on bird strikes and lighting configuration. This information can be used to better understand methods to reduce bird strikes;
- Installing shading and directing some lights on drilling units inward and downward to living and work structures to minimize the amount of light radiating from the drilling units;
- Minimizing the use of high-intensity work lights on support vessels; and,
- Restricting aircraft and vessel traffic such as restrictions on travel routes and flight altitudes, including: the avoidance of travel within the LBCHU between 1 July and 15 November by the drilling units and all support vessels.

In addition, Shell plans to conduct both visual and radar assessments (when practicable) of the numbers and species of birds around the drill sites during the operations, and investigate the reactions of the birds to the vessels. This data should aid in the assessment of risk for future programs and provide some indication of the efficacy of the mitigation measures. The risk of Shell's exploration drilling program having an effect on marine birds, especially Steller's eiders and spectacled eiders, due to collisions, is minimal because exploration drilling would occur after the spring migration of most of these species, and more than 64 mi (103 km) offshore where the bird presence is relatively low.

SECTION 12.0 ENVIRONMENTAL MITIGATION MEASURE INFORMATION

a) Permits and Authorizations

The General Information section (Section 2.0) identifies the permits and authorizations required for the planned exploration drilling program. Shell will work within the mitigation measures written into these permits and authorizations, and therefore will be working within all regulatory requirements. In addition to the permits and authorizations, Shell has met with marine mammal co-management groups, including the AEWC, Whaling Captains Associations, NSB and NWAB community members, to discuss their concerns regarding marine mammal subsistence resources including the bowhead whale, beluga whale, walrus, ice seal, and polar bear.

b) Protected Species

Species that occur within the northeastern Chukchi Sea and are listed under the ESA as either threatened or endangered are listed below in Table 12.b-1. The Kittlitz's murrelet, yellow-billed loon, and Pacific walrus are included in the table only as candidate species. Populations of ringed seals found in the Chukchi Sea were proposed for listing under the ESA by NMFS on 10 December 2010 but have not been listed to date; no critical habitat has been proposed for this species.

Potential effects on these species due to activities associated with the planned exploration drilling program in EP Revision 2, which includes the addition of simultaneous drilling by a second drilling unit, are analyzed in the EIA provided in Appendix C. The proposed mitigation measures, which have been designed to avoid or minimize any effects on these species, are described below in Section 12.0(c).

Common Name	Scientific Name	ESA Status	Extralimital ² (Yes/No)
spectacled eider	Somateria fischeri	threatened	No
Steller's eider	Polysticta stelleri	threatened	No
Kittlitz's murrelet ¹	Brachyramphus brevirostris	candidate	No
yellow-billed loon ¹	Gavia adamsii 🗡	candidate	No
	Erignathus barbatus (Beringia	Threatened status	
bearded seal	distinct population segment)	vacated	No
ringed seal	Phoca hispida	threatened	No
Pacific walrus ¹	Odobenus rosmarus divergens	candidate	No
polar bear	Ursus maritimus	threatened	No
bowhead whale	Balaena mysticetus	endangered	No
fin whale	Balaenoptera physalus	endangered	Yes
humpback whale	Megaptera novaeangliae	endangered	Yes

 Table 12.b-1 Species Found in the Northeastern Chukchi Sea and Protected Under the ESA

¹ Kittlitz's murrelet, yellow-billed loon, and Pacific walrus are included in table only as a candidate species, which receive no protection under the ESA.

² Extralimital - not found within a given geographic area

No critical habitat has been designated for the fin whale, humpback whale, and bowhead whale. Critical habitat has been designated for the Steller's eider but none is located in the Chukchi Sea. Critical habitat has been designated for the spectacled eider, with the nearest critical habitat being located in Ledyard Bay more than 54 mi (87 km) from the Burger Prospect.

The USFWS issued a final rule on 7 December 2010 designating three types of critical habitat for the polar bear; sea ice habitat, barrier island habitat, and terrestrial denning habitat; this polar bear critical habitat designation has since been vacated. Potential effects on critical habitat due to activities associated with the planned exploration drilling program are analyzed in the EIA provided in Appendix C.

The planned exploration drilling program would have no effect on spectacled eider critical habitat.

Common Name	Scientific Name	ESA Status	MMPA Status	Extralimital (Yes/No)
beluga whale ¹	Delphinapterus leucas	not listed		No
narwhal	Monodon monoceros	not listed		Yes
killer whale	Orcinus orca	not listed		No
harbor porpoise	Phocoena phocoena	not listed		No
bowhead whale	Balaena mysticetus	endangered	depleted	No
gray whale	Eschrichtius robustus	not listed		Yes
fin whale	Balaenoptera physalus	endangered	depleted	Yes
minke whale	Balaenoptera acutorostrata	not listed		Yes
humpback whale	Megaptera novaeangliae	endangered	depleted	Yes
bearded seal	<i>Erignathus barbatus</i> (Beringia distinct population segment)	Threatened status vacated	depleted	No
spotted seal ¹	Phoca largha	Arctic population segments not listed		No
ringed seal	Phoca hispida	threatened	depleted	No
ribbon seal	Histriophoca fasciata	not listed		No
Pacific walrus ²	Odobenus rosmarus divergens	candidate		No
polar bear	Ursus maritimus	threatened		No

Table 12.b-2 Marine Mammals ¹	Found in the Northeastern Chukchi Sea and Protected Under the
MMPA	

¹ Populations of some species identified as not listed, such as beluga & spotted seal, are listed but those populations are not found in the Chukchi Sea.

² Pacific walrus has been petitioned for listing under ESA, has undergone status review, and listing was found to be warranted but precluded by higher priorities – and is therefore considered a candidate species by USFWS.

In accordance with the MMPA, a walrus use area has been designated over Hanna Shoal (i.e. the HSWUA) located adjacent to Shell's Burger Prospect. The HSWUA is a large area (approximately 9,500 mi²) to the northeast of the Burger Prospect that the USFWS designated as an area utilized by Pacific walrus during the summer months; Shell will need to acquire variance from USFWS to allow vessels to enter into the HSWUA.

The planned exploration drilling program will likely involve the non-lethal incidental take of marine mammals. The projected incidental takes are provided in Section 10.0 of this document. Shell is applying to NMFS for an IHA for the incidental take of whales and seals, and to USFWS for an LOA for the non-lethal incidental take of polar bears and Pacific walrus and intentional take of polar bears. The IHA and LOA applications contain a 4MP, which is attached in Appendix B. The LOA application contains a bear and walrus avoidance and human encounter / interaction plan. Shell has also developed and will implement a Bird Strike Avoidance and Lighting Plan (Appendix E). All three of these documents describe mitigation measures that Shell will implement to minimize any effects on protected species. The authorizations may also contain added mitigation measures to help avoid or minimize incidental takes. A summary of mitigation measures that will be undertaken by Shell is provided below.

c) Mitigation Measures

The permits and authorizations table included in Section 2.0 lists the authorizations and necessary permits to conduct the planned exploration drilling program. Shell will adopt the mitigation measures written into these authorizations, and will therefore be working within regulatory requirements.

In addition to meeting all regulatory requirements, Shell is committed to other mitigation measures including those that will decrease any potential conflicts between exploration drilling activities and subsistence harvests. The preface of the EIA (Appendix C) provides detail on mitigation measures that

have been deleted, those that have been changed and those that have been added. The following is the current list of mitigation measures for EP Revision 2.

Communications

- Shell has developed a Communication Plan and will implement this plan before initiating exploration drilling operations to coordinate activities with local subsistence users, as well as Village Whaling Captains' Associations, to minimize the risk of interfering with subsistence hunting activities, and keep current as to the timing and status of the bowhead whale hunt and other subsistence hunts. The Communication Plan includes procedures for coordination with Communications and Call Centers (Com Centers) to be located in coastal villages along the Chukchi Sea during Shell's proposed exploration drilling activities.
- Shell will employ local SAs from the Chukchi Sea villages that may be potentially impacted by Shell's exploration drilling activities. The SAs will provide consultation and guidance regarding the whale migration and subsistence activities. There will be one SA per village, working approximately 8-hr per day and 40-hr weeks during the drilling seasons. The SA will use local knowledge (Traditional Knowledge) to gather data on subsistence lifestyle within the community and provide advice on ways to minimize and mitigate potential negative impacts to subsistence resources during the drilling season. Responsibilities include reporting any subsistence concerns or conflicts; coordinating with subsistence users; reporting subsistence-related comments, concerns, and information; coordinating with the Com and Call Center personnel; and, advising how to avoid subsistence conflicts.

Aircraft Travel

- Aircraft over land or sea shall not operate below 1,500 ft. (457 m) altitude unless engaged in marine mammal monitoring, approaching, landing or taking off, in poor weather (fog or low ceilings), or in an emergency situation.
- Aircraft engaged in marine mammal monitoring shall not operate below 1,500 ft. (457 m) in areas of active whaling; such areas to be identified through communications with the Com Centers and SAs.
- Aircraft will not operate within 0.5 mi (0.8 km) of polar bears when observed on land or ice.
- Helicopters will not operate at an altitude lower than 3,000 ft. (914 m) within 1 mi (1.6 km) of walrus groups observed on land, and fixed-wing aircraft will not operate lower than 1,500 ft. (457 m) within 1 mi (1.6 km) of walrus groups observed on land.
- If aircraft must be operated below 1,500 ft. (457 m) because of weather, the operator will avoid flying within 0.5 mi (805 m) of known walrus or polar bear concentrations over sea, and will avoid walrus groups by 1 mi (1.6 km) on land.

Vessel Travel

- The drilling units and support vessels will enter the Chukchi Sea through the Bering Strait on or after 1 July, minimizing effects on marine mammals and birds that frequent open leads and minimizing effects on spring and early summer bowhead whale hunting.
- The transit route for the drilling units and drilling support vessels will avoid known fragile ecosystems and the LBCHU, and will include coordination through Com Centers.
- PSOs will be aboard the drilling units and all transiting support vessels.
- Vessels will not operate within 0.5 mi (0.8 km) of walruses or polar bears when observed on ice or water.

- Vessels will not operate within 1.0 mi (1.6 km) of walruses or 0.5 mi (0.8 km) of polar bears when observed on land.
- When within 900 ft. (274 m) of whales, vessels will reduce speed, avoid separating members from a group and avoid multiple changes of direction.
- Vessels should take all reasonable precautions (i.e., reduce speed, change course heading) to maintain a minimum operational exclusion zone of 0.5 mi (805 m) around groups of 12 or more walruses in the water.
- Vessel speed will be reduced during inclement weather conditions in order to avoid collisions with marine mammals.
- Shell will communicate and coordinate with the Com Centers regarding all vessel transit.
- Use of some lighting on the drilling units and support vessels will be minimized and shaded to reduce potential disorientation and attraction of birds and to reduce the possibility of a bird collision (Bird Strike Avoidance and Lighting Plan, Appendix E, EP Revision 2).

Exploration Drilling Operations

- Critical operations will not be started if potential hazards (ice floe, inclement weather, etc.) are in the vicinity and there is not sufficient time to finish the critical operation before the arrival of the hazard at the drill site (COCP, Appendix F, EP Revision 2).
- The blowout prevention program will be enhanced through the use of two sets of blind/shear rams.
- For drill sites at which a MLC is drilled by bit, a ROV control panel will be SS, linked to the BOP by an umbilical, with sufficient pressured water-based fluid to operate the BOP. In the event the MLC is drilled by the MLC ROV system, no additional SS control panel is required as an ROV will have direct access to the BOP panel located in the MLC.
- Provisions for a second relief well drilling unit will be in-place in the event that the primary drilling vessel is disabled and not capable of drilling its own relief well. Both the *Discoverer* and *Polar Pioneer* will serve as its own primary relief well drilling unit. If the *Discoverer* or the *Polar Pioneer* cannot be used to drill a relief well, the other drilling unit (secondary relief well drilling unit) would be used for that purpose. The drilling units will be in the Lease Sale 193 Area operating as primary drilling units, or one may be no further distant than Dutch Harbor when the other drilling unit is drilling in hydrocarbon bearing zones. In either case, the secondary relief well drilling unit could be mobilized to the location in the Burger Prospect, moored, and drill a relief well and kill the flow within 38 days.
- Airgun arrays will be ramped up slowly during ZVSP surveys to warn cetaceans and pinnipeds in the vicinity of the airguns and provide time for them to leave the area and avoid potential injury or impairment of their hearing abilities. Ramp ups from a cold start when no airguns have been firing will begin by firing a single airgun in the array. A ramp up to the required airgun array volume will not begin until there has been a minimum of 30 min of observation of the safety zone by PSOs to assure that no marine mammals are present. The safety zone is the extent of the 180 dB radius for cetaceans and 190 dB for pinnipeds. The entire safety zone must be visible during the 30-min lead-in to an array ramp up. If a marine mammal(s) is sighted within the safety zone during the 30-min watch prior to ramp up, ramp up will be delayed until the marine mammal(s) is sighted outside of the safety zone or the animal(s) is not sighted for at least 15-30 min: 15 min for small odontocetes and pinnipeds, or 30 min for baleen whales and large odontocetes.

Ice Management

- Real time ice and weather forecasting will be from the Shell Ice and Weather Advisory Center.
- Shell has developed and will implement an Adaptive Approach to Ice Management in Areas Occupied by Pacific Walruses as support for a variance request to enter HSWUA (Appendix J).

Oil Spill Response

- The primary OSRV will be on standby at all times when drilling into zones capable of flowing liquid hydrocarbons in measurable quantities to ensure that OSR capability is available within one hour, if needed.
- Shell will deploy OSR support vessels capable of collecting oil on the water in excess of the calculated WCD flow rate of a blowout in the unlikely event that one should occur. The remaining OSR support vessels will be fully engaged within 72 hours.
- In addition to the OSR support vessels, oil spill containment equipment will be available for use in the unlikely event of a blowout. The containment system tug and barge will be located in or near Goodhope Bay, Kotzebue Sound. This equipment is designed for maximum reliability, ease of operation, flexibility and robustness so it could be used for a variety of blowout situations.
- Capping stack equipment will be stored aboard one of the ice management vessels and will be available for immediate deployment in the unlikely event of a blowout. Capping stack equipment consist of SS devices assembled to provide direct surface intervention capability with the following priorities:
 - Attaching a device or series of devices to the well to affect a seal capable of withstanding the (MAWP and closing the assembly to completely seal the well against further flows (commonly called ""Cap and Contain"), and
 - Attaching a device or series of devices to the well and diverting flow to surface vessel(s) equipped for separation and disposal of hydrocarbons (commonly called "Cap and Flow").
- A polar bear culvert trap has been constructed in anticipation of OSR needs and will be available prior to exploration drilling.
- Pre-booming will be conducted for all fuel transfers between vessels.

Air Emissions

- Procuring ULSD fuel or a fuel with equal or lower sulfur content to reduce SO₂ emissions for each of the drilling units and all vessels operating as part of the exploration drilling program;
- Use of SCR emission controls to reduce NO_X emissions on *Discoverer*'s primary generation units and certain units on support vessels;
- Use of CDPF emission controls to reduce CO, PM, and VOC emissions on the *Discoverer*'s primary generation units and certain units on support vessels; and
- Use of OxyCat emission controls to reduce CO, PM, and VOC emissions on certain units on support vessels.

Shell has elected to present maximum projected emissions in the AQRP emissions inventory for the 30 CFR 550.303(d) exemption formula analyses without consideration of these emission controls on the *Discoverer*'s primary generation units or any of the support vessels. Shell intends to operate these emission controls and purchase ULSD or a fuel with equal or lower sulfur content throughout the exploration season. But, the 30 CFR 550.303(d) exemption analyses in Section 7(e) conservatively assume the emission controls are not employed but ULSD is used. Appendix K provides a summary of the emission reduction measure as applied in the AQRP analysis.

SECTION 13.0 SUPPORT VESSELS AND AIRCRAFT INFORMATION

a) Planned Vessel and Aircraft List

- Drilling units: Discoverer and Polar Pioneer
- Ice management vessels (x2)
- Anchor handlers (x3)
- OSVs (x3)
- Science vessels (x2)
- MLC ROV system vessel
- Support tugs (x2)
- Shallow water vessels (x2)
- Supply tugs and barges (x2)
- OSRV (x1)
- OSR tugs and barges (x2)
- OSTs (x2)
- Containment system (tug and barge) (x1)
- SAR helicopter
- Crew change/resupply helicopters (x3)
- Fixed wing aircraft for ice reconnaissance
- Fixed wing aircraft for PSO flights
- Fixed wing aircraft for crew change between Barrow and Wainwright

Drilling Units

The *Discoverer* and the *Polar Pioneer* will be the drilling units used to drill the wells on the Burger Prospect. The specifications for these drilling units are listed in Section 1c).

Support Vessels

The drilling units will be supported by the types of vessels listed in Table 13.a-1.

Oil Spill Response Vessels

The OSR support vessels will consist of those types of vessels listed in Table 13.a-2.

Specification	Ice Management	Anchor Handlers	OSVs	Science Vessels	Shallow Water Vessels	Support Tugs	Supply Tug and Barges (x2) ^{1,8}		MLC ROV System Vessel ^{1,9}
Specification	Vessels (x2) ^{1,2}	$(x3)^{1,3}$	$(x3)^{1,4}$	$(x2)^{1,5}$	$\begin{array}{c} \text{vessels} \\ \text{(x2)}^{1,5} \\ \end{array} \qquad \begin{array}{c} \text{vessels} \\ \text{(x2)}^{1,6} \\ \end{array}$		Tug	Barge	
Length	380 ft. (116 m)	361 ft. (110.m)	300 ft. (91.5m)	300 ft. (91.5 m)	134 ft. (40.8 m)	146 ft. (44.5 m)	150 ft. (45.7 m)	400 ft. (122 m)	280 ft. (85.3 m)
Width	85 ft. (26 m)	80 ft. (24.4m)	60 ft. (18.3m)	60 ft. (18.3 m)	32 ft. (9.7 m)	46 ft. (14 m)	40 ft. (12.2 m)	99.5 ft. (30.3m)	60 ft. (18.3 m)
Draft	27 ft. (8.4 m)	28 ft. (8.5 m)	15.9 ft. (4.9 m)	15.9 ft. (4.9 m)	6 ft. (1.8 m)	21 ft. (6.4 m)	19.5 ft. (5.9 m)	25 ft. (7.6 m)	16.5 ft. (5 m)
Accommodations	82	64	50	50	22	13	11		26
Maximum Speed	16 knots (30 km/hr.)	15 knots (28 km/hr.)	13 knots (24 km/hr.)	13 knots (24 km/hr.)	10 knots (18 km/hr.)	16 knots (30 km/hr.)	12 knots (22 km/hr.)		13 knots (24 km/hr.)
Available Fuel Storage	14,192 bbl (2,256m ³)	11,318 bbl (1,799 m ³)	5,786 bbl (920 m ³)	5,786 bbl (920 m ³)	667 bbl (106 m ³)	5,585 bbl (888 m ³)	4,800 bbl (774 m3)		6,233 bbl (991 m ³)

Table 13.a-1 Specifications of Support Vessel Types

¹ Or similar vessel

² Based on Nordica
³ Based on Aiviq
⁴ Based on the Harvey Champion
⁵ Based on the Harvey Champion
⁶ Based on the Arctic Seal
⁷ Participation (1997)

⁷ Based on the tug *Ocean Wave*

⁸ Based on the *Lauren Foss* (tug) and *Tuuq* (barge)
 ⁹ Based on the *Harvey Spirit*

G	0 G D V 12	Offshore OSR ^{1,3}		Nearshore OSR ^{1,4}		OST ^{1,5}	OST ^{1,6}	Containme	nt System ^{1,7}
Specifications	OSRV "	Tug	Barge	Tug	Barge			Tug	Barge
Length	301 ft. (91.9 m)	126 ft. (38.4 m)	333 ft. (101.5 m)	90 ft. (27.4 m)	205 ft. (62.5 m)	748 ft. (228 m)	813 ft. (248 m)	150 ft. (45.7 m)	316.5 ft. (96.5 m)
Width	60 ft. (18.3 m)	34 ft. (10.4 m)	76 ft. (23.1 m)	32 ft. (9.8 m)	90 ft. (27.4 m)	105 ft. (32 m)	141 ft. (48 m)	40 ft. (12.2 m)	105 ft. (32 m)
Draft	19 ft. (5.8 m)	17 ft. (5.2 m)	22 ft. (6.7 m)	10 ft. (3 m)	15 ft. (4.6 m)	66 ft. (20 m)	69 ft. (21 m)	19.5 ft. (5.9 m)	12.5 ft. (3.8 m)
Accommodations	41	15		8	25	25	25	11	72
Maximum Speed	16 knots (30 km/hr.)	12 knots (22 km/hr.)		12 knots (22 km/hr.)		15 knots (28 km/hr.)	15 knots (28 km/hr.)	10 knots (19 km/hr.)	
Available Fuel Storage	7,692 bbl (1,223 m3)	1,786 bbl (284 m3)	390 bbl (62 m3)	1,286 bbl (204.5 m3)		16,121 bbl (2,563m3)	20,241 bbl (3,218 m3)	4,800 bbl (763 m3)	6,630 bbl (1,054 m3)
Available Liquid Storage	12,245 bbl (1,947 m3)		76,900 bbl (12,226 m3)		17,000 bbl (5,183 m3)	106,000 bbl8 (16,852 m3)	670,000bbl (106,518 m3)		
Workboats	(3) 34 ft. work boats				 (1) skim boat 47 ft. (14 m) (3) work boats 34 ft. (10 m) (4) mini- barges 				

Table 13.a-2 Specifications of the Major Oil Spill Response Vessels

¹ Or similar vessel

² Based on the *Nanuq*

³ Based on the tug *Guardsman* (tug) and *Klamath* (barge)

⁴ Based on the *Point Oliktok* (tug) and *Endeavor* (barge)

⁵ Based on a Panamax type tanker

⁶Based on an Aframax type tanker

⁷ Based on the *Corbin Foss* (tug), *Arctic Challenger* (barge)

⁸ Total available storage is 350,000 bbl; however, 244,000 bbl of ULSD or a fuel with equal or lower sulfur content (used to refuel the drilling units and support vessels) will take up storage space, leaving 104,000 bbl for recovered liquids. Storage space for recovered liquids will increase as fuel is dispensed for refueling.

Photograph of an Ice Management Vessel



Two primary ice management vessels will support the drilling units (photograph is the M/V *Nordica*). These vessels will enter and exit the Chukchi Sea with the drilling units or before and will generally remain in the vicinity of the drilling units during the drilling season. Ice management and ice reconnaissance is expected to occur at distances of 20 mi (32 km) and 30 mi (48 km) respectively. However, these vessels may have to expand beyond these ranges depending on the ice conditions.

Photograph of an Anchor Handler



Three anchor handlers (photograph of *Aiviq*) will support the drilling units and the containment system tug and barge. These vessels will enter and exit the Chukchi Sea with the drilling units or before, and will generally remain in the vicinity of the drilling units during the drilling season. When not anchor handling, these vessels will be available to provide other general support if needed.

Photograph of an OSV



The planned exploration drilling operations will require three OSVs for resupply of the drilling units and support vessels. Drilling materials, food, fuel and other supplies will be picked up in Dutch Harbor (with possible minor resupply coming out of Kotzebue) and transported to the drilling units and support vessels.

Shell plans to use up to two science vessels to monitor discharges from the drilling units during drilling. The science vessel specifications are based on a large OSV (*Harvey Champion* [photograph] or similar) but may be a smaller vessel. This vessel will help sample drilling discharges that are defined in the EPA NPDES exploration facilities GP AKG-28-8100.

Photograph of a Shallow Water Vessel



Shell plans to use two shallow water vessels, based in Kotzebue Sound (photograph of the *Arctic Seal*). These vessels will be used to transport supplies and crew between Kotzebue and the vessels moored in Kotzebue Sound. These vessels will have a shallow draft and be capable of entering shallow water.

Photograph of a Support Tug



Two support tugs will tow the *Polar Pioneer* to the Burger Prospect. After the *Polar Pioneer* is moored, the tugs will remain in the vicinity of the drilling units to help move them in the event that either drilling unit has to be moved off a drilling site due to ice or any other event.

Photograph of a Supply Tug



Shell plans to use two tugs and supply barges (photograph is of the tug *Lauren Foss*) that may be based in Kotzebue Sound. The barges will house well material for the drilling vessels and for the containment system tug and barge, provide contingency accommodations for personnel in Kotzebue Sound, and carry mooring equipment for the containment system barge.

Shell also plans to use an OSV type vessel to support an MLC ROV system that may be used to construct some of the MLCs. If used, this vessel will be located at a drill site on the Burger Prospect. When not in use, the vessel will be outside of the Chukchi Sea lease sale planning area.
Photographs of OSRV



An OSRV such as the *Nanuq* (or similar) will be staged in the vicinity of the drilling units when either is drilling in liquid hydrocarbon bearing zones. This will enable the OSRV to immediately respond to a spill and provide containment, recovery, and storage for the initial operational period following a spill event.

Photographs of Offshore OSR Tug and Barge





An OSR tug and barge, (photograph is of the *Guardsman* tug and *Klamath* barge), will be staged in the Chukchi Sea. Together with the OSRV, it will have sufficient containment, recovery, and storage capacity for the initial operational period in the event of a spill.

Photograph of an OST



Shell plans to use up to two OSTs. As planned, one OST with specifications of a Panamax tanker will be staged in the vicinity of the Burger Prospect. This tanker will hold fuel for Shell's drilling units and support vessels in addition to storage space to store collected recovered liquids if there is a well control event. A second OST, with specifications of an Aframax tanker, will be stationed outside the Chukchi Sea lease sale planning area. The Aframax tanker will be sited such that it will be able to respond to a well control event before the Panamax tanker reaches its recovered liquid capacity.

Photograph of a nearshore Tug and Barge



A tug and barge (*Endeavor* barge is pictured) will be used for nearshore OSR. It will carry a 47-ft (14-m) skimming vessel, three 34-ft (10-m) workboats, four mini-barges, and boom and duplex skimming units for nearshore recovery. This tug and barge will be moored in Kotzebue Sound.

Photograph of containment system barge



Shell's oil spill containment system tug and barge, housed on the Arctic Challenger barge, will be accompanied by the tug Corbin Foss (or similar). The containment system tug and barge will be moored in or near Goodhope Bay in Kotzebue Sound.

Kotzebue Sound Mooring Location

The precise location of mooring vessels in Goodhope Bay, Kotzebue Sound is yet to be determined; however, it will be in the vicinity of the potential place of refuge (PPOR) in the Northwest Alaska Subarea Plan (e.g., approximately 66° 13' N 163° 28' W), which is in excess of 7 mi (11 km) from land, in a water depth of approximately 30 ft. (9 m). Setting of four mooring buoys is anticipated with each buoy having up to three anchors. The vessels expected to moor in this location include the containment system tug and barge, nearshore OSR tug and barge, and two supply tugs and barges.

Setting and retrieval of the anchors will result in some disturbance of the seafloor. Shell selected the area in large part because it has been selected and approved as a PPOR. The review process for selecting PPORs considers the existence of sensitive resources such as historic properties. Subsea surveys have not been conducted at the location, but it is the conclusion of an archaeological review requested by Shell that there is low potential for any effects to historic resources from the planned moorings and staging in Goodhope Bay.

Vessels will remain compliant with the existing waste management plan, MARPOL regulations, and NPDES Vessel GP for any discharge of gray water or effluent. Crew changes will occur throughout the season using shallow water vessels (yet to be contracted) transiting out from Kotzebue to the vessel locations in Kotzebue Sound. Vessels may also receive resupply of food stores via a shallow water vessel.

Shell plans to refuel the support vessels moored in or near Goodhope Bay, Kotzebue Sound at least once during the drilling season. It is anticipated that the support vessels will require approximately 250,000 gal (5,950 bbl) of ULSD (or other fuel with equivalent or lower sulfur content). Refueling will be done with an OSV or other support vessel capable of transferring fuel and will follow the procedures outlined in the FTP. The shallow water landing crafts may be fueled dockside at Kotzebue by a commercial entity.

Aircraft

Offshore operations will be serviced by up to three helicopters operated out of an onshore support base in Barrow. Sikorsky S-92s (or similar) will be used to transport crews between the onshore support base and the drilling units and support vessels with helidecks. The helicopters will also be used to haul small amounts of food, materials, equipment, samples and waste between vessels and the shorebase. Approximately 40 Barrow-Burger Prospect round trip flights will occur each week (up from approximately 12/week in EP Revision 1) to support the additional crew change necessities for another drilling unit and support vessels and required sampling and analytical requirements under the NPDES exploration facilities GP.

Generalized flight corridors over the onshore and nearshore areas are indicated on Figure 13.e-2. The route chosen will depend on weather conditions and whether subsistence users are active on land or at sea. These routes may be modified depending on weather and subsistence uses.

Shell will also have a dedicated helicopter for Search and Rescue (SAR). The SAR helicopter is expected to be a Sikorsky S-92 (or similar). This aircraft will stay grounded at the Barrow shorebase location except during training drills, emergencies, and other non-routine events. The SAR helicopter and crews plan training flights for approximately 40 hr./month.

A fixed wing propeller or turboprop aircraft, such as Saab 340-B, Beechcraft 1900, or De Havilland Dash 8, will be used to transport crews, materials, and equipment between Wainwright and hub airports such as Barrow or Fairbanks. Additionally, rotary winged S-92s in Barrow may provide crew transport between Barrow and Wainwright. It is anticipated that there will be one round trip flight every 3 weeks.

A fixed wing aircraft, Gulfstream Aero Commander (or similar), will be used for PSO flights. PSO flights will take place daily depending on weather conditions. PSO flight paths are located in the 4MP (Appendix B).

An additional Gulfstream Aero Commander will be used to provide ice reconnaissance flights to monitor ice conditions around the Burger Prospect. Typically, the flights will focus on the ice conditions within 50 mi (80 km) of the drill sites, but more extensive ice reconnaissance may occur beyond 50 mi (80 km). These flights will occur at an altitude of approximately 3,000 ft. (915 m).

Fuel Storage Information and Frequency of Trips

The frequencies of trips the above-referenced marine vessels and aircraft would be expected to make during the planned exploration drilling program are listed below in Table 13.a-3.

Vessel Type	Maximum Fuel Tank	Trip Frequency or Duration/Location		
	Storage Capacity			
	(each vessel)			
Marine Support Vessels (or similar)				
I	14,192 bbl	Will remain in the vicinity of the drilling		
ice management vessels (x2)	$(2,256 \text{ m}^3)$	units until its mission is finished		
	11 210 111	Will remain in the vicinity of the drilling		
Anchor handlers (x3)	$(1, 700, m^3)$	units until its mission is finished; may		
	(1,799 m)	occasionally assist in Kotzebue Sound		
		Up to 30 round trips (combined for all		
0.011 (2)	5,786 bbl	OSVs) for resupply between drilling unit		
OSVs(x3)	(920 m^3)	and Dutch Harbor/Kotzebue during each		
	× ,	exploration drilling season		
	4.800 bbl	Will generally remain in Kotzebue		
Supply Tugs and barges (x2)	(774 m^3)	Sound for storage		
	5.585 bbl	6		
Support Tugs (x2)	(888 m^3)	Support for the <i>Polar Pioneer</i>		
	5 786 bbl	Will remain in the vicinity of the drilling		
Science Vessel (x2)	(920 m^3)	units until its mission is finished		
	6 233 bbl	Located on the prospect establishing		
MLC ROV system vessel	(901 m^3)	MI Cs ahead of the drilling units		
	(991 m)	Occasional trips as peoded in vicinity of		
Shallow water vessels (x2)	(106 m^3)	Votasional trips as needed in vicinity of		
OSD Support Voggolg (or similar)		Kotzebue		
OSK Support Vessels (of similar)	7.602 hbl	Will remain in the visinity of the drilling		
OSRV	(1.222 m^3)	will remain in the vicinity of the drifting		
	1 79 6 1 1	Will sensing in the spinister of the drilling		
OSR tug and barge (offshore)	1,780 DDI	will remain in the vicinity of the drifting		
	(284 m ⁻)	units until its mission is finished		
OSR tug and barge (nearshore)	1,286 bbl	Staged in Kotzebue Sound		
	(204.5 m ³)			
OST (Panamax)	16,121 bbl	Will remain in the vicinity of the drilling		
	(2,563 m ³)	units until its mission is finished		
OST (Aframax)	20,241 bbl	Stationed outside the Chukchi Sea lease		
	(3,218 m ³)	sale planning area.		
Containment system tug and harge	6,630 bbl	Staged in Kotzebue Sound		
Containinent system tag and barge	$(1,054 \text{ m}^3)$	Suged in Rolzebue Sound		
Aircraft (or similar)				
(1) Saab 340 B, Beechcraft 1900, or Dash	0 bbl	1 trip overy 3 weeks between		
8 fixed-wing or similar – transport from	(1.4 m^3)	Weinwright and Perrow or Anchorage		
shorebase to regional jet service in Barrow	(1.4 III)	wannwingin and Barrow of Anchorage		
(2) Gulfstream 690 Aero Commander (or	9 bbl	PSO overflights and ice reconnaissance;		
similar)	(1.4 m^3)	both to occur daily when possible		
(2) Holizonton S 02 (on similar) for arous	10 661	Approximately 40 trips/ week between		
(5) Hencopter S-92 (or similar) for crew	(2.0 m^3)	Barrow and the Burger Prospect		
rotation & groceries/supply	(2.9 m)	(approximately 3.0 hr./trip)		
$(1) \mathbf{H}_{1} \mathbf{H}_{2} \mathbf{H}_{$	10111	Stationed in Barrow – 40 hr./month for		
(1) Helicopter S-92 (or similar) – search-	18 DDI	proficiency training & trips made in		
anu-rescue	(2.9 III)	emergency		

Table 13.a-3 Fuel Storage Capacity and Trip Information for Support Vessels and Aircraft

b) Air Emissions

Projected air emissions from support vessels are indicated below in Table 13.b-1 and are discussed in more detail in Section 7.0 and Appendix K of this document.

Vessels	NO _x	CO	PM ₁₀	PM _{2.5}	SO ₂	VOC
Ice Management Vessels (x2)	234	80	35	35	1	11
Anchor Handler Vessels (x3)	427	91	19	19	3	26
Science Vessels (x2)	62	10	5	5	1	4
Support Tugs (x2) & Supply Tug (x1)	173	23	13	13	1	14
OSVs (x2)	70	14	7	7	1	6
OSRV	117	44	8	8	1	6
OSR Workboats (x3)	18	5	1	0.4	0.1	5
OSR Tug and Barge	60	13	3	3	0.2	3
Oil Storage Tanker	156	35	13	13	2	8
MLC ROV system Vessel	145	44	3	3	1	6

Table 13.b-1 Project Annual Air Pollutant Emissions (Tons Per Year) from Support Vessels Associated with the Drilling Units

Attachment A of Appendix K lists the source, composition, frequency and duration of air emissions associated with support vessels that will be within 25 mi (40 km) of the drilling units.

c) Drilling Fluids and Chemical Products Transportation

Each drilling unit will be preloaded with drilling fluids and other chemicals (Section 6.0) to be used for exploration drilling before being mobilized to the Burger Prospect at the start of each exploration drilling season. Any required additional drilling fluid components will be transported to the drilling unit via an OSV or tug and barge.

d) Solid and Liquid Wastes Transportation

An incinerator will be aboard each drilling unit and will be used to dispose of combustible municipal solid wastes. Authorized wastes will be discharged to the Chukchi Sea under the NPDES exploration facilities GP. The remaining wastes will be transported out of the Chukchi Sea by OSVs and disposed of at an approved disposal facility. Food wastes associated with the drilling vessels will be incinerated but, if conditions warrant, may be shipped out of the Arctic for disposal at a licensed facility. Descriptions of the transportation methods and a brief description of the composition, quantities, and destinations of the solid and liquid wastes to be transported by vessel from the drilling units are provided below in Table 13.d-1.

Name/Location of Disposal Facilities Type of Waste		Amount	Disposal Method
Waste Management Inc. Columbia Ridge Landfill, Arlington, OR (Subtitle D landfill)	Household trash (municipal solid waste [MSW]) only	Drilling Units: 17,000 lb. (8,500 lb./ month/drilling unit) Support Vessels: 23,454 lb./month	Landfill
Waste Management Inc. Chemical Waste Management, Arlington, OR (Subtitle C landfill)	Non-hazardous waste solids – including CESQG-exempt wastes (oily rags, unused chemicals, aerosols, batteries, lamps, cement, incinerator ash, etc.)	Drilling Units: 12,100 lb. (6,050 lb./ month/drilling unit - includes approximately 50 lb./month/ drilling unit of CESQG-exempt waste) Support Vessels: 4,765 lb./month	Landfill or recycle
Marine Vacuum Service Inc. Seattle WA, - or Emerald Services, Inc., Seattle, WA –or Thermo Fluids Portland, OR	Non-hazardous liquids in bulk shipments (bilge water, vessel slops, brine water)	Drilling Units: 100,000 lb. (50,000 lb. per month/drilling unit) Support Vessels: 123,975 lb. /month	Treat and recycle
Seattle Iron & Metals Corp. Seattle WA, -or Schnitzer Steel Industries, Anchorage, AK	Non Hazardous Waste Solids - Scrap Metal (uncontaminated scrap steel only)	Drilling Units: 13,000 lb. (6,500 lb./ month/drilling unit) Support Vessels: 1,220 /b./month	Recycle

Table 13.d-1 Onshore Waste Disposal Facilities, Waste Type, Amount, Rate, and Disposal Method

e) Vicinity Map and Travel Routes

The locations of the planned exploration drilling activities relative to the shoreline and shorebase facilities and the primary route of the drilling units and routes of support vessels when entering and exiting the Chukchi Sea are indicated in Figure 13.e-1. Generalized flight corridors that helicopters would take between the shorebase and the Burger Prospect are indicated in Figure 13.e-2. The primary helicopter route between shorebase and the Burger Prospect is from the Barrow airport, directly offshore to the Burger Prospect. Helicopters would alternatively travel between Wainwright and the Burger Prospect under special circumstances. The planned use of Wainwright as a shorebase facility is only for the drilling seasons covered by EP Revision 2, and do not necessarily reflect Shell's planned shorebase operations in the extended term.

Figure 13.e-1 Marine Vessel Routes







SECTION 14.0 ONSHORE SUPPORT FACILITIES INFORMATION

a) General

Barrow Facilities

Shell plans to 1) maintain the existing 75-person man camp; 2) add a kitchen/dining/recreation (KDR) area to this existing 75-person man camp – the KDR unit would adjoin the existing facilities and be located on the same pad); and 3) lease / utilize additional accommodation opportunities in Barrow, which may include an existing 40-person Ukpeagvik Iñupiat Corporation (UIC) construction camp. Additional blocks of hotel rooms at either the new Top of the World Hotel, or the old Top of the World Hotel (if refurbished) and other accommodations may be used if required. The two pads where the 75-person and 40-person camps are/will be located are in the Naval Arctic Research Laboratory (NARL) area approximately 4.0 mi from the center of Barrow, and are located approximately 0.75 mi from each other (Figure 14.a-1). Passenger processing facility expansion and hangar repairs are planned for the Barrow airport area, to be completed prior to the commencement of the next exploration drilling season (Figures 14.a-2 and -3).

Shell's existing 75-person man camp consists of skid-mounted modular buildings. The planned KDR unit, capable of providing meals for up to 200 persons, is approximately 166 ft. long by 64 ft. wide and will be installed on the existing pad at the southwest corner of the existing accommodations (Figure 14.a-4). The KDR unit will be placed on mats and dunnage on the existing pad material (sand/gravel). After the KDR unit is set, gravel will be hauled in and mixed with the beach sand in the driveway area of the pad along the back and end of the KDR over 14,375 sq. ft. (0.33 ac) of the existing pad to stabilize the new driving area. The KDR will service all Shell and contractor employees in Barrow supporting Shell's exploration drilling program.

The existing camp has been permitted by UIC with the NSB with a Development Permit and a fill permit. The KDR will be permitted by the SOA Fire Marshall and the existing Development Permit with the NSB will be revised to show the addition of the KDR to the pad with the 75-person man camp. No State or Federal permits were required.

The UIC 40-person construction camp will be relocated by UIC from its existing location in Barrow to a similar sand pad constructed by the U.S. Navy in 1940's (Figure 14.a-1). The modular accommodations owned by UIC are currently unused and reside in Barrow. They will be moved to the pad and installed on through pad pilings. Permitting of this facility is not Shell's responsibility as the facilities are not Shell's. Shell will only lease the facilities once installed at the new location.

Solid and liquid wastes that will be generated by these facilities are discussed in Section 14 c).

Wainwright Facilities

Shell reserves rooms at the existing Olgoonik Oil Field Services Camp in Wainwright (Figure 14.a-5). Shell's OSR group will be housed and fed at these facilities. Shell may utilize a larger camp of up to 55 accommodations to accommodate certain contingencies such as Shell conducting crew changes through Wainwright, or onshore environmental studies in the area. At this time this would involve only the potential reservation of additional rooms.

An existing secure yard approximately 100' x 300' has been leased from Olgoonik Oilfield Services, owned by Olgoonik Corporation, for storage of OSR equipment and load staging for the marine vessels in Wainwright. An additional existing yard space approximately 150 ft. x 200 ft. has been leased from Olgoonik Oilfield Services, owned by Olgoonik Corporation, for additional response equipment storage.

Kotzebue Facilities

To service vessels moored in Goodhope Bay (Kotzebue Sound), Shell will conduct crew changes between the vessels via Kotzebue. In addition to these vessels, Kotzebue Sound may also be used to resupply and crew change OSVs. Shell may utilize approximately 25 rooms in Kotzebue. Shell will lease storage facilities for groceries and materials in Kotzebue.



Figure 14.a-1 Barrow Camp Locations





Figure 14.a-2 Barrow Hangar and Passenger Processing Facility

Figure 14.a-3 Barrow Proposed Passenger Processing Facility Expansion



Figure 14.a-4 Barrow 75 Man Camp Location



Figure 14.a-5 Wainwright Camp Location



b) Air Emissions

Air emissions will increase due to the planned increase in the size of the man camp, airport facilities and vehicle use in Barrow, Alaska. Table 14.b-1 provides the anticipated hourly air emissions associated with the onshore facilities in Barrow. Table 14.b-2 provides the anticipated seasonal (or annual) air emissions associated with the Barrow onshore facilities. Shell will have oil spill contingency response personnel stationed in Wainwright but there are no planned major activities that will contribute to air emissions. Shell onshore support activities in Kotzebue will utilize existing infrastructure and therefore will not contribute to air emissions beyond normal use.

Emission Unit	NO _X lb./hr.	CO lb./hr.	PM ₁₀ lb./hr.	PM _{2.5} lb./hr.	VOC lb./hr.	SO ₂ lb./hr.
Aircraft Support	5.2	33.5	1.1	1.1	24.8	1.5
Hangar/Storage Building	0.5	0.4	0.04	0.04	0.02	0.003
NARL Man Camp	6.3	5.6	0.3	0.3	2.1	0.07
KDR Facility	11.3	1.3	0.2	0.2	0.2	0.07
Vehicles	0.01	0.01	4.5E-5	04.5E-5	0.002	3.4E-5

Table 14.b-1 Hour	v Air Emissions Associated with Onshore Facilities in Barrow. Alaska
I WOLC I HO I HOUL	j in Limborono instructure a mente i demote in Duri on j indona

Table 14.b-2 Annual Air Emissions Associated with	ith Onshore Facilities in Barrow, Alaska
---	--

Emission Unit	NO _X ton/season	CO ton/season	PM ₁₀ ton/season	PM _{2.5} tons/season	VOC ton/season	SO ₂ ton/season
Aircraft Support	1	0.3	0.1	0.1	4	0.2
Hangar/Storage Building	0.4	0.3	0.03	0.03	0.01	0.002
NARL Man Camp	6	6	0.3	0.3	2	0.07
KDR Facility	23	3	0.4	0.4	0.5	0.1
Vehicles	5.7E-3	4.3E-3	2.6E-5	2.6E-5	6.3E-4	2.0E-5

c) Unusual Solid and Liquid Wastes

Barrow Facilities

Blackwater (sewage) and graywater (showers, kitchen) from the two camps will be held in holding tanks at each site. Based on a camp occupancy of 100 percent of capacity, and average per capita waste generation factors provided by the local utility, Shell expects to generate about 2,300 gal of combined blackwater and graywater wastes per day. These wastes will be picked up by the NSB during routine service and treated in their waste water plant. These wastes generated by camps with temporary population of 115 persons, will not tax Barrow's municipal wastewater treatment system, which accommodates a population of over 4,000 people, and consists of a series of large water treatment lagoons.

Household trash from the camps will be stored in bear proof containers or areas for all locations. These household wastes will be set up for collection by NSB's regular dumpster service, and will be disposed of at the NSB Landfill. Shell estimates, based on 2012 Barrow operations and accounting for the additional planned camp accommodations, that the two man camps may generate up to 600 cubic yards of household trash per season, which represents less than 1.3 percent of the average annual volumes disposed of at the landfill.

Non-household waste generated at the camps will be stored in a 20 ft. shipping container set up as a waste accumulation area located behind the primary camp. The accumulation area will hold any hazardous, non-hazardous and liquid wastes. All of Shell's Barrow facilities are operated as a CESQGs of Hazardous Waste by the EPA, and therefore a permit is not required and hold times do not apply. These wastes will be transported out of the Arctic and disposed of at licensed facilities.

Wainwright Facilities

With the exception of food waste from the camp kitchen, all wastes generated at the Wainwright camp (Figure 14.a-5) will be containerized and transported out of the Arctic to a licensed facility. Food wastes from the kitchen will be disposed in the Wainwright landfill. This approach to waste handling will minimize the impact to the community, including the landfill. Based on water usage information provided by the Alaska Department of Environmental Conservation (ADEC) website, it is estimated that Shell's OSR group housed in Wainwright will generate less than 200 gal of black and gray water per day on average. This equates to approximately 2% of the estimated average generation rate for the entire village, based on a 2012 population of 575.

All wastes generated at the Wainwright OSR Yard will be containerized and transported out of the Arctic to an approved disposal facility. This approach to waste handling will minimize the impact to the community, including the landfill.

d) Waste Disposal

The anticipated volumes and types of wastes that may be generated by the exploration drilling program and transported to shore for disposal, along with the disposal location/facility, are indicated in Table 13.d-1.

SECTION 15.0 COASTAL ZONE MANAGEMENT ACT

The State of Alaska did not pass legislation required to extend the Alaska Coastal Management Program (ACMP), allowing the ACMP to sunset at 12:01 AM, Alaska Standard Time, on 1 July 2011. Therefore no Coastal Project Questionnaire and Certification Statement or Other Information required as part of the Coastal Zone Management Act (CZMA) is provided.

RAT

SECTION 16.0 ENVIRONMENTAL IMPACT ANALYSIS

The EIA is provided in Appendix C.

OP-L-

SECTION 17.0 ADMINISTRATIVE

Exempted Information (public information copies only)

The following information is considered proprietary and has been removed from the public copies of the EP Revision 2:

- Bottomhole location, TVD and measured depth of proposed wells in the Form 137 OCS Plan Information Forms (Appendix A)
- All of Section 3 including:
 - Geologic descriptions, surface location & bathymetry maps (Section 3.a)
 - Structure contour maps (Section 3.b)
 - Key seismic lines (Section 3.c)
 - Geologic cross-section maps (Section 3.d)
 - Shallow hazards reports (Section 3.e)
 - Shallow hazards assessments (Section 3.f)
 - High resolution seismic lines (Section 3.g)
 - Stratigraphic columns (Section 3.h)
 - Time/depth tables (Section 3.i)
 - Geochemical information (Section 3.j)
 - Future G&G activities (Section 3.k)
 - Basis for calculation of WCD (Section 3.1)

SECTION 18.0 BIBLIOGRAPHY

Appendix C, EIA has its own bibliography describing study reports, survey reports or other material used.

- AECOM, Inc. 2009a. Wainwright near-term ambient air quality monitoring program first quarter data report November 2008 through January 2009 final. Unpublished report prepared by AECOM, Inc., for ConocoPhillips Alaska, Inc., Anchorage, AK.
- AECOM, Inc. 2009b. Wainwright near-term ambient air quality monitoring program second quarter data report February through April 2009 final. Document No. 01865-104-3220 prepared by AECOM, Inc., for ConocoPhillips Alaska, Inc., Anchorage, AK.
- AECOM, Inc. 2009c. Wainwright near-term ambient air quality monitoring program third quarter data report May through July 2009 final. Document No. 01865-104-3230 prepared by AECOM, Inc., for ConocoPhillips Alaska, Inc., Anchorage, AK.
- AECOM, Inc. 2009d. Wainwright near-term ambient air quality monitoring program fourth quarter data report August through October 2009 final. Document No. 60136620-3240 prepared by AECOM, Inc., for ConocoPhillips Alaska, Inc., Anchorage, AK.
- AECOM, Inc. 2010a. Wainwright near-term ambient air quality monitoring program annual data report November 2008 through November 2009 final. Unpublished report prepared by AECOM, Inc., for ConocoPhillips Alaska, Inc., Anchorage, AK.
- AECOM, Inc. 2010b. Wainwright permanent ambient air quality monitoring program first quarter data report January through March 2010 final. Unpublished report prepared by AECOM, Inc., for ConocoPhillips Alaska, Inc., Anchorage, AK.
- AECOM, Inc. 2010c. Wainwright permanent ambient air quality monitoring program second quarter data report April through June 2010 draft. Unpublished report prepared by AECOM, Inc., for ConocoPhillips Alaska, Inc., Anchorage, AK.
- AECOM, Inc. 2010d. Wainwright permanent ambient air quality monitoring program third quarter data report July through September 2010 draft. Unpublished report prepared by AECOM, Inc., for ConocoPhillips Alaska, Inc., Anchorage, AK.
- AECOM, Inc. 2011a. Wainwright permanent ambient air quality monitoring program fourth quarter data report October through December 2010 draft. Unpublished report prepared by AECOM, Inc., for ConocoPhillips Alaska, Inc., Anchorage, AK.
- AECOM, Inc. 2011b. Wainwright permanent ambient air quality monitoring program annual data report January 2010 through December 2010 final. Unpublished report prepared by AECOM, Inc. for ConocoPhillips Alaska, Inc. Anchorage, Alaska.
- Aerts, L.A.M., W. Hetrick, S. Sitkiewicz, C. Schudel, D. Snyder, and R. Gumtow. 2013. Marine mammal distribution and abundance in the northeastern Chukchi Sea during Summer and early fall, 2008-2012. Final Report prepared by LAMA Ecological for ConocoPhillips Company, Shell Exploration and Production Company and Statoil USA E&P, Inc.
- ASRC Energy Services. 2009. Subsistence advisor program summary, North Slope, Alaska. Report prepared for Shell Exploration and Production Company, Houston, TX by ASRC Energy Services, Anchorage, AK.
- ASRC Energy Services. 2010. 2009 Subsistence advisor program annual summary North Slope, Alaska. Prepared for Shell Exploration and Production Company. Anchorage, AK. by ASRC Energy Services, Anchorage, AK. December 2009.

- Bisson, L.N., H.J. Reider, H.M. Patterson, M. Austin, J.R. Brandon, T. Thomas, and M.L. Bourdon. 2013. Marine mammal monitoring and mitigation during exploratory drilling by Shell in the Alaskan Chukchi and Beaufort Seas, July–November 2012: Draft 90-Day Report. D.W. Funk, C.M. Reiser, and W.R. Koski, editors. LGL Rep. P1272D–1. Rep. from LGL Alaska Research Associates Inc., Anchorage, AK, USA, and JASCO Applied Sciences, Victoria, BC, Canada, for Shell Offshore Inc., Houston, TX, USA, Nat. Mar. Fish. Serv., Silver Spring, MD, USA, and U.S. Fish and Wild. Serv., Anchorage, AK, USA. 266 p. + app.
- Blanchard, A.L., and A. Knowlton. 2013. Chukchi Sea Environmental Studies Program 2008-2012: Benthic Ecology of the Northeastern Chukchi Sea. Final report prepared by Institute of Marine Sciences, University of Alaska Fairbanks for ConocoPhillips Company, Shell Exploration and Production Company and Statoil USA E&P, Inc.
- Blanchard, A., H. Nichols, and C. Parris. 2010a. Benthic ecology of the Burger and Klondike survey areas: 2008 environmental studies program in the Chukchi Sea. Annual Report prepared for ConocoPhillips Alaska Inc., Anchorage, AK and Shell Exploration & Production Company, Anchorage, AK, by the Institute of Marine Science, University of Alaska, Fairbanks. 72 pp.
- Blanchard, A., C. Parris, and H. Nichols. 2010b. Benthic ecology of the Burger and Klondike survey areas: 2009 environmental studies program in the northeastern Chukchi Sea. Annual Report prepared for ConocoPhillips Alaska Inc., Anchorage, AK, Shell Exploration & Production Company, Anchorage, AK, and Statoil USA E&P, Anchorage, AK by the Institute of Marine Science, University of Alaska, Fairbanks. 86 pp.
- Boudreau, B. 1989. Biological clearance for Burger and Crackerjack Prospects. U.S. Govt. Memorandum, from Regional Supervisor, Field Operations, Minerals Management Service, Alaska OCS Region to District Office Supervisor.
- Brueggeman, J. 2009. Marine mammal surveys at the Klondike and Burger survey areas in the Chukchi Sea during the 2008 open water season. Prepared for ConocoPhillips Alaska, Inc. and Shell Exploration and Production, Anchorage, AK by Canyon Creek Consulting LLC, Seattle, WA. 46 pp.
- Brueggeman, J. 2010. Marine mammal surveys at the Klondike and Burger survey areas in the Chukchi Sea during the 2009 open water season. Prepared for ConocoPhillips Alaska, Inc. and Shell Exploration and Production, Anchorage, AK by Canyon Creek Consulting LLC, Seattle, WA. 55 pp.
- Delarue, J., J. Vallarta, H. Frouin-Mouy, J. Wladichuk, B. Martin, X. Mouy, and D. Hannay. 2013. Northeastern Chukchi Sea Joint Acoustic Monitoring Program 2011–2012. JASCO Document 00533, Version 3.0. Technical report for ConocoPhillips Company, Shell Exploration & Production Company, and Statoil USA E&P, Inc. by JASCO Applied Sciences.
- Dunton, K.H, J.M. Grebmeier and J.H. Trefry (eds.). 2014. Deep Sea Research Part II: Topical Studies in Oceanography. The Northern Chukchi Sea Benthic Ecosystem: Characterization, Biogeochemistry and Trophic Linkages. Volume 102, pages 1-164 (April 2014).
- Exponent, Inc. 2010. Chukchi Sea environmental studies baseline program 2009 fish sampling chemistry results. Final Report prepared for ConocoPhillips Alaska Inc., Anchorage, AK, Shell Exploration & Production Company, Anchorage, AK, and Statoil USA E&P Inc., Anchorage by Exponent Inc. 60 pp. plus app.
- Finney, H. 1989. Summary: Biological reconnaissance, Burger Prospect, Sale 109, Chukchi Sea, Alaska. Unpublished Report submitted by H. Finney, Fugro-McClelland Marine Geosciences, Inc., Houston, Texas to Shell Western E&P Inc., Houston Texas.

- Fugro GeoConsulting, Inc. 2010a. Shallow Hazards and Archaeological Assessment Burger Site Survey 1 OCS Lease Sale 193 area Chukchi Sea, Alaska. Report No. 27.2009-2327 v. 1 & 2, prepared by Fugro GeoConsulting, Inc., Houston, TX for Shell Gulf of Mexico Inc., Houston, TX.
- Fugro GeoConsulting, Inc. 2010b. Drill Site Clearance Letter Proposed Burger A Drill Site Block 6764 OCS-Y-2280 Posey Area, Chukchi Sea, Alaska. Report No. 27.2010-2375-1 prepared by Fugro GeoConsulting, Inc., Houston, TX for Shell Gulf of Mexico Inc., Houston, TX.
- Fugro GeoConsulting, Inc. 2010c. Drill Site Clearance Letter Proposed Burger F Drill Site Block 6714 OCS-Y-2267 Posey Area, Chukchi Sea, Alaska. Report No. 27.2010-2375-3 prepared by Fugro GeoConsulting, Inc., Houston, TX for Shell Gulf of Mexico Inc., Houston, TX.
- Fugro GeoConsulting, Inc. 2010d. Drill Site Clearance Letter Proposed Burger S Drill Site Block 6762 OCS-Y-2278 Posey Area, Chukchi Sea, Alaska. Report No. 27.2010-2375-4 prepared by Fugro GeoConsulting, Inc., Houston, TX for Shell Gulf of Mexico Inc., Houston, TX.
- Fugro GeoConsulting, Inc. 2010e. Shallow Hazards and Archaeological Assessment Burger Site Survey 3 OCS Lease Sale 193 Area Chukchi Sea, Alaska. Report No. 27.2010-2342 prepared by Fugro GeoConsulting, Inc., Houston, TX for Shell Gulf of Mexico Inc., Houston, TX.
- Fugro GeoConsulting, Inc. 2010f. Drill Site Clearance Letter Proposed Burger V Drill Site Block 6915 OCS-Y-2324 Posey Area, Chukchi Sea, Alaska. Report No. 27.2010-2375-6 prepared by Fugro GeoConsulting, Inc., Houston, TX for Shell Gulf of Mexico Inc., Houston, TX.
- Fugro GeoConsulting, Inc. 2011a. Shallow Hazards and Archaeological Assessment Burger Site Survey 4 OCS Lease Sale 193 Area Chukchi Sea, Alaska. Report No. 27.2010-2343, v. 1 & 2, prepared by Fugro GeoConsulting, Inc., Houston, TX for Shell Gulf of Mexico Inc., Houston, TX.
- Fugro GeoConsulting, Inc. 2011b. Drill Site Clearance Letter Proposed Burger R Drill Site Block 6812 OCS-Y-2294 Posey Area, Chukchi Sea, Alaska. Report No. 27.2010-2375-7 prepared by Fugro GeoConsulting, Inc., Houston, TX for Shell Gulf of Mexico Inc., Houston, TX.
- Funk, D. W., R. Rodrigues, D. S. Ireland, and W. R. Koski (eds.). 2007. Joint Monitoring Program in the Chukchi and Beaufort Seas, July-November 2006. LGL Alaska Report P891-2, Report from LGL Alaska Research Associates, Inc., LGL Ltd., Greeneridge Sciences, Inc., Bioacoustics Research Program, Cornell University, and Bio-Wave Inc. for Shell Offshore, Inc., ConocoPhillips Alaska, Inc., and GX Technology, and National Marine Fisheries Service, U.S. Fish and Wildlife Service. 316 pp. plus Appendices.
- Funk, D., D Hannay, D. Ireland, R. Rodrigues, W. Koski. (eds.) 2008. Marine mammal monitoring and mitigation during open water seismic exploration by Shell Offshore Inc. in the Chukchi and Beaufort Seas, July–November 2007: 90-day report. LGL Rep. P969-1. Rep. from LGL Alaska Research Associates Inc., LGL Ltd., and JASCO Research Ltd. for Shell Offshore Inc., Nat. Mar. Fish. Serv., and U.S. Fish and Wild. Serv. 218 pp plus appendices.
- Funk, D.W., D.S. Ireland, R. Rodrigues, and W.R. Koski (eds.). 2010. Joint Monitoring Program in the Chukchi and Beaufort seas, open-water seasons, 2006–2008. LGL Alaska Report P1050-3, Report from LGL Alaska Research Associates, Inc., LGL Ltd., Greeneridge Sciences, Inc., and JASCO Research, Ltd., for Shell Offshore, Inc. and Other Industry Contributors, and National Marine Fisheries Service, U.S. Fish and Wildlife Service. 499 p. plus Appendices.
- Funk, D.W., D.S. Ireland, R. Rodrigues, and W.R. Koski (eds.). 2011. Joint Monitoring Program in the Chukchi and Beaufort seas, open-water seasons, 2006–2009. LGL Alaska Report P1050-2, Report from LGL Alaska Research Associates, Inc., LGL Ltd., Greeneridge Sciences, Inc., and JASCO Applied Sciences, for Shell Offshore, Inc. and Other Industry Contributors, and National Marine Fisheries Service, U.S. Fish and Wildlife Service.

- Funk, D.W., C.M. Reiser, D.S. Ireland, R. Rodrigues, and W.R. Koski (eds.). 2013. Joint Monitoring Program in the Chukchi and Beaufort seas, 2006–2010. LGL Alaska Final Report P1213-2, Report from LGL Alaska Research Associates, Inc., LGL Ltd., Greeneridge Sciences, Inc., and JASCO Research, Ltd., for Shell Offshore, Inc. and Other Industry Contributors, and National Marine Fisheries Service, U.S. Fish and Wildlife Service. 592 p. plus Appendices.
- Gall, A. and R. Day. 2009. Distribution and abundance of seabirds in the northeastern Chukchi Sea, 2008. Final Report prepared for ConocoPhillips Alaska Inc., Anchorage, AK and Shell Exploration & Production Company, Anchorage, AK by ABR, Inc. – Environmental Research & Services, Fairbanks, AK. 55 pp.
- Gall, A. and R. Day. 2010. Distribution and abundance of seabirds in the northeastern Chukchi Sea, 2008-2009. Prepared for ConocoPhillips Alaska Inc., Anchorage, AK, Shell Exploration & Production Company, Anchorage, AK, and Statoil USA E&P, Inc., Anchorage, AK by ABR, Inc. Environmental Research & Services, Fairbanks, AK. 68 pp.
- Gall, A.E, R.H. Day, and T.C. Morgan. 2013. Distribution and Abundance of Seabirds in the Northeastern Chukchi Sea, 2008-2012. Final report prepared by ABR Inc. for ConocoPhillips Company, Shell Exploration and Production Company and Statoil USA E&P, Inc.
- GEMS (Geoscience Earth & Marine Services, Inc.) 2009. Shallow Hazards and Archaeological Assessment, Burger J Drill Site Posey Block NR03-02 6912, Chukchi Sea, Alaska. Prepared by Geoscience Earth & Marine Services, Inc., Houston, TX for Shell Gulf of Mexico Inc., Houston, TX.
- Goodman, S.E., J. June, K. Antonelis and A. Antonelis. 2013. Acoustic Survey of Fishes in the Chukchi Sea Environmental Studies Program in 2012. Final report prepared by Natural Resources Consultants, Inc. for Olgoonik Fairweather, LLC.
- Hopcroft, B, J. Questel, and C. Clarke-Hopcroft. 2009. Oceanographic assessment of the planktonic communities in the Klondike and Burger survey areas of the Chukchi Sea: report for survey year 2008. Report prepared for ConocoPhillips Alaska Inc., Anchorage, AK and Shell Exploration & Production Company, Anchorage, AK by the Institute of Marine Science, University of Alaska, Fairbanks. 52 pp.
- Hopcroft, B, J. Questel, and C. Clarke-Hopcroft. 2010. Oceanographic assessment of the planktonic communities in the Klondike and Burger survey areas of the Chukchi Sea: report for survey year 2009. Report prepared for ConocoPhillips Alaska Inc., Anchorage, AK, Shell Exploration & Production Company, Anchorage, AK, and Statoil USA Exploration & Production Company, Anchorage, AK by the Institute of Marine Science, University of Alaska, Fairbanks. 54 pp.
- Hopcroft R.R and R.H. Day (eds). 2013. Continental Shelf Research. Seasonal and interannual dynamics of the northeastern Chukchi Sea Ecosystem. Volume 67, pages 1-166 (15 September 2013).
- Hopcroft, R.R., P. Hariharan, J. Questal, J. Lamb, E. Lessard, M. Foy and C. Clarke-Hopcroft. 2013. Oceanographic assessment of the planktonic communities in the northeastern Chukchi Sea. Final Report prepared by Institute of Marine Sciences, University of Alaska Fairbanks and School of Oceanography, University of Washington Seattle for ConocoPhillips Company, Shell Exploration and Production Company and Statoil USA E&P, Inc.

- Ireland, D.S., D.W. Funk., R. Rodrigues, and W.R. Koski (eds.). 2009. Joint Monitoring Program in the Chukchi and Beaufort seas, open water seasons, 2006–2007. LGL Alaska Report P971–2, Report from LGL Alaska Research Associates, Inc., Anchorage, AK, LGL Ltd., environmental research associates, King City, Ont., JASCO Research, Ltd., Victoria, BC, and Greeneridge Sciences, Inc., Santa Barbara, CA, for Shell Offshore, Inc., Anchorage, AK, ConocoPhillips Alaska, Inc., Anchorage, AK, and the National Marine Fisheries Service, Silver Springs, MD, and the U.S. Fish and Wildlife Service, Anchorage, AK. 485 p. plus Appendices.
- Ireland, D.S., R. Rodrigues, D. Funk, W. Koski, D. Hannay. (eds.) 2009. Marine mammal monitoring and mitigation during open water seismic exploration by Shell Offshore Inc. in the Chukchi and Beaufort Seas, July–October 2008: 90-day report. LGL Rep. P1049-1. Rep. from LGL Alaska Research Associates Inc., LGL Ltd., and JASCO Research Ltd. for Shell Offshore Inc., Nat. Mar. Fish. Serv., and U.S. Fish and Wild. Serv. 277 pp, plus appendices.
- LGL Alaska Research Associates, Inc., JASCO Applied Sciences, Inc., and Greeneridge Sciences, Inc. 2013. Joint Monitoring Program in the Chukchi and Beaufort Seas, 2012. LGL Alaska Report P1272-2 for Shell Offshore, Inc. ION Geophysical, Inc., and Other Industry Contributors, National Marine Fisheries Service, and U.S. Fish and Wildlife Service. 320 p. plus Appendices.
- Mathis, J.T. 2013. Seasonal Observations of carbonate chemistry and ocean acidification in 2012. Final report prepared by Ocean Acidification Research Center, University of Alaska Fairbanks for ConocoPhillips Company., Shell Exploration and Production Company and Statoil USA E&P, Inc.
- Neff, J., G. Durell, J. Trefry, and J. Brown. 2010. Environmental studies in the Chukchi Sea 2008: chemical characterization. Final Report prepared for ConocoPhillips Alaska Inc., Anchorage, AK and Shell Exploration & Production Company, Anchorage, AK by Battelle Memorial Institute, Exponent Inc., Florida Institute of Technology, and Neff & Associates.135 pp.
- NMFS. 2001. Small takes of marine mammals incidental to specified activities; oil and gas exploration drilling activities in the Beaufort Sea/Notice of issuance of an incidental harassment authorization. Federal Register 66(26, 7 Feb.):9291-9298.
- NMFS. 2013. Draft guidance for assessing the effects of anthropogenic sound on marine mammals: acoustic threshold levels for onset of permanent and temporary threshold shifts. NOAA draft report, 23 December 2013.
- Northern Economics. 2009. Economic analysis of future offshore oil and gas development: Beaufort Sea, Chukchi Sea, and North Aleutian Basin. Report prepared by Northern Economics, Anchorage Alaska for Shell Exploration and Production, Houston, TX.
- Northern Economics, Inc. and Institute of Social and Economic Research. 2011. Potential National-Level Benefits of Alaska OCS Development. Report prepared by Northern Economics, Inc. and Institute of Social and Economic Research, Anchorage, AK for Shell Exploration & Production, Anchorage, AK.
- Patterson, H., S.B. Blackwell, B. Haley, A. Hunter, M. Jankowski, R. Rodrigues, D. Ireland and D. W. Funk. 2007. Marine mammal monitoring and mitigation during open water seismic exploration by Shell Offshore Inc. in the Chukchi and Beaufort Seas, July–September 2006: 90-day report. LGL Draft Rep. P891-1. Rep. from LGL Alaska Research Associates Inc., Anchorage, AK, LGL Ltd., King City, Ont., and Greeneridge Sciences Inc., Goleta, CA, for Shell Offshore Inc., Houston, TX, and Nat. Mar. Fish. Serv., Silver Spring, MD. 199 p.

- Reider, H.J., L.N. Bisson, M. Austin, A. McCrodan. J. Wladichuk, C.M. Reiser, K.B. Matthews, J.R. Brandon, K. Leonard, and H.M. Patterson. 2013. Marine mammal monitoring and mitigation during Shell's activities in the Chukchi Sea, July–September 2013: 90-Day Report. LGL Report P1272D–2. Report from LGL Alaska Research Associates Inc., Anchorage, AK, USA, and JASCO Applied Sciences, Victoria, BC, Canada, for Shell Gulf of Mexico, Houston, TX, USA, National Marine Fisheries Service, Silver Spring, MD, USA, and U.S. Fish and Wildlife Service, Anchorage, AK, USA. 198 pp, plus appendices.
- Reiser, C. M, D. W. Funk, R. Rodrigues, and D. Hannay. (eds.) 2010. Marine mammal monitoring and mitigation during open water seismic exploration by Shell Offshore, Inc. in the Alaskan Chukchi Sea, July–October 2009: 90-day report. LGL Rep. P1112-1. Rep. from LGL Alaska Research Associates Inc. and JASCO Research Ltd. for Shell Offshore Inc., Nat. Mar. Fish. Serv., and U.S. Fish and Wild. Serv. 104 pp, plus appendices.
- Reiser, C.M, D.W. Funk, R. Rodrigues, and D. Hannay. (eds.) 2011. Marine mammal monitoring and mitigation during marine geophysical surveys by Shell Offshore, Inc. in the Alaskan Chukchi and Beaufort seas, July–October 2010: 90-day report. LGL Rep. P1171E–1. Rep. from LGL Alaska Research Associates Inc., Anchorage, AK, and JASCO Applied Sciences, Victoria, BC for Shell Offshore Inc., Houston, TX, Nat. Mar. Fish. Serv., Silver Spring, MD, and U.S. Fish and Wild. Serv., Anchorage, AK. 240 pp, plus appendices.
- Shell Gulf of Mexico Inc. 2009. Exploration plan 2010 exploration drilling program Posey Blocks 6713, 6714, 6763, 6764, and 6912, Karo Blocks 6864 and 7007, Burger, Crackerjack, and SW Shoebill Prospects, OCS Lease Sale 193, Chukchi Sea, Alaska. Submitted to U.S. Department of Interior, Minerals Management Service, Alaska OCS Region by Shell Gulf of Mexico Inc., Anchorage, AK.
- Shell Gulf of Mexico Inc. 2011. Revised Chukchi Sea exploration plan OCS Lease Sale 193, Chukchi Sea, Alaska, exploration drilling program Posey Area Blocks 6714, 6762, 6764,6812, 6912, 6915. Submitted to U.S. Department of Interior, Bureau of Ocean Energy Management, Regulation and Enforcement, Alaska OCS Region by Shell Gulf of Mexico Inc., Anchorage, AK. Shell EP Revision 1.
- Sherwood, K.W., J.D. Craig, J. Scherr, P.O. Johnson, and L.W. Cooke. 2001. Undiscovered oil and gas resources of the U.S. Arctic Alaska Outer Continental Shelves (abs): American Association of Petroleum Geologists, Annual International Meeting, St. Petersburg, Russia, Abstracts with Programs, July 15 – 18, 2001, St. Petersburg, Russia.
- Sound Enterprises and Associates, LLC. 2008. Shell Exploration and Production Company (SEPCO) Chukchi Village interview program. Report prepared for Shell Exploration and Production Company Houston, TX by Sound Enterprises, LLC, Bainbridge, WA.
- SLR International Corp. 2013a. Wainwright permanent ambient air quality monitoring program annual data report January 2012 through December 2012 final. Unpublished report prepared by SLR International Corp. for ConocoPhillips Alaska, Inc. Anchorage, Alaska.
- SLR International Corp. 2013b. Wainwright permanent ambient air quality monitoring program quarterly data report January 2013 through March 2013 final. Unpublished report prepared by SLR International Corp. for ConocoPhillips Alaska, Inc. Anchorage, Alaska.
- SLR International Corp. 2013c. Wainwright permanent ambient air quality monitoring program quarterly data report April 2013 through June 2013 final. Unpublished report prepared by SLR International Corp. for ConocoPhillips Alaska, Inc. Anchorage, Alaska.

- SLR International Corp. 2013d. Wainwright permanent ambient air quality monitoring program quarterly data report July 2013 through September 2013 final. Unpublished report prepared by SLR International Corp. for ConocoPhillips Alaska, Inc. Anchorage, Alaska.
- The Cornell Lab of Ornithology. 2010. Passive acoustic monitoring of marine mammals in the Chukchi Sea 9 September – 14 October 2008. Bioacoustics Research Program Technical Report 10-04 prepared for ConocoPhillips Alaska, Inc., Anchorage, AK by The Cornell Lab of Ornithology, Cornell University, Ithaca, NY. 49 pp.
- UMIAQ. 2011. 2010 Subsistence advisor program North Slope, Alaska. Report prepared by UMIAQ, Anchorage, AK for Shell Exploration & Production Company, Anchorage, AK.
- UMIAQ 2012. 2011 Subsistence advisor program North Slope, Alaska. Report prepared by UMIAQ, Anchorage, AK for Shell Exploration & Production Company, Anchorage, AK.
- UMIAQ 2013. 2012 Subsistence advisor program North Slope, Alaska. Report prepared by UMIAQ, Anchorage, AK for Shell Exploration & Production Company, Anchorage, AK.
- UMIAQ 2014. 2013 Subsistence advisor program North Slope, Alaska. Report prepared by UMIAQ, Anchorage, AK for Shell Exploration & Production Company, Anchorage, AK.
- Weingartner, T. and S. Danielson. 2010. Physical oceanographic measurements in the Klondike and Burger survey areas of the Chukchi Sea: 2008 and 2009. Final Report prepared for ConocoPhillips Inc., Anchorage, AK, Shell Exploration & Production Company, Anchorage, AK, and Statoil, Inc., Anchorage, AK by the Institute of Marine Science, University of Alaska, Fairbanks. 50 pp.
- Weingartner, T., S. Danielson, L. Dobbins, and R. Potter. 2013. Physical Oceanographic Measurements in the Northeastern Chukchi Sea: 2012. Final report prepared by Institute of Marine Sciences, University of Alaska Fairbanks for ConocoPhillips Company., Shell Exploration and Production Company and Statoil USA E&P, Inc.