

# **Appendix T. Visual Impact Assessment**

**Document Revision** D

**Issue Date** August 2022





# Visual Impact Assessment (VIA)

Prepared by:

AECOM 9 Jonathan Bourne Drive Pocasset, MA 02559

August 2022



## **Quality Information**

Prepared by	Approved by
Carol Maxwell	Nancy Palmstrom
Visual Resource Analyst	Mayflower Wind Project Manager

## **Revision History**

Revision	Revision date	Details	Authorized	Name	Position
0	2/15/21	COP Submittal	Yes	Nancy Palmstrom	Project Manager
1	10/22/21	Revised to include changes in Falmouth Project Design Envelope and in response to BOEM comments	Yes	Kristen Durocher	Deputy Project Manager
2	3/16/22	Minor changes in response to BOEM comments	Yes	Kristen Durocher	Deputy Project Manager
3	8/2/22	Changes in response to BOEM comments. Viewshed updated based on assumptions in vegetation height.	Yes	Kristen Durocher	Deputy Project Manager

#### Prepared for:

Jennifer Flood Mayflower Wind Energy LLC 101 Federal Street Boston, MA 02110

#### Prepared by:

Carol Maxwell Subject Matter Expert Scenic Resource Specialist

Dean Apostol Senior Scenic Resource Specialist

Audrey Hunt Environmental Scientist

Tiffany N. Carrasco-Cabana Scenic Resource Specialist

John Qoyawayma 3D Visualization and Multimedia Specialist

AECOM 9 Jonathan Bourne Drive Pocasset, MA 02559 aecom.com

#### Copyright © 2022 by AECOM

All rights reserved. No part of this copyrighted work may be reproduced, distributed, or transmitted in any form or by any means without the prior written permission of AECOM.

## **Table of Contents**

1.0	Introduct	ion	1-1
1.1	1 Assess	sment Objectives	1-1
1.2	2 Report	Organization	1-2
2.0	Project D	Description	2-1
2.1	1 Project	: Overview	2-1
2.2	2 Specifi	c Project Details	2-1
3.0	Regulato	ry and Management Framework	3-1
3.1	1 Federa	ıl Regulatory Framework	3-1
3.2	2 State F	Regulatory Framework	3-1
4.0		logy	
4.1	1 Establi	shment	4-4
	4.1.1	Project Design	4-4
	4.1.2	Area of Potential Visual Impact	
	4.1.3	Consideration of Meteorological and Atmospheric Conditions	
	4.1.4	APVI Preliminary Characterization	
	4.1.5	Identification of Preliminary KOPs	4-4
4.2	2 Baselir	ne Inventory	
	4.2.1	Field Evaluation and Documentation	4-5
	4.2.2	Landscape/Seascape and Ocean Characteristics	4-5
	4.2.3	Viewer Groups and Experience	
	4.2.4	KOP Selection for Simulations	
	4.2.5	Visual Simulations	
4.3		Analysis	
	4.3.1	Visual Change	
	4.3.2	Visual Sensitivity	
	4.3.3	Visual Impact Characterization	
	4.3.4	Cumulative Effects of Reasonably Foreseeable Planned Actions	
	•	ion	
5.0		Visual Impact Analysis	
5.1		shment - Offshore	
	5.1.1	Offshore Project Design	
	5.1.2	Area of Potential Visual Impact - Offshore	
	5.1.3	Meteorological and Atmospheric Conditions	
	5.1.4	Offshore APVI Preliminary Characterization	
	5.1.5	Selection of Preliminary Offshore KOPs	
5.2		re Baseline Inventory	
	5.2.1	Offshore Landscape/Seascape and Ocean Character Analysis	
	5.2.2	Receptors/Viewers - Offshore	
	5.2.3	Selection of Offshore KOPs	
	5.2.4	Offshore Visual Simulations	
5.3		re Visual Analysis	
	5.3.1	Visual Change - Offshore	
	5.3.2	Visual Sensitivity - Offshore	
	5.3.3	Visual Impact Characterization - Offshore	
	5.3.4	Cumulative Impact of Reasonably Foreseeable Future Actions - Offshore	
	•	ion - Offshore	
6.0	Onshore	Visual Impact Analysis	6-1

6.1 Establi	shment - Onshore	6-1
6.1.1	Onshore Project Design	6-1
6.1.2	Area of Potential Visual Impact - Onshore	6-1
6.1.3	Onshore APVI Preliminary Characterization	6-1
6.1.4	Selection of Preliminary Onshore KOPs	
6.2 Onsho	re Baseline Inventory	
6.2.1	Onshore Landscape Character Analysis	
6.2.2	Receptors/Viewers - Onshore	
6.2.3	Selection of Onshore KOPs	
6.2.4	Onshore Visual Simulations	
	re Visual Analysis	
6.3.1	Visual Change - Onshore	
6.3.2	Visual Sensitivity - Onshore	
6.3.3	Visual Impact Characterization - Onshore	
6.3.4	Cumulative Impact of Reasonably Foreseeable Future Actions - Onshore	
6.4 Mitigat	ion - Onshore	6-21
7.0 Technica	l References	7-1
Attachment	1 - Visual Impact Assessment Methodology Memorandum to BOEM	1
	2 – KOP Photo Log	
	3 – Offshore Visual Analysis Forms and Photo Simulations for Martha's Vineyard	
	ntucket	
Attachment	4 – Onshore Visibility Analysis Forms and Photo Simulations for Falmouth,	
	ssachusetts	1
Attachment	5 - Photographs Supporting the Visual Impact Assessment (Business Confidenti	al)1
List of Fig	<b>ures</b> ation of Mayflower Wind Offshore Wind Renewable Energy Generation Project	2-4
	eation of Mayflower Wind Falmouth Onshore Project Area	
	ation of Mayflower Wind Brayton Point Onshore Project Area	
•	ual Impact Assessment Process Diagram	
-	pact Assessment Chart	
-	icative WTG Schematic Drawing with Relevant Measurements	
-	icative DC Converter OSP Diagram (with Gravity-Based Structure)	
	ample Curvature of Earth Diagram	
	shore Area of Potential Visual Impact	
-	dscape/Seascape and Ocean Character Types Martha's Vineyard: Overview dscape/Seascape and Ocean Character Types Martha's Vineyard: Inset 1	
-	idscape/Seascape and Ocean Character Types Martha's Vineyard: Inset 1 Idscape/Seascape and Ocean Character Types Martha's Vineyard: Inset 2	
-	idscape/Seascape and Ocean Character Types Martha's Vineyard: Inset 2	
-	idscape/Seascape and Ocean Character Types Martha's Vineyard: Inset 4	
	undscape/Seascape and Ocean Character Types Martha's Vineyard: Inset 5	
Figure 5-11. La	ndscape/Seascape and Ocean Character Types Nantucket: Overview	5-14
Figure 5-12. La	indscape/Seascape and Ocean Character Types Nantucket: Inset 1	5-15
-	indscape/Seascape and Ocean Character Types Nantucket: Inset 2	
-	andscape/Seascape and Ocean Character Types Nantucket: Inset 3	
-	andscape/Seascape and Ocean Character Types Nantucket: Inset 4	
	pen Ocean – Atlantic Ocean View from Lady's Beach Nantucket	
-	cean Beach – Madaket Nantucket	
-	unes – Long Point Beach Martha's Vineyard pastal Scrub – Long Point Preserve Martha's Vineyard	
	onds/Tidal Marsh – Long Pond Nantucket	
-		
Figure 5-21. Co	pastal Bluffs - Aquinnah Head, Martha's Vineyard	

Figure 5-22. Rural/Suburban Residential Area in Nantucket	
Figure 5-23. Village/Town, Nantucket Village. Nantucket	
Figure 5-24. Fields/Meadows, Sanford Farm at Historic Barn Overlook, NCF	
Figure 5-25. Forests/Woodlands, Tisbury Great Pond Martha's Vineyard	
Figure 5-26. Light Industrial, Nantucket Memorial Airport	
Figure 5-27. Commercial, Nantucket Meat and Fish Market	
Figure 5-28. Residents and Tourists Visiting Madaket Beach at Dusk for the Sunset	
Figure 5-29. Offshore KOP Selection Overview Map	
Figure 5-30. KOPs on Martha's Vineyard	5-30
Figure 5-31. Martha's Vineyard KOP Map: Overview	
Figure 5-32. Martha's Vineyard KOP Map: Inset 1	5-32
Figure 5-33. Martha's Vineyard KOP Map Inset 2	5-33
Figure 5-34. Martha's Vineyard KOP Map: Inset 3	5-34
Figure 5-35. KOPs on Nantucket	5-38
Figure 5-36. Nantucket KOP Map: Overview	5-39
Figure 5-37. Nantucket KOP Map: Inset 1	
Figure 5-38. Nantucket KOP Map: Inset 2	
Figure 5-39. Rhode Island/Massachusetts Wind Energy Area Lease Areas	
Figure 6-1. Onshore Viewshed Analysis Map	
Figure 6-2. Landscape/Seascape Character Types Cape Cod: Overview	
Figure 6-3. Landscape/Seascape Character Types Cape Cod: Inset 1	
Figure 6-4. Landscape/Seascape Character Types Cape Cod: Inset 2	
Figure 6-5. Nantucket Sound	
Figure 6-6. Freshwater Ponds	
Figure 6-7. Rural/Suburban Residential	
· ·	
Figure 6.8. Historic Districts	
Figure 6-9. Village/Town,	
Figure 6-10. Highways/Roadways	
Figure 6-11. Parks/Developed Recreation	
Figure 6-12. Cemeteries	
Figure 6-13. Forests/Woodlands	
Figure 6-14. Light Industrial, Lawrence Lynch Corporation	
Figure 6-15. Commercial	
Figure 6-16. Cape Cod KOPs Map	
Figure 6-17. Cape Cod KOPs Map: Inset 1	
Figure 6-18. Cape Cod KOPs Map: Inset 2	6-17
List of Tables	
Table 2-1. Key Project Details	2-2
Table 5-1. WTG/OSP Maximum Design Parameters Used in Visual Simulations	
Table 5-2. Estimated Visibility to 10 nm (19 km) and 20 nm (38 km)	
Table 5-3. Estimated Visibility to 10 nm (19 km) or Greater from Martha's Vineyard Airport	
Table 5-4. Estimated Visibility to 10 nm (19 km) or Greater from Nantucket Airport	
Table 5-5. Area of Landscape/Seascape and Ocean Character Types within the Offshore Project	
Viewsheds	
Table 5-6. Martha's Vineyard KOPs for Offshore Project Components	
Table 5-7. Nantucket KOPs for Offshore Project Components	
Table 5-8. KOP Visibility Level Ratings for Offshore Simulations – Martha's Vineyard	
Table 5-9. KOP Visibility Level Ratings for Offshore Simulations – Nantucket	
Table 6-1. Maximum Design Parameters Used in Onshore Visual Simulations	
Table 6-2. Area of Landscape/Seascape Character Types within the Onshore Project Area Views	
Table 6-3. Cape Cod KOPs for Onshore Project Facilities	
Table 6-4. KOP Visibility Level Ratings for Onshore Simulations	6-22

# **Abbreviations and Acronyms**

#### **Abbreviation or Acronym Definition**

3D three dimensional

ADLS Aircraft Detection Lighting System

AIS Air-insulated substation

APE Area of Potential Effect

APVI Area of Potential Visual Impact

AVEHP Analysis of Visual Effects to Historic Properties

BLM Bureau of Land Management

BOEM Bureau of Ocean Energy Management

CFR Code of Federal Regulations

COP Construction and Operations Plan

DC Direct Current

DEM digital elevation model

DPU Department of Public Utilities

DSM digital surface model

EDIC Economic Development & Industrial Corporation

EFSB Energy Facilities Siting Board

EIS Environmental Impact Statement

EJ Environmental Justice

EPA Environmental Protection Agency
FAA Federal Aviation Administration

FLT Falmouth Land Trust

ft foot/feet

GIS gas-insulated substation

GIS geographic information system

GLVIA3 Guidelines for Landscape and Visual Impact Assessment, Third Edition

ha hectare(s)

HAT Highest Astronomical Tide
HDD Horizontal Directional Drilling
HVDC high-voltage direct current

IEMA Institute of Environmental Management and Assessment

km kilometer

KOP Key Observation Point

kV kilovolt

Lease Area OCS-A 0521

LED light emitting diode

#### Abbreviation or Acronym Definition

LI Landscape Institute

LiDAR light imaging, detection, and ranging

L/SCA Landscape/seascape character area

m meter(s)

MDS Maximum Development Scenario
MGL Massachusetts General Law

mi statue mile(s)

MLLW Mean Lower Low Water

NCF Nantucket Conservation Foundation
NEPA National Environmental Policy Act
NHPA National Historic Preservation Act
NHRP National Register of Historic Places

NLB Nantucket Land Bank
NLC Nantucket Land Council

nm Nautical Mile

OCA Ocean character area
OCS Outer Continental Shelf

OSP Offshore Substation Platform

POI Point of Interconnection

Project Mayflower Wind offshore wind renewable energy generation project

ROW Right of Way

SLVIA Seascape/Landscape Visual Impact Assessment

TCP Traditional Cultural Property

U.S. United States

USCB U.S. Census Bureau

USCG United States Coast Guard

USDA United States Department of Agriculture

USGS United States Geological Survey

VAF Visibility Analysis Form

VCS Vineyard Conservation Society

VIA Visual Impact Assessment

WTG Wind Turbine Generator

# 1.0 Introduction

Mayflower Wind Energy LLC (Mayflower Wind) proposes an offshore wind renewable energy generation project (Project) located in federal waters off the southern coast of Massachusetts in the Outer Continental Shelf (OCS) Lease Area OCS-A 0521 (the Lease Area). The Project will deliver electricity to the regionally administered transmission system via export cables with landings in Falmouth, Massachusetts (MA) and at Brayton Point in Somerset, MA. The focus of this Visual Impact Assessment (VIA) is on the Lease Area and the Falmouth Onshore Project Area, which includes all onshore facilities located in Falmouth, MA. An addendum to this VIA will be submitted to Bureau of Ocean Energy Management (BOEM) which addresses the Brayton Point Onshore Project Area.

# 1.1 Assessment Objectives

If a project is visible from shore, a VIA is required by BOEM to support the National Environmental Policy Act (NEPA) review process. A VIA is a technical analysis of the visual impacts, adverse or beneficial, of a proposed project. This report provides a VIA that evaluates potential changes to scenic resources that could result from the Project.

Visual impacts are expected to be of interest for communities nearest to the Project. For this assessment, the Mayflower Wind study area includes locations where one or more onshore or offshore Project components could possibly be viewed, including Upper Cape Cod, Martha's Vineyard, Nantucket, and associated smaller islands, including Nomans Land, Esther, Tuckernuck, and Muskeget, as well as the Elizabeth Islands off Cape Cod.

The objectives of this VIA are to identify potential visibility of the Project from a range of viewer locations and conditions; and objectively characterize the changes in landscape quality with the Project in place.

This VIA report is intended to assist regulatory agencies, interested stakeholders, and the general public in their review of the Project, in accordance with applicable regulatory requirements.

#### For this VIA, AECOM:

- Developed a baseline assessment of visual conditions from which visual change resulting from the Project can be measured and evaluated;
- Using a digital surface model (DSM), documented the Area of Potential Visual Impact (APVI), which
  is the area within which the Project elements are likely to be visible based on topography, screening
  due to existing vegetation and structures, distance and factoring in curvature of the earth;
- Characterized the landscape and seascape by identifying character types within areas with similar natural and cultural features;
- Quantified the area within the landscape/seascape and ocean character types where the Project is potentially visible.
- Identified representative Key Observation Points (KOPs) in the APVI which encompass the full range of viewer experiences, conditions, and characteristics under which the Project may be seen;
- Selected a subset of KOP locations for development of representative visual simulations of the Project
- Used the simulations, detailed parameters of the Project and other data for evaluation of the
  potential effect of the Project on a viewer's experience from different locations;
- Provided an opinion of impact combining viewer sensitivity with the visual contrast of Project elements (BOEM will make a final determination of impacts) and;
- Identified potential mitigation measures to reduce apparent visual effects should such mitigation be necessary.

# 1.2 Report Organization

This report includes a general Project overview (Section 2.0), a description of the federal and state regulatory framework (Section 3.0), and an explanation of the VIA methodology used (Section 4.0). Section 5.0 provides the results of the VIA for the Offshore Project Area and Section 6.0 provides the Falmouth Onshore Project Area VIA results. References are provided in Section 7.0.

# 2.0 Project Description

# 2.1 Project Overview

The Mayflower Wind Project includes a Lease Area located in federal waters south of Martha's Vineyard and Nantucket (Figure 2-1). Wind turbine generators (WTGs) constructed within the Lease Area will deliver power via inter-array cables to the offshore substation platforms (OSPs). Submarine offshore export cables will be installed within offshore export cable corridors (ECCs) to carry the electricity from the OSPs within the Lease Area to the onshore transmission systems via two different ECCs. One ECC will make landfall in Falmouth, Massachusetts and the other will make landfall at Brayton Point, in Somerset, Massachusetts. The offshore export cables will make landfall via horizontal directional drilling (HDD). The proposed Falmouth ECC will extend from the Lease Area through Muskeget Channel into Nantucket Sound to three potential landing location(s) in Falmouth including Worcester Avenue, Central Park, or Shore Street. The proposed Brayton Point ECC will run north and west from the Lease Area through Rhode Island Sound to the Sakonnet River. It will then run north up the Sakonnet River, cross land at Aquidneck Island to Mount Hope Bay, and then north into Massachusetts state waters to Brayton Point. Landfall will be made via HDD at one of two potential landing locations in Somerset on the western side of Brayton Point from the Lee River (preferred) or the eastern side via the Taunton River (alternate).

In Falmouth, the underground onshore export cables will extend from the landfall location(s) to an onshore substation and will be installed within and beneath existing public roadways, shoulders, and grassy open space (Figure 2-2). The new Falmouth onshore substation will transform the voltage to 345 kilovolts (kV) to enable connection to either an overhead transmission line (preferred) or an underground transmission route (alternate). The selected landfall location will determine the route of the underground onshore export cables between the landfall and the new onshore substation. The proposed Falmouth point of interconnection (POI) to the regional transmission system is an existing switching station (Falmouth Tap). Mayflower Wind anticipates that upgrades to Falmouth Tap will be undertaken by the interconnecting transmission owner, as part of a larger reliability project, which is independent of the Mayflower Wind Project. The overhead transmission line will be designed, permitted, and built by the interconnecting transmission owner to provide interconnection at Falmouth Tap. The alternate underground transmission route would be constructed within local roadway and/or shoulder extending from the onshore substation to the POI at Falmouth Tap.

As stated above, the Brayton Point ECC includes an overland portion where underground onshore export cables will be installed to cross the northern portion of Aquidneck Island (Figure 2-3). Three route options for the crossing of the island are under consideration, all route options include HDD for entry and exit on/off the island. At Brayton Point, the onshore underground export cables will traverse the site from the landing to the location of a new high voltage direct current (HVDC) converter station (converter station). Underground transmission cable(s) will be constructed from the converter station to the Brayton Point POI, the adjacent existing National Grid substation. The Offshore Project Area includes the Lease Area, Falmouth and Brayton Point ECCs, and the HDD at the landfall locations.

As stated in Section 1.0, this assessment addresses only the Offshore and Falmouth Onshore Project Areas. The Brayton Point Onshore Project Area will be addressed via an addendum to this VIA.

## 2.2 Specific Project Details

Each primary Project component relevant to this assessment is briefly described below in Table 2-1. Additional details may be found in the Construction and Operations Plan (COP) Section 3 – Description of Proposed Activities.

**Table 2-1. Key Project Details** 

Project Attribute	Description
Lease Area Size	127,388 acres (51,552 hectares [ha])
Layout and Project Size	Up to a total of 149 WTG/OSP positions Comprised of up to 147 WTGs and up to 5 OSPs without exceeding the total of 149 WTG/OSPs
WTGs	Rotor diameter: 721.7 – 918.6 feet (ft) (220.0 – 280.0 meters [m]) Blade length of 351.0 – 452.8 ft (107.0 – 138.0 m) Hub height above Mean Lower Low Water (MLLW): 418.7 – 605.1 ft (127.6 – 184.4 m) Tip height above MLLW 779.5 - 1,066.3 ft (237.6- 325.0 m)
OSPs	Top of topside height above MLLW: 160.8 – 344.5 ft (49.0 – 105.0 m)
WTG/OSP Substructures	Monopile, piled jacket, suction-bucket jacket, and/or gravity-based structure Seabed penetration: $0-295.3~\rm ft~(0-90.0~m)$ Scour protection for up to all positions
Inter-Array Cables	Nominal inter-array cable voltage: 60 kV to 72.5 kV Length of inter-array cables beneath seafloor: 124.3 – 497.1 miles (mi) (200 – 800 km) Target burial depth (below level seabed): 3.2 – 8.2 ft (1 – 2.5 m)
Offshore Export Cables	Falmouth ECC  Anticipated Cable Type: high voltage alternating current (HVAC) Number of export cables: up to 5 Nominal export cable voltage: 200 – 345 kV Length per export cable beneath seabed: 51.6 – 87.0 mi (83 – 140 km) Cable crossings: up to 9 Target burial depth (below level seabed): 3.2 – 13.1 ft (1 – 4 m)  Brayton Point ECC Cable Type: high voltage direct current (HVDC) Number of export cables: up to 6 Up to 4 export power cables and up to 2 communication cables Nominal export cable voltage: ±320 kV Length per export cable beneath seabed: 97 – 124 mi (156 – 200 km) Cable/pipeline crossings: up to 16 (total)  Target burial depth (below level seabed): 3.2 – 13.1 ft (1 – 4 m)
Landfall Location(s)	Falmouth, MA Three locations under consideration: Worcester Avenue (preferred), Central Park, and Shore Street Somerset, MA Two locations under consideration: the western (preferred) and eastern (alternate) shorelines of Brayton Point Aquidneck Island, Portsmouth, RI Several locations under consideration for intermediate landfall across the island
Onshore Export Cables	Falmouth, MA  High voltage alternating current (HVAC) (anticipated); Nominal underground onshore export cable voltage: 200 – 345 kV  Up to 12 onshore export power cables and up to five communications cables Length: Up to 6.4 statute miles (mi) (10.3 kilometers [km])  Brayton Point, Somerset, MA  HVDC; Nominal underground onshore export cable voltage: ±320 kV  Up to 4 export power cables and up to 2 communication cables  Length: Up to 3,940 ft (1,200 m) on Brayton Point  Aquidneck Island, RI  HVDC; Nominal underground onshore export cable voltage: ±320 kV

<b>Project Attribute</b>	Description
	Up to 4 onshore export power cables and up to 2 communication cables
	Up to 3 mi (4.8 km) across Aquidneck Island
Onshore Substation/ HVDC Converter	Falmouth, MA Type: Transform to 345-kV; Air-insulated substation (AIS) or gas-insulated
Station	substation (GIS)  Location: Two locations under consideration: Lawrence Lynch (preferred), and
	Cape Cod Aggregates (alternate)  Area: Up to 26 acres (10.5 hectares [ha])
	Fencing: 8-ft (2.4-m) high surrounding the substation; includes 7-ft (2.1-m) high chain-link fence with galvanized fabric with 1-ft (0.3-m) high barbed wire top barrier.
	4 ft (1.2 m) chain-link fence surrounding the infiltration basins
	85-ft (26-m) high lightning masts
	Brayton Point, Somerset, MA
	Type: HVDC Converter Station
	Location: On the Brayton Point property area under consideration
	Area: Up to 7.5 acres (3.0 ha)
Transmission from	Falmouth, MA
Onshore Substation/ Converter Station to POI	New, 345-kV overhead transmission line along existing utility right of way (ROW) (preferred) (to be designed, permitted, and built by the interconnecting
1 01	transmission owner) Up to 5.1 mi (8.2 km) in length
	New, 345-kV underground transmission route (alternate)
	Up to 2.1 mi (3.4 km) in length
	Brayton Point, Somerset, MA
	New 345-kV underground transmission route to National Grid substation
	HVAC; nominal underground transmission cable voltage: up to 345 kV
	Up to 2,788 ft (850 m) on Brayton Point property
POI	Falmouth, MA
	Falmouth Tap (new or upgraded substation to be designed, permitted, and built by the interconnecting transmission owner)
	Brayton Point, Somerset, MA
	Existing National Grid substation




Figure 2-1. Location of Mayflower Wind Offshore Wind Renewable Energy Generation Project




Figure 2-2. Location of Mayflower Wind Falmouth Onshore Project Area




Figure 2-3. Location of Mayflower Wind Brayton Point Onshore Project Area

# 3.0 Regulatory and Management Framework

The VIA is being completed within the context of the regulatory frameworks described below.

# 3.1 Federal Regulatory Framework

With the passage of the Energy Policy Act of 2005, BOEM acquired regulatory authority for renewable energy activities on the OCS. In 2009, final regulations were issued for the OCS Renewable Energy Program, which provide a framework for issuing leases, easements, and ROWs for OCS activities that support the production and transmission of renewable energy. This includes offshore wind, ocean wave energy, and ocean current energy.

BOEM's Information Guidelines for a Renewable Energy Construction and Operations Plan (COP) (BOEM, 2020) notes that a VIA may be needed to satisfy requirements under 30 Code of Federal Regulations (CFR) 585.627(a)(6) Archaeological Resources and 30 CFR 585.627(a)(7) Social and Economic Resources and to support the NEPA process.

The results of this VIA are used to assess potential visual effects on historic properties (see COP Appendix S, Analysis of Visual Effects on Historic Properties) in order to assist the BOEM in meeting its obligations under Section 106 of the National Historic Preservation Act (NHPA) (36 CFR 800) and NEPA. In meeting these obligations, BOEM will be implementing the NEPA Substitution Process for Section 106 Review for Renewable Energy COPs. Substitution under 36 CFR 800.8c authorizes agencies to use procedures and documentation required for the NEPA process to comply with Section 106 in lieu of the procedures in 36 CFR 800.3 through 36 CFR 800.6 (Council on Environmental Quality Executive Office of the President and Advisory Council on Historic Preservation, 2013).

The BOEM COP guidance does not require use of specific methods for the VIA. Therefore, Mayflower Wind submitted a memorandum describing the planned methodology for the VIA to satisfy the BOEM COP guidelines. The memorandum was revised based on comments received from BOEM. A copy of the final memorandum is provided in Attachment 1.

After Mayflower Wind submitted the initial report to BOEM, the BOEM Seascape Landscape Visual Impact Assessment (SLVIA) Guidance (BOEM, 2021a) was published. This report has since been updated to include the suggested methodology and evaluation within that document.

# 3.2 State Regulatory Framework

This Project will work to satisfy the Massachusetts and Rhode Island Energy Facilities Siting Board (EFSB) requirements, supported by the Massachusetts Department of Public Utilities (DPU) and Rhode Island Public Utilities Commission (PUC), by providing a reliable energy supply with a minimum impact on the environment at the lowest possible cost. Pursuant to Massachusetts General Laws (MGL) Chapter 164, Section 69J (MGL 164 69J), Mayflower Wind will file with the EFSB a petition to construct the Project. Pursuant to MGL 164 72, Mayflower Wind will also file a petition with the DPU seeking approval of the onshore cables. Lastly, pursuant to MGL 40A, 3, Mayflower Wind will file a petition seeking individual zoning exemptions and a comprehensive zoning exemption from the local zoning bylaws.

For Rhode Island jurisdictional Project components, Mayflower Wind will submit an application to the EFSB for a license to construct and alter major energy facilities within the State of Rhode Island, pursuant to the applicable provisions of Rhode Island General Laws (R.I.G.L.) §§ 42-98-1, et seq. and the EFSB Rules of Practice and Procedure, as amended ("EFSB Rules"). Pursuant to the requirements of R.I.G.L. § 42 -98-1, et seq., the Project is: necessary to meet the needs of the region for the renewable

# 4.0 Methodology

Research and practice in VIAs have evolved over the last 50 years to address a range of changes to valued land and seascapes. Federal land and program managers have developed alternative methodologies for conducting VIAs, including United States (U.S.) Forest Service, U.S. Bureau of Land Management (BLM), Federal Highway Administration, National Park Service, and U.S. Army Corps of Engineers. BOEM is in the process of developing its own version of VIA Guidelines for the unique offshore environment for which they are responsible. VIA methods have also been developed at the state level, particularly the northeastern U.S. Other countries have distinct VIA approaches and methods, particularly the United Kingdom, which also has addressed offshore development through its *Guidelines for Landscape and Visual Assessment* (GLVIA3) (Landscape Institute and Institute of Environmental Management and Assessment [LI and IMEA], 2013).

VIA methods have several common features, including:

- Viewshed analysis: determining from where a project can potentially be seen;
- Seascape/landscape and ocean character analysis: evaluating underlying scenic attributes of the affected environment;
- Key views: determining important points or corridors from which people can view the project;
- Visual Sensitivity analysis: determining the degree to which people are concerned about visual change; and
- Impact measurement: includes methods for determining the degree of adverse or beneficial visual change.

AECOM used a methodology based on the *GLVIA3* (LI and IEMA, 2013) and included a modified contrast rating system that helps evaluate visual change and impact. As noted in the guidance, the GLVIA3 is a tool used to identify and assess the significance of and the effects of change resulting from development on both the landscape as an environmental resource and on people's views and visual amenity.

Based on AECOM's discussions with BOEM, AECOM modified the BLM contrast rating system known as the *Visual Resource Contrast Rating Handbook H-8431-1* (1986) to add elements to the evaluation criteria to help expand considerations needed to compare baseline information to any potential change to the visual condition for application to the offshore Project elements. These methods were detailed in a memorandum to BOEM and were updated based on comments received from BOEM (see Figure 4-1). Each phase is summarized below and described in greater detail in the sections that follow.

- Establishment Phase This phase establishes the foundation or basis for the VIA and includes the compilation and development of information to support subsequent phases in the VIA process.
   Additional details of work completed under this phase are provided in Section 4.1.
- Baseline Inventory Phase This phase begins with a field assessment of potential KOPs identified during the Establishment Phase, and includes collection of data necessary to inventory, delineate, and describe the landscape/seascape/ocean areas, identify viewer groups and viewer characteristics, and supports the selection of representative KOPs, and the development of simulations for those representative KOPs.
- 3. Visual Analysis Phase In this phase, data collected in the field assessment is used to complete Parts A and B of the Visibility Analysis Form (VAF) in conjunction with the analysis of the potential future conditions based largely, but not entirely on photo simulations and variable conditions. Part C of the VAF is used to rate the post-development simulation for each KOP with respect to the apparent visual compatibility in association with the landscape/seascape and ocean character types (also called landscape/seascape or ocean character areas [L/SCAs or OCA]) and contrast (e.g., similarity/dissimilarity) to form, line, color, texture, vertical and horizontal scale, motion, and lighting as it relates to landscape/seascape and ocean (e.g., landform, ocean, inland waterbodies, vegetation, and structure) within the context of visual compatibility to arrive at a Visibility Level. The Visual Sensitivity separately considers the sensitivity of viewers, and the sensitivity of the visual

- resource itself. The Visibility Level and Visual Sensitivity provide the basis for characterizing visual impact.
- 4. Mitigation Phase In this phase, available options by which the level of impact may be reduced are considered. The visual analysis is repeated incorporating selected mitigation measures to provide a post-mitigation characterization of visual impact. For the purposes of this VIA, mitigation is discussed in concept.
- 5. Finding of Visual Impacts Within the context of BOEM's COP review process, BOEM will use the information provided in this VIA and input received via public engagement under NEPA to make a finding of visual impact on historic and/or scenic resources. BOEM will determine if a finding of no adverse impact or of adverse impact is appropriate. Because this phase is undertaken by BOEM, it is included for completeness, but not otherwise discussed in this report.

Several terms are used in the VIA to discuss the area of study or viewshed for the VIA. These include:

- **Digital Terrain Model (DTM)** a model used to determine where Project components may be visible which incorporates bare earth topography only.
- **Digital Surface Model (DSM)** a model used to determine where Project components may be visible which incorporates the topography plus potential screening from vegetation or buildings.
- Viewshed analysis the process by which the maximum extent of visibility (viewshed) is determined based on structure height, either DTM, and the curvature of the earth. This VIA used a 43 mile (69.2 km) limit.
- **Viewshed** an area of potential visibility defined based on a viewshed analysis; a generic term which may include bare earth visible area or visible area with influence of screening from structures and vegetation.
- Area of Potential Visual Impact (APVI) Viewshed determined based on DTM and DSM which
  accounts for the influence of screening provided by structures and vegetation.




Figure 4-1. Visual Impact Assessment Process Diagram

Prepared for: Mayflower Wind Energy LLC
AECOM

#### 4.1 Establishment

The following sections describe the approach used to establish the basis for the VIA and include the compilation and development of information to support subsequent phases in the VIA process.

## 4.1.1 Project Design

Detailed design assumptions provided by Mayflower Wind serve as the basis for the VIA and are summarized in Sections 5.1.1 and 6.1.1 for the offshore and onshore Project components, respectively.

For the purposes of the VIA, one Project alternative, called the Maximum Development Scenario (MDS) was evaluated within the context of the federal and state regulatory framework as described in Section 3.0. For the Offshore Project Area, the MDS includes the greatest number of WTGs/OSPs and the largest potential size for the offshore Project components, as presented in Table 5-1. The onshore MDS includes an onshore substation as presented in Table 6-1. As noted previously, the overhead transmission line from the onshore substation to the Falmouth POI will be designed, permitted and constructed by the interconnecting transmission owner, and as such, is not included in the onshore VIA evaluation.

## 4.1.2 Area of Potential Visual Impact

The APVI describes the area within which the Project may be visible and, therefore, could be seen and contribute a level of visual change within an existing setting. A viewshed analysis was completed for both the onshore and offshore Project components. Maximum design heights and bare earth topography (i.e., no benefit of screening from intervening vegetation or other structures) were used to develop a conservative delineation of the APVI (a digital elevation model [DEM]). The DEM was also created from United States Geologic Survey (USGS) 3DEP elevation data at a horizontal resolution of 6.6 feet (2.0 m), representing bare earth conditions.

A second analysis using a digital surface model (DSM) was completed to delineate the APVI that incorporates vegetation screening and structures. Using the light imaging, detection, and ranging (LiDAR) point cloud data, a detailed DSM of the potential impacted study areas was created at a horizontal resolution of 2.5 feet (0.8 m) using Global Mapper software. The DSM includes the elevations of trees, buildings, utilities, and other features. The DSM and DEM were created at 10-foot (3.0m) resolution to allow for direct comparison of ground and surface elevation analysis of terrain features. The viewshed analysis was created using Global Mapper accounting for earth curvature and ESRI ArcMap and ArcGIS Pro® software.

ArcMap and ArcGIS Pro were then used to subtract or extract topographic data from the MassGIS datasets and exported to a single raster dataset to form a complete DSM representing the topography land mass. National Land Cover Database (USGC, 2019) land cover datasets containing vegetation and MassGIS buildings dataset from the preliminary viewshed analysis were also used for extraction to create a final viewshed map.

The assumptions specific to the delineation of the APVI for offshore and onshore Project components are described in Section 5.1.2 and Section 6.1.3, respectively. Factors that influence visibility are atmospheric conditions, screening by other projects (i.e., Vineyard Wind WTGs may screen Mayflower Wind WTGs from the view at KOPs on Martha's Vineyard), vegetation, and buildings are discussed in later sections.

# 4.1.3 Consideration of Meteorological and Atmospheric Conditions

Meteorological and atmospheric conditions may reduce Project visibility when rain, haze, or fog are present within the Offshore Project Area. These conditions play a lesser role in visibility for the onshore Project components. As such, meteorological and atmospheric conditions are evaluated for the offshore Project components but not for the onshore Project components. Meteorological data from the BOEM Meteorological Report (Wood et al., 2014) serves as the basis for this analysis.

#### 4.1.4 APVI Preliminary Characterization

Based upon the delineation of the onshore and offshore APVI, the APVIs were characterized with respect to landscape/seascape/ocean character types, viewers/receptors, and visual resources based on available documentation. Additionally, the acres and percent of the individual character within the APVI was quantified. The purpose of this characterization was to develop sufficient understanding of the APVI to support the selection of KOPs that will be evaluated in the field as part of the Baseline Inventory (Section 4.2).

## 4.1.5 Identification of Preliminary KOPs

Mayflower Wind developed preliminary lists of KOPs for the offshore and onshore APVIs. The KOPs include historic structures and buildings, significant landscapes, recreation areas, scenic roads, overlooks and vistas, public beaches, town centers, residential communities, and estates. Sites selected as KOPs reflect importance to the scenic, social, cultural, and economic resources, and include the entire oceanfront facing the Project.

The Vineyard Wind project included an inventory of visually-sensitive resources documented within Historic Properties Visual Impact Assessment reports (Vineyard Wind, 2018). These assessments covered a comprehensive inventory of properties located on Martha's Vineyard and Nantucket. Based on a review of past projects and a historic sites analysis was completed (see COP Appendix S, Analysis of Visual Effects to Historic Properties), many of these locations identified for the Vineyard Wind project are relevant to the Mayflower Wind VIA, given the proximity of the projects. The delineation of the APVI for the offshore Project components eliminated some KOPs from the Vineyard Wind list, while others were added based on the viewshed area for the Project. KOPs were established within each landscape/seascape and the ocean character type.

A list of KOPs for the Offshore Project Area was used as a starting point to recognize places of visual significance to the community within the APVI and was reviewed with key stakeholders on Nantucket (Town of Nantucket, Nantucket Conservation Foundation [NCF], Madaket Residents Association, and Nantucket Land Bank [NLB]). The final KOP list included sites recommended by these stakeholders.

Similarly, a preliminary list of KOPs was developed for the Falmouth Onshore Project Area. Efforts have also been made by Mayflower Wind to meet with local officials within the Project Area to discuss issues and concerns about the proposed onshore substation and Project infrastructure (see COP Appendix A, Agency Correspondence).

Specific KOPs evaluated for this analysis are described for the offshore and onshore Project components in Section 5.1.5 and Section 6.1.3, respectively.

## 4.2 Baseline Inventory

The VIA methodology includes an extensive collection of baseline information to help analyze the relationship between the existing physical landscape and seascape conditions, identification of KOPs, and the sensitivity to change by the key viewers, also called receptors. The baseline data provide a framework that describes existing conditions and allows proposed changes to be measured and evaluated for potential impacts.

## 4.2.1 Field Evaluation and Documentation

The baseline inventory built upon the work completed in the Establishment Phase and began with the field assessment of KOPs. An AECOM Visual Assessment Team completed the initial field review of KOPs in June 2020, with two follow up visits in July 2020 and November 2020 to complete the analysis of the full list of KOPs as well as to visit some additionally identified KOPs relevant based on Project design. The following actions were completed for each KOP:

- Made detailed observations and notes regarding the KOP to support completion of Parts A and B of the VAF.
- Photographed the KOP to document landscape/seascape and ocean character areas (LCA/SCA and OCA), viewer groups, and the visual resource.

• Secured measured, geo-referenced photos were taken, to the extent possible, in clear weather conditions, from the KOPs with potential visibility to the offshore and/or onshore facilities.

Photographs were taken, using standards common to the practice, as described in the GLVIA3 guidance (LI and IEMA, 2013). Panoramic images were taken from many sites on Martha's Vineyard and Nantucket for the offshore Project components and on Cape Cod for the onshore Project components. A photo log is provided in Attachment 2 for selected KOPs not otherwise selected for simulations.

#### 4.2.2 Landscape/Seascape and Ocean Characteristics

A landscape/seascape character type represents a spatially defined area with a visually distinctive identity or "sense of place" that establishes context for the visual inventory. The APVI was divided into landscape/seascape types based on prevailing topography/landform, vegetation, water forms, level of development, historic places, and management framework. Ocean character type refers to the open ocean area. Character types for the offshore and onshore VIA are identified and described in Section 5.2.1 and Section 6.2.1, respectively.

## 4.2.3 Viewer Groups and Experience

Viewers are the people who ultimately will see the Project and experience its effects.

#### 4.2.3.1 Viewer Groups

Viewer groups are the constituent groups for whom potential change to the visual conditions may occur and are involved with defining the visual quality of the landscape. Viewer groups may differ in their perceptions of visual quality. For this VIA, viewer groups were primarily identified based on visual observations of people's activities during the review of KOPs, based on input from stakeholders, and supplemented with a review of information from local Chamber of Commerce offices and local planning documents, including the *Nantucket Master Plan* (Nantucket Planning Board, 2009) and *Wind Energy Plan for Dukes County* (Martha's Vineyard Commission, 2012). Meetings with Nantucket stakeholders were held in June 2020 with the Nantucket Conservation Foundation, a Madaket resident who serves on the Nantucket Conservation Commission, Nantucket Planning & Economic District Commission, Coastal Resiliency Committee, and the Offshore Wind Task Force, and the Town and County of Nantucket, MA Planning Office. Additional meetings were held with the Town and County of Nantucket, MA Planning Office and the Miacomet Golf Course manager in July 2020. Email exchanges with the Executive Director of the Martha's Vineyard Chamber of Commerce and Tourism, the Falmouth Chamber of Commerce, and the Cape Cod Chamber of Commerce provided insight on tourism and other groups of people present during on and off-season times of the year. Viewer groups are identified in Sections 5.2.2 and 6.2.2 for offshore and onshore Project components, respectively.

It is important to note that viewer groups are not exclusive, nor are "groups" the actual viewers. Individuals do the viewing, and they may be part of one or more groups. For example, a year-round resident may also have a boat and at times be a recreation or commercial-oriented mariner. Year-round and seasonal residents may also be recreation-oriented "visitors" on weekends when they go to the beach or cycle across an island.

#### 4.2.3.2 Viewer Context

Viewer context describes the predominant activity the viewer is engaged in, how that activity influences their experience of the landscape, and the viewer geometry. The viewer's activity may include moving past the landscape (e.g., driving), engaging in recreational activities in an area with the landscape as a backdrop (e.g., visiting a beach for the day), or enjoying the landscape as the view (e.g., scenic overlooks). Viewer geometry refers to the spatial relationship of viewer to the viewed object (i.e., the Project), including both the vertical and horizontal angles of view. The vertical angle of view refers to the viewer's elevation relative to the viewed object. For example, a person standing on a lower elevation access road would be described as having an inferior viewing angle relative to an object on top of a hillside. A person viewing that same facility from a similar elevation as the facility would have a vertical viewing angle that was "at grade" or "level." A view is considered superior when the viewer is at an elevated viewpoint relative to the object being viewed. The horizontal angle of view refers to the compass direction of the view from the viewer to the object. For example, the viewing position set directly in front of the object will be at 0 degrees, the oblique position at 45

degrees, and the right angle at 90 degrees. Therefore, horizontal viewer geometry is described as direct, oblique, or a right angle.

#### 4.2.4 KOP Selection for Simulations

Based on observations made during the field visits to KOPs, the visibility analysis identified areas that likely will have visual exposure to the Project. It includes data such as distance, number of facilities visible, and mitigating factors (i.e., partial screening). Representative simulation viewpoints were selected to represent key views that highlight a diversity of viewer experiences from different vantage points, view angles, or site characteristics. Details for the selection of KOPs for simulations for the offshore and onshore Project components are provided in Section 5.2.3 and 6.2.3.

#### 4.2.5 Visual Simulations

Simulations were created using Autodesk's 3ds Max Design program. Three dimensional (3D) models of the above ground/sea surface structures (e.g., WTGs/OSPs and onshore substation) were created on each of the locations. Visual simulations are developed using the geo-referenced, measured photos that integrate the built infrastructure in scale based on the distances of structures from the KOP. To the extent feasible, the simulations have been completed for clear sky and atmospheric conditions. This is generally referred to as the "worst case" scenario for visual impact analysis, even though at times Project facilities will be obscured.

Using the known location of where the measured, geo-referenced photo was taken, as well as the height of the camera (ground elevation plus eye height), a camera in the program was created at this location using a 2 inch (50 millimeter) focal length. For offshore simulations, the viewpoint of the camera was set to the middle of the WTG/OSP array. Its view parameters set using the calculated distance to the horizon and calculated visible heights above the horizon of the nearest WTG. For the onshore simulations, the camera was set at spot within the KOP and directed toward the Project.

For each time period modeled, the program's daylight parameters were set to the date of the photo and the time the photo was taken. This provided the correct sun angle and intensity for the rendering. For other weather conditions, the light parameters in the model were adjusted to reflect the light conditions (i.e., no sun for cloudy conditions). The final rendering is a composite of the modeled structures and photo.

# 4.3 Visual Analysis

Using the visual simulations developed in the previous Baseline Inventory phase, AECOM completed a visual analysis to characterize the visual impact associated with the Project. The Visual Analysis phase (Figure 4-1) includes three primary steps.

- Evaluate Visual Change rate the degree of change in visual condition considering both the visual compatibility and visual contrast of the Project within the existing landscape/seascape or ocean character.
  - Use the "Visibility" rating scale by Sullivan (2013) to generate a score for each simulation between 0 (not visible) to 6 (visually dominant)
  - Apply a modified visual contrast rating, adapted from the BLM (1986), to simulations to identify compatibility of Project design and components with visual characteristics of land and seascapes.
  - Compare baseline to projected visual conditions in relation to the seascape, landscape, and ocean character.
  - Quantify Visual Changes to the KOPs (number of facilities in view, distances, height, field of view).
- Characterize Visual Sensitivity rank viewer sensitivity to Visual Change and the sensitivity of the view.
  - Characterize the viewer groups and visual resource sensitivity

- Anticipate receptor/viewer response based on sensitivity to changes to visual conditions based on the effects to the viewer experience as related to viewer activity(s) within the KOP.
- Characterize visual impact integrate the degree of Visual Change with Visual Sensitivity to characterize the visual impact

Each of the above steps are described in the sections that follow.

#### 4.3.1 Visual Change

In order to understand the level of visual change caused by the Project, an analysis of visual compatibility (type of setting, intactness, and unity) is compared to the visual contrast elements of form, line color, texture, horizontal and vertical scale, motion, and lighting to define the level of visible change (weak-strong) based on the BLM's *Visual Resource Contrast Rating Handbook H-8431-1* (1986), which ascribes Visibility Levels ranging from 1 to 6 in Part C of the VAF.

#### 4.3.1.1 Visual Compatibility

Visual compatibility considers compatibility of the Project with its surroundings. Compatibility considers how the Project features fit within the visual resource, and considers the:

- Unity of the Project shape or form with existing features of the resource;
- Influence of the Project on the intactness of views;
- Scale of the Project relative the scale of the visual resource; and
- Dominance or prominence of the Project in the resource.

Compatibility is based on the capacity of the visual resource to absorb changes due to its form and variability.

#### 4.3.1.2 Visual Contrast

Visual contrast is described as the extent to which a project appears different from the surrounding visual environment. It is measured using the four basic visual design elements of form, line, color, and texture (USDA, 1995).

- Form: Form is defined in the US Forest Service Scenery Management System as the "Structure, mass, or shape of a landscape or object...defined by edges or outlines of landforms, rock forms, vegetation patterns, or water forms, or the enclosed spaces created by these attributes".
- Line: Line is defined as an intersection of two planes; a point that has been extended, or the silhouette of a form. Ridges, skylines, structures, changes in vegetation (i.e. forest meeting meadow), the ocean horizon, or the beach meeting the ocean, may all be perceived by the viewer as lines.
- Color: Color is the property of reflecting light of a particular wavelength that enables an observer to differentiate objects that may otherwise be indistinguishable. A hue (i.e., red, green, blue, etc.) is contrasted with a value, such as black, white, or grey.
- Texture: Texture is a visual interplay of light and shadow created by variations in the surface of an object. The grain or "nap" of a landscape, a repetitive pattern of tiny forms. Visual texture ranges along a gradient from smooth (i.e. flat water surface) to coarse.

In addition to the above visual design elements, the characterization of visual contrast also considers horizontal scale, vertical scale, motion, and lighting, which may also affect visibility. In the case of the offshore Project, these elements are compared to both the horizontal and vertical scales that may contrast against the natural character of the existing setting. For example, a dark color horizon line is a defining visual characteristic in a seascape setting. The vertical scale and light color of the WTGs may contrast with the strong horizontal line and darker color of the ocean horizon line meeting the sky. Motion in offshore WTGs has been documented to increase visibility and draw viewer attention to the feature (Sullivan et al., 2013). Finally, the mandatory lighting of structures for air and marine navigation safety into the landscape may likewise increase visibility and draw viewer attention when lights are in operation.

The modified VAF were used to determine the degree of change within the setting. The form is used to compare the proposed development illustrated in the simulation against the existing conditions image. The two images are compared using the elements of form, line, color, texture, horizontal scale, vertical scale, motion, and lighting against physical characteristic of landform, ocean (offshore only), enclosed waterbodies, vegetation, and structures, and ranked using Sullivan's Scale of Visibility (Levels 1 through 6) as outlined below:

Visibility Level 1. Visible only after extended, close viewing. Otherwise invisible.

*Visibility Level 2.* Visible when scanning in the general direction of the study subject, otherwise likely to be missed by casual observers.

*Visibility Level 3.* Visible after a brief glance in the general direction of the study subject and unlikely to be missed by casual observers.

**Visibility Level 4.** Plainly visible, so could not be missed by casual observers, but does not strongly attract attention or dominate the view because of its apparent (small) size.

**Visibility Level 5.** Strongly attracts the visual attention of views in the general direction of the study subject. Attention may be drawn by strong contrast in form, line, color, texture, luminance, or motion.

**Visibility Level 6.** Dominates the view because the study subject fills most of the visual field for views in its general direction. Strong contrasts in form, line, color, texture, luminance, or motion may contribute to view dominance.

The goal of applying the visual contrast method is to create an objective measure of visual change as perceived by sensitive viewers. This analysis provides one metric for evaluating and characterizing the level of visual change to the characteristic landscape that could result from a proposed project and how that change would be perceived at different representative KOPs.

A VAF was completed and accompanies the simulation for each selected KOP. The form includes descriptive and location information for the KOP in Part A, characterizes the existing conditions with respect to form, line, color, and texture for each physical feature (i.e., landform, ocean, enclosed waterbodies, vegetation, and structures) in Part B, and rates degree of contrast (ranging from 1 to 6) between the post-development and existing conditions with respect to form, line, color, texture, horizontal and vertical scale, motion, and lighting for each, physical attribute. These individual ratings are then aggregated to arrive at an overall Visibility Level rating for visual contrast. The ratings as applied are intended to reflect the experience of a sensitive viewer and incorporates visual compatibility. The aggregate visibility ratings are in most cases expressed as a range to reflect differences in contrast that may be attributed to visual acuity of the viewer, meteorological and atmospheric conditions, and time of day (lighting angle). The aggregate *Visibility Level* rating for each KOP simulation communicates a range of visibility for that KOP and other similar locations represented by the selected KOP.

According to BOEM SLVIA, "Visual simulations are typically the primary basis for determining the visual contrasts ......although they are not the only basis for contrast assessment" (BOEM 2021a). The Mayflower Wind analysis relies heavily on simulations to understand what the Project will look like from important vantage points on the islands. Simulations do not tell the entire picture. They only capture a moment in day and are mostly stationary (they do not show blade movement). There is a wide range of daylight and atmospheric conditions, and simulations cannot reflect all of them.

However, simulations give a good indication of visibility, scale, pattern, and visual contrast. By comparing simulations from close by vantage points taken at different times of day, with varying atmospheric conditions, the range of visibility and visual contrast can be determined. AECOM has experience observing wind farms in the field, and members of the VIA team spent weeks scouting viewpoints and taking photos.

Thus, simulations are one tool in this analysis, albeit a very important one. In evaluating each sim, the following is considered:

Whether blade movement will be detected

- What lighting conditions are optimal for visibility
- How contrast can vary with sun direction, cloud presence, and other conditions
- How people at other viewpoints near a simulated one might see the Project

For example, if the greatest visibility and highest contrast from a given area occurs in clear sky, morning conditions, the VIA team tried to visualize what another view might be like in these conditions, even if the sim shows gray skies or afternoon lighting.

Simulations are imperfect representations of the Project, but they are essential, and very useful if variability is accounted for.

## 4.3.2 Visual Sensitivity

Visual Sensitivity considers both the viewers and viewer experience along with the sensitivity or susceptibility of the visual resource outside of a particular viewer experience. A final rating of visual sensitivity was generated by evaluating viewer sensitivity and view sensitivity. Visual Sensitivity was classified as **Low**, **Medium**, and **High**.

#### 4.3.2.1 Viewer Sensitivity

"Viewer Sensitivity" is a term used to describe the extent to which various viewer groups enjoy and prefer the visual characteristics of an area and may be concerned about changes or development that have adverse effects on those characteristics. Sensitivity is usually classified qualitatively as follows:

- Low:
- Medium;
- High; and
- · Very High.

Determining sensitivity to changes in views includes a need to define who will be affected by a change in the view, when are they experiencing the view and what is the duration of the view. Viewer sensitivity for the offshore and onshore VIA are discussed in Sections 5.3.2 and 6.3.2, respectively.

#### 4.3.2.2 View Sensitivity

The view sensitivity (visual resource sensitivity) considers the value of the visual resource itself, and its susceptibility to visual effects. Value attached to a certain landscape is important in determining the level of visual resource sensitivity to change. The VIA must recognize the value attached to a certain view. For instance, the visual resource at a cultural resources site may be protected by regulation. Likewise, reaction to a site that is widely visited by enthusiasts will have a greater sensitivity and the value attached to the views of such a site will be high. Visual resource sensitivity also considers the degree of intactness of landscape attributes that provide scenic qualities. The more the view is uninterrupted and maintains a natural character the higher the sensitivity. Visual resource sensitivity was classified as **Low**, **Medium**, or **High**. Visual resource sensitivity for the offshore and onshore VIA are discussed in Sections 5.3.2 and 6.3.2, respectively.

## 4.3.3 Visual Impact Characterization

The process for analyzing visual impact for both onshore and offshore Project components is based on the evaluation of visual compatibility and contrast with viewer sensitivity and the view sensitivity (i.e., character of the existing setting/view).

Variables that influence visual effects of the Project (Sullivan et al., 2013) include:

 Visual Acuity: Human eyesight combined with the effect on visibility from atmospheric and meteorological conditions. The strength (or weakness) of the visual contrast of the Project from KOPs.

- Viewer Location and place: The number of KOPs from which the Project is visible, the position of the viewer at the KOP (superior, level, or subordinate) and the relationship of the viewer from their position at the KOP to the ocean.
- 3. Sensitivity: Sensitivity includes the importance to the viewer of their experience and activity, the time of viewing (day or night), and/or season.
- 4. Project Scale: The scale of the project related to the vertical and horizontal massing within the frame of view.
- 5. Distance: How far is the project offshore and how does curvature of the earth effect how much of the feature can be seen.
- 6. Time of day: Visibility varies based on how sunlight reflects off of the WTGs. Front lighting results in light, nearly white appearance. Back lighting results in a dark gray appearance. These are viewed differently depending on the background (sky) color.
- 7. Atmospheric conditions: Visibility is highly dependent on the conditions of the atmosphere, including cloud cover, humidity, haze, and fog. Clear conditions with relatively low humidity likely create the most optimal conditions for seeing the WTGs and OSPs,
- 8. For this VIA, Visual Change was characterized by aggregate *Visibility Levels* for each KOP where *Visibility Levels 5* and *6* indicate strong contrast, *Visibility Levels 3* and *4* indicate medium contrast, and *Visibility Levels 1* or *2* indicate weak contrast (see Section 4.3.1.2). The *Visibility Levels* for the simulated KOPs were considered in the broader context as representative of other similar KOPs.

Visual Sensitivity was characterized as ranging from **Low** to **Very High** based on the sensitivity of the viewers as well as the view (i.e., visual resource) sensitivity.

The combination of Visual Change and Visual Sensitivity characterizes the potential for impact associated with the Project; the potential for impact is characterized as **Low**, **Medium/Low**, **Medium**, **High/Medium**, **or High** (Figure 4-2).

VISUAL IMPACT ASSESSMENT			
VISUAL	VI	SUAL SENSITIVI	ΓΥ
CHANGE	HIGH	MEDIUM	LOW
STRONG	High	High/Medium	Medium
MEDIUM	High/Medium	Medium	Medium/Low
WEAK	Medium	Medium/Low	Low
NONE	None	None	None

#### Note:

Visibility Levels 1 and 2 = Weak Visual Change Visibility Levels 3 and 4 = Medium Visual Change Visibility Levels 5 and 6 = Strong Visual Change

Figure 4-2. Impact Assessment Chart

This VIA provides a rating of visual impact but does not characterize whether the degree of impact is acceptable or unacceptable. These determinations will be made by BOEM through the NEPA process.

# 4.3.4 Cumulative Effects of Reasonably Foreseeable Planned Actions

The Mayflower Wind Project is located in one of nine offshore wind energy lease areas in the Massachusetts/Rhode Island Wind Energy Area. The cumulative impacts analysis represents the Mayflower Wind Project within the context of the other potential developments based on the "Effects of Reasonably Foreseeable Planned Actions."

A final determination of cumulative impact for reasonably foreseeable future actions will be completed by BOEM within the Environmental Impact Statement (EIS) during the NEPA process.

# 4.4 Mitigation

Depending on the impact level, mitigation measures may be proposed to offset adverse impacts. Section 16 of the COP describes some proposed mitigation measures for the Project. According to BOEM in their article titled, *An Overview of Visual Impact Analysis for Offshore Wind Energy*, mitigation factors will consider "cost, practicality and support from the affected public and developers" (Warner, 2018). Options for mitigation are discussed in this report and will be addressed in consultation with Mayflower Wind and BOEM after COP submission.

# 5.0 Offshore Visual Impact Analysis

The Project is one of nine lease areas within the Massachusetts/Rhode Island Wind Energy Area where the development of offshore wind is anticipated. It should be noted that development within other lease areas closer to shore may render parts of the Mayflower Wind Project less distinctly visible from some vantage points due to screening; therefore, this assessment is conservative. As noted in Section 4.3.4 and described in the methodology memo submitted to BOEM (Attachment 1), cumulative impacts will be addressed after COP submittal, based on additional guidance to be provided by BOEM.

#### 5.1 Establishment - Offshore

This section details the Project design, delineation of the APVI, and preliminary research and characterization of the Project setting that will serve as the basis for the offshore VIA.

#### 5.1.1 Offshore Project Design

The MDS (Table 5-1, Figure 5-1, and Figure 5-2) was used for the offshore VIA based on the Project maximum design assumptions to support a conservative analysis of visual impacts.

Table 5-1. WTG/OSP Maximum Design Parameters Used in Visual Simulations

Design Parameter	Measurement / Value
Rotor diameter	918.6 ft (280.0 m)
Blade length	452.8 ft (138.0 m)
Tip height above MLLW	1,066.3 ft (325.0 m)
Hub height above MLLW	605.1 ft (184.4 m)
Tip clearance (air gap) above Highest Astronomical Tide (HAT)	53.8 ft (16.4 m) (minimum)
Maximum number of WTGs	149
Maximum number of OSPs	five
OSP height	344.5 ft (105.0 m) above MLLW (for Direct Current [DC] converter OSP), Maximum platform topside height is 164 ft (50 m)
OSP color	Yellow
Marking and Lighting	Consistent with applicable regulations and BOEM Guidelines (BOEM, 2021b) lighting will have the following characteristics:
	<ul> <li>Red wavelength light emitting diode (LED) lighting in the infrared portion of the spectrum between 800 and 900 nanometers;</li> </ul>
	<ul> <li>Photometric values of a Federal Aviation Administration (FAA) Type L- 810, L-864, and L-885 medium-intensity red obstruction light;</li> </ul>
	Flash simultaneously at 30 flashes per minute;
	<ul> <li>Visible in all directions in the horizontal (i.e., visible spread from 360 degrees);</li> </ul>
	Placed at the highest point of the turbine nacelle, and mid-mast lighting;
	Every turbine should be outfitted with a light, but not all turbine lights need to be turned on as long as there are no unlit separations or gaps of

#### **Design Parameter**

#### **Measurement / Value**

more than 0.5 mi (805 m) around the perimeter of the entire facility (or cluster of turbines within the facility); and

 Note: Mayflower Wind will implement the use of an Aircraft Detection Lighting System (ADLS), which will activate the lighting system on the Project WTGs based on approaching air traffic.

Offshore structures will include lighting consistent with latest *Offshore Structure Private Aids to Navigation Permit Recommendations* from the U.S. Coast Guard (USCG, 2020):

- Lighting will be placed on all structures and synchronized by structure location within the field of structures.
- Lighting will be visible throughout a 360-degree arc from the water's surface.
- Quick flashing yellow lighting energized at a five nm (9.26 km) range will be included for corner towers and significant peripheral structures.
- Outer boundary towers will include 2.5-second flashing yellow lights energized at a three nm (5.6 km) range
- Interior towers will include 6-second or 10-second flashing yellow lights energized at two nm (3.7 km) range




Figure 5-1. Indicative WTG Schematic Drawing with Relevant Measurements




Figure 5-2. Indicative DC Converter OSP Diagram (with Gravity-Based Structure)

Prepared for: Mayflower Wind Energy LLC


#### 5.1.2 Area of Potential Visual Impact - Offshore

The APVI describes the area within which the Project may be visible and, therefore, could be seen and contribute a level of Visual Change within an existing setting. Factors that influence visibility are distance, earth curvature, atmospheric conditions, topography, and screening by other projects (i.e., Vineyard Wind WTGs may screen Mayflower Wind WTGs from the view of KOPs on Martha's Vineyard), as well as screening from vegetation and buildings.

A digital surface model viewshed analysis that included vegetation, building structures and facilities with a LiDAR bare earth underlay was conducted to define the APVI for the Offshore Project Area based on a maximum viewshed limit of 43 mi (69.2 km), the limit of visibility based on the curvature of the earth at sea level with a viewer perspective of 5.5 ft (1.7 m). The analysis assumed an MDS with WTGs or OSPs occupying all possible positions in the 1 x 1 nautical miles (nm) (1.9 x 1.9 km) grid layout within the Lease Area. Separate viewsheds were evaluated for the WTG hub center and blade edge tip based on a maximum WTG hub center elevation of 605.1 ft (184.4 m), and WTG blade edge tip of 1,066.3 ft (325.0 m) above MLLW.

Figure 5-3 illustrates the influence of the curvature of the earth on visibility for a viewer located at Cisco Beach. The WTG hubs are potentially visible to a viewer on Nantucket (Cisco Beach) up to 36 mi (57.9 km) from the viewer position. Because of the curvature of the earth, none of the Project components located more than 45.9 mi (73.9 km) from a viewer on Cisco Beach would be visible. Screening by other structures and/or vegetation will reduce or eliminate visibility at certain locations; the effect of such screening is evaluated for each KOP. The offshore APVI map is presented in Figure 5-4 and illustrates maximum potentially visible area extending out from the Lease Area in all directions.

The APVI map (Figure 5-4) was used to assess the potential visibility of the Project from common and known sensitive viewer locations (i.e., KOPs). Viewer experience will vary. For example, roadway travelers may have intermittent views of the Project where it is not screened by topography or vegetation, while others have longer duration views from fixed points with unobstructed views. As illustrated in Figure 5-4, intervening topography eliminates views of the Project from certain portions of Nantucket and Martha's Vineyard that otherwise fall within the maximum limit of visibility.



Note: The APVI is defined based on digital surface model viewshed analysis and reflects the maximum distances at which the Project features may be visible.

Figure 5-3. Example Curvature of Earth Diagram




Figure 5-4. Offshore Area of Potential Visual Impact

## 5.1.3 Meteorological and Atmospheric Conditions

Meteorological data from the BOEM Meteorological Report (Wood et al., 2014) are summarized below and used to discuss the influence of varying atmospheric conditions on the potential visibility of the WTGs. In the BOEM report (Wood et al., 2014), hourly surface observations were evaluated to determine meteorological condition, visibility, wind speed, and direction. In the report, BOEM evaluated the average number of days that there is visibility to 10 nm (19 km), 20 nm (37 km), and 30 nm (56 km). Table 5-2 discusses the average number of days where there is clear visibility out to 10 nm (19 km) and 20 nm (38 km) from Nantucket and Martha's Vineyard for at least 50 percent and 75 percent of the daylight hours.

The BOEM Report also discusses the frequency of reported visibility from two locations on Martha's Vineyard and Nantucket airports during different times of the day (daylight/night) and during the winter, spring, summer, fall, and the annual average (Wood et al., 2014) (Table 5-3 and Table 5-4). Visibility as reported at these two airport locations exhibits very limited seasonal variation.

Table 5-2. Estimated Visibility to 10 nm (19 km) and 20 nm (38 km)

Location	% of Daylight Hours	Estimated Days per Year >10 nm Visibility	Estimated Days per Year >20 nm Visibility
North relief (modeling sites)	50	171	80
Nantucket (multiple sites)	75	103	40
Manthala 1. Vin	50	207	113
Martha's Vineyard (multiple sites)	75	117	50

Table 5-3. Estimated Visibility to 10 nm (19 km) or Greater from Martha's Vineyard Airport

Time	Winter	Spring	Summer	Fall	Annual
Day (% of total hours, average)	80	82	80	84	81
Night* (% of total hours, average)	0	0	0	0	0
Total (% of total hours, average)	40	41	40	42	41

Source: Wood et al., 2014

Table 5-4. Estimated Visibility to 10 nm (19 km) or Greater from Nantucket Airport

Time	Winter	Spring	Summer	Fall	Annual
Day (% of total hours, average)	71	71	69	76	72
Night* (% of total hours, average)	0	0	0	0	0
Total (%of total hours, average)	35	36	35	38	36

Source: Wood et al., 2014

<sup>\*</sup>Unlit objects will not be visible at >10 nm (19 km) at night. The use of ADLS lighting system would reduce expected nighttime lighting to less than 5 hours/year, which is 0.1 percent of annual nighttime hours and is rounded to 0% in this table.

<sup>\*</sup>Unlit objects will not be visible at >10 nm (19 km) at night. The use of ADLS lighting system would reduce expected nighttime lighting to less than 5 hours/year, which is 0.1 percent of annual nighttime hours and is rounded to 0 percent in this table.

## 5.1.4 Offshore APVI Preliminary Characterization

As described in Section 4.2.2, the landscape/seascape and ocean character types, viewers/receptors, and visual resources were characterized based on available documentation to allow for the selection of KOPs for field evaluation.

## 5.1.5 Selection of Preliminary Offshore KOPs

Representative KOPs were selected based on the methods described in Section 4.1.4. As described in Section 5.2 each KOP was evaluated with respect to its landscape/seascape and ocean character types and viewers.

# 5.2 Offshore Baseline Inventory

The baseline landscape and visual conditions are important components of the analysis. These include a detailed description of criteria listed in Section 4.2 of the methodology.

## 5.2.1 Offshore Landscape/Seascape and Ocean Character Analysis

Landscape/seascape and ocean character analysis describes the natural and perceptual attributes that give a place its aesthetic quality. It helps to establish the relationship between people and place and provides a basis for understanding how settings and experiences influence one's aesthetic sense of place.

Perceptual attributes that contribute to the visual experience of landscapes/seascapes and ocean include:

- Scenic quality: landscapes/seascapes and ocean that are known to have broad appeal to aesthetic senses;
- Rarity: natural or cultural elements that are unique or in short supply;
- Recreation: places where recreational activities occur or are available;
- Experiential: wildness, tranquility, solitude; and
- Associations: places where historic figures or events occurred.

An important part of the landscape/seascape and ocean character analysis is identifying how land and shoreline units are visually tied/connected to the open sea unit. While the offshore Project components will not directly change physical conditions on land-based character areas, they may change the visual experience to the extent they are visually connected. Landscapes and seascapes have a combination of elements that influence perception, including the visual connectivity/relationship between land and sea. Development, or lack of development, may diminish or increase the scenic value of adjacent or visually connected units. The ocean character type has the unique experience of the open, uninterrupted ocean view.

Physical factors that influence landscape/seascape character and visual experience include:

- Landform: geology, soils, landform, drainage ways;
- Land cover: vegetation (natural and human influenced), sand bars, barren areas (beaches, rock);
- Edge conditions: shorelines, bays, cliffs, riprap, outcrops, built environments;
- Horizontal and vertical expanse: open ocean, horizon, as well as sky; and,
- Land uses: built environments, industrial buildings, towns, agricultural fields, edges, conserved lands.

The following character analysis describes the physical and perceptual attributes of the setting that intersect and create a relationship between terrestrial landscapes and the seascape environment.

The offshore APVI includes the islands of Martha's Vineyard, Nantucket, and smaller neighboring islands. These islands are highly valued for their scenic and historic attributes and have long been popular destinations for tourists, as well as communities for year-round and seasonal residents. The visual and other sensory linkages of land and

water is a draw, along with a high degree of "naturalness" and compatible historic and more modern well-designed buildings and townscapes.

Due to the high degree of "naturalness" historical character, and the compatibility of existing development, the landscape/seascape and the ocean condition of the perceptual and physical attributes of the APVI is mostly visually intact. Intact landscapes/seascapes and the open ocean tend to have higher perceived value to people.

### 5.2.1.1 Context (Perceptual Attributes and Physical Factors)

The Mayflower Wind APVI includes Upper Cape Cod, Martha's Vineyard, Nantucket, and associated smaller islands, including Nomans Land, Esther, Tuckernuck, and Muskeget, as well as the Elizabeth Islands off Cape Cod. Cape Cod and the surrounding islands are located within the physiographic province, Level III Ecoregion "Northeastern Coastal Zone". This province includes the whole eastern half of Massachusetts and islands, all of Rhode Island, and Connecticut, excluding the northwestern corner. The Environmental Protection Agency (EPA) ecoregion subset classifies the Project Area and surrounding context as the "84. Atlantic Coastal Pine Barrens," which includes parts of New England and the northeast coast south to New Jersey (Griffith et al., 2009). This ecoregion, where it is not developed or converted to urban uses, includes a mix of low-stature forest or scrub, dominated by pine and oak growing on sandy, nutrient-poor soils, heath moors, grassy plains, sand dunes, salt marshes, freshwater wetlands, and open water (World Wildlife Fund, 2020). Most of the APVI is comprised of saltwater ocean environments, including partly enclosed bays, inlets, salt marshes, Nantucket Sound, and the vast open Atlantic Ocean.

Sandy beaches and coastal dunes border the oceanfront, particularly on the south and southwestern shores of the islands. Terrain is low, generally at or below 100 ft (30 m) above sea level, except for higher hills and sea cliffs on Martha's Vineyard that reach 300 ft (91 m) at the town of Aquinnah, Nashaquitsa Pond, and Squibnocket Beach. The ecological significance of this area is high. Nearly 90 percent of the world's remaining sandplain grassland occurs on Nantucket, Martha's Vineyard, Cape Cod National Seashore, and a slice of Long Island (Oktay, 2008).

The landscape/seascape character of the APVI is highly valued by the inhabitants and visitors, reflected by significant attention and resources dedicated to the conservation of lands and preservation of cultural resources. Much of the lands of Nantucket, Martha's Vineyard, and Cape Cod have been protected through public agencies, regulatory authorities, private land conservancies, and land trusts. A wide variety of landscape/seascape character types have been protected, from ocean beaches to open moors to upland forests. Examples of the commitment to preservation on the islands and Upper Cape Cod include, but are not limited to: measures to finance preservation through real estate transfer fees and property tax surcharges (Nantucket and Martha's Vineyard), the actions of various organizations focused on conservation and preservation (e.g., NLB, NCF, Nantucket Land Council [NLC], Massachusetts Audubon Society, Nature Conservancy, Martha's Vineyard Land Bank, Vineyard Open Land Foundation, The Trustees of Reservations (Nantucket and Martha's Vineyard), Sheriff's Meadow Foundation, Committee Land Trust and others), and the overall extent of land preservation achieved (more than 14,900 acres on Nantucket (NCF, 2018; Trustee of Reservations, 2021; NLC, 2021; Mass Audubon, 2021; Smart Preservation, 2021; NLB, 2021; more than 19,995 acres on Martha's Vineyard (Vineyard Conservation Society [VCS], 2021), and more than 11,000 acres near Falmouth and Mashpee (Falmouth Land Trust [FLT], undated; Pruetz, 2011).

### 5.2.1.2 Landscape/Seascape/Ocean Character Types

Landscape/seascape/ocean character types explain the unique combination of elements and features that make landscapes distinctive by mapping and describing character types and areas. They also show how the landscape is perceived, experienced and valued by people. Landscape/seascape/ocean character types found within the Project Area include:

- · Open Ocean;
- Ocean Beach;
- Dunes;
- Coastal Scrub;

- Ponds/Tidal Marsh;
- Coastal Bluffs;
- Rural/Suburban Residential;
- Commercial;
- Light Industrial;
- Village/Town;
- Fields/Meadows;
- Parks/Developed Recreation; and
- Forests/Woodlands.

These character types are provided as a baseline of physical landscapes found within in the APVI for the VIA. The prevalence and location of each character type are provided for Martha's Vineyard (Figure 5-5) and Nantucket (Figure 5-11). Descriptions and representative photos of each character type are provided in Figure 5-16 through Figure 5-25. The total area and percent of each character type where the Project is potentially visible is provided in Table 5-5. The description of each KOP includes identification of the landscape/seascape and ocean character types associated with that KOP (see Table 5-6 and Table 5-7). It should be noted that the presentation of these character types is to provide important context for the views and viewer groups associated with each KOP. No construction activities are anticipated to occur on either Nantucket or Martha's Vineyard.

#### **5.2.1.3** Historic Districts


Landscape/seascape character type areas within the Historic Districts of Martha's Vineyard and Nantucket are important to evaluate as these areas are significant and often visually and culturally sensitive. The whole island of Nantucket is designated as a Historic District, therefore all of the character types listed in the section above are relevant when discussing the Historic Districts. All of the KOPs taken into consideration on Nantucket accounted for the historical significance that is presented throughout the island.

There are eight areas designated as Historic Districts on Martha's Vineyard, as displayed in Figure 5-6 through Figure 5-9, some of which intersect with Potential Environmental Justice Communities. The Historic Districts on Martha's Vineyard are located in Aquinnah, Chilmark, West Tisbury, Tisbury, Vineyard Haven, Oak Bluffs, and Edgartown. Half of the Historic Districts are characterized as forests/woodlands and natural areas, while the other half are located in Villages/Town centers (Edgartown, Vineyard Haven, Oak Bluffs, and Tisbury). The Historic Districts within the viewshed were visited and evaluated for visibility, but the Project will not be visible from any of the Historic Districts on Martha's Vineyard. The areas are highlighted in Figure 5-5 and quantitative data concerning visibility of the Project Area are contained in Table 5-5.

#### **5.2.1.4** Environmental Justice Communities

Environmental Justice (EJ) communities on Martha's Vineyard and Nantucket (see Figure 5-5 to Figure 5-14) are within the APVI. These areas have been mapped by the Massachusetts Bureau of Geographic Information based upon the 2021 Climate Act demographic criteria using data compiled from the U.S. Census Bureau's (USCB's) 2015-2019 American Community Survey 5-Year Estimates (MassGIS, 2021). Areas are identified as EJ Population if a neighborhood meets one or more of the following:

- the annual median household income is not more than 65 percent of the statewide annual median household income
- minorities comprise 40 percent or more of the population
- 25 percent or more of households lack English language proficiency
- minorities comprise 25 percent or more of the population and the annual median household income of the municipality in which the neighborhood is located does not exceed 150 percent of the statewide annual median household income



Data sources: ESRI, 2020

Figure 5-5. Landscape/Seascape and Ocean Character Types Martha's Vineyard: Overview




Figure 5-6. Landscape/Seascape and Ocean Character Types Martha's Vineyard: Inset 1




Figure 5-7. Landscape/Seascape and Ocean Character Types Martha's Vineyard: Inset 2




Figure 5-8. Landscape/Seascape and Ocean Character Types Martha's Vineyard: Inset 3




Figure 5-9. Landscape/Seascape and Ocean Character Types Martha's Vineyard: Inset 4





Figure 5-10. Landscape/Seascape and Ocean Character Types Martha's Vineyard: Inset 5



Data sources: ESRI, 2020

Figure 5-11. Landscape/Seascape and Ocean Character Types Nantucket: Overview




Figure 5-12. Landscape/Seascape and Ocean Character Types Nantucket: Inset 1




Figure 5-13. Landscape/Seascape and Ocean Character Types Nantucket: Inset 2





Figure 5-14. Landscape/Seascape and Ocean Character Types Nantucket: Inset 3



Note: "Historic" includes all properties and resources listed in MACRIS. Details provided in COP Appendix S, Analysis of Visual Effects to Historic Properties.

Figure 5-15. Landscape/Seascape and Ocean Character Types Nantucket: Inset 4

Table 5-5. Area of Landscape/Seascape and Ocean Character Types within the Offshore Project Area Viewsheds

Landcover / Open Ocean	Acres (hectares) of Landscape/ Seascape and Ocean Character Type	Acres (hectares) within APVI	Percentage of Landscape/Seascape Character Type in APVI
Martha's Vineyard Viewshed			
Coastal Bluffs	100.92 (40.77)	28.04 (11.35)	27.78
Coastal Scrub	5,873.36 (2,372.84)	1,025.99 (415.20)	17.47
Commercial	278.91 (112.68)	0.00 (0.00)	0.00
Dunes	396.73 (160.28)	183.31 (74.18)	46.20
Environmental Justice Community	8,246.23 (3,331.48)	726.44 (293.98)	8.81
Fields/Meadows	22.6 (9.13)	10.90 (4.41)	48.22
Forests/Woodlands	59,350.69 (23,977.68)	3,488.70 (1,411.83)	5.88
Historic	866.03 (349.88)	17.28 (6.99)	2.00
Light Industrial	866.59 (350.1)	0.00 (0.00)	0.00
Ocean Beach	731.27 (295.43)	459.59 (181.94)	61.48
Parks/Developed Recreation	1,113.73 (449.95)	0.02 (0.01)	0.00
Rural/Suburban Residential	56,058.02 (22,647.44)	4,570.28 (1,849.53)	8.15
Ponds/Tidal Marsh	10,221.75 (4,129.59)	3,041.43 (1,230.82)	29.75
Village/Town	2,254.34 (910.75)	16.55 (6.70)	0.73
Nantucket Viewshed			
Coastal Bluffs	38.14 (15.41)	5.58 (2.26)	14.62
Coastal Scrub	17,529.77 (7,082.03)	1,347.11 (545.16)	7.68
Commercial	158.77 (64.14)	18.13 (7.33)	14.81
Dunes	500.4 (202.16)	360.06 (145.71)	71.95
Environmental Justice Community	2,287.93 (924.32)	560.53 (226.84)	24.50
Fields/Meadows	208.8 (84.35)	0.00 (0.00)	0.00
Forests/Woodlands	371.52 (150.1)	3.02 (1.22)	0.81

Landcover / Open Ocean	Acres (hectares) of Landscape/ Seascape and Ocean Character Type	Acres (hectares) within APVI	Percentage of Landscape/Seascape Character Type in APVI
Historic	36,160.62 (14,608.89)	4,002.89 (1,619.91)	11.07
Light Industrial	631.99 (255.32)	343.78 (139.12)	59.91
Ocean Beach	677.76 (273.81)	396.86 (160.06)	58.55
Parks/Developed Recreation	1,157.75 (467.73)	237.21 (96.00)	20.49
Rural/Suburban Residential	3,800.08 (1,535.23)	293.03 (118.58)	7.71
Ponds/Tidal Marsh	5,620.06 (2,270.51)	124.45 (50.36)	2.21
Village/Town	1,694.94 (684.76)	5.26 (2.13)	0.31
Ocean Character Type			
Open Ocean	5,200,000 (2,100,000)	5,200,000 (2,100,000)	-

#### Notes:

The percentage of open ocean and the ocean character type was not calculated. The APVI is not limited on the open ocean by any topographic relief, vegetation or structures. Therefore, all open ocean within the 43 mile (69.2 km) limit of the viewshed analysis is in the APVI.

These areas are identified using data at the census block group level, which is generally defined to contain between 600 to 3,000 people and 240 to 1,200 housing units.

Six EJ focus areas were identified on Martha's Vineyard. Two of these groups, located in Tisbury, meet the first criteria for an EJ community, with an income that is 60 percent less than the statewide annual median household income. The neighboring town of Oak Bluff has a similar EJ community with 56 percent less than the statewide annual median household income. Because these communities are located in the northern portion of the island in an area with relatively low elevation, these neighborhoods are mostly outside of the APVI. The three remaining groups meet the second criterion for EJ populations with minority populations making up 40-62 percent of the total population. The EJ community located in the southwest portion of the island in Aquinnah is largely made up of the Wampanoag Tribe of Gay Head. Approximately 300 of the 901 remaining tribal members live in this area (Wampanoag, 2021). A significant portion of this area is within the APVI as the EJ community located in Edgartown (see Figure 5-30). Overall, 33.5 percent of the areas designated as EJ Communities are within the APVI (see Table 5-5).

In Nantucket one EJ focus area was identified west in the western portion of the island (see Figure 5-12 to Figure 5-14). This area meets the second criteria for an EJ community where 42 percent of the population is a minority. According to data provided by the United States Census, a majority of people in this block group identified as White (58.1 percent) and a smaller, yet still significant portion of the community identified as Black (26.6 percent) or two or more Races (15.3 percent), compared to Nantucket as a whole, reporting 87.3 percent of the population identifying as White, 7.8 percent of the population identifying as Black, and 3.1 percent of the population identifying as two or more races. As shown in Table 5-5, 69 percent of this area is within the APVI.



Figure 5-16. Open Ocean – Atlantic Ocean View from Lady's Beach Nantucket

Open ocean (Figure 5-16) is the most extensive and dominant character type in the study area. It includes the open Atlantic Ocean south, west, and east of the Islands, as well as the more enclosed waters of Nantucket Sound, Vineyard Sound, and Buzzards Bay. The dominant visual impression is the broad, flat expanse of water, the blue or gray color reflecting the sky, the smooth or choppy texture of the water surface, and the distant horizon line. Scenic integrity is high, with few or no existing visual intrusions. Numerous commercial fishing and recreational boats are seasonally found in the waters of the study area, and views of the Project can be from any point on the ocean surface on the south and west sides of the islands. Conditions range from flat water to choppy to rolling swells. Ferry boats are limited to inland waters on the side of the islands away from the Offshore Project Area. The open ocean character type is represented in all Offshore KOPs (Table 5-6 and Table 5-7).



Figure 5-17. Ocean Beach – Madaket Nantucket

Cape Cod and the islands are famous for their long, sandy beaches (Figure 5-17), particularly along the south-facing shorelines. These beaches are strong attractions for recreational users, including yearround residents, seasonal residents, and tourists. In summer, beaches can be quite crowded, while they can be nearly empty off season. The beaches are strongly visually connected to the inland dunes that abut them, and to the open ocean near shore extending to the horizon line. Views to the ocean are uninterrupted but for other people (and their gear) on the beach. Large stretches of beach afford little or no views of buildings or development, while some areas do have views to residential buildings. Beaches have a slight curvilinear form, with strong lines where they meet the tidal edge along the open water, cliffs, or the transition to the vegetated dunes. The color is tan to gray, and the texture grainy. Inland views are to dunes, scrub vegetation, and in places tidal basins, marshes, and coastal forest. Most of the area beaches are sandy, though some rocky beaches and outcrops exist on Martha's Vineyard. People come to the beach for recreational uses and personal experiences. Recreational uses include sunbathing, playing, walking, wading, or swimming, beach combing, fishing, surfing, and related activities. The beach setting also provides opportunities to experience fresh air and ocean breezes, the texture of the sand, and the feeling of the cool water and the calming sounds of the ocean tide. The ocean beach character type is represented by nine KOPs on Martha's Vineyard (Table 5-6) and nineteen KOPs on Nantucket (Table 5-7).



Figure 5-18. Dunes – Long Point Beach Martha's Vineyard.

Open and grassy low-stature Dunes (Figure 5-18) often border beaches, particularly on the southfacing shorelines. These dunes rise to approximately 20 ft (6.1 m) at their highest point. Much of the dune area is partially covered by grasses and native shrubs and traversed by paths that link the beach to homes, towns, and roads in the interior. The dunes are often tall and vegetated enough to block ocean views from the inland side but afford sweeping views of the ocean at their crests. They are visually linked to the interior scrub or short forest, as well as to the beaches and open ocean. Dunes have rounded forms, with a tan to green to seasonal vegetation color, and a fine patchy texture. Lines can be weak or strong where the dunes meet ocean beaches. Scenic integrity is of high ecological value, providing natural character with few visual intrusions other than sporadic residential buildings and fencing. Strong linear road passages can be found cutting through the dunes, linking one beach access point to another. The dunes are used primarily by recreational users coming to and from the beaches and heighten the anticipation of seeing and reaching the shore. The coastal dunes character type is represented by five KOPs on Martha's Vineyard (Table 5-6) and seven KOPs on Nantucket (Table 5-7).



Figure 5-19. Coastal Scrub – Long Point Preserve Martha's Vineyard.

Behind the dunes, inland from the beaches, is an extensive Coastal Scrub brush vegetation matrix of stunted pine, oak, shrubs, and grassland (Figure 5-19). The terrain is gentle, flat to slightly rolling, with low hills and shallow depressions. The vegetation can be dense and difficult to traverse where there are no defined trails or roads. Views to the open ocean are often blocked or obscured, except for places where the terrain is high, and the woody vegetation is interrupted by grassland. Coastal scrub areas have coarse to fine texture, changing seasonal color, indistinct lines, and a rolling form. Scenic integrity is very high and can include historic buildings, fencing, paths, and other compatible cultural features. The coastal scrub character type is represented by four KOPs on Martha's Vineyard (Table 5-6) and four KOPs on Nantucket (Table 5-7).



Figure 5-20. Ponds/Tidal Marsh – Long Pond Nantucket

Ponds (mostly salt ponds) and Tidal Marshes (Figure 5-20) are numerous on the islands and Cape Cod. They are spaced behind the beaches and dunes, mostly closed off from the ocean except during extreme high-water events. Some are connected by tidal channels. They are shallow, brackish, and fringed by salt-tolerant grasses and shrubs. They vary greatly in size. Most have shallow water, and those with channels that connect to the ocean have fluctuating water levels depending on the tide. Some have exposed mud flats. Wildlife can be abundant, attracting residents, clam diggers, recreational scallop harvesters, bird watchers, and recreational boats that take advantage of the quiet, sheltered waters. Colors vary seasonally and even daily. Texture tends to be smooth with coarser edges. Forms are flat, or low and irregular. Lines can be strong, with open water giving way to mudflats sandy beach edges, to grasses, then to shrubs or trees based on slight elevation changes. Scenic integrity varies depending on the amount and type of development that often fringes these areas. Views may be open to the ocean or screened depending on adjacent landforms and vegetation height. Housing is often visible on the shorelines of the open water tidal ponds. The Pond/Tidal Marsh character type is represented by one KOP on Martha's Vineyard (Table 5-6) and three KOPs on Nantucket (Table 5-7).



Figure 5-21. Coastal Bluffs - Aquinnah Head, Martha's Vineyard

Coastal Bluffs (Figure 5-21) are primarily found along the shores of Martha's Vineyard and Nantucket at Siasconset, Gay Head, Aguinnah, Oak Bluffs, Wasque Point, and East Chop. The bluffs rise steeply to 100 ft (30 m) or more. They are strongly connected to the open sea, allowing far vistas from high viewpoints. Experiencing the views from them is a popular activity for residents and visitors alike. Forms are irregular, with steep, eroded side slopes giving way to flat tops and bases. Color is highly contrasting, with light colored, sandy barrens intermingling with green grasses and shrubs. Textures range from very smooth to rough, depending on underlying geology and exposure. Lines can be strong, with horizontal lines at the top and bottom, sharp descending lines along the slopes. Scenic integrity is very high, and can include historic buildings, lighthouses, and the shingled restaurant perched on Gay Head. The coastal bluff character type is represented by five KOPs on Martha's Vineyard (Table 5-6) and two KOPs on Nantucket (Table 5-7).



Figure 5-22. Rural/Suburban Residential Area in Nantucket

Residential development is a common character type near the shores of the islands and Cape (Figure 5-22). There is a range of scale and density. from small cottages to mansions. Some areas are developed to town-type densities, while others are more spread out and rural, such as the south shores of Martha's Vineyard and Nantucket. Vegetation is often patchy low scrub and woodland, with open grass areas that facilitate views of the ocean, dunes, and marshes. Building styles range from historic to neo-traditional to contemporary, and sport traditional features such as shingled exteriors, steep-sloping roofs, and widow walks. Privet hedges and picket or rail fences provide a homev character to some neighborhoods. Terrain is typically flat to rolling. Colors include the gray shingled exterior of homes and outbuildings, green grass, and seasonal foliage of trees and shrubs. Linear horizontal and vertical features are visually evident within the built setting and influence the aesthetic within the constructed setting. Cobblestone roads, gravel and paved driveways, low wood picket fences, vegetated hedge rows used for privacy and delineation of property lines and property boundaries, and utility lines influence edge conditions and direct the viewer attention. Forms are irregular. Textures range from smooth (roofs, lawns) to rough (tree and shrub patches). Visual integrity ranges from high in historic areas, to lower where development is not compatible with the less developed surroundings. Large trees are rare on Nantucket, but more common on Martha's Vineyard. The residential area character type is represented by two KOPs on Nantucket (Table 5-7).



Figure 5-23. Village/Town, Nantucket Village.
Nantucket

Villages and Towns such as Nantucket (Figure 5-23), Falmouth, Woods Hole, Oak Bluffs, Edgartown, and Vineyard Haven are denser and more built up, with multiple use areas, and residential communities. These are village settings, some with highly-valued historic features and character. Architecture varies in style and age, but buildings typically do not exceed two floors. The landscape is typically manicured. Colors are dominated by the gray, white, red, and orange of the buildings, brick sidewalks, and cobblestone streets. Lines are strong, with streets, trees, and buildings reinforcing each other. Texture is rich and grainy. Forms are rectilinear and angular, shaped by the buildings and their roof lines. Visual integrity is mostly very high as these areas are dominated by historic buildings, or compatible ones. The villages/towns function as ports, either pleasure boat or commercial, and so they have strong linkages to the sea. However, views out from the villages to the open ocean are rare or non-existent. The village/town character type is represented by four KOPs on Martha's Vineyard (Table 5-6) and three KOPs on Nantucket (Table 5-7).



Figure 5-24. Fields/Meadows, Sanford Farm at Historic Barn Overlook, NCF

Fields and Meadows (Figure 5-24) are limited in extent. Work has gone into preserving remnant farms through conservation easements or land purchases. Remaining farms often have a historic character and are in the interior of the islands and Cape Cod. Distant views to the open ocean are available in a few locations, where the terrain is relatively high. The land is kept open, including Bartlett's Farm on Nantucket and the Allen Farm on Martha's Vineyard. The Field/Meadow character type is represented by one KOP on Martha's Vineyard (Table 5-6) and two KOPs on Nantucket (Table 5-7).



Figure 5-25. Forests/Woodlands, Tisbury Great Pond Martha's Vineyard

Forests and Woodlands (Figure 5-25) were once more common on the islands and are recovering from past disturbances. They are found mostly in the interior of the islands, particularly on Martha's Vineyard (Manuel Collins State Forest) and on Cape Cod. Topography is rolling. Views are enclosed, restricted by forest vegetation in most areas. Forests are low- to mid-stature, mixed conifer and hardwood, typically with trees no more than 50 ft (15.2 m) tall, often combined with, or integrated with, other character types, including residential land, fields, and coastal scrub. The forest/woodland character type is represented by two KOPs on Martha's Vineyard (Table 5-6).



Figure 5-26. Light Industrial, Nantucket Memorial Airport

Industrial areas (Figure 5-26) are limited on Nantucket and Martha's Vineyard. Both islands put effort in limiting the build out of industrial development. Industrial areas are mainly located around the airports and town centers (Figure 5-7, Figure 5-8, and Figure 5-13).



Figure 5-27. Commercial, Nantucket Meat and Fish Market

Commercial areas (Figure 5-27) are limited on Nantucket and Martha's Vineyard. As with the Light Industrial landscape units, commercial facilities are mainly within the interior portions of the islands, some on the outskirts of the airport or incorporated within the town centers. KOPs were evaluated on Martha's Vineyard and Nantucket within commercial areas for potential visibility, but in most cases, the commercial structures were outside of the viewshed or screened visibility towards the Project.

## 5.2.2 Receptors/Viewers - Offshore

Viewers are the people who ultimately will see the Project and experience its effects. Other receptors may include locations of historical importance. The viewer groups and context associated with the Offshore Project Area are described in the sections that follow. Viewer groups are identified for each KOP and are summarized for each in Table 5-6 and Table 5-7.

### **5.2.2.1** Offshore Viewer Groups and Contexts

Viewers associated within the viewing area of the Project include the communities of Martha's Vineyard and Nantucket, and are made up of recreational users, tourists, year-round and seasonal residents, and workers. Viewers engage in many aspects of passive and active recreation including hiking, cycling, running, beach recreation, surfing, swimming, and experiencing scenic panoramic views of the open ocean. On clear days, views extend to the horizon with sporadic glimpses of recreational and commercial vessels in the ocean (Figure 5-28).

The landscape character within the APVI varies from natural to cultural, depending on viewer position, the type of activity the viewer is engaged in, and the level of exposure to the Project. This variability in character and the quality of the setting for where the viewer is seeing the Project is a defining attribute of the landscape/seascape and open ocean setting.

Receptors are the people who ultimately will see the Project and experience its effects. There is an expectation that most receptors will be sensitive to visual changes from KOPs on Nantucket, Martha's Vineyard, and the other islands. This expectation is based on public input on previous projects in the area, as well as direct discussions with key stakeholders. The focus of this VIA is quantifying these viewer groups and their experiences. For the Mayflower Wind Project, relative to its position off the islands of Martha's Vineyard and Nantucket, the following groups of receptors/viewers were selected:

- Year-round residents;
- Seasonal residents;
- Scenery-oriented tourists;
- Recreation-oriented tourists;
- Tourism-related businesses;
- Recreational mariners; and
- Commercial mariners.



Figure 5-28. Residents and Tourists
Visiting Madaket Beach at Dusk for the Sunset

### 5.2.2.1.1 Year-Round Residents

Martha's Vineyard has a population of approximately 17,000 year-round residents. Nantucket has a population of approximately 11,000 year-round residents. Residents live either in one of the small towns that characterize the area, or outside the towns in rural to semi-rural settings. It is assumed that all or nearly all residents will spend time at places where Project features will be visible, including beaches, parks, conserved areas, trails, and/or historic sites.

#### 5.2.2.1.2 Visitors and Tourism

The islands of Nantucket and Martha's Vineyard are a major attraction and contribute to the growing population in the summer months. In addition to the year-round residents, summer visitors and seasonal

residents bring the population to more than 200,000 on Martha's Vineyard and more than 50,000 on Nantucket. According to the Martha's Vineyard Chamber of Commerce, approximately 55 percent of visitors come for vacation, 25 percent come to visit family and friends, and 20 percent come for an event (wedding, conference, etc.). Martha's Vineyard has approximately 65,000 seasonal homeowners (Martha's Vineyard Chamber of Commerce, 2020).

The height of the tourist season is July through August, during the traditional summer vacation season. Ferries, hotels, rentals, and beaches are busy during these months. According to the Nantucket Chamber of Commerce, tourist-related businesses make most of their annual income in this short period. Visitors come for many reasons: ocean scenery, historic buildings, towns and sites, active recreation, nature, or an escape from summer heat. It can be presumed that scenery, including the beaches and ocean, is an important factor. Active recreational users, such as surfers, boaters, water skiers, and swimmers, may have less interest in viewing scenery while they are recreating, but the setting may contribute to why they are drawn to the area. It is assumed that many, if not most, tourists will visit places from which the Project features will be visible, particularly ocean beaches.

According to the 2019 U.S. Census Bureau, Martha's Vineyard has 1,203 total employer establishments and Nantucket has 1,092. Approximately 35 of the businesses on Martha's Vineyard are at least 75 percent dependent on tourism (Martha's Vineyard Commission, 2006). Offshore wind development may contribute to the tourist economy within the Project Area. According to the article Sustainability and tourism: the effect of the United States first offshore wind farm on the vacation rental market (Carr-Harris and Lang, 2019), tourism on Block Island has increased by 19 percent since the installation and construction of offshore wind development.

#### 5.2.2.2 Historical Importance

The historical value of properties around Cape Cod, Nantucket, and Martha's Vineyard are important to take into consideration for both the local communities and BOEM. Section 106 of the NHPA of 1966 (54 U.S. Code Section 300308) defines historic properties as "any prehistoric or historic district, site, building, structure, or object included on, or eligible for inclusion on, the National Register, including artifacts, records, and material remains relating to the district, site, building, structure, or object." "Time Depth" describes visible links to cultural heritage, human influence, and historic character (LI and IFMA 2013). Some landscapes and seascapes within and around the Project Area contain many layers of history. Historically-valued properties, particularly those that are listed in or eligible for listing in the National Register of Historic Places (NRHP) were identified in COP Appendix S, Analysis of Visual Effects to Historic Properties (AVEHP) and researched in order to understand the value that these properties hold and the role they play in defining an area.

Within the Area of Potential Effect (APE) defined in the AVEHP report (COP Appendix S, Analysis of Visual Effects on Historic Properties), there are 88 previously documented historic properties in the offshore APE. Of these, four historic properties are on Nantucket and 82 historic properties are on Martha's Vineyard. The entire island of Nantucket is a National Historic Landmark district, but the island also contains two light stations and one individual resource that are considered NRHP historic properties. Martha's Vineyard contains six historic districts, six individual resources, four light stations, and one Traditional Cultural Property (TCP; Chappaquiddick Island). Two other TCPs are present in the offshore APE: Nantucket Sound comprises the waters between both islands and mainland Cape Cod and Vineyard Sound and Moshup's Bridge TCP is located on the north western side of Martha's Vineyard, extending from Wood's Hole to Cuttyhunk Island. An example of an historic property on Nantucket is the Sankaty Head Lighthouse located on the east side of Nantucket. It is significant for its association with maritime navigation and its architecture. The Sankaty Head Lighthouse fell within the viewshed and the site was visited in the field and determined to have a potential view of the Offshore Project Area. On Martha's Vineyard, Chappaguiddick Island was inhabited by a branch of the Wampanoag Indian Tribe into the nineteenth century and members are currently settled on the island's interior land. This island is in the viewshed of offshore Project components and was evaluated in the field for potential to view the Project.

### 5.2.3 Selection of Offshore KOPs

KOPs represent both common and sensitive views that fall within the APVI as represented in the Viewshed Analysis. KOPs are used to assess potential changes to landscape/seascape and ocean character that could result from the Project. The selection of KOPs includes viewer distance to nearest WTGs (Figure 5-29).

The KOP list includes a broad selection of view types. KOPs represent views of the Project from multiple angles, distances, vantages, and viewers (residents, tourists, and economic interests). The KOPs evaluated in this analysis are provided in Table 5-6 (Martha's Vineyard) and Table 5-7 (Nantucket). Maps showing KOPs evaluated on Martha's Vineyard and Nantucket are shown in Figure 5-30 through Figure 5-34 and Figure 5-35 through Figure 5-38, respectively.

The KOPs were assessed for potential visibility to the Mayflower Wind Lease Area. These were analyzed using the following criteria (the numbers following each criterion are referenced in Table 5-6 (Martha's Vineyard) and Table 5-7 (Nantucket).

- Distance to the nearest WTGs (1);
- View exposure (degree of foreground screening) (2);
- Level of use (3);
- Iconic views (4);
- Sensitivity of users to view change (5);
- How well the site may represent additional typical views (6);
- Historic or cultural importance of the site (7);
- Tourism importance of the site (8);
- Uniqueness (9);
- Type of viewpoint: stationary (i.e., designated point, historic site), area based (i.e., beach, town), and corridor (i.e., trail, scenic road) (10);
- Topography: Include high points, low points, common elevations (11);
- Public interest (12); and
- Viewer experience (13).




Figure 5-29. Offshore KOP Selection Overview Map




Figure 5-30. KOPs on Martha's Vineyard




Figure 5-31. Martha's Vineyard KOP Map: Overview




Figure 5-32. Martha's Vineyard KOP Map: Inset 1




Figure 5-33. Martha's Vineyard KOP Map Inset 2




Figure 5-34. Martha's Vineyard KOP Map: Inset 3

Table 5-6. Martha's Vineyard KOPs for Offshore Project Components

KOP Number	Name	Municipality	Resource Type	Landscape/ Seascape and Ocean Character Type	Viewer Groups	Selection Factors <sup>1</sup>	Distance to Nearest WTGs (mi [km])	In / Out of Viewshed	Project Visible from KOP?
1-MV	Wasque Point	Edgartown	Open Space Conservation; Chappaquiddick Island TCP/NRHP Historic Property	Ocean Beach, Costal Scrub, , Rural/Residential	Recreational Users, Residents, Tourists	1, 2, 4, 6, 7, 8, 9, 10, 11, 12, 13	31.19 (50.20)	In Viewshed	Yes
2-MV	Wasque Point Reservation	Edgartown	Open Space Conservation; Chappaquiddick Island TCP/NRHP Historic Property	Open Ocean, Ocean Beach, Coastal Scrub, Rural/Residential	Recreational Users, Residents, Tourists	1, 2, 7, 8, 9, 10, 11, 13	31.21 (50.23)	In Viewshed	Yes
3-MV	Wasque Avenue	Edgartown	Public Road, Open Space Conservation; Chappaquiddick Island TCP/NRHP Historic Property	Coastal Scrub, Rural/Residential, Open Ocean, Ocean Beach	Recreational Users, Residents, Tourists	1, 7, 8, 10, 11	31.59 (50.84)	In Viewshed	Yes
4-MV	South Beach	Edgartown	Public Open Space	Open Ocean, Ocean Beach, Coastal Scrub, Rural/Residential	Residents, Tourists, Recreational Users	1, 2, 3, 5, 6, 8, 10, 11, 12, 13	32.49 (52.30)	In Viewshed	Yes
5-MV	Wilson's Landing	Edgartown	Public Open Space	Ocean Beach, Coastal Scrub	Residents, Tourists, Recreational Users	1, 9, 10, 11	34.08 (56.00)	In Viewshed	Yes
6-MV	Long Point Beach	West Tisbury	Wildlife Refuge, Recreation	Open Ocean, Ocean Beach, Coastal Scrub, Ponds/Tidal Marsh	Residents, Recreational Users, Tourists	1, 2, 3, 5, 6, 8, 10, 11, 12, 13	34.93 (56.21)	In Viewshed	Yes
7-MV	Tississa Pond (beach at end of hiking trail)	West Tisbury	Recreation	Coastal Scrub	Residents	1, 9, 10, 11	32.69 (52.60)	In Viewshed	Yes
8-MV	Tississa Pond Hiking Trail	West Tisbury	Recreation	Ocean Beach	Residents	1, 9, 10, 11	36.37 (58.53)	Out of Viewshed	Yes

AECOM 5-35 Prepared for: Mayflower Wind Energy LLC

KOP Number	Name	Municipality	Resource Type	Landscape/ Seascape and Ocean Character Type	Viewer Groups	Selection Factors <sup>1</sup>	Distance to Nearest WTGs (mi [km])	In / Out of Viewshed	Project Visible from KOP?
9-MV	322 South Road	Chilmark	Residential	Open Ocean, Coastal Scrub, Forests/Woodland, Dunes, Tidal Marsh	Residents, Tourists	1, 5, 6, 9, 10, 11	37.17 (59.83)	In Viewshed	Yes
10-MV	Barn House/ Skiff-Mayhew (Vincent House)	Chilmark	NRHP Historic Property	Coastal Scrub	Residents, Recreational Users	1, 7, 10, 12	37.88 (60.96)	In Viewshed	Yes
16-MV	Squibnocket Beach	Aquinnah	Public Recreation	Open Ocean, Ocean Beach	Residents, Recreational Users	1, 2, 3, 5, 6, 10, 11, 12, 13	37.94 (61.05)	In Viewshed	Yes
Reviewed	d for Visibility								
12-MV	Katama Point Public Boat Launch	Edgartown	Public Recreation	Ocean Beach	Residents, Recreational Users	1, 10, 11, 12	32.18 (51.78)	In Viewshed	No visibility Screened by existing vegetation, buildings and vegetated dune
13-MV	Lucy Vincent Beach	Chilmark	Recreation	Ocean Beach, Dunes	Residents, Recreational Users	1, 2, 3, 5, 11, 12, 13	37.65 (60.59)	In Viewshed	Yes (no access due to private beach)
14-MV	Quammox Road	Edgartown	Public Road	Village/Town Center	Residents	1, 5, 10, 11	32.42 (52.17)	In Viewshed	No visibility due to enclosure within existing vegetation
15-MV	Aquinnah Cliffs Overlook	Aquinnah	National Natural Landmark	Coastal Bluffs	Tourists	3, 4, 7, 8, 9, 10, 11, 12, 13	41.98 (67.56)	Out of Viewshed	No
17-MV	Chilmark General Store	Chilmark	Town	Village/Town Center	Residents, Tourists	1, 3, 12	38.42 (52.17)	Out of Viewshed	No Screened by existing vegetation and residential structures
18-MV	Moshup Trail	Aquinnah	Public Recreation	Ocean Beach	Residents, Tourists	3, 8, 10, 11	40.72 (65.53)	Out of viewshed	No visibility due to landform

KOP Number	Name	Municipality	Resource Type	Landscape/ Seascape and Ocean Character Type	Viewer Groups	Selection Factors <sup>1</sup>	Distance to Nearest WTGs (mi [km])	In / Out of Viewshed	Project Visible from KOP?
19-MV	Gay Head Lighthouse	Aquinnah	NRHP Historic Property	Coastal Bluffs	Tourists	3, 4, 7, 8, 9, 10, 11, 12	41.93 (67.47)	Out of Viewshed	No
20-MV	Aquinnah Town Hall	Aquinnah	NRHP Historic Property; within Aquinnah Town Center Historic District	Coastal Bluffs	Residents, Tourists	7	40.81 (67.28)	Out of Viewshed	No Distance to Project is estimated to be below horizon line
21-MV	Aquinnah Cultural Center	Aquinnah	NRHP Historic Property	Coastal Bluffs	Tourists	3, 7, 8	41.82 (67.30)	Out of Viewshed	No distance to Project is estimated to be below the horizon line
22-MV	Philbin Beach	Aquinnah	Public Recreation	Ocean Beach	Residents, Tourists	3, 6, 10, 11, 12, 13	41.15 (67.14)	Out of Viewshed	No visibility due to landform
23-MV	421 Allen Farm South Road	Chilmark	Residential, Recreation	Agricultural, Open Fields	Residents, Tourists	1, 9, 10, 11	37.88 (60.96)	Out of Viewshed	No visibility due to vegetation and landform
24-MV	Chappy Point, Gardner Beach	Edgartown	Public Recreation	Village/Town Center	Residents, Tourists, Recreational Users	1, 3, 5, 8, 10, 11, 12, 13	34.71 (55.86)	In Viewshed	No visibility due to existing structure and landform
25-MV	Edgartown Harbor within Edgartown Village Historic District	Edgartown	NHRP	Village/Town Center	Residents, Tourists	1, 3, 7, 8, 10, 12	34.75 (55.92)	Out of Viewshed	No visibility due to existing structures

KOPs selected for the development of representative simulations are identified with gray shaded rows; KOPs selected for simulation include: 1-MV, 2-MV, 3-MV, 4-MV, 6-MV, 9-MV, and 16-MV. <sup>1</sup>See bulleted list in Section 5.2.3 for associated factors for KOP selection.

AECOM 5-37 Prepared for: Mayflower Wind Energy LLC




Figure 5-35. KOPs on Nantucket




Figure 5-36. Nantucket KOP Map: Overview

AECOM Prepared for: Mayflower Wind Energy LLC




Figure 5-37. Nantucket KOP Map: Inset 1

Prepared for: Mayflower Wind Energy LLC

AECOM




Figure 5-38. Nantucket KOP Map: Inset 2

Prepared for: Mayflower Wind Energy LLC

AECOM

**Table 5-7. Nantucket KOPs for Offshore Project Components** 

KOP Number	Name	Municipality	Resource Type	Landscape/ Seascape and Ocean Character Type	Viewer Groups	Selection Factors <sup>1</sup>	Distance to Nearest WTGs (mi [km])	In / Out of Viewshed	Project Visible from KOP?
1-N	Surfside Beach	Nantucket	Public Recreation	Ocean Beach, Dunes	Residents, Recreational Users	1, 2, 3, 4, 5, 6, 10, 11, 12, 13	23.71 (38.15)	In Viewshed	Yes
2-N	Sanford Farm Barn Overlook	Nantucket	Public Open Space Conservation	Coastal Scrub, Open Ocean, Pond/Tidal Marsh, Fields/Meadows, Rural/Residential	Residents, Tourists, Recreational Users	1, 2, 3, 5, 7, 9, 10, 11, 12	24.37 (39.22)	In Viewshed	Yes
3-N	Madaket Beach (Haze)	Nantucket	Public Recreation	Ocean Beach, Dunes	Residents, Tourists, Recreational Users	1, 2, 3, 4, 5, 6, 8, 9, 10, 11, 12, 13	24.39 (39.25)	In Viewshed	Yes
4-N	Siasconset Beach	Nantucket	Public Recreation	Ocean Beach	Residents	1, 2, 3, 5, 6, 10, 11, 12, 13	28.07 (45.17)	In Viewshed	Yes
5-N	Siasconset Bridge	Nantucket	Public Recreation	Ocean Beach	Residents	1, 2, 3, 5, 9, 10, 11, 12	28.05 (45.14)	Out of Viewshed	No Enclosed between ridge, vegetation, and residence
6-N	Tom Nevers Beach	Nantucket	Public Recreation	Ocean Beach, Open Ocean, Dunes	Residents, Tourists, Recreational Users	1, 2, 4, 6, 10, 11, 12, 13	26.56 (42.77)	In Viewshed	Yes
7-N	Low Beach	Nantucket	Town	Ocean Beach	Residents	1, 2, 6, 10, 11, 13	27.46 (44.19)	In Viewshed	Yes
8-N	Tom Nevers Field	Nantucket	Public Recreation	Open Ocean, Coastal Bluffs, Dunes, Coastal Scrub	Residents, Recreational Users, Tourists	1, 2, 3, 6, 9, 10, 11, 12, 13	25.68 (41.33)	In Viewshed	Yes
9-N	Madequecham 5	Nantucket	Public Recreation	Ocean Beach	Residents, Recreational Users	1, 2, 5, 6, 10, 11, 12, 13	25.13 (40.44)	In Viewshed	Yes

KOP Number	Name	Municipality	Resource Type	Landscape/ Seascape and Ocean Character Type	Viewer Groups	Selection Factors <sup>1</sup>	Distance to Nearest WTGs (mi [km])	In / Out of Viewshed	Project Visible from KOP?
10-N	Nobadeer Beach	Nantucket	Public Recreation	Open Ocean, Ocean Beach, Dunes, Residential	Residents, Tourists, Recreational Users	1, 2, 3, 5, 6, 8, 10, 11, 12, 13	23.31 (37.51)	In Viewshed	Yes
11-N	Miacomet Beach and Pond	Nantucket	Public Recreation	Open Ocean, Dunes, Ponds, Tidal Marsh, Residential	Residents, Tourists, Recreational Users	1, 2, 5, 6, 10, 11, 12, 13	23.49 (37.80)	In Viewshed	Yes
12-N	Cisco Beach (Clear Skies)	Nantucket	Public Recreation	Open Ocean, Ocean Beach, Dunes, Ponds/Tidal Marsh, Residential	Residents, Tourists, Recreational Users	1, 2, 3, 5, 6, 8, 10, 11, 12, 13	23.61 (38.00)	In Viewshed	Yes
12-N	Cisco Beach (Overcast Skies)	Nantucket	Public Recreation	Open Ocean, Ocean Beach, Dunes, Ponds/Tidal Marsh, Residential	Residents, Tourists, Recreational Users	1, 2, 3, 5, 6, 8, 10, 11, 12, 13	23.61 (38.00)	In Viewshed	Yes
13-N	Hummock Pond Road Bike Path	Nantucket	Recreation	Open Ocean, Pond/Tidal Marsh, Field/Meadow, Coastal Shrub, Rural/Residential	Residents, Tourists, Recreational Users	1, 3, 10, 11, 12	23.82 (38.33)	In Viewshed	Yes
14-N	Eel Point	Nantucket	Public Recreation	Dunes, Nantucket Sound	Residents, Recreational Users, Tourists	1, 10, 11	25.96 (41.77)	In Viewshed	No View is screened behind coastal dunes and residential structures toward the Project
15-N	Altar Rock	Nantucket	Public Recreation	Coastal Shrub	Recreational Users, Tourists	1, 4, 9, 10, 11	27.67 (60.62)	Out of Viewshed	No
16-N	Head of Plains	Nantucket	Public Recreation	Ocean Beach, Open Ocean, Dunes	Residents, Tourists, Recreational Users	1, 2, 5, 6, 10, 11, 12, 13	23.98 (38.59)	In Viewshed	Yes

Prepared for: Mayflower Wind Energy LLC

KOP Number	Name	Municipality	Resource Type	Landscape/ Seascape and Ocean Character Type	Viewer Groups	Selection Factors <sup>1</sup>	Distance to Nearest WTGs (mi [km])	In / Out of Viewshed	Project Visible from KOP?	
17-N	Bartlett's Farm	Nantucket	Residential, Tourist	Agricultural, Open Fields	Residents, Tourists	1, 3, 9, 10, 12	24.01 (38.64)	In Viewshed	No; View obscured behind coastal dune and topography rises from Viewpoint to the dune	
18-N	Ladies Beach	Nantucket	Public Recreation	Ocean Beach, Open Ocean, Dunes, Coastal Scrub	Residents, Tourists, Recreational Users	1, 2, 5, 6, 10, 11, 12, 13	23.01 (37.03)	In Viewshed	Yes	
19-N	Miacomet Golf Club	Nantucket	Public Recreation	Coastal Scrub, Forests/Woodland, Parks/Developed Recreation	Tourists, Residents, Recreational Users	1, 3, 9, 10, 12	24.17 (38.90)	In Viewshed	No	
20-N	Madequecham 1	Nantucket	Public Recreation	Ocean Beach, Open Ocean, Dunes, Coastal Scrub	Residents, Tourists, Recreational Users	1, 2, 5, 6, 10, 11, 12, 13	24.91 (40.09)	In Viewshed	Yes	
21-N	Sankaty Head Lighthouse	Nantucket	Public Recreation NRHP Historic Property	Coastal Scrub, Residential, Developed Recreation, Coastal Bluff	Residents, Tourists, Recreational Users	1, 3, 4, 7, 8, 10, 11, 12	29.38 (47.28)	In Viewshed	Yes	
22-N	Madaket Beach at Sunset (Clear Skies)	Nantucket	Public Recreation	Open Ocean, Ocean Beach, Coastal Dune	Residents, Tourists, Recreational Users	1, 2, 3, 4, 5, 6, 8, 9, 10, 11, 12, 13	24.20 (38.94)	In Viewshed	Yes	
Reviewed	Reviewed for Potential Visibility									
23-N	Low Beach Road Residential Community	Nantucket	Residential	Residential	Residents	1, 3, 5, 10, 11, 12	27.75 (44.65)	In Viewshed	No; Enclosed behind coastal vegetation	

KOP Number	Name	Municipality	Resource Type	Landscape/ Seascape and Ocean Character Type	Viewer Groups	Selection Factors <sup>1</sup>	Distance to Nearest WTGs (mi [km])	In / Out of Viewshed	Project Visible from KOP?
24-N	Washington Ave and Madaket Road	Nantucket	Public Roads	Residential	Residents, Tourists	1, 3, 10, 11	24.29 (39.09)	In Viewshed	No; Direction of view is directed down the road toward the south west away from the Project.
25-N	Siasconset Golf Club	Nantucket	Private Recreation	Meadow	Residents, Recreational Users	1, 3, 10, 11	27.69 (44.56)	Out of Viewshed	No; The location is set low in the topography with no view of the Project
26-N	Madequecham 3	Nantucket	Public Recreation	Ocean Beach	Residents, Recreational Users	1, 2, 5, 6, 10, 11, 12, 13	25.00 (40.23)	In Viewshed	Yes
27-N	New South Road	Nantucket	Residential	Town	Residents, Tourists, Recreational Users	1, 10	25.43 (40.92)	In Viewshed	No; Enclosed behind existing vegetation
28-N	Milestone Rd. at South Pasture	Nantucket	Public Road	Town	Residents, Tourists	1, 10	26.41 (42.22)	Out of Viewshed	No; Low in the landscape and enclosed by existing vegetation
29-N	Hyannis/ Nantucket Ferry	Nantucket	Port/Harbor	Town	Residents, Tourists	1, 8, 10	26.51 (42.66)	Out of Viewshed	No; Faces toward Nantucket Sound away from Project. The site sits on the opposite side of the island from the Project and is screened by existing buildings, topography, and vegetation
30-N	Massachusetts Avenue	Nantucket	Residential/ Recreation beach access	Ocean Beach	Residents, Tourists, Recreational Users	1, 5, 10, 11	24.32 (39.13)	In Viewshed	Yes

Prepared for: Mayflower Wind Energy LLC

KOP Number	Name	Municipality	Resource Type	Landscape/ Seascape and Ocean Character Type	Viewer Groups	Selection Factors <sup>1</sup>	Distance to Nearest WTGs (mi [km])	In / Out of Viewshed	Project Visible from KOP?
31-N	Cisco Beach Below Sanford Farm Barn	Nantucket	Conservation Area	Shrub Scrub	Residents, Tourists, Recreational Users	1, 2, 5, 6, 10, 11, 12, 13	23.48 (37.78)	In Viewshed	Yes; No photograph -trail link between barn overlook and beach view
32-N	Tom Nevers Beach (Public Beach Access Point)	Nantucket	Recreation	Ocean Beach	Residents	1, 2, 4, 6, 10, 11, 12, 13	26.11 (43.09)	In Viewshed	Yes
33-N	Great Point Lighthouse	Nantucket	Recreation, NRHP Property	Ocean Beach, Dunes, Nantucket Sound	Tourists, Recreational Users	4, 7, 12	34.25 (55.12)	Out of Viewshed	No; View toward the Project is hidden by topography in the center of the island

<sup>\*</sup> The entire island of Nantucket is a National Historic Landmark (NHL) District. All KOP photos were taken within the NHL

KOPs selected for the development of representative simulations are identified with gray shaded rows; KOPs selected for simulation include: 2-N, 3-N, 6-N, 8-N, 10-N, 11-N, 12-N, 13-N, 16-N, 18-N, 20-N, 21-N, and 22-N

<sup>&</sup>lt;sup>1</sup>See bulleted list in Section 5.2.3 for associated factors for KOP selection.

#### 5.2.4 Offshore Visual Simulations

Photographic simulations of the WTGs/OSPs, were developed to communicate the potential for change from existing visual conditions. The KOPs selected for the development of simulations are identified in Table 5-6 for Martha's Vineyard and Table 5-7 for Nantucket, with gray highlighting. Efforts were made to secure all KOP photos under clear sky conditions. However, this was not possible in all cases. And as such, the simulations reflect a range of visual contrast possible under differing conditions (e.g., overcast/cloudy, haze, clear). Similarly, KOP photos were intended to capture a range of lighting conditions (side lit, back lit, front lit) at different times of the day (e.g., from morning through sunset). Existing condition photos and simulations are provided in Attachment 3.

## 5.3 Offshore Visual Analysis

Based on the simulations developed in the Baseline Inventory phase (Section 5.2), Visual Change and Visual Sensitivity were identified to support the characterization of potential impacts. The anticipated Visual Change associated with the Project and viewer sensitivity are discussed in the sections below. In turn, the potential for impact (see Section 5.3.4) is characterized based on the inter-relationship between Visual Change and Visual (viewer and visual resource) Sensitivity.

Visual impact during construction and installation of the offshore Project components would be limited to partially built WTGs or OSPs and vessels working out in the Atlantic Ocean and travelling back and forth between mainland ports. Construction of the WTGs and OSPs may require use of jack-up barges with mobile cranes and other large construction vessels. Structural components may be delivered via large watercraft.

The larger construction vessels will be a visible feature within the maximum theoretical area of nacelle visibility. The majority of construction is expected to occur during daylight hours, but nighttime activity may also occur. Construction vessels will have nighttime lights in accordance with U.S. Coast Guard (USCG) regulations. During dawn and dusk periods, particularly on cloudy days, work lights may be required for worker safety as well as to improve visibility on construction vessels. Work lights are generally downward directed and would not typically be oriented horizontally where visibility on shore would be increased.

A summary and description of the vessels anticipated to be used during the construction phase are provided in Sections 3.3.2.1, 3.3.3.4, 3.3.5.4, and 3.3.14 of Volume I of the COP. The COP provides the overall dimension of marine vessels, the number of vessels, number of trips, and the number of days on the water per vessel type. None of the vessels exceed 328 ft (100 m) in height including all structures on the vessel. The vessels with the most number of trips during construction are smaller support vessels. Once on site in the Lease Area, the vessels will be mostly obscured by the curvature of the earth; some diffuse light may be visible on the horizon at night. Along the ECCs during installation of the export cables, vessels will be visible as they transit through Muskeget Channel, in particular.

Visual impact associated with construction and installation operations, in general, would be minor as construction equipment would only be in use temporarily during the construction and decommissioning periods. Construction-related visual impacts will be relatively brief and are not expected to result in adverse prolonged visual change nor impact. The analysis of offshore Visual Change and Visual Sensitivity in the sections below is limited to the operational and maintenance phase of the Project.

## 5.3.1 Visual Change - Offshore

As noted in Figure 4-1, Visual Change, as measured by the reported Visibility Levels, accounts for both visual compatibility (e.g., type, intactness, unity) and visual contrast (e.g., vividness, scale, and movement). AECOM applied the modified contrast ratings for the offshore KOPs, according to the methods described in Section 4.3.1.2. Within the contrast rating scale, *Visibility Levels 5 and 6* indicate **Strong** Visual Change, *Visibility Levels 3 and 4* **Medium** Visual Change, and *Visibility Levels 1 or 2*, **Weak** Visual Change. Ratings have been applied in a conservative manner and are typically represented by a range. A range is used to reflect the varying degrees of contrast possible at a given location based on atmospheric/meteorological and/or lighting conditions that might result in greater or lesser levels of contrast than are reflected in the actual simulated condition. The goal of applying the visual contrast method is to create an objective measure of Visual Change as would be perceived by sensitive viewers.

The simulations evaluated for this analysis reflect a range of meteorological and atmospheric conditions that may affect the visibility or appearance of the Project features. The results of this analysis assume meteorological conditions allowing visibility of the Project features. Based on the analysis of meteorological and atmospheric conditions data presented in Section 5.1.3, atmospheric and meteorological conditions may influence visibility on certain days or portions of days.

The VAF provides a detailed characterization of existing conditions. The basis for contrast ratings are paired with respective offshore existing conditions photos and simulations in Attachment 3. Table 5-8 and Table 5-9 summarize the aggregate Visibility Level for Martha's Vineyard and Nantucket KOPs, respectively.

The analysis of KOPs for Martha's Vineyard (Table 5-8) revealed varying degrees of Visual Change viewed from different locations. The distances from the nearest Project structure for Martha's Vineyard KOPs range from approximately 31 to 38 mi (50 to 60 km). Two KOPs (9-MV 322 South Road and 16-MV Squibnocket Beach) were rated as *Visibility Level 1 to 2* (**Weak**). One KOP (3-MV Wasque Ave) was rated as *Visibility Level 3 to 4* (**Medium**). The remainder of the Martha's Vineyard KOP simulations were rated as *Visibility Level 2 to 3* (**Weak** to **Medium**). The median rating for the Project from Martha's Vineyard was *Visibility Level 2 to 3*, which reflects **Weak** to **Medium** levels of Visual Change. A **Weak** to **Medium** rating indicates that the Project is visible only after scanning the horizon and could be missed by a casual observer. However, under certain lighting and atmospheric conditions documented in some simulations, the Project may be visible after a brief glance in the general direction of the Project; unlikely to be missed by casual observers. The Project would not be visually dominant from any Martha's Vineyard viewpoint due primarily to distances from KOPs to the Project, resulting in an apparent small scale even in optimal viewing conditions.

Table 5-8. KOP Visibility Level Ratings for Offshore Simulations – Martha's Vineyard

KOP Number	Name	Distance to Nearest WTGs (mi [km])	Visibility Level Rating	Visual Change
1-MV	Wasque Point	31.19 (50.220)	[2] - [3]	Weak to Medium
2-MV	Wasque Reservation	31.21 (50.23)	[2] - [3]	Weak to Medium
3-MV	Wasque Avenue	31.59 (50.84)	[3] - [4]	Medium
4-MV	South Beach	32.49 (52.30)	[2] – [3]	Weak to Medium
6-MV	Long Point Beach	34.93 (56.21)	[2] - [3]	Weak to Medium
9-MV	322 South Road	37.17 (59.83)	[1] - [2]	Weak
16-MV	Squibnocket Beach	37.94 (61.05)	[1] – [2]	Weak

Visibility Levels 5 and 6 indicate strong visual change, Visibility Levels 3 and 4 medium visual change, and Visibility Levels 1 or 2 weak visual change.

Martha's Vineyard, in addition to being farther away from the Project than Nantucket, has more tall vegetation that provides screening from many viewpoints. The overall Visual Change that will be experienced by viewers on Martha's Vineyard is thus much less than from Nantucket. Visibility to the Project is primarily from the southeast part of the Vineyard, near Wasque Point and South Beach. Many additional potential viewpoints were evaluated but found to be well screened by topography, vegetation, or both.

Fifteen simulations were created for thirteen KOPs; two simulations were prepared for both the Cisco Beach (12-N overcast and 12-N clear skies) and Madaket Beach (3-N and 22-N) locations. Of the thirteen KOP locations, eleven have clear, unobstructed views to the Lease Area from Nantucket. Most of these are along the beach or not far from it. There was no visibility of the Project from two KOPs (19-N Miacomet Golf Club). Generally, visibility decreases as one rounds the curve at the east end of the island near Siasconset and moves inland from the beach. The distances from the nearest Project structure for the simulated Nantucket

KOPs ranged from approximately 23 to 29 mi (37 to 47 km). There is no Project visibility from the north and east sides of the Island.

For Nantucket (Table 5-9), six KOP simulations (2-N Sanford Barn Farm Overlook, 3-N Madaket Beach [haze], 6-N Tom Nevers Beach, 10-N Nobadeer Beach, 11-N Miacomet Beach and Pond, and 20-N Madequecham) were rated between *Visibility Level 3* and *Visibility Level 4*, representing a **Medium** Visual Change. Two KOPs were rated at *Visibility Level 2-3* (8-N Tom Nevers Field and 16-N Head of Plains), corresponding to a **Weak** to **Medium** Visual Change. Five KOP simulations on Nantucket between Madaket to Ladies Beach (12-N Cisco Beach [clear skies], 12-N Cisco Beach [overcast skies], 13-N Bike Path at Hummock Pond, 18-N Ladies Beach), were rated at *Visibility Level 4 to 5*, corresponding to a **Medium** to **Strong** Visual Change. One KOP (21-N Sankaty Head Lighthouse) was rated between *Visibility Level 1* and *Visibility* Level 2 corresponding to **Weak** Visual Change.

On Nantucket, which is closer to the Project and has an unencumbered view of the Lease Area, the Visual Change that will be experienced is greater than for Martha's Vineyard. The higher rated KOP's are mostly along the southwest-facing beach or within a short distance of the beach. Due to the predominantly low, open vegetation and gentle topography, the Project can also be seen from interior sites on the southwest side of the Island.

Table 5-9. KOP Visibility Level Ratings for Offshore Simulations – Nantucket

KOP Number	Name	Distance to Nearest WTGs (mi [km])	Visibility Level Rating	Visual Change
2-N	Sanford Farm Barn Overlook	24.37 (39.22)	[3] - [4]	Medium
3-N	Madaket Beach (Haze)	24.39 (39.25)	[3] - [4]	Medium
6-N	Tom Nevers Beach	26.56 (42.77)	[3] – [4]	Medium
8-N	Tom Nevers Field	25.68 (41.33)	[2] – [3]	Weak to Medium
10-N	Nobadeer Beach	23.31 (37.51)	[3] - [4]	Medium
11-N	Miacomet Beach and Pond	23.49 (37.80)	[3] - [4]	Medium
12-N	Cisco Beach (Clear Skies)	23.61 (38.00)	[4] - [5]	Medium to Strong
12-N	Cisco Beach (Overcast Skies)	23.61 (38.00)	[4] - [5]	Medium to Strong
13-N	Hummock Pond Road Bike Path	23.82 (38.33)	[4] - [5]	Medium to Strong
16-N	Head of Plains	23.98 (38.59)	[2] - [3]	Weak to Medium
18-N	Ladies Beach	23.01 (37.03)	[4] - [5]	Medium to Strong
20-N	Madequecham 1	24.91 (40.09)	[3] - [4]	Medium
21-N	Sankaty Head Lighthouse	29.38 (47.28)	[1] - [2]	Weak
22-N	Madaket Beach at Sunset (Clear Skies)	24.20 (38.94)	[4] - [5]	Medium to Strong

Visibility Levels 5 and 6 indicate strong visual change, Visibility Levels 3 and 4 medium visual change, and Visibility Levels 1 or 2 weak visual change

Based on the above analysis, the primary contrasting elements of the Project within the views which typically contributed to Visual Change included:

- Vertical elements introduced into a flat horizontal seascape scene which are visually evident against the strong horizon line;
- The variation in color contrast of the WTGs from the changing sun angles against a visually changing backdrop;
- The apparent density of visible structures arrayed across the horizon line as well as the extent of the visible horizon occupied by the Project;
- An apparent lack of visual order of the Project from the viewer position;
- The scale of the rectangular OSPs; and
- Circular blade motion along the horizon line which
  - Occurs in a different plane from the horizon.
  - Does not correspond with the natural back and forth motion of the waves.
  - Is not synchronized (e.g., rotation speed and blade positions may vary among the visible WTGs).

The degree of importance of such contrasting elements differ by KOP location. Specific contrasting elements associated with each simulation are detailed in the Visual Analysis Forms in Attachment 3.

KOP 12-N includes simulations under both overcast and clear skies conditions and Madaket Beach has two KOP simulations (3-N and 22-N) reflecting hazy daylight conditions and sunset, respectively. A comparison of these simulations reflecting differing conditions from the same KOP provides insight regarding the range of visual contrast that may be observed at any given location. A holistic consideration of all the simulations is considered indicative of the range of potential Visual Change that may be evident across various locations, weather conditions, and lighting conditions.

## 5.3.2 Visual Sensitivity - Offshore

As described in Section 5.2, the islands are popular places to live and vacation, and there is evidence that people are drawn by the unique maritime setting, historic features, and high level of naturalness. Viewer concern for the scenic condition of landscapes, seascapes, and open ocean can depend on a range of factors, including types of users, amount of use, demonstrated public interest, and protective designations (i.e., conservation or historic sites). These factors suggest that most people who will view the Project from Nantucket and Martha's Vineyard (i.e., permanent residents, seasonal residents, tourists, recreational users, and others) fall into a **High** viewer sensitivity category. Such viewers value the setting, are aware of the surroundings, and will likely be aware of changes in the visual environment. Some viewers may find the presence of WTGs on the distant horizon visually interesting or will have a positive impression associated with clean energy, even if they notice aesthetic changes have occurred.

A second component of Visual Sensitivity is the sensitivity of the visual resource itself. Higher levels of view sensitivity may be evident based on level of primary or secondary protection afforded the visual resource and/or the relative rarity of the visual resource. The visual resource has been characterized as largely intact, with a **High** degree of retained naturalness and historical character.

For the purposes of the offshore VIA, Visual Sensitivity is assumed to be **High** for most viewers. Some viewers may be engaged in active recreation (i.e. beach volleyball) or other activities that are less view sensitive. The VIA assumes that all KOPs, and many other areas not identified as KOPs, are visited by people who come, at least in part, to enjoy the views, including views of the ocean horizon.

The VIA bases these assumptions on sensitivity based on several factors:

- Popularity of Nantucket and Martha's Vineyard as tourist destinations
- Popularity as summer homes

- Tourist based economies
- Demonstrated local financial support for conservation of natural areas (real estate transfer taxes)
- Images, postcards, etc. that celebrate the scenic and historic character of the islands

With the Project far offshore, the nearest WTGs over 20 nm (37 km) away, there is no direct impact on landscape/seascape character types, or viewpoints, except those on the open ocean. However, views will be affected. AECOM used "visibility ratings" as a surrogate for the extent to which these views are affected. For example, ratings of 1-2 mean views are barely affected, 3-4 means slightly affected, and 5-6 would be highly affected. People's enjoyment of places on the islands may be impacted corresponding to the visibility of the Project from highly valued places, including the beaches, lighthouses, historic sites, etc.

The exact nature of the impacts is unknown (Lothian, 2017). In most cases, the visibility of the Project will be in the low to medium range, and there will be few or no long-term impacts to people's enjoyment of the islands, or their use of them. This is in part due to the island's unique character, which can be considered irreplaceable.

## 5.3.3 Visual Impact Characterization - Offshore

As described in Section 4.3.3, the combination of Visual Change and Visual Sensitivity characterizes the potential for impact associated with the Project; the potential for impact is characterized as **Low**, **Medium/Low**, **Medium**, **High/Medium**, or **High**. As noted in Section 5.3.2, Visual Sensitivity was characterized as **High** for the purposes of this assessment.

Generally, the anticipated overall level of Visual Change would be **Medium** from Nantucket under the MDS, with four out of 13 viewpoints (five of 14 simulations) along the south shore characterized as **Medium** to **Strong**, six characterized as **Medium**, two characterized from **Weak to Medium**, and one characterized as **Weak**. Therefore, for higher sensitivity viewer groups on Nantucket, there is conservatively a **Medium** to **Medium/High** potential for impact under clear sky conditions. Because the most extreme scenarios are limited (fewer numbers of locations where the Project is visible and varying atmospheric conditions) the overall rating of the Project is **Medium** with **High/Medium** impact rarely occurring.

From Martha's Vineyard, the Project is largely not seen, or seen at a distance great enough that Visual Change is **Weak** to **Medium**. The potential for visual impacts resulting from the Project on Martha's Vineyard viewers will be **Medium to High/Medium**. However, the frequency of visibility and distance from the Project is minimal while vegetation screening along with the range in topography is substantial. Consequently, the characterization of impacts is considered **Medium** with **High/Medium** impact potential at only a small number of locations.

A number of factors contribute to the assigned level of potential impact. Important contributing factors include:

- The effects of earth curvature result in WTGs "disappearing" over the horizon line. The closer they are, the more one sees, and the farther away, the less one sees (see Figure 5-3). Due to the great distance of the WTGs from the places where most people congregate and value, the visual changes that will be experienced are indirect, occurring in the background view.
- Location on the islands of Nantucket and Maratha's Vineyard with a viewing aspect to the southwestern ocean horizon allows views of the WTGs and OSPs. The Project introduces vertical structure into the open ocean horizon where no vertical elements currently exist. However, given the great distance between viewers and the WTGs, the scale of vertical change is small. While the WTGs appear small from the viewing distances, they take up a large portion of the visible horizon line. In most cases, the available view is panoramic or wide angle. The field of WTGs stretches across approximately one-third of the visible horizon (120 degrees) from most viewpoints.
- The uniform layout pattern of WTGs and OSPs (a 1 x 1 nm [1.9 x 1.9 km] grid), is mostly not detectable. In some cases, rows of WTGs are discernible, but they are not seen as part of a larger pattern. The five OSPs stand out in some views as dark, horizontal figures distinct from the WTGs Their distinct form and dark color make them stand out in some lighting conditions.

- The color of the WTGs was not particularly noticeable. At most times of day, they appear as dark gray figures. When front lit, the white color is evident and creates a strong contrast with the dark ocean and blue skies. The simulations show that the blades are visible from most viewpoints on Nantucket and their motion will attract some level of attention. The simulations include a range of lighting conditions, with WTGs appearing from white to dark gray. While color contrast is mostly weak, either light or dark figures stand out against the horizon line.
- Two simulations include night lighting. Based on research for land-based wind turbines, it is anticipated that if standard Federal Aviation Administration (FAA) night lighting is used, visual impacts will be extended throughout dawn, dusk, and evening hours when atmospheric conditions permit. Mayflower Wind will implement the use of an Aircraft Detection Lighting System (ADLS) on the Project WTGs. See COP Appendix Y3, Aircraft Detection Lighting System Efficacy Analysis for further details. Due to earth curvature and distance, nautical navigation lighting (near the ocean surface) will likely not be visible from shore.
- Landscape character types on the islands are not directly impacted by offshore Project components due to distance. However, viewsheds are impacted, and viewers will (conditions permitting) experience some change to their experience on shore where they are visually connected to the ocean horizon. The only landscape/seascape character type that is directly affected by the Project is the open ocean character type, over 20 nm (37 km) from the nearest onshore character area. Boaters will experience closer views of the Project if they approach it, with visual dominance, particularly vertical dominance, increasing the nearer a boater gets to the Project. Beaches are the landscape character type most impacted from the standpoint of visual linkage; that is, the beaches are more directly connected to the open ocean unit by proximity and the unobstructed view.

In conclusion, views and the viewer experience may be affected by introducing the Project into the ocean setting especially for those on or near the south shore of Nantucket, particularly those who use the beaches.

# 5.3.4 Cumulative Impact of Reasonably Foreseeable Future Actions - Offshore

The cumulative impact analysis considers potential impacts on scenic resources that could result from the Project under the MDS (conducted herein) combined with past, present, and reasonably foreseeable future actions. As discussed in Section 4.3.4, BOEM does not require this analysis for the COP, but provides guidance on what materials are needed to assist BOEM in decision-making on the impacts from Reasonably Foreseeable Future Actions within the NEPA process.

Mayflower Wind has provided simulations, geographic information system (GIS), and other data to BOEM for their use in determining cumulative impacts under the EIS for this the Project. Additional materials and information will be provided as necessary throughout the NEPA process.

As BOEM points out in its new SLVIA, NEPA requires that projects be considered within the context of reasonably foreseeable additional projects. As of this writing one nearby offshore wind project, Vineyard Wind 1, has been approved for development. Other projects (eight total) are in various stages of design or review within the vicinity of Mayflower Wind (Figure 5-39). Ultimately more than one project will likely be in view from some or all of the KOPs considered in this VIA. In some cases, WTGs from one project may "hide" fully or partially the WTGs from another. Mayflower Wind is one of the farthest projects from shore in this vicinity. Hence it may have less visibility and impact than several other projects.

Since the types of WTGs that may be built by different developers will vary to an extent, and projects will likely be built at different times, cumulative impacts are likely to be incremental and additive. The VIA anticipates that the greatest effect will be from additional WTGs along the horizon line as more projects are constructed.




Figure 5-39. Rhode Island/Massachusetts Wind Energy Area Lease Areas

## 5.4 Mitigation - Offshore

Mitigation is a requirement of the BOEM VIA for the purpose of offsetting potential unacceptable levels of adverse impact. This analysis concludes that the MDS considered in this VIA would generate **Medium to Medium/High** potential for visual impacts from Nantucket and a **Low to Medium** potential for impacts from Maratha's Vineyard.

There are some factors that may be somewhat mitigated by reducing visual contrast or visibility of the offshore facilities. These include turbine color and a night lighting system consistent with FAA requirements.

Some Project elements may not allow for mitigation measures. These include blade motion and the positions of the turbines within a 1 x 1 nm (1.9 x 1.9 km) grid agreed to across the BOEM lease areas. While the size and scale of the turbines could be reduced, doing so would potentially reduce power generation and may make the Project economically inviable.

Mayflower Wind will paint the WTGs a color that falls within the BOEM-recommended paint color range (BOEM, 2021b) to reduce the level of visual contrast, to the extent practicable. The proposed color of the towers and blades will be painted a color no lighter than RAL 9010 Pure White and no darker than RAL 7035 Light Grey, according to the latest BOEM and USCG guidelines. Grey somewhat absorbs the color of its surroundings. However, at certain times of day and lighting conditions, a light grey color may appear nearly white. Depending on sky color, white may have a higher visual contrast than grey (e.g., white clouds against a blue sky). The selection of color will seek to better balance the turbines within the surroundings (average day), reduce reflectivity, and improve blending into the typical colors of its setting. This approach for color selection will not hide the feature but will lower visual contrast.

Current BOEM requirements follow FAA guidelines that require flashing red lights positioned on the turbines. Mayflower Wind will implement ADLS, which is radar activated. Instead of blinking continuously, lights only come on if there is an aircraft detected in the vicinity. ADLS lighting will avoid extending visual impacts into twilight and nighttime hours and substantially reduce visual impacts (BOEM, 2021b). See COP Appendix Y3, Aircraft Detection Lighting System Efficacy Analysis, for further details.

## 6.0 Onshore Visual Impact Analysis

The potential for visual impact associated with the onshore components of the Project are discussed in the sections that follow. The methodology used for the analysis is described in Section 4.0. The onshore Project components are described in Section 2.2, with additional detail available in COP Section 3, Description of Proposed Activities.

#### 6.1 Establishment - Onshore

## 6.1.1 Onshore Project Design

The MDS design parameters for the onshore substation are summarized in Table 6-1. The assessment is based on the Project maximum design assumptions to support a conservative analysis of maximum visual impacts.

Table 6-1. Maximum Design Parameters Used in Onshore Visual Simulations

Project Attribute	Description
Onshore Substation	Two locations under consideration: Lawrence Lynch (preferred) and Cape Cod Aggregates (alternate)
	Up to 26 acres (10.5 ha) for the substation yard
	Fencing: 8-ft (2.4-m) high surrounding the substation; includes 7-ft (2.1-m) high chainlink fence with galvanized fabric with 1-ft (0.3-m) high barbed wire top barrier.
	4 ft (1.2 m) chain-link fence surrounding the infiltration basins
	Limited vegetation clearing will occur
	Structure heights: lightning masts – up to 85 ft (26 m)

## 6.1.2 Onshore APVI Preliminary Characterization

As described in Section 4.2.2, the landscape/seascape character types, viewers/receptors, and visual resources were characterized based on available documentation to allow for the selection of KOPs for field evaluation. Ocean character type is not directly applicable to the onshore APVI.


## 6.1.3 Area of Potential Visual Impact - Onshore

The viewsheds/visibility analysis describes the area within which the onshore substation may be visible, and thus could be seen and contribute a level of visual change within an existing setting. Factors that influence visibility are distance, vegetation, topography, and buildings. For the purposes of delineating the APVI, a DSM analysis was completed which considers the potential screen provided by intervening vegetation or structures (Figure 6-1). The viewshed analysis assumes maximum structure height (lightning protection masts) at the substation of 85 ft (26 m). Given the amount of vegetative screening and relatively level topography, the APVI was extended a maximum of 3.5 mi (5.6 km) in all directions from above ground Project components under consideration. Sullivan (2014) indicates that 3.5 mi (5.6 km) is an appropriate APVI for the viewshed of transmission towers, which are taller than the substations. The APVI of 3.5 mi (5.6 km) is therefore a reasonable distance to consider for impacts from the substation facilities.

The resulting APVI was used to assess the potential visibility of the substation from common and known sensitive viewer locations (i.e., KOPs). Viewer experience will depend on their activity and means of travel. Roadway travelers may have intermittent views of the Project, where a wildlife viewer along a trail may have a sustained view of part of a feature.

## **6.1.4 Selection of Preliminary Onshore KOPs**

Representative KOPs were selected based on the methods described in Section 1.0. As described in Section 4.2, each KOP was evaluated with respect to its landscape/seascape character types and viewers.



Note: KOPs which fall within the orange and blue shaded areas are within the viewshed based on the digital surface model. Not all KOPs within the viewshed will have visibility to the substation.

Figure 6-1. Onshore Viewshed Analysis Map

## 6.2 Onshore Baseline Inventory

The baseline landscape and visual conditions are important components of the analysis. These include a detailed description of:

- Potential visibility;
- Landscape character attributes;
- Receptors/viewer sensitivity;
- Historical significance/relationships of potential key viewing areas;
- Selection and evaluation of KOPs; and
- Field photography and analysis from selected KOPs.

Baseline conditions were documented by first dividing the analysis area into landscape/seascape character types based on prevailing topography/landform, vegetation, water forms, level of development, historic places, and management framework. KOPs were established within each analysis unit, and data on the following attributes were collected. When describing the distance of a KOP relative to the Project, the following conventions were used: Foreground (0 to 0.5 mi [0.8 km]); Middle Ground (0.5 mi to 4 mi [0.8 km to 6.4 km]); and Background (4 mi [6.4 km] to horizon).

## 6.2.1 Onshore Landscape Character Analysis

Cape Cod is part of the seaboard lowlands section of the New England Physiographic Province (USGS, 1993), Level III Ecoregion "Northeastern Coastal Zone". This Physiographic Province is low in elevation and includes the whole eastern half of Massachusetts and islands, all of Rhode Island, and Connecticut, excluding the northwestern corner. Cape Cod's ecoregion is classified as the "84. Atlantic Coastal Pine Barrens", which includes parts of New England and the northeast coast south to New Jersey (Griffith et al., 2009). This ecoregion, where it is not developed or converted to urban uses, is described as a traditional coastal plain with a mild maritime climate, stunted pine and oak forests growing on sandy, nutrient-poor soils, open ocean, kettle ponds, and unique habitats in salt and freshwater marshes, swamps, bogs, and sand dunes. Typical vegetation and wildlife communities found in these areas are provided in COP Appendix J, Terrestrial Wildlife and Vegetation.

Within the 84 classification, Cape Cod is more specifically part of the "84a. Cape Cod/Long Island Ecoregion". In this ecoregion, elevation is typically less than 150 ft (45.72 m), with relief less than 60 ft (18.28 m). The lands of Cape Cod were made by the continental glacial ice sheet, resulting in terminal moraines, outwash plains, and coastal deposits, whose dominant landform features are reshaped by the dynamic coastal environment with continual changes due to wind, wave, and tidal energy (Griffith et al., 2009).

The ecological significance of the onshore APVI is high because of the unique variety of landscapes and habitat regions within Cape Cod. The abundant inlets, ocean bays including Buzzards Bay, ocean sounds including the Vineyard Sound and Nantucket Sound, and historic districts play into the significance of the study area. The onshore study area of the Project includes the western side of Cape Cod. Much of the study area comprises roadways, residential areas, and public recreation spaces including walking paths and biking trails and parks.

The study area has a high visual integrity, resulting from the interactions of the natural setting and the visible human history. This is a visually rich setting, highly valued by residents and visitors. Local citizens and governments have provided efforts to protect and preserve resources dedicated to the conservation of lands and preservation of cultural resources. Much of the land on Cape Cod has been protected through public agencies, regulatory authorities, private land conservancies, and land trusts.

A wide variety of landscape character types have been protected, from ocean beaches to upland forests. Landscape character types in the surrounding study area are visualized below in Figure 6-2. The Mashpee National Wildlife refuge covers nearly 6,000 acres (2,400 ha) near Mashpee, which is telling of the strong conservation efforts within Cape Cod. Additionally, Waquoit Bay National Estuarine Research Reserve includes open waters, beaches, marshlands, and uplands near Falmouth and Mashpee (Pruetz, 2011).

#### **6.2.1.1** Landscape Character Types

Landscape character types found within the Project Area were mapped within the APVI for the onshore substation. These include:

- Coastal Scrub,
- Commercial,
- Fields/Meadows.
- · Light Industrial,
- Nantucket Sound (Ocean Beach);
- Rural/suburban residential:
- Ponds/Tidal Marsh,
- Village/Town;
- Parks/Developed Recreation;
- Dunes, and
- Forests/Woodlands.


These character types are provided as a baseline for the onshore VIA. The prevalence and location of each character type are provided in Figure 6-2 through Figure 6-4. Some of these character types are also found in the Offshore APVI (Section 5.2.1.2) and examples are shown in Figure 5-16 through Figure 5-27. The areas of the landscape character types in the Onshore APVI are provided in Table 6-2. Examples of the additional Onshore APVI character types are provided in Figure 6-5 through Figure 6-15.

#### **6.2.1.2** Historic Districts

The landscape/seascape character areas within the Historic Districts on Cape Cod are an important part of their preserved history and settings. There are five areas designated as Historic Districts spread across the western side of Cape Cod in Woods Hole, Falmouth, East Falmouth, West Falmouth, and North Falmouth, as displayed in Figure 6-3 and Figure 6-4, some of which intersect with Potential Environmental Justice Communities. The Historic District in Falmouth falls within the SLCUs of rural/suburban residential, the town/village center of Falmouth, light industrial, and commercial. The long stretch of Historic District in West and North Falmouth includes the SLCUs of Rural/Suburban Residential, Village/Town, Coastal Scrub, Ponds/Tidal Marshes, and Forests/Woodlands. The onshore export cable routes avoid the Historic District within Falmouth.

#### **6.2.1.3** Environmental Justice Communities

Ten EJ Communities located in the towns of Falmouth, Mashpee, Sandwich, and Bourne have been identified within the APVI of the two substation locations under consideration (MassGIS, 2021b). The Lawrence Lynch substation site is located adjacent to an EJ Community where 27 percent of the population identifies as a minority. The Cape Cod Aggregates substation site neighbors three EJ Communities where the total income ranges from 25-50 percent of the Massachusetts median income. Approximately the same percentage of total acreage of EJ Communities within the APVI is present for each substation location: 6.24 percent for the Lawrence Lynch site and 4.93 percent for the Cape Cod Aggregates site.



Source: ESRI, 2020

Figure 6-2. Landscape/Seascape Character Types Cape Cod: Overview


AECOM Prepared for: Mayflower Wind Energy LLC



Source: ESRI, 2020; MACRIS, 2021, MassGIS, 2021

Note: "Historic" includes all properties and resources listed in MACRIS. Details provided in COP Appendix S, Analysis of Visual Effects to Historic Properties.

Figure 6-3. Landscape/Seascape Character Types Cape Cod: Inset 1



Source: ESRI, 2020; MACRIS, 2021, MassGIS, 2021

Note: "Historic" includes all properties and resources listed in MACRIS. Details provided in COP Appendix S, Analysis of Visual Effects to Historic Properties.

Figure 6-4. Landscape/Seascape Character Types Cape Cod: Inset 2

Prepared for: Mayflower Wind Energy LLC
AECOM

Table 6-2. Area of Landscape/Seascape Character Types within the Onshore Project Area Viewshed

Landcover	Acres (hectares) of Landscape/Seascape Character Type	Acres (hectares) within APVI	Percentage of Landscape/ Seascape Character Type in APVI
<b>Lawrence Lynch Substation Site</b>	e (preferred) Viewshed		
Coastal Scrub	925.36 (373.84)	26.59 (10.74)	2.87
Commercial	404.56 (163.44)	48.4 (19.55)	11.96
Dunes	7.45 (3.01)	0.07 (0.03)	0.90
Environmental Justice Community	1,497.73 (605.08)	93.46 (37.76)	6.24
Forests/Woodlands	2,902.10 (1172.45)	149.91 (60.56)	5.17
Historical	648.05 (261.81)	9.46 (3.82)	1.46
Light Industrial	359.31 (145.16)	51.51 (20.81)	14.34
Ocean Beach	127.15 (51.37)	0.29 (0.12)	0.23
Parks/Developed Recreation	137.98 (55.74)	18.81 (7.6)	13.63
Rural/Suburban Residential	11,997.68 (4,847.06)	624.92 (252.47)	5.21
Ponds/Tidal Marsh	1,720.35 (695.02)	41.72 (16.85)	2.43
Village/Town	712.26 (287.75)	82.16 (33.19)	11.54
Cape Cod Aggregates Substation	on Site (alternate) Viewshe	d	
Coastal Scrub	808.7 (326.71)	0.11 (0.04)	0.01
Commercial	52.81 (21.34)	0 (0)	0.01
Environmental Justice Community	8,567.90 (3,461.43)	422.19 (170.57)	4.93
Fields/Meadows	671.71 (271.37)	11.75 (4.75)	1.75
Forests/Woodlands	6,308.47 (2,548.62)	274.37 (110.85)	4.35
Historic	586.86 (237.09)	0.01 (0.01)	0.00
Light Industrial	286.93 (115.92)	40.21 (16.24)	14.01
Ocean Beach	65.79 (26.58)	0 (0)	0.00
Parks/Developed Recreation	571.11 (230.73)	10.84 (4.38)	1.90
Rural/Suburban Residential	19,278.03 (7,788.32)	677.25 (273.61)	3.51
Ponds/Tidal Marsh	1,486.43 (600.52)	0.59 (0.24)	0.04
Village/Town	365.24 (147.56)	0.13 (0.05)	0.04



Figure 6-5. Nantucket Sound

The Nantucket Sound (Figure 6-5) includes the enclosed waters between Martha's Vineyard, Nantucket, and the southern shores of Cape Cod. The dominant visual impression is the broad, flat expanse of water, the blue or gray color reflecting the sky, the smooth or choppy texture of the water surface, and the distant horizon line. Scenic integrity is high, with few or no existing visual intrusions. Conditions range from flat water to choppy to rolling swells. Nantucket Sound is represented by the coastal KOPs on Cape Cod (Table 6-3).



Figure 6-6. Freshwater Ponds

Freshwater ponds (Figure 6-6) are abundant within Cape Cod's land mass, covering over 11,000 acres (4,452 ha). They were formed by glaciers during the ice age that, when melted, formed depressions in the earth called kettle holes. These ponds are critical habitat areas supporting a variety of fish, avian, and terrestrial wildlife (Paskakarnis, 2003). Often walking trails and parks will be developed around these ponds for recreational users, residents, visitors, and tourists to enjoy. They are also often part of conservation efforts. Views around most freshwater ponds include forested woodlands, residential areas, and sometimes buildings or development. The texture tends to be smooth with coarser edges. Forms are flat, or low and irregular, and lines can be strong. The color is often a blue gray due to the water and open sky, with browns and greens due to the surrounding forests. The freshwater pond character type was represented by one KOP on Cape Cod (Table 6-3).



Figure 6-7. Rural/Suburban Residential

Residential development (Figure 6-7) is a common character type specific to the Cape Cod style of home. There is a range of scale and density, from small cottages to mansions; however, in the Project Area, average-sized homes are the dominant type. The Cape Cod style of home is a low, broad, singlestory building with steep-pitched gable roof, a large chimney, and simple but refined details. Siding consists of gray/untreated wooden shake. Some areas are developed to town-type densities, while others are more spread out. Vegetation is often taller woodlands between 25 and 50 ft (8 and 15 m) in height. The average building height in Falmouth is 35 ft (10.6 m) (Town of Falmouth, 2020). The residential character type was represented by six KOPs on Cape Cod (Table 6-3).



Figure 6-8. Historic Districts

There are many historic districts containing historic buildings and homes around the APVI. Some landscapes within and around the Falmouth Onshore Project Area contain many layers of history. The historic property character type was represented by two KOPs on Cape Cod (Table 6-3). Additional information is provided in COP Appendix S, Analysis of Visual Effects on Historic Properties.



Figure 6-9. Village/Town,

The village and town areas (Figure 6-9) tend to be denser and more built up, with multiple use areas including Falmouth and Woods Hole. These are small village settings, some with highly valued historic features and character. Architecture varies in style and age, but buildings typically do not exceed two stories. The landscape is manicured. Colors vary depending on the area, but they may be dominated by the gray, white, red, and orange of the buildings, and some brick sidewalks and stone parking lots. Lines are strong, with streets, trees, and buildings reinforcing each other. Texture is rich and grainy. Forms are rectilinear and angular, shaped by the buildings and their roof lines. Visual integrity is mostly very high as these areas are dominated by historic buildings, or compatible ones. The village/town character type was represented by seven KOPs on Cape Cod (Table 6-3).



Figure 6-10. Highways/Roadways

There are several highways (Figure 6-10) that run north to south on Upper Cape Cod, one of which falls within the vicinity of the onshore substation. Along these major roadways are branching neighborhoods, markets, grocery stores, retail stores, and town centers. The existing utility-owned ROW crosses a number of roadways. Colors are typically dominated by grays due to the road, browns and greens due to surrounding forests, and blue or gray due to the open sky. Lines are strong with the roadway cutting a clear path along the tree line. The texture is smooth on the roadway and sky, and grainy and coarse along the tree edges. The highway/roadway character type was represented by eight KOPs on Cape Cod (Table 6-3).



Figure 6-11. Parks/Developed Recreation

Within Cape Cod, there are many parks and recreation areas (Figure 6-11) including playgrounds, ponds, walking trails, bike paths, sports fields, and camping sites. These are used by residents, recreational users, tourists, and visitors. Some appear more heavily used than others. These parks contribute to the open space value of the area and provide public access. Recreation areas like ballparks are often set between the roadways and a forested woodland. These open spaces provide a good place for greenways and corridors to run near. The texture of recreation spaces varies but may tend to be smooth with coarser edges if there are trails. Forms are flat, or low and irregular, and lines can be strong. The color is often a blue gray with browns and greens due to the surrounding forests. The parks and developed recreation character type was represented by seven KOPs on Cape Cod (Table 6-3).



Figure 6-12. Cemeteries

There are many small-scale cemeteries on Cape Cod, some of which are on the National Historic Registry list (Figure 6-12). Some cemeteries are neatly manicured with roadways and walking paths, while others are natural appearing with legacy trees and native plants. The natural-appearing cemeteries provide habitat connectivity within greenways. Cemeteries often contribute to open space values and the historical value and preservation within an area. These cemeteries are 100 to 200 years old. Some are located off main roads while others are within residential neighborhoods. Tourists, residents, and visitors come here for visiting or recreation purposes. Colors tend to be greens and browns with grays and blues. Forms are sometimes flat and low, or hilly, and they typically have strong lines. The texture ranges from smooth to coarse. The cemetery character type was represented by two KOPs on Cape Cod (Table 6-3).



Figure 6-13. Forests/Woodlands

Forests and woodlands (Figure 6-13) are very dominant on Cape Cod. Topography is rolling. Views are enclosed, restricted by forest vegetation in most areas. Forests are low- to mid-stature, mixed conifer and hardwood, typically with trees no more than 50 ft (15 m) tall, often combined with, or integrated with, other character types, including residential land, fields, and coastal scrub. Cape Cod is dominated by maritime vegetation communities including a variety of early successional vegetation. This is due to the shifting coastal weather patterns, creating a dynamic system. Conservation efforts on Cape Cod have worked to restore and protect land for the ecological value and to improve public access to these spaces. Greens and browns are visually dominant with a coarse texture. The forest/woodland character type was represented by seven KOPs on Cape Cod (Table 6-3).



Figure 6-14. Light Industrial, Lawrence Lynch Corporation

Light Industrial development (Figure 6-14) is fairly limited on Cape Cod, especially in Falmouth near the onshore Project components. Light Industrial tends to be surrounded by Rural/Suburban Residential, Forests/Woodlands, and Commercial landscape characteristics. Colors tend to be tans and grays surrounded by greens and browns. Textures are smooth to rough with varying shapes depending on the development. The Light Industrial character type is represented only by the Lawrence Lynch Corporation where the preferred onshore substation will be located.



Figure 6-15. Commercial

Commercial areas (Figure 6-15) are limited on the portion of Cape Cod where the onshore Project components will be located. Most commercial developments on Cape Cod have grey shingled buildings and are smaller scaled with vertical and horizontal lines. The majority of commercial landscapes on this portion of Cape Cod are consistent with the Falmouth Village center (Figure 6-3). A small commercial park is located just south of the preferred substation site off Gifford Street (Figure 6-3).

## 6.2.2 Receptors/Viewers - Onshore

Viewers are the people who ultimately will see the Project and experience its effects. Other receptors may include locations of historical importance. The viewer groups and context associated with the onshore Project components are described in the sections that follow. Viewer groups are identified for each KOP and are summarized for each in Table 6-3.

#### **6.2.2.1** Viewer Groups and Context

Receptors are the people who directly see and interface with the Project. The Falmouth Onshore Project Area stretches from the southern coast to a point approximately 1.5 miles (2.4 km) south of the northern Town boundary. The proximity of land and water, nature and culture, make these areas highly appealing aesthetically. The area has been a tourist destination since the 19th century.

Viewers within the viewshed of the onshore substation include residents, workers and visitors in Falmouth. These communities comprise a diverse set of year-round and seasonal residents, recreational users, tourists, and workers. Viewers likely engage in many aspects of passive and active recreation, including:

- Hiking;
- Jogging;
- Fishing;
- Boating;
- Cycling;
- Swimming;
- Wildlife viewing; and
- Beach recreation.

For the onshore portion of the Project, the following groups represent the anticipated receptors/viewers to interface within the Falmouth Onshore Project Area:

- Residents of the local communities (year-around residents and seasonal residents);
- Tourists and Tourist-related businesses; and
- Recreational Users.

The landscape character within the APVI varies from mostly natural to cultural, depending on viewer position, the type of activity in which the viewer is engaged and the level of exposure to the Project. This variability in character and the quality of the setting where the viewer is seeing the Project is a defining attribute of the landscape setting. See Table 6-3 and Table 6-4 for details specific to each KOP.

#### **Residents of Local Communities**

Local Communities consist of year-round and seasonal residents. Communities have done much to conserve the existing visual and historic character of the area. The Falmouth Onshore Project Area includes designated historic districts, traditional neighborhoods, industrial sites, parks, and cemeteries. In addition to conserving historic sites, these communities have protected natural areas for conservation spaces.

The year-round population of Falmouth is 30,993 with a seasonal population of more than 105,000 (U.S. Census Bureau, 2019). Residents, both year-round and seasonal, live either in one of the small towns within semi-rural natural mixed hardwood forests or beach environments. It is assumed that all or nearly all residents, year-round and seasonal, are concerned about visual quality and resources and will spend time at places where Project features will be visible, including beaches, parks, conserved areas, parks, trails, and historic sites.

Residents within local communities, and tourists visit Cape Cod for the diverse culture, history, and setting such as the ocean scenery, historic buildings, towns and sites, active recreation, nature, or an escape from

summer heat. Visitors will also likely use the main highways and roadways during their travel. It can be presumed that scenery is an important factor and that many if not most tourists will visit places from which the Project features will be visible.

#### **Tourists and Tourist-Related Businesses**

Cape Cod is a major tourist attraction that contributes to the growing population in the summer months. In addition to the year-round residents, summer tourists and seasonal residents bring the population to 105,000 in Falmouth alone (Falmouth Economic Development & Industrial Corporation [EDIC], 2019).

The height of the tourist season is July through August during the traditional summer vacation season. Hotels, rentals, and beaches are crowded at this time. Tourist-related businesses likely make most of their annual income in this short period.

Visitors come for many reasons: ocean scenery, historic buildings, towns and sites, active recreation, nature, or an escape from summer heat. Visitors will also likely use the main highways and roadways during their travel. It can be presumed that scenery is an important factor and that many if not most tourists will visit places from which the Project features will be visible.

#### **Recreational Users**

People who live, work in, and visit the area take advantage of the setting to engage in specific recreational activities. Active recreational users, such as bikers, runners, boaters, water skiers, kayakers, paddle boarders, and swimmers, may be less likely to view scenery while they are recreating, but the setting may contribute to what they are doing and why they are drawn to the area. Many people also come to Cape Cod for more passive recreation and vacationing, such as spending the day on the beach and enjoying the views while others take advantage of the many biking and walking trails, ball parks, and conservation spaces, which have their own unique views. We can assume that many if not most recreational users will visit places from which the Project features will be visible.

#### 6.2.2.2 Historical Importance

The APVI includes a portion of the Town of Falmouth. Within the APVI, there are: ten resources in Falmouth, two NRHP-eligible districts and eight resources that are individually NRHP-eligible. Many of the onshore resources were evaluated in the field for potential visibility of the Project. However, only one resource (Oak Grove Cemetery) has visibility to the preferred substation site.

Historically valued properties were identified in the AVEHP (COP Appendix S) and researched to understand the value that these properties hold and the role they play in defining the area.

#### 6.2.3 Selection of Onshore KOPs

KOPs represent both common and sensitive views that fall within the APVI as represented in the Viewshed Analysis in Section 6.1.2. KOPs are used to assess potential changes to landscape character that could result from the Project.

A list of KOPs was identified including historic structures and buildings, significant landscapes, recreation areas, scenic roads, overlooks and vistas, public beaches, town centers, residential communities, and estates. Sites selected as KOPs reflect importance to the scenic, social, cultural, and economic resources. A desktop analysis of the potential KOPs within the viewshed was field checked for potential visibility of the Project from the KOPs. If the Project was not visible from the KOP, it was indicated as such (Table 6-3).

The KOP list includes a broad selection of locations representing views of the Project from multiple angles, distances, vantages, and interests (residential, tourism, and economic). Locations were then referenced for historic importance and researched to conclude whether they are listed on the National Historic Register. The AVEHP (COP Appendix S) provides significant detail and history on the relevance of these places.

The proposed KOPs were assessed for potential visibility to the onshore substation. These were analyzed using the following criteria:

• Distance from the KOP to the onshore substation (1);

- View exposure (degree of foreground screening) (2);
- Level of use by the receptor (3);
- Iconic views (4);
- Sensitivity of the viewer to view disruption or change (5);
- How well the site may represent additional typical views (6);
- Historic or cultural importance of the site and documentation of NRHP (7);
- Tourism importance of the site (8);
- Uniqueness (9);
- Type of viewpoint: stationary (i.e., designated point, historic site), area based (i.e., beach, town), and corridor (i.e., trail, scenic road) (10);
- Topography: Include high points, low points, common elevations (11);
- Public concern (12); and
- Viewer experience (13).

#### 6.2.4 Onshore Visual Simulations

Photographic simulations of the onshore substation were developed to communicate the potential for change from existing visual conditions. A visual depiction of the location of the selected KOPs has been created (Figure 6-16), with reference to Table 6-3 and for a more detailed list. Figure 6-17 and Figure 6-18 provide a more detailed view of the KOPs within the onshore viewshed. KOP photos were intended to capture a range of lighting conditions (side lit, back lit, front lit) at different times of the day (e.g., from morning through sunset). Existing condition photos and simulations are provided in Attachment 4.




Figure 6-16. Cape Cod KOPs Map




Figure 6-17. Cape Cod KOPs Map: Inset 1

Prepared for: Mayflower Wind Energy LLC

AECOM




Figure 6-18. Cape Cod KOPs Map: Inset 2

Table 6-3. Cape Cod KOPs for Onshore Project Facilities

KOP Number	Name	Municipality	Resource Type	Landscape/ Seascape Character Type	Viewer Groups	Selection Factors <sup>1</sup>	Distance to Substation <sup>2</sup> (mi [km])	In/Out of Viewshed	Project Visible from KOP?
Field Re	viewed – With Vis	ibility to Substati	on						
44-C	Oak Grove Cemetery	Falmouth	Public Park, NHRP eligible	Village/Town	Residents, Tourists	1, 7	0.14 (0.22)	In Viewshed	Yes
46-C	Goodwill Park	Falmouth	Public Park	Village/Town, Parks/Developed Recreation, Forests/Woodlands	Residents, Tourists, Recreational Users	1, 3, 10, 11, 12,13	0.19 (0.30)	In Viewshed	Yes
47-C	Lawrence Lynch Site – Gifford Street Substation*	Falmouth	Public Road	Roadways, Village/Town, Forests/Woodlands, Light Industrial	Residents, Tourists	1, 2, 3, 10, 11	0.17 (0.28)	In Viewshed	Yes
49-C	Two Ponds	Falmouth	Public Recreation	Ponds, Forest/Woodland	Residents, Recreational Users, Tourists	1, 2, 10, 11, 12, 13	0.26 (0.41)	In Viewshed	Yes
Field Re	viewed - No Visib	oility of Substation	n						
1-C	Elm Road	Falmouth	Public Road, Recreation	Ocean Beach, Residential, Nantucket Sound	Residents, Tourists, Recreational Users	1, 5, 10, 12	2.16 (3.47)	In Viewshed	No (no view due to enclosed tree canopy)
2-C	Mill Road	Falmouth	Public Road, Recreation	Ocean Beach, Residential, Nantucket Sound	Residents Tourists, Recreational Users	1, 5, 10, 12	1.74 (2.80)	In Viewshed	No (no view due to enclosed tree canopy)
3-C	Shore Street	Falmouth	Public Road, Recreation	Ocean Beach, Residential, Nantucket Sound	Residents, Tourists, Recreational Users	1, 5, 10, 12	1.59 (2.56)	In Viewshed	No (no view due to enclosed tree canopy)
4-C	Gifford Street	Falmouth	Public Road	Rural/suburban Residential	Residents	1, 5, 10, 12	0.15 (0.24)	In Viewshed	No (no view due to enclosed tree canopy)

AECOM 6-18 Prepared for: Mayflower Wind Energy LLC

KOP Number	Name	Municipality	Resource Type	Landscape/ Seascape Character Type	Viewer Groups	Selection Factors <sup>1</sup>	Distance to Substation <sup>2</sup> (mi [km])	In/Out of Viewshed	Project Visible from KOP?
5-C	Falmouth Youth Baseball Fields at Trotting Park	Falmouth	Public Recreation	Parks/Developed Recreation, Forests/Woodlands, Village/Town	Residents, Tourists, Recreational Users	1, 3, 10, 11, 12	0.59 (0.94)	In Viewshed	No (no view due to enclosed tree canopy)
6-C	Falmouth High School	Falmouth	Public School	Village/Town, Forests/Woodlands, Roadway	Residents	1, 3, 10, 11, 12	1.77 (2.79)	In Viewshed	No (no view due to enclosed tree canopy)
7-C	Thomas Landers Road	Falmouth	Public Road	Rural/suburban Residential	Residents	1, 10, 11, 12	3.36 (5.40)	In Viewshed	No (no view due to enclosed tree canopy)
22-C-B	Falmouth Heights Town Beach; Facing Worcester Ave	Falmouth	Public Recreation	Ocean	Residents, Tourists, Recreational Users	1, 3, 5, 10, 11, 12	1.62 (2.61)	In Viewshed	No (no view due to enclosed tree canopy)
23-C	Trotting Park from Access Road	Falmouth	Public Recreation	Park/Developed Recreation	Recreational Users	1, 3, 10, 11, 12	0.66 (1.07)	In Viewshed	No (no view due to enclosed tree canopy)
24-C	Brick Kiln Road (West)	Falmouth	Public Road	Roadway	Residents, Tourists	1, 3, 10, 11	1.44 (2.32)	In Viewshed	No (no view due to enclosed tree canopy)
25-C	Brick Kiln Road (East)	Falmouth	Public Road	Roadway	Residents, Tourists	1, 3, 10, 11	1.41 (2.27)	In Viewshed	No (no view due to enclosed tree canopy)
32-C	Ter Heun Drive at Bike Path	Falmouth	Public Road, Public Recreation	Parks/Developed Recreation	Recreational User	1, 3, 5, 10, 11, 12	0.38 (0.61)	In Viewshed	No (no view due to enclosed tree canopy)
33-C	Carlson Lane at Park near Bike Path	Falmouth	Public Road, Public Recreation	Parks/Developed Recreation	Recreational User	1, 3, 5, 10, 11, 12	0.38 (0.62)	In Viewshed	No (no view due to enclosed tree canopy)
38-C	Breivogel Ponds Conservation Area	Falmouth	Public Recreation	Parks/Developed Recreation	Residents, Recreational User	1, 10	0.89 (0.55)	In Viewshed	No (no view due to enclosed tree canopy)

Prepared for: Mayflower Wind Energy LLC

KOP Number	Name	Municipality	Resource Type	Landscape/ Seascape Character Type	Viewer Groups	Selection Factors <sup>1</sup>	Distance to Substation <sup>2</sup> (mi [km])	In/Out of Viewshed	Project Visible from KOP?
45-C	Woodview Drive	Falmouth	Public Road	Rural/suburban Residential, Village/Town	Residents	Residents 1, 3, 5, 10, 11		In Viewshed	No (no view due to enclosed tree canopy)
48-C	Gifford Street*	Falmouth	Public Road	Forests/Woodlands	Residents, Tourists	1, 3, 10, 11, 12	0.19 (0.30)	In Viewshed	No (no view due to enclosed tree canopy)
50-C	St. Joseph Cemetery*	Falmouth	Public Road, Public Park	Forests/Woodlands, Village/Town, Cemeteries	Residents, Tourists, Recreational Users	1, 3, 10, 11, 12	0.30 (0.49)	In Viewshed	No (no view due to enclosed tree canopy)
Reviewe	d: No Visibility or	No Access							
31-C	Woods Hole Road at Bike Path Crossing	Falmouth	Public Road, Public Recreation	Parks/Developed Recreation	Recreational User	3, 10, 12	1.23 (1.97)	Outside Viewshed	No
36-C	Mares Pond Landing	Falmouth	Public Road, Public Recreation	Rural/suburban Residential	Residents	1, 10, 11, 12	1.71 (2.76)	In Viewshed	No (no access to public landing; enclosed canopy)

KOPs selected for the development of representative simulations are identified with gray shaded rows; KOPs selected for simulations include: 44-C, 46-C, 47-C, 49-C

See Figure 6-16 for KOP locations.

 $<sup>{}^{\</sup>star}\,\textit{KOPs denoted with an asterisk indicate KOPs with views of the Lawrence Lynch substation site}.$ 

<sup>&</sup>lt;sup>1</sup>See bulleted list in Section 6.2.3 for associated factors for KOP selection

<sup>&</sup>lt;sup>2</sup>Distances are to the Lawrence Lynch (preferred) substation site

## 6.3 Onshore Visual Analysis

Short-term visual effects will occur during construction of the onshore Project components and will result from visual evidence of construction activities and the presence of construction equipment and work crews. Construction activities associated with the onshore export cables, substation, and underground transmission route will include surveying; clearing the construction site (of pavement, existing buildings and/or vegetation depending on the site) and linear right-of-way; stockpiling top soil; grading; forming and construction of the buildings and outdoor electrical equipment foundations; placement and erection of buildings and electrical equipment; placement of perimeter security fencing; and restoration and landscaping installation (if required). It is anticipated that contrast will be introduced during Project construction primarily for viewers adjacent to the site and underground export and underground transmission cables, where the presence of construction equipment, materials, and crews will be dominant in the foreground. The onshore export and underground transmission cables will be installed underground within existing public roadways, shoulders, and grassy open space. Roads will be restored upon completion of construction. Views of Project construction from areas not immediately adjacent to the onshore substation site will be mostly screened by residential, commercial or industrial buildings, vegetation and/or topography. Visual effects to these viewers will be mostly limited to seeing construction traffic on local roads.

Visual impact associated with onshore construction and installation operations, in general, would be minor as construction equipment would only be in use temporarily during the construction and decommissioning periods. The analysis of onshore Visual Change and Visual Sensitivity in the sections below is limited to the operational and maintenance phase of the Project.

## 6.3.1 Visual Change - Onshore

The analysis of KOPs determined that the onshore substation is likely visible from some KOPs within the foreground (<0.5 mi [0.8 km]). Not all KOPs which are mapped within the viewshed, have visibility to the Project because the locations are either enclosed within existing vegetation, screened by buildings, or the viewer position is set low in the topography as noted in Table 6-3.

As noted in Figure 4-1, Visual Change, as measured by the reported Visibility Levels accounts for both visual compatibility (e.g., type, intactness, unity) and visual contrast (e.g., vividness, scale, and movement). AECOM applied the modified contrast ratings for the onshore KOPs, according to the methods described in Section 4.3.1.2. Within the contrast rating scale, *Visibility Levels 5 and 6* indicate **Strong** Visual Change, *Visibility Levels 3 and 4* **Medium** Visual Change, and *Visibility Levels 1 or 2* **Weak** Visual Change. The ratings have been applied in a conservative manner and are represented by a range intended to reflect the varying degrees of contrast possible at a given location based on atmospheric/meteorological and/or lighting conditions that might result in greater or lesser levels of contrast than are reflected in the actual simulated condition. The goal of applying the visual contrast method is to create an objective measure of visual change as would be perceived by sensitive viewers.

The VAF and simulations for the onshore APVI are presented in Attachment 4 . Simulations were developed for five KOPs. Summary of results is found in Table 6-4.

The Visual Change for the KOPs with views of the substation range from **Weak** (*Visibility Level 1*) to **Medium** to **Strong** (*Visibility Level 4-5*). The substation buildings and infrastructure are viewed at close distance and are only partially screened. As simulated, they are modern metal buildings that are not compatible with the traditional architecture and materials common on Cape Cod.

Table 6-4. KOP Visibility Level Ratings for Onshore Simulations

KOP Number	Name	Distance to Substation mi (km)	Visibility Level Rating	Visual Change
44-C	Oak Grove Cemetery	0.14 (0.22)	[4] - [5]	Medium to Strong
46-C	Goodwill Park	0.19 (0.30)	[2] - [3]	Weak to Medium
47-C	Lawrence Lynch Site - Gifford Street Substation	0.17 (0.28)	[3] – [4]	Medium
49-C	Two Ponds	0.26 (0.41)	[1]	Weak

Note: Visibility Levels 5 and 6 indicate strong visual change, Visibility Levels 3 and 4 medium visual change, and Visibility Levels 1 or 2 weak visual change.

### 6.3.2 Visual Sensitivity - Onshore

"Sensitivity" describes the extent to which viewers are concerned about the scenic quality of a given landscape or seascape. As described earlier, Upper Cape Cod is a popular place to live and vacation, and there is evidence that people are drawn to the maritime setting, historic features, and high level of naturalness. Viewer concern for the scenic condition of landscapes depends on a range of factors, including types of users, amount of use, demonstrated public interest, and protective designations (i.e., conservation or historic sites). These factors suggest that many, if not most, people who will view the Project from Upper Cape Cod (permanent residents, seasonal residents, tourists, recreational users, and others) fall into a **High** Viewer Sensitivity category. This means they value the setting, are aware of the surroundings, and are expected to notice changes in the visual environment. As noted in Section 6.1.2, the APVI has a high degree of visual integrity, resulting from the interactions of the natural setting and the visible human history.

The second component of Visual Sensitivity is the Visual Resource Sensitivity. Higher levels of viewer sensitivity may be evident based on level of primary or secondary protection afforded the visual resource and/or the relative rarity of the visual resource. Viewers engaged in activities unrelated to scenery (e.g., drivers passing through the area) are assumed to be less sensitive, while those there, at least in part, for the scenery (tourists, homeowners, tourist related businesses) will have higher sensitivity and be more impacted by negative visual change. The visual resources in the viewshed on Cape Cod are not pristine currently and has been characterized as somewhat impacted by the presence of the commercial and light industrial operations at both substation sites. However, construction of a substation on either property will be a noticeable difference. The Visual Resource Sensitivity is assumed to be **Medium** based on the current status of the development (presence of commercial and light industrial operations) with the existing presence of some historical character at the preferred substation site based on the Oak Grove Cemetery, where visitors are more likely to be aware of their surroundings and the peaceful and historic nature of the resource.

For the purposes of this onshore assessment, Visual Sensitivity is rated as **Medium** (in non-historic areas) to **High** (for viewers near the Oak Grove Cemetery).

### **6.3.3 Visual Impact Characterization - Onshore**

As described in Section 4.3.3, the combination of Visual Change and Visual Sensitivity characterizes the potential for impact associated with the Project; the potential for impact is characterized as **Low**, **Medium/Low**, **Medium**, **High/Medium**, **or High**. Visual Sensitivity was characterized as **Medium** to **High** for the purposes of this assessment and Visual Change was characterized as predominantly **Weak** to **Strong**.

The potential for Visual Impact of the Project is characterized as **Medium to Medium/High**, based on the following factors:

Medium visual contrast of main Project elements;

- High Visual Sensitivity;
- Partial vegetative screening from KOPs; and
- Small Project extent (single site).

The above characterization does not account for mitigation. Depending on which mitigation measures are included, and to what extent, it is possible to substantially lower the visual impact.

# **6.3.4 Cumulative Impact of Reasonably Foreseeable Future Actions - Onshore**

This analysis did not consider additional proposed or foreseeable future projects in the vicinity. But compared with existing conditions, the Project adds cumulative impacts to other existing visual disturbances in the study area.

## 6.4 Mitigation - Onshore

The onshore substation would be visible from a few KOPs. Since these are already developed as industrial sites, visual integrity is low. Landscape enhancements keep the impact from the development low or neutral compared with existing conditions. Further mitigation is possible however, if local authorities request it during the local permitting process. Mitigation measures for the onshore Project components under consideration, include:

- Conform to landscape codes and edge treatments (i.e. visual buffers) to improve site aesthetics and screen new development from view. In areas where vegetation removal needs to occur to support construction, new landscaping should be provided and maintained.
- Design buildings to blend in and consider local aesthetic; minimize the number of separate elements. Select a single, non-reflective color/surface coating to reduce contrast.
- Locate several substation components inside the building(s) to minimize outdoor features and reduce the quantity of lightning masts.
- Revised proposed building design to better fit village context. For example, use pitched roofs and
  painted wood siding to better match local Cape Cod vernacular design. The buildings associated
  with onshore substation development will match local Cape Cod design standards. The design of the
  substation buildings will relate to the local design context and guidelines.
- Construct the Project facility lightning protection masts at the minimum height and diameter required for safety and function.

The potential for impact can be reduced, possibly substantially, depending on the feasibility of incorporating the above described mitigation measures.

# 7.0 Technical References

- Bureau of Land Management (BLM). 1986. Visual Resource Management System. Available on-line: http://blmwyomingvisual.anl.gov/vr-overview/blm/. Accessed April 2018.
- Bureau of Ocean Energy Management (BOEM). 2020. Information Guidelines for a Renewable Energy Construction and Operations Plan (COP).
- BOEM. 2021a. Assessment of Seascape, Landscape, and Visual Impacts of Offshore Wind Energy Developments on the Outer Continental Shelf of the United States
- BOEM. 2021b. Guidelines for Providing Information on Lighting and Marking of Structures Supporting Renewable Energy Development. .April 28, 2021
- Carr-Harris, Andrew & Lang, Corey. 2019. "Sustainability and tourism: the effect of the United States' first offshore wind farm on the vacation rental market," Resource and Energy Economics, Elsevier, vol. 57(C), pages 51-67.
- Council on Environmental Quality Executive Office of the President and Advisory Council on Historic Preservation. 2013. NEPA and NHPA: A Handbook for Integrating NEPA and Section 106. March 2013. Available online: <a href="https://www.achp.gov/sites/default/files/2017-02/NEPA">https://www.achp.gov/sites/default/files/2017-02/NEPA</a> NHPA Section 106 Handbook Mar2013 0.pdf
- Dukes County GIS, 2021. Available online: <a href="https://data-dukescountygis.opendata.arcgis.com/">https://data-dukescountygis.opendata.arcgis.com/</a>. Accessed October 1, 2021.
- ESRI, 2020. ESRI World Topo Map and World Imagery files. <a href="https://support.esri.com/en/technical-article/000012040">https://support.esri.com/en/technical-article/000012040</a>.
- Falmouth Economic Development & Industrial Corporation (EDIC). 2019. Demographics. Available on-line: https://www.falmouthedic.org/demographics. Accessed November 2020.
- Falmouth Land Trust (FLT). 2020. Falmouth Land Trust Properties. Falmouth Land Trust. Available at: <a href="https://falmouthlandtrust.org/properties-1">https://falmouthlandtrust.org/properties-1</a>. Accessed 2/6/21.
- Griffith, G.E., Omernik, J.M., Bryce, S.A., Royte, J., Hoar, W.D., Homer, J.W., Keirstead, D., Metzler, K.J., and Hellyer, G., 2009, Ecoregions of New England (color poster with map, descriptive text, summary tables, and photographs): Reston, Virginia, U.S. Geological Survey (map scale 1:1,325,000). Available at: http://ecologicalregions.info/data/vt/new\_eng\_front.pdf
- Landscape Institute (LI) and Institute of Environmental Management and Assessment (IEMA). 2013. Guidelines for Landscape and Visual Impact Assessment, Third Edition.
- Lothian, A., 2017. The science of scenery. South Carolina: CreateSpace Independent Publishing
  Platform.Martha's Vineyard Commission. 2007. Maratha's Vineyard Cost of Living Index for 2006.
  Available at:
  https://www.mvcommission.org/sites/default/files/docs/Cost of Living Index Fall 2006.pdf
- Martha's Vineyard Commission. 2012. Wind Energy Plan for Dukes County. Regional Planning Agency of Dukes County. Oak Bluffs, MA.
- Massachusetts Historic Commission Massachusetts Cultural Resource Information System Maps (MACRIS). 2021. Available online: https://maps.mhc-macris.net/. Accessed October 1, 2021.
- Massachusetts Audubon (Mass Audubon). 2021. About Sesachacha Heathlands Massachusetts Audubon Society, Available at: <a href="https://www.massaudubon.org/get-outdoors/wildlife-sanctuaries/sesachacha-heathlands/about">https://www.massaudubon.org/get-outdoors/wildlife-sanctuaries/sesachacha-heathlands/about</a>. Accessed 2/6/21.

- MassGIS. 2021. 2020 Environmental Justice Populations in Massachusetts. June 2021. Available: <a href="https://www.mass.gov/info-details/environmental-justice-populations-in-massachusetts">https://www.mass.gov/info-details/environmental-justice-populations-in-massachusetts</a>. Accessed: 4 October 2021.
- Nantucket County GIS. 2021. Available online: <a href="https://www.nantucket-ma.gov/151/GIS-Maps">https://www.nantucket-ma.gov/151/GIS-Maps</a>. Accessed October 1, 2021.
- Nantucket Land Council (NLC). 2021. <u>Preserved Open Space Nantucket Land Council</u>. Available at: https://www.nantucketlandcouncil.org/land-protection/preserved-open-space/. Accessed 2/6/21.
- Nantucket Land Trust (NLT). 2021. <u>Featured Properties and Trails Nantucket Land Bank</u>. Available at: https://www.nantucketlandbank.org/properties/featured-properties-and-trails/. Accessed 2/6/21.
- Nantucket Planning Board. 2009. Nantucket Master Plan Prepared in Accordance with M.G.L CH 41, Section 81D.
- Otkay, S. 2008. Sand Plain Grassland. Yesterday's Island, Today's Nantucket. Available on-line: <a href="https://yesterdaysisland.com/2008/features/grasslands.php">https://yesterdaysisland.com/2008/features/grasslands.php</a>.
- Paskakarnis, Tim. 2003. Cape Cod Commission, Pond Atlas. <a href="https://www.capecodcommission.org/our-work/ponds-and-lakes">https://www.capecodcommission.org/our-work/ponds-and-lakes</a>
- Pruetz, R. 2011. Cape Cod, Massachusetts. Smart Preservation. Available on-line:

  <a href="https://smartpreservation.net/green-successes/cape-cod-massachusetts/">https://smartpreservation.net/green-successes/cape-cod-massachusetts/</a>. Published on-line November 14, 2011.
- Smart Preservation. 2021. Nantucket, Massachusetts | Smart Preservation. Available at: https://smartpreservation.net/green-successes/nantucket-massachusetts/. Accessed 2/6/21.
- Sullivan, R. G., L. B. Kirchler, J. Cothren, and S. L. Winters. 2013. Offshore Wind Turbine Visibility and Visual Impact Threshold Distances. Environmental Practice, 15:1, 33-49.
- Sullivan, R. G., J. M. Abplanalp, S. Lahti, K.J. Beckman, B.L. Cantwell and P. Richmond. 2014, Electric transmission visibility and visual contrast threshold distances in western landscapes. Conference Proceedings of the 39th Annual NAEP Conference. April 7 10, 2014, St. Petersburg, FL.
- Town of Falmouth. 2020. Zoning Bylaw. Town Code Chapter 20. Articles 1-14. P. 92. Available on-line: <a href="http://www.falmouthmass.us/DocumentCenter/View/8559/Falmouth-Zoning-Bylaw-Recodification-Clean-Copy-for-April-2021-Town-Meeting?bidld="http://www.falmouthmass.us/DocumentCenter/View/8559/Falmouth-Zoning-Bylaw-Recodification-Clean-Copy-for-April-2021-Town-Meeting?bidld="http://www.falmouthmass.us/DocumentCenter/View/8559/Falmouth-Zoning-Bylaw-Recodification-Clean-Copy-for-April-2021-Town-Meeting?bidld="http://www.falmouthmass.us/DocumentCenter/View/8559/Falmouth-Zoning-Bylaw-Recodification-Clean-Copy-for-April-2021-Town-Meeting?bidld="http://www.falmouthmass.us/DocumentCenter/View/8559/Falmouth-Zoning-Bylaw-Recodification-Clean-Copy-for-April-2021-Town-Meeting?bidld="http://www.falmouthmass.us/DocumentCenter/View/8559/Falmouth-Zoning-Bylaw-Recodification-Clean-Copy-for-April-2021-Town-Meeting?bidld="http://www.falmouthmass.us/DocumentCenter/View/8559/Falmouth-Zoning-Bylaw-Recodification-Clean-Copy-for-April-2021-Town-Meeting?bidld="http://www.falmouthmass.us/DocumentCenter/View/8559/Falmouth-Zoning-Bylaw-Recodification-Clean-Copy-for-April-2021-Town-Meeting?bidld="http://www.falmouthmass.us/DocumentCenter/View/8559/Falmouth-Zoning-Bylaw-Recodification-Clean-Copy-for-April-2021-Town-Meeting?bidld="http://www.falmouthmass.us/DocumentCenter-View/8559/Falmouthmass.us/DocumentCenter-View/8559/Falmouthmass.us/DocumentCenter-View/8559/Falmouthmass.us/DocumentCenter-View/8559/Falmouthmass.us/DocumentCenter-View/8559/Falmouthmass.us/DocumentCenter-View/8559/Falmouthmass.us/DocumentCenter-View/8559/Falmouthmass.us/DocumentCenter-View/8559/Falmouthmass.us/DocumentCenter-View/8559/Falmouthmass.us/DocumentCenter-View/8559/Falmouthmass.us/DocumentCenter-View/8559/Falmouthmass.us/DocumentCenter-View/8559/Falmouthmass.us/DocumentCenter-View/8559/Falmouthmass.us/DocumentCenter-View/8559/Falmouthmass.us/DocumentCenter-View/8559/Falmouthmass.us/DocumentCenter-View/8559/Falmouthmass.us/DocumentCenter-View/8559/Falmouthmass.
- Trustee of Reservations. 2021. <u>Coskata-Coatue Wildlife Refuge The Trustees of Reservations</u>, Available at: <a href="https://thetrustees.org/place/coskata-coatue-wildlife-refuge/">https://thetrustees.org/place/coskata-coatue-wildlife-refuge/</a>. Accessed 2/6/21.
- United States Coast Guard (USCG). 2020. Local Notice to Mariners 33-20 Special Notice. ME, NH, MA, RI, CT, NY, NJ-Atlantic Ocean-Offshore Structure PATON Marking Guidance. Department of Homeland Security, U.S. Coast Guard, District 1. August 19, 2020.
- Unites States Department of Agriculture (USDA) Forest Service. 1995. Landscape Aesthetics: A Handbook for Scenery Management. Agricultural Handbook Number 701.
- United States Geological Survey (USGS). 1993. Environmental Setting. Available on-line: <a href="https://pubs.usgs.gov/wri/wri984249/pdf/4envirsettings.web.pdf">https://pubs.usgs.gov/wri/wri984249/pdf/4envirsettings.web.pdf</a>. Accessed November 2020.
- USGS. 2019. National Land Cover Database. Available at https://data.usgs.gov/datacatalog/data/USGS:60cb3da7d34e86b938a30cb9. Accessed 7/12/22.
- Vineyard Conservation Society (VCS). 2021. Open Space Protected Through VCS Action Vineyard Conservation Society. Available at: http://www.vineyardconservation.org. Accessed 2/6/21.
- Vineyard Wind. 2018. Vineyard Wind Historic Properties Visual Impact Assessment. Vineyard Wind Offshore Wind Farm Project. Prepared by Epsilon Associates, Inc., Maynard, MA.

- Wampanoag Tribe of Gay Head (Aquinnah). Wampanoag History. Available at: <a href="https://wampanoagtribe-nsn.gov/wampanoag-history">https://wampanoagtribe-nsn.gov/wampanoag-history</a>. Accessed: 4 October 2021.
- Warner, R. A. 2018. An Overview of Visual Impact Analysis for Offshore Wind Energy. In: Gobster, Paul H.; Smardon, Richard C., eds. 2018. Visual resource stewardship conference proceedings: landscape and seascape management in a time of change. Gen. Tech. Rep. NRS-P-183. Newtown Square, PA: U.S. Department of Agriculture, Forest Service, Northern Research Station: 38-43.
- Wood, S., J. Purdum, and B. Egan. 2014. Visualization Simulations for Offshore Massachusetts and Rhode Island Wind Energy Area, Meteorological Report. U.S. Department of the Interior, Bureau of Ocean Energy Management, Office of Renewable Energy Programs. OCS Study BOEM 2017-037.
- World Wildlife Fund. 2020. Atlantic Coastal Pine Barrens. Available on-line: <a href="https://www.worldwildlife.org/ecoregions/na0504">https://www.worldwildlife.org/ecoregions/na0504</a>.

# **Attachment 1 – Visual Impact Assessment Methodology Memorandum to BOEM**



To:

Ms. Jennifer Flood Mayflower Wind Energy LLC 2 Drydock Avenue Boston, MA 02210

CC:

Nancy Palmstrom, AECOM Kristen Durocher, AECOM

#### Project name:

Mayflower Wind Renewable Energy Project

#### Project ref:

60620428

#### From:

Dean Apostol and Jordan Secter

#### Date:

November 2, 2020

Response to BOEM Comments:

December 14, 2020

## **Revised Memo**

Subject: Visual Impact Analysis Methodology for BOEM Review - Rev 2

# Mayflower Wind Proposed Visual Impact Assessment Methodology

# **Executive Summary**

Mayflower Wind Energy LLC (Mayflower Wind) proposes an offshore wind renewable energy generation project (Project) located in federal waters off the southern coast of Massachusetts in the Outer Continental Shelf (OCS) Lease Area OCS-A 0521 (the Lease Area) which will deliver electricity to the regionally administered transmission system via export cables with a landing point in Falmouth, Massachusetts and onshore transmission system extending to the point of interconnection (POI) in Bourne, Massachusetts (the Project).

The Lease Area is located south of Martha's Vineyard and Nantucket (Figure 2-1). Wind turbine generators (WTGs) will be constructed within the Lease Area to deliver power via inter-array cables to up to 5 offshore substation platforms (OSPs). The WTG and the OSP positions have been established based on a 1 x 1 nautical mile (1.9 x 1.9 kilometer [km]) grid oriented along the cardinal directions to maintain a uniform spacing of WTGs/OSPs across multiple lease areas within the Massachusetts/Rhode Island Wind Energy Area.

## **Assessment Objective**

Visual impacts are expected to be an important concern for communities nearest to offshore wind energy development. Public understanding and acceptance of wind development is partly dependent on visual and scenic issues being clearly identified, objectively evaluated, and if possible mitigated through accepted processes. The construction and operation of an offshore wind energy development project may affect the visual landscape and experience of those to whom the Project is visible. If a project is likely to be visible from the shoreline, a Visual Impact Assessment (VIA) is required by the Bureau of Ocean Energy Management (BOEM) to support the National Environmental Policy Act (NEPA) review process.

į

The VIA for the Mayflower Wind project will:

- Develop a baseline assessment of visual conditions from which visual change resulting from the Project can be measured and evaluated
- Document the area of Theoretical Area of Visual Impact (TAVI), which is the area within which the Project elements are likely to be visible based on distance and factoring in curvature of the earth;
- Characterize the landscape/seascape by identifying character types within areas with similar natural and cultural features:
- Identify representative Key Observation Points (KOPs) which encompass the full range of viewer experiences, conditions and characteristics under which the Project may be seen;
- Choose a sample of KOPs locations to develop visual simulations of the proposed Project development;
- Use the simulations and other data to evaluate the potential effect of the Project on a viewer's experience from different locations, as measured by applying a contrast rating/visibility analysis on landscape, seascape and ocean character. The evaluation will consider the various of contrast throughout the time of day related to specific conditions such as sun angles, viewer position and atmospheric conditions.
- Provide an opinion of effects on the individuals viewer experience and by combining viewer sensitivity with the visual contrast of Project elements (BOEM will make a final determination of impacts) and,
- If necessary, identify potential mitigation measures to reduce apparent visual impacts.

## **Methodology Summary**

AECOM proposes to employ the methodology summarized below and provided in greater detail in **Attachment 1** in anticipation of the issuance BOEM Visual Assessment Guidelines and Procedures in winter of 2021. AECOM expects that the BOEM procedures will be based on the *Guidelines for Landscape and Visual Impact Assessment Third Edition* (Landscape Institute and Institute of Environmental Management & Assessment; LI/IEMA, 2013) and will include a modified contrast rating system (Bureau of Land Management; BLM) that helps evaluate visual change and impact (Sullivan and Cothren, 2013). Modification of the contrast rating table focuses on the addition of element to the evaluation criteria to help expand considerations needed to compare baseline information to any potential change to the visual condition.

Table: Visual Resources Assessment Inventory and Contrast Rating Form

able. Visual Resources Assessment inventory and contrast Rating Form									
	VISUAL RESOURCES ASSESSMENT INVENTORY AND CONTRAST RATING FORM								
A. Visual Resource Assessment									
KOP Number:	Name KOP:	Date:	Time:	Weather:					
Location Description:									
Landscape Character	Types:	Scenic Inte	Scenic Integrity:						
	Visual Absorption Capability: Dominant Landscape Attributes:								
Relevant Viewer Groups:	Viewer Context:			Viewer Position					
Visual Connection to	the project:			Viewing distance					

	B. Landscape/Seascape Character Description								
Landscape	Landform	Ocean	Water	Vegetation	Structures				
Seascape Character Attributes									
Form									
Line									
Color									
Texture									

Summary

**Existing Landscape/Seascape Character Description:** 

Page 1

	VISUAL RESOURCES ASSESSMENT INVENTORY AND CONTRAST RATING FORM																				
	C. Contrast Rating □Short Term □Long Term																				
										1	Featu	ıres									
			Land	lform			Ос	ean			Wa	iter			Vege	tation	1	S	Struct	ures	•
	gree of entrast	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None
	Form																				
	Line																				
	Color																				
	Texture																				
\$	Horizont al Scale (% field of view)																				
Elements	Vertical (Height of Object against the horizon)																				
	Motion																				
	Lighting																				

#### Overall Visual Contrast Rating: []

#### **Based on the Visual Contrast Rating Scale**

- Level 1: Visible only after extended, close viewing.
- Level 2: Visible when scanning in the general direction of the project facilities.
- Level 3: Visible after only a brief glance in the direction of the project facilities.
- Level 4: Plainly visible, but not dominant.
- Level 5: Strongly attracts visual attention. Prominent.
- Level 6: Dominates the view. Occupies most of the visual field.

The proposed Mayflower Wind methodology is designed to understand both the extent of change to visual resources and change to the experience of the affected viewers.

The VIA study is divided into 5 sections:

- 1. Collection of Baseline Information
- 2. Analysis of Visual Impacts and Evaluation Procedures
- 3. Analysis of Cumulative Impacts based on "Effects of Reasonably Foreseeable Planned Actions"
- 4. Environmental Consequences
- 5. Mitigation

#### **Collection of Baseline Information**

The VIA methodology includes an extensive collection of baseline information to understand the relationship between the existing physical landscape and seascape conditions, identification of KOPs and the sensitivity to change by the key viewers, also called receptors. The baseline data provides a framework that describes existing conditions and allows proposed changes to be measured and evaluated for potential impacts. Baseline information collected for this study includes the following:

- Define the Area of Potential Impact
- Description of the landscape/seascape inventory, delineate, and describe seascape and landscape character areas
- Description of viewers/receptors and expected sensitivity to visual change
- Characterize the historical significance/relationships of potential key viewing areas
- Selection and evaluation of Key Observation Points (KOPs), (including consultation and input with local communities). Note: KOPs refer to a general area, like a beach or park. Representative photo points are taken within each KOP.
- Field photography from specific points within selected KOPs

#### **Analysis of Impacts**

A visibility analysis identifies areas that likely will have visual exposure to the Project. It includes data, such as; distance, number of project related facilities visible, and mitigating factors (i.e., partial screening). Simulation viewpoints have been selected to represent key views that highlight a diversity of viewer experiences from different vantage points, view angles or range of site characteristics.

The process for analyzing impacts is as follows:

- Select simulation points within KOPs based on historical significance, visual exposure to the Project, viewer experiences and landscape character
- Build one or more simulations based on the maximum anticipated development based on design envelope provided by Mayflower Wind. Include, where possible, clear, non-hazy atmospheric conditions and varying times of day.
- Apply a modified visual contrast rating, adapted from the Bureau of Land Management and Sullivan (2013), to simulations to assess contrast and level of dominance of offshore and onshore Project components.
- Compare baseline to projected visual conditions in relation to the seascape and landscape conditions (seascape and landscape character areas)
- Quantify visual changes to all viewpoints (number of facilities in view, distances, height, field of view)
- Anticipate receptor/viewer response based on sensitivity to changes to visual conditions based on the effects to the viewer experience as related to viewer activity(s) within the KOP
- Determine likely level of impact by combining sensitivity and contrast/visibility level

## **Environmental Consequences**

The VIA report will provide a preliminary analysis of visual impacts of the Project. A final determination of impact will be completed within the BOEM NEPA process. The VIA report will describe the level of contrast applied to selected simulations, assuming maximum development scenario, and the expected effect on sensitive viewers at those locations. In addition, KOPs and viewpoints not simulated will be analyzed for impact based on visibility, distance, and proximity to simulated points.

## **Cumulative Impacts**

The Mayflower Wind Project is located in one of 8 offshore wind energy lease areas in the MA/RI WEA. The cumulative impacts analysis represents the Mayflower Wind Project within the context of the other potential developments based on the "Effects of Reasonably Foreseeable Planned Actions". BOEM will provide guidance on cumulative impact requirements and how to address the determination post-COP submission.

## Mitigation

Depending on the impact level, mitigation measures may be proposed. These will be done in consultation with Mayflower Wind and BOEM after COP submission.

# Attachment 1: VIA Detailed Methodology Project Description

A description of the proposed action including the locations, number and size of wind turbine generators (WTGs), offshore substation platforms (OSPs) and the location, number, and size of onshore transmission facilities will be provided. For the purposes of the Visual Impact Assessment (VIA) to accompany the Mayflower Wind Construction and Operations Plan (COP), we anticipate describing and evaluating a single project alternative, the *Maximum Development Scenario*. This includes the greatest anticipated number of WTGs, the largest potential size, and the largest size and maximum number of onshore transmission structures. As the Project design proceeds to greater detail, future modifications are expected to be in the direction of less, rather than more visual impact.

#### **Conduct Baseline Studies**

The characterization of the baseline landscape and visual conditions is an important component of the analysis. The baseline is the basis for measuring the visual effects or impacts.

Baseline includes descriptions of:

- Atmospheric and meteorological influence
- Landscape/seascape conditions delineate and describe landscape and seascape character and ocean areas.
- Historical Significance
- Selection and Evaluation of Key Observation Points (including consultation and input with local communities)
- Field Photography from Key Observation Points
- Identification of Key Views and Receptors based on descriptions of viewer experiences and activities

#### **Describing the Area of Potential Impact**

Viewsheds/visibility and Area of Potential Impact (API) are various ways to describe the area within which the Project may be visible, and thus could be impacted. In the case of the Mayflower Wind Project, factors that influence visibility include; distance, earth curvature, atmospheric conditions, topography, and potential screening by other nearby projects (i.e., Vineyard Wind turbines may screen Mayflower Wind turbines from portions of Martha's Vineyard). Additionally, topography, vegetation, and buildings may screen views of WTGs and transmission towers from land-based viewpoints.

Based on information derived from previous projects and preliminary visibility analyses, at least some maximum-sized Mayflower Wind WTGs will likely be visible at far background distances (greater than 20 miles) from multiple viewpoints, particularly Nantucket beaches on the southwestern shore.

## **Atmospheric Conditions**

Atmospheric Conditions refer to low cloud cover, fog, or haze that when present, obscure or restrict views of the Project. These vary by time of year and day and provide information regarding how often the Project will likely be visible. Previous atmospheric condition analyses for other projects in the vicinity indicate that offshore turbines may be visible approximately half the time during daylight hours, with some seasonal variability.

## Landscape/Seascape Character Assessment

Landscapes and seascapes can be defined as a distinct and recognizable pattern of elements, or characteristics, that make one place visually and aesthetically different from another. The question is not better or worse, but rather what is it that makes one place distinct. Landscape Character Assessment is a process that identifies and describes variation in the landscape. It is an effort to identify and explain the unique combination of elements and features (characteristics) that make landscapes distinctive

Understanding what is distinct about a landscape/seascape, what makes it special, establishes a baseline for measuring changes to it, whether these are positive, neutral, or negative.

An important part of the landscape/seascape character analysis in this Project is identifying how land and shoreline character areas are visually tied to the open sea where the Project will be located. All landscapes and seascapes have a

combination of elements that make them what they are and influence how they appear. Various factors that influence landscape/seascape character include:

- Physical factors: geology, soils, landform, drainageways
- Cover: vegetation, barren areas (beaches, rock)
- Shorelines and erosional features, bays, cliffs
- Scale, such as the open ocean
- Human activities: land use, buildings, towns, field and forest patterns, historic and contemporary

Landscape/seascape character is the basis for aesthetic perception. Places vary with respect to scale, complexity, openness, human influence, and wildness. Generally, people prefer landscape character types that include: naturalness, historic buildings or townscapes, complex, fine grained field patterns, views of open water, and panoramic (wide angle) views. Our preliminary observations are that all or nearly all of the landscape/seascape of the Project Area has these qualities in abundance. *Regional ecotypes* are often the foundation for landscape/seascape character description, even where these are no longer dominant.

Preliminary List of Landscape/Seascape Character Units:

- Open ocean
- · Open sand beaches
- Coastal dunes
- Coastal bluffs
- Tidal marshes & salt ponds
- · Grasslands, fields and meadows
- Scrub-shrub plant communities
- Forests and Woodlands
- Residential (may include subtypes)
- Village/Townscape

We will map landscape character types with lines drawn where one meets another. We recognize that people's experience of these types is often inclusive, that is one may be standing within a grassland or field that is adjacent to tidal marshes, and includes residential areas, but also has a view to the open ocean. Adjacent scenery influences scenery within the near view. We plan to use Bureau of Land Management methods for determining the degree of influence, particularly the distant ocean, on terrestrial character types where they are visually connected.

Desktop studies set the stage for landscape/seascape character assessment.

## **Historical Significance**

Historical Significance is important to the local communities and BOEM. "Time Depth" is a phrase used to describe visible links to cultural heritage, human influence, and historic character. Some landscape/seascapes display many layers of history, while others have no obvious links to the past, though these may be hidden. While a separate analysis of historic resources is being done for the Project, the VIA will consider historical influences on landscape/seascape character types, as well as visual influences or connections between the Project and historic sites.

## **Key Observations Points**

Key Observation Points (KOPs) represent both common and sensitive views within the analysis area. These locations are being used to assess potential changes to landscape/seascape character that could result from the Project.

A list of KOPs was identified from the Vineyard Wind Visual Impact Assessment and has been used as a starting point to recognize places of visual significance to the community within the area of potential visual effects. These KOPs include historic structures and buildings, significant landscapes, recreation areas, scenic roads, overlooks and vistas, public beaches, town centers, residential communities and estates.

A desktop analysis of the potential viewshed of the Mayflower Wind Project eliminated some KOPs from the initial list. Consultations with the communities on Nantucket, Martha's Vineyard, and Falmouth resulted in adding other sites. Selected KOPs reflect importance to scenic, social, cultural and economic resources, and include the entire oceanfront facing towards the Project.

KOPs should be thought of as use areas that may have a visual connection to the Project. A KOP can be a single point, or it can be a broader place, like Madaket Beach, or Bartlett's Farm located on Nantucket. As such, a visitor to a KOP may have a visual experience that begins on the way there, may include an entry area, parking, and a walk to a viewpoint or use area. The visual experience changes along the way. At times the Project may be screened, while at other times it is a focal point. Within these broad KOPs, specific photo points will be selected that provide representative, or best views toward the Project. The final KOP list includes a broad selection of view types while avoiding duplication. KOPs are selected to adequately represent views of the Project from multiple angles, distances, vantages, and viewer types (residents, tourists, economic interests).

#### Field Photography

Measured, geo-referenced photos have been taken, to the extent possible, in clear weather conditions, from all KOPs, using standards common to the practice, described in the Land and Visual Impact Assessment (LVIA), and to meet the anticipated expectations of reviewers. Panoramic images were taken from multiple sites. Some, but not all of these will be selected as simulation points to explore Project visibility and contrast in greater detail.

#### Receptors/Viewers

Receptors are the people who ultimately will see the Project and experience its effects. For the Mayflower Wind Project, given its position off the coast of the islands of Martha's Vineyard and Nantucket, we anticipate the following groups of receptors/viewers:

- Year around residents
- Seasonal residents
- · Scenery oriented tourists
- Tourist related businesses
- Recreation oriented tourists and vacationers
- Recreational mariners
- Commercial mariners

It is important to note that receptor/viewer groups are not exclusive, nor are "groups" the actual viewers. Individuals do the viewing, and they may be part of one or more groups. For example, a year around resident may also have a boat and at times be a recreation or commercial oriented mariner. Year around and seasonal residents may also be recreation oriented "tourists" on weekends when they go to the beach or cycle across an island.

There is an expectation at the outset that most receptors of the Project will be very sensitive to visual changes from key observation points on Cape Cod, Nantucket and Martha's Vineyard resulting from offshore wind development and related land-based facilities. This expectation is based on public input on previous projects in the area, as well as direct discussions with local stakeholders. The focus of our analysis will be on quantifying and qualifying these viewer groups, but we do not anticipate a deep analytical dive into differentiating sensitivity levels.

Summary, Baseline Studies include:

- Viewsheds/visibility/study area
- Atmospheric conditions
- Landscape/seascape character descriptions
- Key View analysis and selection: (Includes input from local stakeholders Nantucket, Martha's Vineyard, Falmouth) –
   Mayflower Wind continues to execute their public engagement plan
- Field photography
- Identification of likely receptors/viewers: type, numbers, season, sensitivity

## **Analysis of Visual Impacts & Analysis Procedure**

We assume that receptors/viewers are highly sensitive to the visual environment. Nantucket receptors will be more visually exposed to the offshore Project elements than those on Martha's Vineyard due to distance. Cape Cod viewers will not be exposed to offshore facilities due to distance and expected screening but will be somewhat exposed to transmission facilities onshore.

#### General process:

- Select simulation points based on historical significance, viewer experiences and landscape character
- Evaluate maximum anticipated development based on design envelope provided by Mayflower Wind
- Compare baseline to projected visual conditions. Note change, positive or negative.
- Quantify visual changes to all viewpoints (number of facilities in view, distances, height, field of view)
- Anticipate receptor/viewer response based on sensitivity and changes to visual conditions
- Perform visual contrast rating independently (2 or more visual quality experts).
- Combine sensitivity with visual contrast to gage impacts on a qualitative scale (low to high) from each simulated point.
- Where possible, extrapolate to KOP/photo points that were not simulated, but can be predicted based on their proximity or similarity to simulations (angle, distance, character type, etc.).
- Analyze the overall impact based on number of KOPs affected, and the degree of effect.

The visibility analysis has identified areas that likely will have visual exposure to the Project. It includes data, such as distance, number of facilities visible, and mitigating factors (i.e., partial screening). Simulation viewpoints are being selected to represent key views that highlight a diversity of viewer experiences from different vantage points, view angles or site characteristics.

Sixteen photo points have been selected for simulations of offshore facilities. Most of these are on Nantucket Island, which has a higher degree of visual exposure, and is more proximate to the Project. In addition to the photographic simulations, one video that includes both daytime and nighttime views will be developed to capture safety lighting, blade motion, and shifting daylight effects. A set number of simulations of offshore views, onshore views and one video simulation will be developed for submittal with the COP.

Analysis will substantially rely on a modified Visual Contrast Rating system applied to the simulated views. The rating scale that will be used was developed by Robert Sullivan, Argonne Lab in a paper (2013) on offshore wind turbine visibility\*, summarized as follows:

- Level 1: Visible only after extended, close viewing.
- Level 2: Visible when scanning in the general direction of the project facilities.
- Level 3: Visible after only a brief glance in the direction of the project facilities.
- Level 4: Plainly visible, but not dominant.
- Level 5: Strongly attracts visual attention. Prominent.
- Level 6: Dominates the view. Occupies most of the visual field.

Modified BLM visual resources assessment and contrast rating form will be used to guide the analysis. Visual contrast is a useful indicator of impact, assuming sensitive receptor/viewers. In the scale above, levels 5 and 6 indicate high impact, 3 and 4 moderate impact, and 1-2 no or low impact. However, impact is also dependent on other factors, including number of viewpoints affected and viewer sensitivity.

In addition, wind turbines sometimes have an "associative aesthetic," meaning people like or accept their appearance because they link them to clean energy production, supported by many people. To the extent feasible, the simulations will be completed for clear sky and atmospheric conditions. This is generally referred to as "worst case" scenario for visual impact analysis, even though at times facilities will be obscured.

			Landscape Receptor Sensitivity						
			High	Medium	Low				
Red o	ells repr epresen	of Significance of Landscape Impacts esent significant adverse impacts Green t significant beneficial impacts Blue cells acts that are not significant	Landscape with important components or of a particularly distinctive character, susceptible to relatively small changes of the type proposed.	Landscape with relatively ordinary, moderately valued characteristics reasonably tolerant of changes of the type proposed.	A relatively unimportant landscape with few features of value or interest, potentially tolerant of substantial change of the type proposed.				
	Significant adverse changes, over a significant area, to key characteristics or features or to the landscape's character or distinctiveness for more than 2 years		High adverse significance	High/Medium adverse significance	Medium adverse significance				
	Moderate adverse	10 months but less than 2 years, over a 1 3		Medium adverse significance	Low adverse significance				
oe Impact	Slight adverse	Noticeable adverse changes for less than 2 years, significant adverse changes for less than 6 months, or barely discernible adverse changes for any length of time.	Medium adverse significance	Low adverse significance	Neutral				
Magnitude of Landscape Impact	Neutral	Any change would be negligible, unnoticeable or there are no predicted changes.	Neutral	Neutral	Neutral				
Magnitud	Slight benefit	Noticeable beneficial changes for less than 2 years, significant beneficial changes for less than 6 months, or barely discernible beneficial changes for any length of time.	Medium beneficial significance	Low beneficial significance	Neutral				
	Moderate benefit	Noticeable but not significant beneficial changes for more than 2 years or significant beneficial changes for more than 6 months but less than 2 years, over a significant area, to key characteristics or features or to the landscape's character or distinctiveness.	High/Medium beneficial significance	Medium beneficial significance	Low beneficial significance				
	Major benefit	Significant beneficial changes, over a significant area, to key characteristics or features or to the landscape's character or distinctiveness for more than 2 years	High beneficial significance	High/Medium beneficial significance	Medium beneficial significance				

#### **Environmental Consequences**

The VIA report will not provide a complete determination of visual impact. The report will describe the level of contrast based on the scale above and applied to the simulation points, assuming the expected effect on sensitive viewers at those locations. This will provide an indication of likely impact level using a qualitative scale. An environmental impact statement done later by BOEM may use these findings as is, or may choose to re-evaluate impacts.

Likely effects/impacts will depend on a range of factors, including:

- Visibility, seasonality, atmospheric conditions
- Proportion of the Project elements in view
- Number of viewpoints affected
- Viewing distance
- Nature of the views (duration, movement, screening)
- Scale and magnitude of the proposed facilities within the view
- Geographic extent of the project within the visual context
- Night lighting systems used
- · Sensitivity and number of viewers
- Value attached to views

The level of impact combines magnitude and sensitivity to visual change. We expect that sensitivity is high, therefore much of the analysis is aimed at determining the magnitude of the visual change to the environment rather than determining sensitivity.

#### **Mitigation**

Appendix A - Best Management Practices of the BOEM guidance for COP development (BOEM, 2020) notes that developers should consider the following for visual resources:

- Address key design elements, including visual uniformity, use of tubular towers, and proportion and color of turbines.
- Use appropriate viewshed mapping, photographic and virtual simulations, computer simulation, and field inventory
  techniques to determine, with reasonable accuracy, the visibility of the proposed project. Simulations should illustrate
  sensitive and scenic viewpoints.
- Comply with FAA and USCG requirements for lighting in accordance with BOEM's "Draft Proposed Guidelines for Providing Information on Lighting and Marking of Structures Supporting Renewable Energy Development," dated October 2019, available at https://www.boem.gov/guidance, and should minimize visual impacts through appropriate application.
- Seek public input in evaluating the visual site design elements of proposed wind energy facilities.
- Use directional aviation lights that minimize visibility from shore (within FAA guidelines).

Mayflower Wind will consider and incorporate, where appropriate, the above BMPs for visual resources as part of the design process. As noted above, the VIA will evaluate the *Maximum Development Scenario*.

## **Cumulative Impacts**

Our understanding is that BOEM will provide guidance on criteria associated with "Effects of Reasonably Foreseeable Planned Actions" within the Wind Energy Area. We assume this will include:

- At least one simulation from a key viewpoint that incorporates other anticipated offshore wind development near the Mayflower Wind Project
- Mayflower Wind will provide an overview map that will define the Lease Area and WTG positions that may be visible from one or more of the existing KOPs.
- Mayflower Wind will provide an inset map with each cumulative simulation which identifies the WTG positions included, including with and without the Mayflower Wind WTGs, and those from other projects.
- A list of assumptions related to the Mayflower Wind turbine positions within the lease area, the number of proposed turbines and methods used in mapping and modeling of the simulations.

We anticipate that BOEM will provide Mayflower Wind with specific direction as to the assumed heights, foundation types, color and other pertinent information for turbines and offshore substation platforms located in neighboring lease areas. It is Mayflower Wind's expectation that BOEM will request the development of and provide the required information for cumulative impact simulations after COP submittal and prior to issuance of the National Environmental Policy Act (NEPA) Draft Environmental Impact Statement (DEIS).

#### Reporting

Using the above described methodology AECOM will prepare the Visual Impact Assessment Report for inclusion with the COP. That report will fully document the assessment methodology employed, complete description of the baseline landscape and visual conditions, and resultant findings based on a Maximum Development Scenario.

#### References

BOEM. 2020. Information Guidelines for a Renewable Energy Construction and Operations Plan (COP). Version 4.0. May 27.


LI/IEMA. 2013. Guidelines for Landscape and Visual Impact Assessment, Third edition (GLVIA 3). Landscape Institute and Institute of Environmental Management & Assessment, Routledge, London.

Sullivan, Robert G., and Jackson Cothren, 2013. Offshore Wind Turbine Visibility and Visual Impact Threshold Distances. Environmental Practice, March 2013.

Epsilon Associates Inc. 2020. Vineyard Wind LLC, Draft Construction and Operations Plan Volume III Appendices.

Preparer	Reviewer 1	Reviewer 2
Dean Apostal / Jordan Secter		Nancy Palmstrom
х		x

# Attachment 2 – KOP Photo Log



Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.





Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.





Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.






Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.





Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.






Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.





Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.





Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.



# Existing Conditions Key Observation Point 9-MV – 322 South Road




Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.






Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.






Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.






Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.






Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.





Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.





Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.






Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.






Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.






Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.






Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.






Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.





Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.






Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.





Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.





Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.



### Existing Conditions Key Observation Point 13-N – Hummock Pond Rd Bike Path




Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.



### Existing Conditions Key Observation Point 15-N – Altar Rock

Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.









Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.






Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.



# Existing Conditions Key Observation Point 19-N – Miacomet Golf Club

Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.






Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.






Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.









Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.





Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.




### Key Observation Point 3-C – Shore Street



Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.



Key Observation Point 4-C – Gifford Road








Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.





Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.







### Key Observation Point 22-C-B – Falmouth Heights Beach; Facing Worcester Ave



Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.





Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.




### Key Observation Point 24-C – Brick Kiln Road (West)



Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.



Key Observation Point 25-C – Brick Kiln Road (East)





Key Observation Point 31-C – Woods Hole Road at Bike Path Crossing

Key Observation Point 31-C – Woods Hole Road at Bike Path Crossing



Key Observation Point 33-C – Carlson Lane at Park near Bike Path

Key Observation Point 33-C – Carlson Lane at Park near Bike Path



Key Observation Point 33-C – Carlson Lane at Park near Bike Path



## Key Observation Point 44-C – Oak Grove Cemetery


Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.






Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.





Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.





Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.




#### Key Observation Point 48-C – Gifford Road



Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.




#### Key Observation Point 49-C – Two Ponds



Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.





Photograph above is intended to be viewed approximately 15" from viewer's eyes when printed on 11" x 17" paper. The photograph below was cropped, left and right, to show a wide-angle view of the area; the area in yellow depicts the location of the above imagery.



Attachment 3– Offshore Visual Analysis Forms and Photo Simulations for Martha's Vineyard and Nantucket

#### **Attachment 3 Offshore Visibility Analysis Forms**

#### **Tables**

Martha's Vineyard	2
Table 1. KOP Number 1-MV	3
Table 2. KOP Number 2-MV	7
Table 3. KOP Number 3-MV	11
Table 4. KOP Number 4-MV	15
Table 5. KOP Number 6-MV	18
Table 6. KOP Number 9-MV	21
Table 7. KOP Number 16-MV	24
Nantucket	28
Table 8. KOP Number 2-N	29
Table 9. KOP Number 3-N (Haze)	32
Table 10. KOP Number 6-N	35
Table 11. KOP Number 8-N	38
Table 12. KOP Number 10-N	41
Table 13. KOP Number 11-N	44
Table 14. KOP Number 12-N (Clear Skies)	47
Table 15. KOP Number 12-N (Overcast)	50
Table 16. KOP Number 13-N	53
Table 17. KOP Number 16-N	56
Table 18. KOP Number 18-N	59
Table 19. KOP Number 19-N	62
Table 20. KOP Number 20-N	65
Table 21. KOP Number 21-N	69
Table 22 KOP Number 22-N (Clear Skies/Sunset)	72

**Martha's Vineyard** 

#### **Table 1. KOP Number 1-MV**

		A. KOP	Information			
KOP Number: 1-MV	KOP Name: Wasque Point	<b>Date:</b> June 25, 2020		<b>Time:</b> 9:00 AM		Weather: Sun, partly cloudy with haze band
Location Description: Wasque Point Beach is part of a	200-acre nature reserve	located on the southeastern	end of Chappaq	quiddick Islan	nd.	
Landscape Character Descript Open Ocean, Ocean Beach, Coa Rural/Residential		Scenic Integrity: Scenic integrity is high due and active dunes appear na			• • • • • • • • • • • • • • • • • • • •	pears mostly natural. The beach
Visual Absorption Capability: Low – the view from the remote visual absorption.	beach to a distant ocear	horizon does not facilitate	Dominant Lan Open ocean, sa	-	ibutes: and eroding dunes.	
Relevant Viewer Groups: Recreational User, Residents, To	ourists	Viewer Context: Viewer groups visit Wasque experience the natural char. Recreation includes surf cas skating on inland ponds, sw biking, horseback riding and	acter of Chappao st fishing, hunting rimming, hiking, r	quidick. g, ice-	Viewer Position: Level with Project (on	beach)
Visual Connection to Project: Visual connection to the open oc	ean is unencumbered.	,	3	<b>/iewing dist</b> 31.19 mi 50.20 km	ance: Statue Miles (mi	) (mi) and Kilometers (km)

	B. Landscape/Seascape Character Description [KOP 1-MV]										
Landscape Seascape Character Attributes	Landform	Ocean	Enclosed Water Bodies	Vegetation	Structures						
Form	Level to slightly sloping sandy beach, steep tidal beach break. Eroding vertical cliff dune.	Linear and regular, fills in the negative space in the scene, indistinguishable from the sky	None	None	None						
Line	Strong undulating line where coastal tidal edge meets the water tan sandy beach.	The ocean is flat with even to irregular lines of the moving water.	None	None	None						
Color	Sand, brown, gray	Very light gray/blue	None	None	None						
Texture	Fine to course	Smooth	None	None	None						

#### **Existing Landscape/Seascape Character Description:**

Wasque Point Beach is comprised of terraced sandy beaches connected to shifting sandbars that are constantly changing due to strong wind and ocean currents. Above the beach, dry soils support native pine oak forests, sandplain grasslands, and heathlands. The area is owned and managed by the one of five preservation trusts called the Trustees of Reservations. Lands are managed as ecological preserves and recreation areas supporting residents and seasonal tourists. Unimproved roads connect with primitive parking areas that lead to trails with staircases leading to the beaches. During the summer season, visitors are required to purchase seasonal or day passes to park and access the trails and beaches.

The dominant visual elements are comprised of natural vegetation, dunes. the flat expanse of ocean, the blue or gray color reflecting the sky, smooth or choppy texture of the water surface, and the distant horizon line. Scenic integrity is high, with few or no existing visual intrusions. The dark horizon line provides a distinct linear break between the ocean and the sky. Ocean evaporation from warm summer temperatures often creates grayish white band of haze between the ocean and the blue sky. Conditions range from flat water to choppy to rolling swells.

The viewer position to the ocean is from the beach near the main access point. The long, linear, tan sandy beach contrasts strong variable edge where the ocean tide meets the dry sand of the beach.

	C. Contrast Rating [KOP 1-MV]											rt Term	⊠Lo	ng Term	า						
											Feat	tures									
			Land	lform			Ocean				Water			Vegetation				Structures			
Deg	ree of Contrast	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None
	Form		Х				Х			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Line		Х				Х			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Color			Х				Х		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Elements	Horizontal Scale (% field of view)	NA	NA	NA	NA		х			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Elen	Vertical (Height of Object against the horizon)	NA	NA	NA	NA			Х		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Motion	NA	NA	NA	NA	Х				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Lighting	NA	NA	NA	NA	Х				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

**Overall Visual Contrast Rating: Weak to Moderate** 

Visibility Level Rating: [2] - [3]

[2] Visible when scanning in the general direction of the project facilities.

[3] Visible after only a brief glance in the direction of the project facilities. Not dominant due to distance.

Contrast rating is a range of weak to moderate. The conditions of the simulations present an overcast haze that somewhat reduces the visibility of the elements in the view. In clearer conditions, visibility would likely be closer to a 3, with the project visible only after a brief glance, but not plainly visible given the distance. Turbine details, blade movement for example, would be difficult to see due to the distance.

#### **Contrasting Elements:**

- Vertical elements introduced into a flat horizontal seascape scene which are visually evident against the strong horizon line;
- Array of turbines and platforms along the horizon line.
- The apparent density of visible structures arrayed across the horizon line as well as the extent of the visible horizon occupied by the Project; An apparent lack of visual order of the Project from the viewer position;
- Circular blade motion along the horizon line which
  - o Occurs in a different plane from the horizon.
  - o Does not correspond with the natural back and forth motion of the waves.
  - o Is not synchronized (e.g., rotation speed and blade positions may vary among the visible WTGs).
  - o May be visible when visual acuity is not diminished from atmospheric conditions.
  - Does not relate to any existing features.
- The vertical turbines contrast with the linear flat form of the ocean and the dark horizontal line of the horizon.

#### **Mitigating Factors:**

- Due to distance, much of the turbine height is below the horizon line and only a small section is in view above the horizon line.
- Nighttime visibility will depend on selection of an FAA approved lighting system. The Project will use Radar Activated Aircraft Detection Light System (ADLS), if approved by FAA. This system is activated only when aircraft penetrates the radar field.

#### KOP 1-MV - Wasque Point

#### Martha's Vineyard

#### **PANORAMIC PHOTOGRAPH** - EXISTING CONDITIONS



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

#### **ISLAND MAP**

# FAIRHAVEN Buzzards Bay Nantucket Sound SISBURY OAK BLUFFS MARTHA'S VINEYARD Edgartowicape Harbor Pegr Bay CHILMARK Memerisha AQUINNAH Pend O 2.5 5 Miles

#### **PHOTOGRAPH AND SITE**

Rural/Residential

Time of photograph: 9:01 AM Viewing direction: South (163°)

Date of photograph: 6-25-20 Latitude: 41.351077°N

L/SCA: Ocean Beach, Costal Scrub, Longitude: 70.454821°W

Lighting Direction: Backlit diffused

#### **ENVIRONMENT**

Temperature: 77° F Humidity: 58%

Wind Dir & Speed: SSW 14mph

Weather Condition: Cloudy


#### CAMERA

Camera Elevation: 20.5 ft / 6.3 m Fstop: f/7.1

Nikon D4 Shutter: 1/1250 sec

Nikon 50mm Aperture priority


ISO: 100 Exposure bias: -0.7 step



**Access:** Trustees of Reservation Property (access fee), recreation parking area

Scenic Resources: Open ocean, ocean beach, coastal dunes
Adjacent Amentities: Trustees of Reservation entry kiosk
Adjacent Areas: Pocha Pond, Wasque Point Beach, Edgartown
South Beach, Katama Bay, East Beach, residential structures
Adjacent L/SCAs: Ocean beach, open ocean, coastal scrub bush,
coastal dunes, bays and ponds, low density residential structures
Adjacent KOPs: KOP 14-M Quammux Road, KOP 2-M Wasque
Reservation, KOP 1-M Wasque Point

#### KOP 1-MV - Wasque Point Martha's Vineyard



The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

#### KOP 1-MV - Wasque Point

#### Martha's Vineyard

#### PANORAMIC PHOTOGRAPH - SIMULATED CONDITIONS



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

#### **REGIONAL MAP**

# Buzzards Bay Nantucket Sound MARTHAS VINEYARD Wasque Point Miles OCS-A 0521; Legend Key Observation Point (Photograph) Potential WTG/OSP Positions Circle Obscurity Ring (TIP) Circle Obscurity Ring (HUB)

#### **PHOTOGRAPH AND SITE**

Time of photograph: 9:01 AM

Date of photograph: 6-25-20

L/SCA: Ocean Beach, Costal Scrub,
Rural/Residential

Viewing direction: South (163°)

Latitude: 41.351077°N

Longitude: 70.454821°W

Lighting Direction: Backlit diffused

#### **ENVIRONMENT**

Temperature: 77° F

Humidity: 58%
Wind Dir & Speed: SSW 14mph
Weather Condition: Cloudy

#### **CAMERA**

Camera Elevation: 20.5 ft / 6.3 m Fstop: f/7.1

Nikon D4 Shutter: 1/1250 sec

Nikon 50mm Aperture priority

ISO: 100 Exposure bias: -0.7 step

#### **SITE MAP**




#### **PROJECT VIEW**

Horizontal Field of View: 127° Furthest WTG: 51.9 mi / 83.5 km


Vertical Field of View: 39.6° Potential Number of WTGs Visible: 106

Nearest WTG: 31.2 mi / 50.2 km Potential Number of WTGs Not Visible: 43

#### **VISIBILITY OF CLOSEST TURBINE**



### KOP 1-MV - Wasque Point Martha's Vineyard



The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

#### Table 2. KOP Number 2-MV

			A. KOP	Information			
KOP Number: 2-MV	KOP Name: Wasque Pointrail)	nt Reservation (from	<b>Date:</b> June 25, 2020		<b>Time:</b> 9:12 AM		Weather: Sun, partly cloudy with haze band
Location Description: Wasque Point is part of a 200-ac the scrub and dunes with views of			Southeastern end	of Chappaquidic	k Island. Lor	ng winding trails follow th	ne top of vegetated cliffs through
Landscape Character Descript Open Ocean, Ocean Beach, Coa Rural/Residential			•			•	ne beach and dunes appear an provide dramatic scenery in a
Visual Absorption Capability: Low – the view from the beach to absorption.	o an open ocea	an horizon does not f	acilitate visual	Dominant Lan Flat, even shru visible to the he	ıb heathland		prest. The vast open ocean is
Relevant Viewer Groups: Recreational User, Residents, To	ontext: oups visit Wasque ee the natural char in includes surf can inland ponds, swarseback riding, an	acter of Chappa st fishing, huntin rimming, hiking,	quiddick. g, ice-	Viewer Position: Slightly Viewer Superi	ior (from Trail)		
Visual Connection to Project: Visual connection to the open oc	ean is unencur	mbered			Viewing dis 31.21 mi 50.23 km	 tance: Statue Miles (mi	i) (mi) and Kilometers (km)

B. Landscape/Seascape Character Description [KOP 2-MV]											
Landscape Seascape Character Attributes	Landform	Ocean	Enclosed Water Bodies	Vegetation	Structures						
Form	Level to slightly sloping Exposed sandy earthy soils. Steep Eroding vertical cliff dune.	Linear and regular, fills in the negative space in the scene, indistinguishable from the sky.	None	Vertical short scrubby vegetation	None						
Line	Strong undulating line where coastal tidal edge meets the water tan sandy beach	The ocean is flat with even to irregular lines of the moving water.	None	None	None						
Color	Sand, brown, gray	Very light gray/blue	None	Tan, light to dark gray blue	None						
Texture	Fine to course	Smooth	None	Fine texture grassland, course texture coastal scrub	None						

#### **Existing Landscape/Seascape Character Description:**

Wasque Point is comprised of terraced sandy beaches connected to shifting sandbars that are constantly changing due to strong wind and ocean currents. Above the beach are pine oak forests, sandplain grasslands, and heathlands. The area is owned and managed by the one of five preservation trusts called the Trustees of Reservations. Lands are managed as ecological preserves and recreation areas for residents and seasonal tourists. Unimproved roads connect with primitive parking areas that lead to trails with staircases leading to the beaches. Summer season requires visitors to purchase seasonal or day passes to park and access the trails and beaches.

The dominant visual elements are the flat expanse of water, the blue or gray color reflecting the sky and haze, the smooth or choppy texture of the water surface, and the distant horizon line. Scenic integrity is high, with no existing visual intrusions. The dark horizon line provides a distinct linear break between the ocean and the sky. Ocean evaporation from warm summer temperatures creates grayish white band of haze between the ocean and the warm blue sky. Conditions range from flat water to choppy to rolling swells.

The viewer position is from the trail, set back from the water's edge.

	C. Contrast Rating [KOP 2-MV] □Short Term ☑Long Term																				
											Feat	ures									
			Land	lform			Oc	ean			Wa	ter			Vege	tation			Struc	tures	
Deg	ree of Contrast	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None
	Form		Х				Х			NA	NA	NA	NA		Х			NA	NA	NA	NA
	Line		Х				Х			NA	NA	NA	NA			Х		NA	NA	NA	NA
	Color			Х				Х		NA	NA	NA	NA		Х			NA	NA	NA	NA
Elements	Horizontal Scale (% field of view)				х		x			NA	NA	NA	NA		x			NA	NA	NA	NA
Elen	Vertical (Height of Object against the horizon)				Х			Х		NA	NA	NA	NA		Х			NA	NA	NA	NA
	Motion	NA	NA	NA	NA	Х				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Lighting	NA	NA	NA	NA	Х				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Overall Visual Contrast Rating: Weak to Moderate

Visibility Level Rating: [2] - [3]

[2] Visible when scanning in the general direction of the project facilities.

[3] Visible after only a brief glance in the direction of the project facilities. Not dominant due to distance.

The contrast rating is a range of weak to moderate depending on conditions. The current conditions of the simulations present an overcast haze influencing the visibility of the elements in the view. With somewhat hazy atmospheric conditions visibility is a 2, likely to be missed by casual observers. In clear conditions, the Project is at a level 3, visible only after a brief glance. Details would not be seen due to the distance effecting the viewer's acuity.

#### **Contrasting Elements:**

- Vertical elements introduced into a flat horizontal seascape scene;
- The apparent density of visible structures arrayed across the horizon line as well as the extent of the visible horizon occupied by the Project;
- An apparent lack of visual order;
- Circular blade motion may be visible along the horizon line which
  - o Occurs in a different plane from the horizon.
  - o Does not correspond with the natural back and forth motion of the waves.
  - o Is not synchronized (e.g., rotation speed and blade positions may vary among the visible WTGs).
  - o May be visible when visual acuity is not diminished from atmospheric conditions.
  - Does not relate to any existing features
- The vertical turbines contrast with the linear flat form of the ocean and the dark horizontal horizon line.

#### **Mitigating Factors:**

- Distance to nearest turbines over 20 miles
- Wide panorama reduced apparent horizontal scale of project
- Nighttime visibility will depend on selection of an FAA approved lighting system. The Project will use Radar Activated ADLS, if approved by FAA. This system is activated only when aircraft penetrates the radar field.

#### **KOP 2-MV - Wasque Reservation**


#### Martha's Vineyard

#### **PANORAMIC PHOTOGRAPH** - EXISTING CONDITIONS



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

#### **ISLAND MAP**



#### **PHOTOGRAPH AND SITE**

Time of photograph: 9:12 AM

Viewing direction: South (163°)

Date of photograph: 6-25-20

Latitude: 41.351077°N

L/SCA:Ocean Beach, Coastal Scrub, Longitude: 70.454821°W

Ocean Beach, Rural/Residential

#### **ENVIRONMENT**

Temperature: 77° F

Humidity: 58%
Wind Dir & Speed: SSW 14mph
Weather Condition: Cloudy

#### CAMERA

Camera Elevation: 27.5 ft / 8.4 m Fstop: f/7.1

Nikon D4 Shutter: 1/1250 sec

Nikon 50mm Aperture priority

ISO: 100 Exposure bias: -0.7 step

Residential Structures

Katama Bay

Wasque Point Beach

Edgartown South Beach

750 1,500

Feet

Lighting Direction: Backlit diffused

Access: Trustees of Reservation Property (access fee), recreation

Scenic Resources: Ocean beach, open ocean, scrub shrub


landscape, coastal dunes

Adjacent Amentities: Trustees of Reservation entry kiosk
Adjacent Areas: Pocha Pond, Wasque Point Beach, Edgartown
South Beach, Katama Bay, East Beach, residential structures
Adjacent L/SCAs: Ocean beach, open ocean, coastal scrub
bush, coastal dunes, bays and ponds, medium density residential
structures

Adjacent KOPs: KOP 14-M Quammux Road, KOP 2-M Wasque

Reservation, KOP 1-M Wasque Point

### KOP 2-MV - Wasque Reservation Martha's Vineyard



The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

#### **KOP 2-MV - Wasque Reservation**

#### Martha's Vineyard

#### **PANORAMIC PHOTOGRAPH - SIMULATED CONDITIONS**



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

#### **REGIONAL MAP**

# Buzzards Bay Nantucket Sound MARTHAN VINEYARD Wasque Reservation Mayflower Wind OCS-A 0521; Legend Key Observation Point (Photograph) Potential WTG/OSP Positions Circle Obscurity Ring (TIP) Circle Obscurity Ring (HUB)

#### **PHOTOGRAPH AND SITE**

Time of photograph: 9:12 AM Viewing direction: South (163°)

Date of photograph: 6-25-20 Latitude: 41.351077°N

L/SCA: Ocean Beach, Coastal Scrub, Longitude: 70.454821°W

Ocean Beach, Rural/Residential Lighting Direction: Backlit diffused

#### **ENVIRONMENT**

Temperature: 77° F

Humidity: 58% Wind Dir & Speed: SSW 14mph Weather Condition: Cloudy

#### **CAMERA**

Camera Elevation: 27.5 ft / 8.4 m Fstop: f/7.1

Nikon D4 Shutter: 1/1250 sec

Nikon 50mm Aperture priority

ISO: 100 Exposure bias: -0.7 step

#### SITE MAP




#### **PROJECT VIEW**

Horizontal Field of View: 105° Furthest WTG: 51.7 mi / 83.2 km


Vertical Field of View: 39.6° Potential Number of WTGs Visible: 114

Nearest WTG: 31.2 mi / 50.2 km Potential Number of WTGs Not Visible: 35

#### **VISIBILITY OF CLOSEST TURBINE**



### KOP 2-MV - Wasque Reservation Martha's Vineyard



The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

#### Table 3. KOP Number 3-MV

			A. KOF	Information			
KOP Number: 3-MV	KOP Name Wasque Ave (viewpoint a	=	<b>Date:</b> June 25, 2020		<b>Time:</b> 9:37 AM		Weather: Sun, partly cloudy with haze band
<b>Location Description:</b> Wasque Avenue viewpoir	nt is located next to the	e kiosk at the enti	y to Wasque Point Be	each on Chappa	quiddick Isla	nd.	
Landscape Character D Coastal Scrub, Rural/Res Ocean, Ocean Beach,	•	Scenic Integrity Scenic integrity unobstructed.		note location of t	he beach. S	etting is mostly natural.	View to the horizon is largely
Visual Absorption Capa Low to moderate – the vic provides some buffer to the	ew from scrub vegetat		ches of pine trees	Dominant Lan Flat topograph is visible acros	y, even shru	b heathlands with patch	es of pine forest. The open ocean
Relevant Viewer Groups:  Recreational User, Residents, Tourists  Viewer Conte Viewer groups experience the Recreation ind skating on inla				e Point to recreat acter of Chappa st fishing, huntin vimming, hiking, d photography.	quiddick. g, ice-	Viewer Position: Viewer superior/eleva	ted
Visual Connection to Provisual connection to the o	•	unencumbered.		3	Viewing dis 31.59 mi 50.84 km	iance: Statue Miles (m	i) (mi) and Kilometers (km)

B. Landscape/Seascape Character Description [KOP 3-MV]											
Landscape Seascape Character Attributes	Landform	Ocean	Enclosed Water Bodies	Vegetation (backdrop to the ocean view)	Structures						
Form	Level to slightly sloping, landform is not exposed covered in scrub shrub vegetation	Linear and regular, fills in the negative space in the land and the sky	None	Vertical short scrubby vegetation	Rectangular small with sloping roof, road is linear and cuts across the center of the site.						
Line	Strong level, horizontal	The ocean is flat with even to irregular lines of moving water.	None	Irregular clusters, stippled treetops	Linear, cubic						
Color	Sand, tan	Very light to dark gray/blue	None	Light to dark greens, gray and yellow, tan brown	Tan, gray, brown						
Texture	Fine to smooth	Smooth	None	Fine texture grassland, course texture coastal scrub	Smooth						

#### **Existing Landscape/Seascape Character Description:**

The viewpoint at Wasque Avenue is located at the transition between the pine oak forest, coastal scrub and heathland. The view across the coastal scrub abruptly ends at the top of steep eroding dunes above the beach. Access roads cut across the scrub shrub leading to recreation trails and beach access parking areas. Ocean trails area located at the top of the dune and run horizontally across the landscape. The area is owned and managed by the one of five preservation trusts called the Trustees of Reservations. Lands are managed as ecological preserves and recreation area supporting residents and seasonal tourists. Unimproved roads connect with primitive parking areas that lead to trails with staircases leading to the beaches. During the summer season, visitors are required to purchase seasonal or day passes to park and access the trails and beaches.

The dominant visual elements include pine oak forest, scrub shrub and brown, tan road cuts through the vegetation. The background is a flat expanse of water, the blue or gray color reflecting the sky and haze. The ocean texture appears smooth as the gray blue color fills in the negative space between the dark horizon line and the sky. Scenic integrity is high, with no visual intrusions.

The photo position is located at viewpoint above the entry pay kiosk to Trust Lands site.

						C. Co	ntrast	Rating	[KOP 3	-MV]	□Sho	rt Term	⊠Lo	ng Terr	n						
											Feat	ures									
			Land	lform			Ос	ean			Wa	iter			Vege	tation			Struc	tures	
Deg	ree of Contrast	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None
	Form		Х				Х			NA	NA	NA	NA		Х					Х	
	Line			Х		Х				NA	NA	NA	NA			Х				Х	
	Color			Х				Х		NA	NA	NA	NA		Х					Х	
Elements	Horizontal Scale (% field of view)	Х				x				NA	NA	NA	NA			x				Х	
Elen	Vertical (Height of Object against the horizon)		х			х				NA	NA	NA	NA			х			Х		
	Motion	NA	NA	NA	NA	Х				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Lighting	NA	NA	NA	NA	Х				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

**Overall Visual Contrast Rating: Moderate** 

Visibility Level Rating: [3] - [4] depending on atmospheric conditions and time of day

[3] Visible after only a brief glance in the direction of the project facilities. Not dominant due to distance.

[4] Plainly visible, but not dominant

The contrast rating is Moderate. The simulations present an overcast haze influencing the Project. With this atmospheric condition visibility closer to a 3, and the project may be visible only after a brief glance. In clear conditions at certain times of day, the project would likely be plainly visible from this viewpoint and nearby areas. Project details would not be seen due to the distance. Blade movement would be detectible.

#### **Contrasting Elements:**

- Vertical elements introduced into a flat horizontal seascape scene which are visually evident against the strong horizon line;
- The apparent density of visible structures arrayed across the horizon line as well as the extent of the visible horizon occupied by the Project;
- An apparent lack of visual order (overlapping turbines);
- Circular blade motion may be visible along the horizon line during very clear conditions which
  - o Occurs in a different plane from the horizon.
  - o Does not correspond with the natural back and forth motion of the waves.
  - Is not synchronized (e.g., rotation speed and blade positions may vary among the visible WTGs).
- The vertical turbines contrast with the linear flat form of the ocean and the dark horizontal horizon line.

#### Mitigating Factors:

- Distance to nearest turbine over 20 miles.
- Wide panorama reduces apparent horizontal scale of project.

- Due to distance much of the turbine dip below the horizon line.
- Nighttime visibility will depend on selection of an FAA approved lighting system. The Project will use Radar Activated ADLS, if approved by FAA.

#### KOP 3-MV - Wasque Ave

#### Martha's Vineyard

#### **PANORAMIC PHOTOGRAPH** - EXISTING CONDITIONS



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

#### **ISLAND MAP**

# Buzzards Buzzards Bay Nantucket Sound GOSNOLD OAK BLUEFS MARTHA'S VINEYARD Edgartown Bey Harbor Bey OUTH Momentsha AGUINNAH Frent O 2.5 5 Miles

#### **PHOTOGRAPH AND SITE**

Time of photograph: 9:37 AM Viewing direction: South (163°)

Date of photograph: 6-25-20 Latitude: 41.355645°N

L/SCA: Coastal Scrub, Rural/Resi- Longitude: 70.461041°W

dential, Open Ocean, Ocean Beach Lighting Direction: Backlit diffused

#### **ENVIRONMENT**

Temperature: 78° F Humidity: 58%

Wind Dir & Speed: SSW 14mph

Weather Condition: Cloudy


#### **CAMERA**

Camera Elevation: 42.5ft / 13 m Fstop: f/7.1

Nikon D4 Shutter: 1/1250 sec

Nikon 50mm Aperture priority

ISO: 100 Exposure bias: -0.7 step



Access: Trustees of Reservation Property (access fee)

Scenic Resources: Scrub shrub landscape

Adjacent Amentities: Trustees of Reservation entry kiosk
Adjacent Areas: Pocha Pond, Wasque Point Beach, Edgartown
South Beach, Katama Bay, East Beach, residential structures
Adjacent L/SCAs: Ocean beach, open ocean, coastal scrub
bush, coastal dunes, bays and ponds, medium density residential
structures

Adjacent KOPs: KOP 14-M Quammux Road, KOP 2-M Wasque

Reservation, KOP 1-M Wasque Point

#### KOP 3-MV - Wasque Ave Martha's Vineyard

**EXISTING CONDITIONS** 

The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

#### KOP 3-MV - Wasque Ave

#### Martha's Vineyard

#### PANORAMIC PHOTOGRAPH - SIMULATED CONDITIONS



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

#### **REGIONAL MAP**

## Key Observation Point Circle Obscurity Ring (HUB)

#### **PHOTOGRAPH AND SITE**

Time of photograph: 9:37 AM Date of photograph: 6-25-20

L/SCA: Coastal Scrub, Rural/Residential, Open Ocean, Ocean Beach Viewing direction: South (163°)

Latitude: 41.355645°N Longitude: 70.461041°W

Lighting Direction: Sidelit diffused

#### **ENVIRONMENT**

Temperature: 78° F Humidity: 58%

Wind Dir & Speed: SSW 14mph

Weather Condition: Cloudy

#### **CAMERA**

Camera Elevation: 42.5ft / 13 m Fstop: f/7.1

Nikon D4 Shutter: 1/1250 sec

Nikon 50mm Aperture priority ISO: 100

Exposure bias: -0.7 step

#### SITE MAP




#### **PROJECT VIEW**


Horizontal Field of View: 127° Vertical Field of View: 39.6° Nearest WTG: 31.6 mi / 50.9 km Furthest WTG: 52.0 mi / 83.7 km Potential Number of WTGs Visible: 126

Potential Number of WTGs Not Visible: 23

#### **VISIBILITY OF CLOSEST TURBINE**



### KOP 3-MV - Wasque Ave Martha's Vineyard



The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

#### **Table 4. KOP Number 4-MV**

		A. KOF	Information			
	<b>(OP Name:</b> South Beach	<b>Date:</b> June 25, 2020		<b>Time:</b> 10:26 M		Weather: Sun, partly cloudy with haze band
Location Description: The South Beach Katama KOP is lofted from two small developed parking a Beach to Norton Point. A small gap	reas and a path throug	gh the dunes. Permitted bea		_		-
Landscape Character Description Open Ocean, Ocean Beach, Coasta Rural/Residential	al Scrub,	Scenic Integrity: Scenic integrity is high due structures and the Edgartov Unobstructed view of the oc	vn airport are inte		•	nostly natural. Residential lines line the back of the beach.
Visual Absorption Capability: Low – the view from the remote bea elements within the existing setting.		. There are no structural	Dominant Land Open ocean, sa	-	ibutes: and eroding dunes.	
Relevant Viewer Groups: Recreational User, Residents, Touri	sts	Viewer Context: Viewer groups visit South B and experience the beach s busy due to its location nea The beach maybe accessed or by bicycle along the pedethe beach from the center cactivities on South Beach in bathing, and picnicking.	setting. South Bear r the village of Ed d by car along the estrian/bike path lo of town. Recreation	Viewer Position: Beach Level		
Visual Connection to Project: Visual connection to the open ocean	n is unencumbered.		<b>Viewing o</b> 32.49 mi 52.30 km	listance: St	l tatue Miles (mi) and K	(ilometers (km)

B. Landscape/Seascape Character Description [KOP 4-MV]											
Landscape Seascape Character Attributes	Landform	Ocean	Enclosed Water Bodies	Vegetation	Structures						
Form	Level to slightly sloping, sand, rolling and sloping dunes	Linear, flat, smooth, rolling, choppy,	None	None	None						
Line	Strong level, horizontal line	Strong dark horizon line	None	None	None						
Color	Sand, tan, brown	Very light to dark gray/blue	None	None	None						
Texture	Fine to smooth	Smooth, ripples, chop	None	None	None						

#### **Existing Landscape/Seascape Character Description:**

The broad, flat expanse of water, the blue or gray color reflecting the sky, the smooth or choppy texture of the water surface, and the distant horizon line dominate the setting. Scenic integrity is high, with few or no visual intrusions. The beach is very popular due to its proximity to the village of Edgartown and is easily accessible by road and pedestrian trail. Temporary visual intrusion can occur from vehicles accessing the beach to drive to Norton Point and from traditional recreation activities on the beach.

The dark horizon line is visible providing a distinct linear break between the ocean and the sky. Ocean evaporation from warm summer temperatures often creates grayish white band of haze between the ocean and the blue sky. Commercial fishing and recreational boats are seasonally found in the waters of the study area, and views of the project can be at any point on the ocean surface on the south and west sides of the islands. Conditions range from flat water to choppy to rolling swells.

The photo position is located on the beach at the top of the high tide zone.

C. Contrast Rating [KOP										-MV]	MV] □Short Term ⊠Long Term										
Features																					
Degree of Contrast		Landform				Ocean				Water				Vegetation				Structures			
		Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None
	Form		Х			Х				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Line		Х			Х				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Color		Х				Х			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Elements	Horizontal Scale (% field of view)			х		х				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Vertical (Height of Object against the horizon)			х			х			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Motion					Х				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Lighting					Х				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Overall Visual Contrast Rating: Weak to Moderate

Visibility Level Rating: [2] - [3]

[2] Visible when scanning in the general direction of the project facilities.

[3] Visible after only a brief glance in the direction of the project facilities.

The contrast rating is Weak to Moderate. The atmospheric conditions at the time of the photo used for simulation present an overcast haze limiting the visibility of the Project elements. Vertical lines created by the turbines introduce contrast with the unbroken horizontal line of the horizon; however, contrast would be insufficient to strongly attract visual attention because it would occupy only a small portion of the observer's visual field and would be subordinate to major landscape/seascape elements. With the atmospheric condition in the photo, visibility is closer to a [2] with the Project visible when scanning in the general direction. In clear conditions the Project would may be visible only after a brief glance but would not be dominant consistent with Visibility Level Rating [3]. Details would not be noticeable due to the distance.

#### **Contrasting Elements:**

- Vertical elements introduced into the horizontal seascape scene which are visually evident against the unbroken horizon line;
- An perceived lack of visual order of the Project from the viewer position;
- Blade motion may be visible along the horizon line during clear conditions

#### Mitigating Factors:

- Distance to nearest turbines over 30 miles
- Wide panorama reduces apparent horizontal scale of project
- The visible Project would be subordinate to major landscape/seascape elements
- Due to distance much of the turbine height is below the horizon line and only a small section is in view above the horizon line.

  Nighttime visibility will depend on selection of an FAA approved lighting system. The Project will use Radar Activated ADLS, if approved by FAA.

# Martha's Vineyard

# **PANORAMIC PHOTOGRAPH** - EXISTING CONDITIONS



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

# **ISLAND MAP**

# Buzzards Buzzards Bay Nantucket Sound TISBURY OAK BLUFFS MARTHA'S VINEYARD Edgartowicaps Harbor People Bay CHILMARK/ AQUINNAH Poply O 2.5 5 Miles

# **PHOTOGRAPH AND SITE**

Time of photograph: 10:26 AM

Date of photograph: 6-25-20

L/SCA: Open Ocean, Ocean Beach, Coastal Scrub, Rural/Residential

Viewing direction: South (156°)

Latitude: 41.349757°N

Longitude: 70.530786°W

Lighting Direction: Backlit diffused

# **ENVIRONMENT**

Temperature: 78° F

Humidity: 58%
Wind Dir & Speed: SW 18mph
Weather Condition: Cloudy

# **CAMERA**

Camera Elevation: 22.5ft / 6.9 m Fstop: f/7.1

Nikon D4 Shutter: 1/1250 sec

Nikon 50mm Aperture priority

ISO: 100 Exposure bias: -0.7 step



Access: Public beach recreation

Scenic Resources: Ocean beach, coastal dunes, open ocean,

scrub scrub landscape

Adjacent Amentities: Hotel, restaurants, public restroom and

changing facilities


Adjacent Areas: Katama Farm, Katama Airpark, Charles Venn Beach, Norton Point Beach, Katama Bay, residential homes Adjacent L/SCAs: Ocean beach, coastal dunes, coastal scrub bush, medium density residential structures, agricultural/open fields

Adjacent KOPs: KOP 5-M Wilson's Landing, KOP 12-M Katama

Point Public Boat Launch, KOP 6-M Long Point Beach

Comparable KOPs: KOP 7-N Low Beach

Martha's Vineyard



The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

# Martha's Vineyard

# **PANORAMIC PHOTOGRAPH - SIMULATED CONDITIONS**



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

# **REGIONAL MAP**

# Buzzards Bay Nantucket Sound MARTHAR VINEYARD South Beach NANTUCKET Atlantic Ocean Circle Obscurity Ring (HUB)

# **PHOTOGRAPH AND SITE**

Time of photograph: 10:26 AM Viewing direction: South (156°)

Date of photograph: 6-25-20 Latitude: 41.349757°N

L/SCA: Open Ocean, Ocean Beach, Longitude: 70.530786°W

Coastal Scrub, Rural/Residential Lighting Direction: Sidelit diffused

# **ENVIRONMENT**

Temperature: 78° F

Humidity: 58%
Wind Dir & Speed: SW 18mph
Weather Condition: Cloudy

# **CAMERA**

Camera Elevation: 22.5ft / 6.9 m Fstop: f/7.1

Nikon D4 Shutter: 1/1250 sec

Nikon 50mm Aperture priority

ISO: 100 Exposure bias: -0.7 step

## SITE MAP




# **PROJECT VIEW**

Horizontal Field of View: 127° Furthest WTG: 51.7 mi / 83.2 km

Vertical Field of View: 39.6° Potential Number of WTGs Visible: 104

Nearest WTG: 32.5 mi / 52.3 km Potential Number of WTGs Not Visible: 45

# **VISIBILITY OF CLOSEST TURBINE**



Martha's Vineyard

# SIMULATED CONDITIONS



The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

# **Table 5. KOP Number 6-MV**

		А. кор	Information							
KOP Number: 6-MV	KOP Name: Long Point Beach	<b>Date:</b> June 25, 2020		<b>Time:</b> 12:23 M		Weather: Sun, partly cloudy with haze band				
Location Description: Long Point Beach is located withir forests, scrub shrub plant commu Landscape Character Descripti Open Ocean, Open Beach, Coast Ponds/Tidal Marshes	nities and saltwater tida on:		d long pristine sa	andy beache	s. The land is managed					
Visual Absorption Capability: Low – the view from the remote b elements within the setting.	each is to a vast horizo	n. There are no structural	Dominant Landscape Attributes: Open ocean, sandy beach and grassy dunes							
Relevant Viewer Groups: Recreational User, Residents, Too	urists	Viewer Context: Viewer groups visit the wildl the scenic integrity and bea the area, and to view wildlife and there is a feeling of beir	uty of the native e. The beaches a	ecology of	Viewer Position: Beach Level					
Visual Connection to Project: View visual connection to the ope	n ocean is unencumbel	red.		<b>Viewing dis</b> 34.93 mi 56.21 km	 tance: Statue Miles (m	ni) and Kilometers (km)				

	E	3. Landscape/Seascape Ch	aracter Description [KOP 6	-MV]	
Landscape Seascape Character Attributes	Landform	Ocean	Enclosed Water Bodies (Not in view but behind the viewpoint)	Vegetation (backdrop to the ocean view)	Structures
Form	Level to slightly sloping, sand, rolling and sloping dunes	Linear, flat, smooth, rolling, choppy,	Irregular	Vertical short scrubby vegetation	Rectangular small with sloping roof, road is linear and cuts across the center of the site.
Line	Strong level, horizontal line	Strong dark horizon line	Curvilinear	Irregular clusters, of low growing flat to erect, woody	Linear, cubic
Color	Sand, tan, brown	Very light to dark gray/blue	Blue, green gray	Light to dark greens, gray and yellow, reds, yellow, tan brown	Tan, gray, brown
Texture	Fine to smooth	Smooth, ripples, chop	Smooth, ripples, wavy	Fine texture grassland, course texture coastal scrub	Smooth

#### **Existing Landscape/Seascape Character Description:**

The broad, flat expanse of water, the blue or gray color reflecting the sky, the smooth or choppy texture of the water surface, and the distant horizon line dominate this setting. Scenic integrity is high, with few or no existing visual intrusions. The beach is very popular due to its proximity to the village of Edgartown and is easily accessible by road and pedestrian trail. Visual intrusion periodically occurs from vehicles accessing the beach to drive to Norton Point and from traditional recreation activities on the beach.

The dark horizon line is predominantly visible providing a distinct linear break between the ocean and the sky. Ocean evaporation from warm summer temperatures creates grayish white band of haze between the ocean and the blue sky. Commercial fishing and recreational boats seasonally use the waters of the study area, and views of the Project can be from any point on the ocean surface on the south and west sides of the islands. Conditions range from flat water to choppy to rolling swells.

The photo position is located on the beach at the top of tide.

						C. C	ontras	t Rating	g [KOP	6-MV]	□Sh	ort Terr	n ⊠L	ong Te	rm						
											Feat	ures									
			Land	lform			Oc	ean			Wa	ater			Vege	tation			Struc	tures	
Deg	ree of Contrast	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None
	Form		Х			Х				NA	NA	NA	NA		Х			NA	NA	NA	NA
	Line		Х			Х				NA	NA	NA	NA			Х		NA	NA	NA	NA
	Color		Х				Х			NA	NA	NA	NA		Х			NA	NA	NA	NA
Elements	Horizontal Scale (% field of view)			X		x				NA	NA	NA	NA			x		NA	NA	NA	NA
Elen	Vertical (Height of Object against the horizon)			х			х			NA	NA	NA	NA			х		NA	NA	NA	NA
	Motion					Х				NA	NA	NA	NA		Х			NA	NA	NA	NA
	Lighting					Х				NA	NA	NA	NA		Х			NA	NA	NA	NA

Overall Visual Contrast Rating: Weak - Moderate

Visibility Level Rating: [2] - [3]

[2] Visible when scanning in the general direction of the project facilities.

[3] Visible after only a brief glance in the direction of the project facilities. Not dominant due to distance.

The contrast rating is Weak to Moderate. The viewing distance (<35 miles /56 km) to the Project from this viewer position limits the visibility. The Project may be visible when scanning in the direction of the Project. On a perfectly clear day, the Project visible only after a brief glance corresponding to Visibility Level [3]. The top part of the turbines and the width of the blades will be visible above the horizon line. The motion of the blade may draw attention to the Project.

#### **Contrasting Elements:**

- Vertical elements introduced into a flat horizontal seascape scene which are visually evident against the strong horizon line;
- The array of structures visible across the horizon line as well as the extent of the visible horizon occupied by the Project;
- A perceived lack of visual order of the Project from the viewer position;
- Circular blade motion along the horizon line be visible in very clear conditions at certain times of day.

#### **Mitigating Factors:**

- Distance to nearest turbines over 20 miles
- Wide panorama reduces apparent horizontal scale of project
- Only the top third of the blades will be visible above the horizon line due to the distance and the curvature of the earth
- Nighttime visibility will depend on selection of an FAA approved lighting system. The Project will use Radar Activated ADLS, if approved by FAA. This system is activated only when aircraft penetrates the radar field.

# **KOP 6-MV - Long Point Beach**

# Martha's Vineyard

# **PANORAMIC PHOTOGRAPH** - EXISTING CONDITIONS



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

# **ISLAND MAP**

# Buzzards Buzzards Bay Nantucket Sound TISBURY OAK BLUFES MARTHA'S VINEYARD Edgartown Cape Harbor Bay CHILMARK/ Moments ha AQUINNAH Pary O 2.5 5 Miles

# **PHOTOGRAPH AND SITE**

Time of photograph: 12:23 AM

Date of photograph: 6-25-20

L/SCA: Open Ocean, Ocean Beach,
Coastal Scrub, Salt Ponds/TidalMarsh

Viewing direction: South (148°)

Latitude: 41.348779°N

Longitude: 70.632809°W

Lighting Direction: Backlit diffused

# **ENVIRONMENT**

Temperature: 77° F

Humidity: 71%
Wind Dir & Speed: SSW 12mph
Weather Condition: Cloudy

# **CAMERA**

Camera Elevation: 18.5 ft / 5.7 m Fstop: f/7.1

Nikon D4 Shutter: 1/1250 sec

Nikon 50mm Aperture priority

ISO: 100 Exposure bias: -0.7 step



Access: Public beach recreation

Scenic Resources: Ocean beach, coastal dunes, open ocean

Adjacent Amentities: Small parking lot

Adjacent Areas: Trustees of reservation land, multiple coves

and ponds


Adjacent L/SCAs: Ocean beach, coastal dunes, coastal scrub bush, forested woodlands, ponds and coves, very low density

residential structures

Adjacent KOPs: KOP 7-M Tississa Pond, KOP 8-M Tississa

Pond Hiking Trail, KOP 4-M South Beach

# KOP 6-MV - Long Point Beach Martha's Vineyard



The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

# **KOP 6-MV - Long Point Beach**


# Martha's Vineyard

# **PANORAMIC PHOTOGRAPH - SIMULATED CONDITIONS**



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

# **REGIONAL MAP**



# **PHOTOGRAPH AND SITE**

Time of photograph: 12:23 AM

Date of photograph: 6-25-20

L/SCA: Open Ocean, Ocean Beach,
Coastal Scrub, Salt Ponds/TidalMarsh

Viewing direction: South (148°)

Latitude: 41.348779°N

Longitude: 70.632809°W

Lighting Direction: Backlit diffused

# **ENVIRONMENT**

Temperature: 77° F

Humidity: 71%
Wind Dir & Speed: SSW 12mph
Weather Condition: Cloudy

## **CAMERA**

Camera Elevation: 18.5 ft / 5.7 m Fstop: f/7.1

Nikon D4 Shutter: 1/1250 sec

Nikon 50mm Aperture priority

ISO: 100 Exposure bias: -0.7 step

# SITE MAP




# **PROJECT VIEW**

Horizontal Field of View: 127° Furthest WTG: 51.49 mi


Vertical Field of View: 39.6° Potential Number of WTGs Visible: 99

Nearest WTG: 34.9 mi / 56.2 km Potential Number of WTGs Not Visible: 50

# **VISIBILITY OF CLOSEST TURBINE**



# KOP 6-MV - Long Point Beach Martha's Vineyard



The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

# Table 6. KOP Number 9-MV

			А. КОР	Information			
Number KOP: 9-MV	KOP Name: 322 South Road		nte: ne 25, 2020		<b>Time:</b> 4:17 PM		Weather: Sun, partly cloudy with haze band
Location Description: The location of 322 South Road is viewer and driver from an elevated vegetation to the ocean dunes, corridge there are very few views from	d position within the lands pastal shoreline beaches	scape. South f and the expan	Road follows a	a ridge. The fore	ested topogra	phy slopes dramatically	-
Landscape Character Description Open Ocean, Coastal Scrub, Fore Dunes, Tidal Marshes	ests/Woodlands, S		y is high due to e positioned le				ast view of the ocean horizon. ed and do not detract from the
Visual Absorption Capability: Low – the view from the remote be	each to a vast horizon.			Dominant Lar Open ocean, F	-	butes: ion and scrub shrub, ho	orizon line
Relevant Viewer Groups: Residents, Tourists	Viewer Context:  Viewers will experience the scene from an unimproved pullout off South Road. This is one of two locations off South Road where the ocean is visible from the inland position. Residences are below the ridge within the forest vegetation.				ited		
Visual Connection to Project: Visual connection to the open oce	an above forest vegetation	on and scattere	ed residential	nomes.	<b>Viewing dist</b> 38.17 mi 59.83 km	ance: Statue Miles (mi	i) and Kilometers (km)

		B. Landscape/Seascape Ch	naracter Description [KOP 9	-MV]	
Landscape Seascape Character Attributes	Landform	Ocean	Enclosed Water Bodies	Vegetation (backdrop to the ocean view)	Structures
Form	Sloping hillside to flat lowland	Linear, flat, smooth,	None	Vertical, erect, medium to short scrubby vegetation	Rectangular small with sloping roof, access road is linear and cuts across the center of the site.
Line	Strong horizontal line	Strong dark horizon line	None	Irregular clusters, of vegetation, clumps	Linear, cubic
Color	Sand, tan, brown	Very light to dark gray/blue	None	Light to dark greens, gray and yellow, tan brown	Tan, gray, brown
Texture	Fine to course textures	Smooth, ripples, chop	None	Fine texture grassland, course texture coastal scrub, sharp stippled edge of broadleaf forest vegetation	Smooth

#### **Existing Landscape/Seascape Character Description:**

The viewpoint at 322 South Road is located in the township of Chilmark. The road follows along a ridge that is mostly within pine oak forest and scattered residential homes. From the top of the ridge the topography falls steeply toward the low flat terrace of coastal scrub behind the grassy dunes and ocean. The superior viewer position allows a panoramic view over the landscape toward the ocean. The deep blue gray ocean color dramatically contrasts with the land-based vegetation and residential structures in the foreground and middle ground setting. The coastal scrub abruptly ends at the top of steep eroding dunes above the beach.

The dominant visual elements are the pine oak forest, scrub shrub and brown, tan road cuts through the vegetation and vast ocean scene. The background is comprised of a flat expanse of water, the blue or gray color reflecting the sky and haze. The ocean texture appears smooth as the gray blue color fills in the negative space between the dark horizon line and the sky. Scenic integrity is high, with few or no visual intrusions.

						C. Co	ntrast I	Rating	KOP 9	-MV]	□Shor	t Term	⊠Loı	ng Tern	n						
											Feat	ures									
			Land	lform			Oc	ean			Wa	ater			Vege	tation			Struc	tures	
Deg	ree of Contrast	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None
	Form		Х			Х				NA	NA	NA	NA			Х			Х		
	Line		Х					Х		NA	NA	NA	NA			Х				Х	
	Color		Х							NA	NA	NA	NA			Х				Х	
Elements	Horizontal Scale (% field of view)			х				Х		NA	NA	NA	NA			х				X	
Elen	Vertical (Height of Object against the horizon)			Х				Х		NA	NA	NA	NA			Х				Х	
	Motion							Х		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Lighting						Х			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

**Overall Visual Contrast Rating: Weak** 

Visibility Level Rating: [1] - [2]

[1] Visible only after extended, close viewing. Otherwise invisible.

[2] Visible when scanning in the general direction of the project facilities.

The contrast rating is Weak. The viewing distance to the Project limits the visibility. The Project may be visible when scanning in the general direction of the Project on a perfectly clear day without haze at certain times of the day or Visibility Level [2]. The vertical size of the turbines means that the blades will be slightly visible above the horizon line, but much of the turbine pole will be out of sight. The motion of the blade may draw the attention of the viewer during very clear conditions and thus increase visibility of the turbines.

#### **Contrasting Elements:**

- Vertical elements introduced into a flat horizontal seascape scene;
- The array of structures visible across the horizon line as well as the extent of the visible horizon occupied by the Project;
- An perceived lack of visual order from turbine overlap;
- Blade motion may make the Project more visible in very clear conditions.
- The vertical turbines contrast with the linear flat form of the ocean and the dark horizon line.

#### Mitigating Factors:

- Only the top third of the blades will be visible above the horizon line due to the distance from the KOP and the curvature of the earth
- Nighttime visibility will depend on selection of an FAA approved lighting system. The Project will use Radar Activated ADLS, if approved by FAA.


# Martha's Vineyard

# **PANORAMIC PHOTOGRAPH - EXISTING CONDITIONS**



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

# **ISLAND MAP**



# **PHOTOGRAPH AND SITE**

Time of photograph: 4:17 PM Viewing direction: Southeast (143°)

Date of photograph: 6-25-20 Latitude: 41.347932°N

L/SCA: Open Ocean, Coastal Scrub, Longitude: 70.710104°W

Forests/Woodland, Dunes, Tidal Marsh

Lighting Direction: Sidelit diffused

# **ENVIRONMENT**

Temperature: 79° F Humidity: 64% Wind Dir & Speed: SSW 10mph Weather Condition: Hazy

# **CAMERA**

Camera Elevation: 85.0 ft / 26 m

Nikon D4


Shutter: 1/1250 sec

Nikon 50mm

Aperture priority

ISO: 100

Exposure bias: -0.7 step



Access: Public road

Scenic Resources: Forested woodlands, open ocean, scrub

shrub landscape, coastal dunes, tidal marsh **Adjacent Amentities:** Chilmark town center

Adjacent Areas: Abel Hill Cemetery, Chilmark Pond, residential

homes, Fulling Mill Brook Conservation Area

Adjacent L/SCAs: Forested woodlands, tidal ponds, ocean beach, open ocean, coastal scrub bush, medium density

residential structures

Adjacent KOPs: KOP 7-M Tississa Pond, KOP 8-M Tississa Pond Hiking Trail, KOP 23-M 421 Allen Farm South Road, KOP 13-M Lucy Vincent Beach, KOP 10-M BarnHouse/Skiff-Mayhew

(Vincent House)

Martha's Vineyard



The page should viewed at 11" x 17" approximately 15" from viewer's eyes .


# Martha's Vineyard

# **PANORAMIC PHOTOGRAPH - SIMULATED CONDITIONS**



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

# **REGIONAL MAP**



# **PHOTOGRAPH AND SITE**

Time of photograph: 4:17 PM Date of photograph: 6-25-20 Latitude: 41.347932°N L/SCA: Open Ocean, Coastal Scrub, Longitude: 70.710104°W Forests/Woodland, Dunes, Tidal Lighting Direction: Sidelit diffused Marsh

Viewing direction: Southeast (143°)

# **ENVIRONMENT**

Temperature: 79° F

Humidity: 64% Wind Dir & Speed: SSW 10mph Weather Condition: Hazy

## **CAMERA**

Camera Elevation: 85.0 ft / 26 m Fstop: f/7.1 Nikon D4 Shutter: 1/1250 sec Nikon 50mm Aperture priority ISO: 100 Exposure bias: -0.7 step


# **SITE MAP**



# **PROJECT VIEW**

Horizontal Field of View: 60° Furthest WTG: 52.4 mi / 84.4 km Vertical Field of View: 39.6° Potential Number of WTGs Visible: 145 Nearest WTG: 37.2 mi / 59.8 km Potential Number of WTGs Not Visible: 4

# **VISIBILITY OF CLOSEST TURBINE**



Martha's Vineyard



The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

# **Table 7. KOP Number 16-MV**

			A. KOP	Information							
Number KOP: 16-MV	KOP Name: Squibnocket Beach		<b>Date:</b> Nov 6, 2020		Time: 2:08 PM		Weather: Hazy				
Location Description: Squibnocket Beach is located tow rocks. Residential homes are set Public trails lead above the beach	back and up from the b	shaquitsa Clif	•	-							
Landscape Character Description: Ocean Beach, Open Ocean, Dunes, Coastal Scrub, Forests/Woodlands, Tidal Marshes  Scenic Integrity: Scenic integrity is high due to the natural setting and open view of the ocean horizon.  Dominant Landscape Attributes:											
Visual Absorption Capability: Low – the view from the beach to	a horizon is unobstruct	ed			-	butes: on and scrub shrub, hor	izon line				
Relevant Viewer Groups: Residents, Recreational Users	Low – the view from the beach to a horizon is unobstructed  Relevant Viewer Groups:  Residents, Recreational Users  Viewer Contex  Viewers will exp  Residences are the ocean. Residences.					Experience the scene from the beach.  The behind the beach looking out towards are sidents and visitors come to recreate at luding surfing, swimming, fishing, relaxing,					
Visual Connection to Project: Visual connection to the open oce	ean from beach is unobs	structed.			<b>Viewing dist</b> 37.22 mi 51.49 km	ance: Statue Miles (mi	) and Kilometers (km)				

	E	3. Landscape/Seascape Ch	aracter Description [KOP 16	6-MV]	
Landscape Seascape Character Attributes	Landform	Ocean	Enclosed Water Bodies	Vegetation (backdrop to the ocean view)	Structures
Form	Level to slightly sloping sandy and rocky beach	Linear and regular, fills in the negative space in the scene, indistinguishable from the sky	None	Vertical short grassy vegetation	None
Line	Strong undulating line where coastal tidal edge meets the water.	The ocean is flat with even to irregular lines of the moving water.	None	Vertical	None
Color	Sand, brown, gray	Gray/blue	None	Light green	None
Texture	Fine to coarse sand and rocks	Smooth to choppy	None	Fine texture dune grasses	None

#### **Existing Landscape/Seascape Character Description:**

Squibnocket Beach is comprised of coarse sands and cobbles with good surfing conditions. The beach is neighbored by the Squibnocket Pond and salt marsh area to the west and cliffs and hiking trails to the east. Paved roads lead to the large parking area.

The dominant visual elements are comprised of the flat expanse of water, the blue or gray color reflecting the sky and haze, the smooth or choppy texture of the water surface, and the distant horizon line. Scenic integrity is high, with no existing visual intrusions. The dark horizon line provides a distinct linear break between the ocean and the sky. Ocean evaporation from warm summer temperatures often creates grayish white band of haze between the ocean and the warm blue sky. Conditions range from flat water to choppy to rolling swells.

The viewer position to the ocean is from the beach in front the main access point from the parking area. The long, linear, tan sandy beach and vertical cliff contrasts with the variable ocean tide.

					C	Co.	ntrast R	ating [	KOP 16	6-MV]	□Sho	rt Term	⊠Lc	ng Terr	n						
											Feat	ures									
			Land	lform			Oc	ean			Wa	ater			Vege	tation			Struc	tures	
Deg	ree of Contrast	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None
	Form		Х			Х				NA	NA	NA	NA			Х		NA	NA	NA	NA
	Line		Х					Х		NA	NA	NA	NA		Х			NA	NA	NA	NA
	Color		Х							NA	NA	NA	NA			Х		NA	NA	NA	NA
Elements	Horizontal Scale (% field of view)			x				х		NA	NA	NA	NA			х		NA	NA	NA	NA
Elen	Vertical (Height of Object against the horizon)			х				Х		NA	NA	NA	NA			х		NA	NA	NA	NA
	Motion							Х		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Lighting						Х			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

**Overall Visual Contrast Rating: Weak** 

Visibility Level Rating: [1] – [2]

[1] Visible only after extended, close viewing. Otherwise invisible.

[2] Visible when scanning in the general direction of the project facilities.

The contrast rating is Weak. Only, the turbine blades will be visible above the horizon line. The viewing distance (>35 miles /56 km) to the Project from this viewer position limits the visibility and may require extended viewing to detect the structures corresponding to Visibility Level Rating [1]. The atmospheric conditions at the time of the photo used for simulation present an overcast haze limiting the visibility of the Project elements. On a clear day, the Project may be visible when scanning in the direction of the Project consistent with a Visibility Level Rating [2]. The Project would occupy only a small portion of the observer's visual field.

#### **Contrasting Elements:**

- Vertical elements introduced into a flat horizontal seascape scene;
- A perceived lack of visual order from turbine blade overlap;
- Blade motion may make the Project more visible in very clear conditions.

#### **Mitigating Factors:**

Only the blades will be visible above the horizon line due to the distance from the KOP and the curvature of the earth

Nighttime visibility will depend on selection of an FAA approved lighting system. The Project will use Radar Activated ADLS, if approved by FAA

# KOP 16-MV - Squibnocket Beach


# Martha's Vineyard

# **PANORAMIC PHOTOGRAPH - EXISTING CONDITIONS**



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

# **ISLAND MAP**



# **PHOTOGRAPH AND SITE**

Viewing direction: Southeast (137°) Time of photograph: 2:08 PM Latitude: 41.318873°N Date of photograph: 11-6-20 Longitude: 70.764908°W L/SCA: Ocean Beach, Open

Ocean

Temperature: 65° F

Humidity: 78% Wind Dir & Speed: SSW 16mph

Lighting Direction:Sidelit diffused Weather Condition: Hazy

**ENVIRONMENT** 

# **CAMERA**

Camera Elevation: 16.5 ft / 5.0 m Fstop: f/7.1 Nikon D4 Shutter: 1/1250 sec

Nikon 50mm Aperture priority

ISO: 100 Exposure bias: -0.7 step

# **CONTEXT MAP**



# **ADJACENT FEATURES**

Access: Public beach recreation

Scenic Resources: Ocean beach, open ocean, coastal dunes

Adjacent Amentities: Parking lot

Adjacent Areas: Squibnocket Pond, Nashaquista Cliffs,

Squibnocket Point, residential structures

Adjacent L/SCAs: Ocean beach, open ocean, coastal scrub bush, coastal dunes, bays and ponds, medium density residential

structures

Adjacent KOPs: KOP-MV04 BarnHouse/Skiff-Mayhew Vincent House, KOP-MV19 Chilmark General Store, KOP-MV20 Moshup

Trail

Similar KOPs without SIMs: KOP 13-M Lucy Vincent Beach

# KOP 16-MV - Squibnocket Beach Martha's Vineyard EXISTING CONDITIONS



The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

# KOP 16-MV - Squibnocket Beach

# Martha's Vineyard

# PANORAMIC PHOTOGRAPH - SIMULATED CONDITIONS



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

# **REGIONAL MAP**

# Buzzards Bay Sound Nantucke Sound Nantucke

# **PHOTOGRAPH AND SITE**

Time of photograph: 2:08 PM

Date of photograph: 11-6-20

L/SCA: Ocean Beach, Open

Ocean

Viewing direction: Southeast (137°)

Latitude: 41.318873°N

Longitude: 70.764908°W

Lighting Direction: Sidelit diffussed

# **ENVIRONMENT**

Temperature: 65° F

Humidity: 78%
Wind Dir & Speed: SSW 16mph
Weather Condition: Hazy

# **CAMERA**

Camera Elevation: 16.5 ft / 5.0 m Fstop: f/7.1

Nikon D4 Shutter: 1/1250 sec

Nikon 50mm Aperture priority

ISO: 100 Exposure bias: -0.7 step

# SITE MAP




# **PROJECT VIEW**

Horizontal Field of View: 127° Furthest WTG: 51.49 mi

Vertical Field of View: 39.6° Potential Number of WTGs Visible: 68

Nearest WTG: 37.5 mi Potential Number of WTGs Not Visible: 81

# **VISIBILITY OF CLOSEST TURBINE**



# KOP 16-MV - Squibnocket Beach Martha's Vineyard SIMULATED CONDITIONS



The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

**Nantucket** 

# Table 8. KOP Number 2-N

			A. KOP Informati	on			
Number KOP: 2-N	KOP Name: Sanford Farm Barn O (Trail at Barn Viewpoi	verlook Ju	<b>ate:</b> une 27, 2020	<b>Time:</b> 12:30 PM		Weather: Sun, partly cloudy with haze band	
	d woodlands. The site con Foundation, a membersh	tains an extens ip-supported, r	sive cultural history and h nonprofit organization tha	abitat for rare plan t is dedicated to pe	ts and animals. The properties	ds properties contain 780 acres of operties are owned and managed , maintaining and managing	
Landscape Character Descri Open Ocean, Salt Pond/Tidal M Coastal Scrub, Rural/Residenti	⁄larsh, Fields/Meadow,	Scenic Integ Scenic integ context of th	rity is high due to the set	ting remaining mos	stly natural. Residential	structures are set within the	
Visual Absorption Capability Moderate - high because there middle ground. Ability to introdu scene.	are many built features w		Dominant Landscape Grass lands, shrub, po		cean in the background		
Relevant Viewer Groups: Recreational User, Residents,	Tourists	The Woods to	ext: as visit the Sanford Farm, but use the trail system and wildlife viewing, hiking, a	l open space for	Viewer Position: Slightly Viewer Super	ior	
Visual Connection to Project Partly screened by the vegetati		housing		Viewing distance: Statue Miles (mi) and Kilometers (km) 24.37 mi 39.22 km			

		B. Landscape/Seascape C	haracter Description [KOP	2-N]	
Landscape Seascape Character Attributes	Landform	Ocean	Enclosed Water Bodies	Vegetation	Structures
Form	Level to slightly sloping, rolling terrain, landform is not exposed	Linear and regular, fills in the negative space in the Scene, indistinguishable from the sky	Irregular	Grasses erect low massing; shrubs are low and irregular massed	Triangular roof lines, irregular geometry
Line	None	Horizontal horizon line, irregular line between the structure, vegetation and ocean	Even edge along house, curvilinear edge along vegetates margin of coastal scrub	Irregularly horizontal district line between grassland and coastal shrub, undulating line where coastal shrub meets the water edge	Horizontal, angular
Color	None	Very light gray/blue	Gray to Light blue to reflects the sky condition and cloud color	Tan, light to dark greens, seasonal wildflowers	Gray, brown, tan, white, reddish/orange tint
Texture	None	Smooth	Smooth to choppy	Fine texture grassland, course texture coastal scrub	Not discernable

#### **Existing Landscape/Seascape Character Description:**

Sanford Barn is a stopping point along the 3.1-mile Barn Walk Trail within the Sanford Farm Preserve. The dominant visual impression is of the diversity of color, texture and within the vegetation and contrast with the strong linear edge along the inland tidal pond in the foreground view. Rising behind Hummock Pond is the residential community of Cisco. The Cisco community is a newer development on the island. The houses are large but reflect the traditional Cape Code style with gray shingle siding and steeply sloped roofs.

The ocean is visible through the housing development and provides a flat blue-gray back drop to the multiple colors and textures found within the middle ground features. The color of the ocean is reflective of the sky. The dark distant horizon line defines the break between the ocean edge and the sky.

Scenic integrity is high, particularly from the location of the photo point within the Sanford Farm property at the historic barn site. According to locals, this viewpoint is one of the few inland locations that allows a view the ocean from a slightly elevated inland position. It includes the experience of the scrub shrub, inland tidal pond, dunes and open ocean setting in one view. The sunset can also be viewed from the trail and viewpoint to the south west over Madaket southern end of the island.

						C. Co	ntrast	Rating	[KOP 2	2-N]	□Short	Term	⊠Lon	g Term							
											Feat	ures									
			Land	lform			Oc	ean			Wa	iter			Vege	tation			Struc	tures	
De	gree of Contrast	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None
	Form	Х					Х			Х				Х				Х			
	Line	NA	NA	NA	NA		Х			Х				Х					Х		
	Color	NA	NA	NA	NA			Х			Х				Х					Х	
ents	Horizontal Scale (% field of view)	NA	NA	NA	NA		х				Х				Х				х		
Elements	Vertical (Height of Object against the horizon)	NA	NA	NA	NA		Х			Х				Х				Х			
	Motion	NA	NA	NA	NA	Х				Х				Х				Х			
	Lighting	NA	NA	NA	NA	Х				Х				Х				Х			

**Overall Visual Contrast Rating: Moderate** 

Visibility Level Rating: [3] - [4]

[3] Visible after only a brief glance in the direction of the project facilities. Not dominant due to distance.

[4] Plainly visible, but not dominant.

The Contrast Rating is Moderate. The turbines are in direct alignment with the view to the ocean setting from this viewer position. Even though the atmospheric condition may often presents some haze and/or clouds, the turbine blades will be visually evident, seen as dark gray against a white or milky blue background. Although the distance and atmospheric haze limits the visibility of the turbines, they will be plainly visible in clear conditions. The rotation of the blades will also draw attention to the viewer.

#### Contrasting Elements:


- Vertical elements introduced into a horizontal landscape/seascape scene;
- Density of structures arrayed across the horizon line.
- The perceived lack of visual order due to turbine overlap;
- Blade motion is spinning likely visible along the horizontal irregular line accented by the roof lines of the residential structures and rolling edge of the dunes.
  - o Motion of the blades does not relate to any existing feature found within the context of the foreground and middle ground scene
- Scale and forms of the turbine blades and towers contrasts with the forms and scale of the residential structures within the middle ground view.

#### **Mitigating Factors:**

- Distance to nearest turbines is more than 20 miles
- built features within the middle ground
- Wide panorama reduces apparent horizontal scale of project
- Nighttime visibility will depend on selection of an FAA approved lighting system. The Project will use Radar Activated ADLS, if approved by FAA.

# Nantucket

# **PANORAMIC PHOTOGRAPH** - EXISTING CONDITIONS



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

# **ISLAND MAP**



# **PHOTOGRAPH AND SITE**

Time of photograph: 10:54 AM Viewing direction: South (194°) Date of photograph: 6-26-20 Latitude: 41.265608°N L/SCA: Ocean Beach, Dunes Longitude: 70.150001°W

Lighting Direction: Backlit diffused

# **ENVIRONMENT**

Temperature: 68° F Humidity: 81%

Wind Dir & Speed: S 12 mph Weather Condition: Hazy

# **CAMERA**

Camera Elevation: 50.5 ft /15.4 m Fstop: f/7.1 Nikon D4 Shutter: 1/1250 sec Nikon 50mm Aperture priority

ISO: 100 Exposure bias: -0.7 step

# **CONTEXT MAP**



# **ADJACENT FEATURES**

Access: Public recreation path

Scenic Resources: Scrub shrub landscape overlooking open

Adjacent Amentities: Dirt biking/walking paths

Adjacent Areas: Sanford Farm Barn, Hummock Pond, Clark Cove

Adjacent L/SCAs: Coastal scrub shrub, agricultural fields, low

density residential structures

Adjacent KOPs: KOP 17-N Bartlett's Farm, KOP 13-N Hummock Pond Road Bike Path, KOP 31-N Cisco Beach Below Sanford

Comparable KOPs: none

Farm Barn, KOP 12-N Cisco Beach

Nantucket



The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

# Nantucket

# **PANORAMIC PHOTOGRAPH - SIMULATED CONDITIONS**



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

# **REGIONAL MAP**

# Buz ards Nantucket Sound Nantucket Sound Nantucket Sound Nantucket Sound Mayflower Wind OCS-A 05215 Legend Key Observation Point (Photograph) Potential WTG/OSP Positions Circle Obscurity Ring (TIP) Circle Obscurity Ring (HUB)

# **PHOTOGRAPH AND SITE**

Time of photograph: 10:54 AM

Viewing direction: South (194°)

Date of photograph: 6-26-20

L/SCA: Ocean beach

Longitude: 70.150001°W

Lighting Direction: Backlit diffused

# **ENVIRONMENT**

Temperature: 68° F

Humidity: 81%
Wind Dir & Speed: S 12 mph
Weather Condition: Hazy

# **CAMERA**

Camera Elevation: 50.5 ft /15.4 m Fstop: f/7.1

Nikon D4 Shutter: 1/1250 sec

Nikon 50mm Aperture priority

ISO: 100 Exposure bias: -0.7 step

## SITE MAP




# **PROJECT VIEW**

Horizontal Field of View: 117° Furthest WTG: 50.2 mi / 80.9 km

Vertical Field of View: 39.6° Potential Number of WTGs Visible: 141

Nearest WTG: 24.4 mi / 39.2 km Potential Number of WTGs Not Visible: 8

# **VISIBILITY OF CLOSEST TURBINE**



Nantucket



The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

# Table 9. KOP Number 3-N (Haze)

A. KOP Information												
KOP Number: 3-N (Haze)	Name KOP: Madaket Beach (Haze	Date July 29, 2020		<b>Time:</b> 1:10 PM		<b>Weather</b> : Part Sun with haze - Reflective						
access to the beach.	oen ocean sunsets. The to a large parking area w	long linear tan beach is sand vith restrooms. Split rail fence	lwiched betweel e delineates the	n elevated erd upland edge	oding dunes and the var of the access area and	riable irregular edge of tide. cement barriers blocking vehicle						
The recreation area is a very pop ocean during the evening. The particle of the photo point is located within the photo photo point is located within the photo	arking area is undersized	d for the level of summer visi	tation and cars a	are often park	ed along the roadway e	edge.						
Landscape Character Descripti Open Ocean, Dunes	on:	Scenic Integrity: No permanent visual intrusions										
Visual Absorption Capability: Low – the view from the remote by visual absorption.	each to a distant ocean	horizon does not facilitate	Dominant Landscape Attributes: Broad expanse of unobstructed Ocean. Intermittent views of passing vessels.									
Relevant Viewer Groups: Residents, Tourists, Recreational	Users	Viewer Context: The beach is popular for su sunset viewing			Viewer Position: Level							
Visual Connection to Project: Unobstructed view to Project other	er than receptors enjoyin	g the beach		Viewing distance: Statue Miles (mi) and Kilometers (km) 24.39 mi 39.25 km								

B. Landscape/Seascape Character Description [KOP 3-N (Haze)]											
Landscape/Seascape Character Attributes  Landform		Ocean	Enclosed Water Bodies	Vegetation	Structures						
Form	Flat to gently sloped beach	Strongly horizontal, flat to mildly choppy -ripple	NA	NA	NA						
Line	Strong line where beach meets the ocean	Horizon line, intermittent line, clouds, Irregular wave lines	NA	NA	NA						
Color	Tan sand	Dark horizon line- reflective white and blue, gray to white clouds, slight haze above ocean, blue sky above haze band	NA	NA	NA						
Texture	Fine grainy	Smooth to choppy	NA	NA	NA						

#### **Existing Landscape/Seascape Character Description:**

The dominant visual impression is the broad, flat expanse of water, the blue or gray color reflecting the sky, the smooth or choppy texture of the water surface, and the distant horizon line. Scenic integrity is high, with few or no existing visual intrusions. The dark horizon line is predominantly visible providing a distinct linear break between the ocean and the sky. Ocean evaporation from warm summer temperatures often creates a grayish white band of haze between the ocean and the warm blue sky. Commercial fishing and recreational boats are seasonally seen in the waters of the area, and views of the Project can be from any point on the ocean surface on the south and west sides of the islands. Conditions range from flat water to choppy to rolling swells.

The viewer position is primarily from Madaket beach, facing the ocean. The long linear tan sandy beach contrast strong variable edge where the ocean tide meets the dry sand of the beach.

	C. Contrast Rating [KOP 3-N (Haze)] □Short Term ☑Long Term																				
											Feat	ures									
		Landform				Ocean			Enclosed Water Bodies			Vegetation				Structures					
Degree of Contrast		Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None
Elements	Form			NA		Х				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Line		Х			Х				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Color			Х				Х		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Horizontal Scale (% field of view)	NA	NA	NA	NA		X			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Vertical (Height of Object against the horizon)	NA	NA	NA	NA		х			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Motion	NA	NA	NA	NA	Х				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Lighting	NA	NA	NA	NA	Х				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

**Overall Visual Contrast Rating: Moderate to Strong** 

Visibility Level Rating: [3] - [4]

[3] Visible after only a brief glance in the direction of the project facilities.

[4] Plainly visible, but not dominant.

The Contrast Rating is moderate to strong. The Project is in direct view to the ocean setting from the beach. Although the distance and atmospheric haze may partly obscure visibility at times, the Project will plainly visible in clear conditions. Under the lighting conditions shown, project would appear of sufficient size or contrast with other landscape/seascape elements, but with insufficient visual contrast to strongly attract visual attention and insufficient size to occupy most of an observer's visual field. Although few in number, the presence of offshore substations also introduces stronger visual contrast than the turbines. The blade rotation will draw the attention of the viewer.

#### **Contrasting Elements:**

- Early afternoon sun angle against the blue sky presents the Project color as gray.
- Vertical elements introduced into a flat horizontal seascape scene which are visually evident against the strong horizon line;
- The density of overlapping structures arrayed across the horizon line as well as the extent of the visible horizon occupied by the Project;
- A perceived lack of visual order of the Project;
- Dark gray color and rectangular form of the platforms contrasts attracts the attention of the viewer within the scene and against the white/blue sky background
- Blade will likely be visible

#### **Mitigating Factors:**

- Distance to nearest turbines over 20 miles
- Wide panorama reduces apparent horizontal scale of project Nighttime visibility will depend on selection of an FAA approved lighting system. The Project will use Radar Activated ADLS, if approved by FAA.


### Nantucket

### **PANORAMIC PHOTOGRAPH** - EXISTING CONDITIONS



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

### **ISLAND MAP**



### **PHOTOGRAPH AND SITE**

Time of photograph: 1:10 PM

Date of photograph: 6-26-20

L/SCA: Ocean Beach, Dunes

Viewing direction: South (187°)

Latitude: 41.269822°N

Longitude: 70.201624°W

Lighting Direction: Backlit diffused

### **ENVIRONMENT**

Temperature: 69° F Humidity: 78% Wind Dir & Speed: S 13 mph Weather Condition: Partly Cloudy

### **CAMERA**

Camera Elevation: 6.5 ft /1.9 m Fstop: f/7.1

Nikon D4 Shutter: 1/1250 sec

Nikon 50mm Aperture priority

ISO: 100 Exposure bias: -0.7 step

### **CONTEXT MAP**



### **ADJACENT FEATURES**

Access: Public beach recreation

Scenic Resources: Ocean beach, open ocean, coastal dunes,

scrub shrub landscape

Adjacent Amentities: Small parking lot, Millie's Restaurant,

Madaket Town Center

Adjacent Areas: Residential homes, Smiths Point, White Goose


Cove, Madaket Harbor

Adjacent L/SCAs: Ocean beach, coastal dunes, coastal scrub

bush, medium density residential structures

**Adjacent KOPs:** KOP 22-N Madaket Beach Sunset, KOP 24-N Washington Ave and Madaket Road, KOP 30-N Massachusetts

Ave. KOP 16-N Head of Plains



The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

### Nantucket


### **PANORAMIC PHOTOGRAPH - SIMULATED CONDITIONS**



Lighting Direction: Backlit diffused

This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

### **REGIONAL MAP**



### **PHOTOGRAPH AND SITE**

Time of photograph: 1:10 PM Viewing direction: South (187°)

Date of photograph: 6-26-20 Latitude: 41.269822°N

L/SCA: Ocean Beach, Dunes Longitude: 70.201624°W

### **ENVIRONMENT**

Temperature: 69° F

Humidity: 78%
Wind Dir & Speed: S 13 mph
Weather Condition: Partly Cloudy

### **CAMERA**

Camera Elevation: 6.5 ft /1.9 m Fstop: f/7.1

Nikon D4 Shutter: 1/1250 sec

Nikon 50mm Aperture priority

ISO: 100 Exposure bias: -0.7 step

### SITE MAP




### **PROJECT VIEW**


Horizontal Field of View: 127° Furthest WTG: 49.2 mi / 79.2 km

Vertical Field of View: 39.6° Potential Number of WTGs Visible: 111

Nearest WTG: 24.4 mi / 39.3 km Potential Number of WTGs Not Visible: 38

### **VISIBILITY OF CLOSEST TURBINE**





The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

### Table 10. KOP Number 6-N

		A. KO	P Information								
KOP Number: 6 N	Name KOP: Tom Nevers Beach	<b>Date</b> June 27, 2020		Time: 8:44 AM		Weather: Overcast, partly blue sky					
Location Description: Tom Nevers Beach is a mile-long walking trails through shrub/scrub. The coarse tan sandy beach is a strong angle causes heavy surf be residing in or staying at the Tom I	p plan communities and flat upper terrace at the peach break, and unpred	grassy dunes. The beach is foot of the eroding dune ed dictable currents and under	s known for being dge, transitioning tow. The beach is	fairly remote to sloping an very popula	with striking views of the d angled drop intersection r and accessed primaril	ing with the ocean edge. The ly by residents and tourists					
Landscape Character Description: Open Ocean, Open Beach, Dunes  Scenic Integrity: No permanent visual intrusions											
Visual Absorption Capability: Low – the view from the remote be visual absorption.	peach to a distant ocear	n horizon does not facilitate	Dominant Lar Broad expanse	-		t views of passing vessels.					
Relevant Viewer Groups: Residents, Tourists, Recreational	Users	Viewer Context: The beach is popular for s sunset viewing	l sunbathing, picnic	king and	Viewer Position: Level						
Visual Connection to Project: Unobstructed view to Project other	er than receptors enjoyir	ng the beach		<b>Viewing dis</b> 26.56 mi 42.77 km	 tance: Statute Miles ar	nd Kilometers (km)					

		B. Landscape/Seascape C	haracter Description [KOP	6-N]	
Landscape/Seascape Character Attributes	Landform	Ocean	Enclosed Water Bodies	Vegetation	Structures
Form	Steep to flat to sharply angled	Strongly horizontal, flat to mildly choppy ripple	NA	NA	NA
Line	Strong formal line at top of dune cliff and at the margin of where cliff meets the beach. An irregular line where beach meets the top of tide	Horizon line, intermittent line, clouds, Regular rolling wave lines	NA	NA	NA
Color	Tan sand	Dark horizon line- reflective white and blue, gray, white clouds	NA	NA	NA
Texture	Fine grainy	Smooth to choppy	NA	NA	NA

### **Existing Landscape/Seascape Character Description:**

The dominant visual impression is the broad, flat expanse of open ocean against the blue and gray color of the sky. The dark blue gray ocean surface stretches to the distant horizon line. Scenic integrity is high with no visual intrusions. The dark horizon line is providing a distinct linear break between the ocean and the white clouds in the sky. Ocean conditions range from flat water to choppy to rolling swells.

The viewer position to the ocean ranges from slightly elevated at the top of the dune at Tom Nevers Field to level along the beach. The elevated position provides an expansive field of view of the entire ocean along the horizon degree.

						C. Co	ontrast	Rating	[KOP	6-N]	□Shor	t Term	⊠Lor	ng Term	l						
											Feat	ures									
			Land	lform			Ос	ean		Encl	osed W	ater Bo	odies		Vege	tation			Struc	tures	
Deç	gree of Contrast	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None
	Form		Х				Х			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Line	Х					Х			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Color			Х				Х		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Elements	Horizontal Scale (% field of view)	NA	NA	NA	NA		X			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Elem	Vertical (Height of Object against the horizon)	NA	NA	NA	NA		Х			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Motion	NA	NA	NA	NA	Х				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Lighting	NA	NA	NA	NA	Х				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

**Overall Visual Contrast Rating: Moderate** 

Visibility Level Rating: [3] - [4]

[3] Visible after only a brief glance in the direction of the project facilities. Not dominant due to distance

[4] Plainly visible. Not dominant.

The contrast rating is **Moderate**. The atmospheric conditions within the simulations present an overcast haze limiting the visibility of the Project. With these atmospheric conditions the visibility rates closer to a [3]. The project may be visible only after a brief glance. In clear conditions the project would likely be plainly visible. The light turbine color is associated with the time of day/sun angle. Details of the turbines would not be noticeable due to the distance. The rotation of the blades will likely be visible and may draw the viewer's attention.

### **Contrasting Elements:**

- The perceived visual connection to features along the horizontal line of the horizon form the viewer position.
- Overcast skies and low morning front light highlights the project as gray against the white to blue back drop of the sky.
- Vertical elements introduced into a flat horizontal seascape scene which are visually evident against the strong horizon line;
- The apparent density of structures arrayed across the horizon line obscures the view of the open ocean setting;
- A perceived lack of visual order of the Project from the viewer position;
- Blade motion will be visible along the horizontal line. Circular motion of the blades does not correspond with the natural back and forth motion of the waves, and will be non-synchronized, adding visual chaos

### Mitigating factors:.

- Project elements are of insufficient size or contrast to compete with major landscape/seascape elements given viewer geometry relative to the Project's configurations (i.e. views are not lateral) and the resulting limited portion of the field of view that would not be occupied by the project.
- Wide panorama reduces apparent horizontal scale of project
- Nighttime visibility will depend on selection of an FAA approved lighting system. The Project will use Radar Activated ADLS, if approved by FAA.


### Nantucket

### **PANORAMIC PHOTOGRAPH** - EXISTING CONDITIONS



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

### **ISLAND MAP**



### **PHOTOGRAPH AND SITE**

Time of photograph: 8:44 AM

Date of photograph: 6-27-20

L/SCA: Ocean Beach, Open
Ocean, Dunes

Viewing direction: South (212°)

Latitude: 41.244577°N

Longitude: 69.985046°W

Lighting Direction: Sidelit diffused

### **ENVIRONMENT**

Temperature: 68° F
Humidity: 90%
Wind Dir & Speed: S 10 mph
Weather Condition: Partly Cloudy

### **CAMERA**


Camera Elevation: 6.5 ft /1.7 m Fstop: f/7.1

Nikon D4 Shutter: 1/1250 sec

Nikon 50mm Aperture priority

ISO: 100 Exposure bias: -0.7 step

### **CONTEXT MAP**



### **ADJACENT FEATURES**

Access: Public field recreation

Scenic Resources: Ocean beach, open ocean, coastal dunes

Adjacent Amentities: Small parking lot

Adjacent Areas: Residential homes, Tom Nevers Pond, Tom


Nevers Field

Adjacent L/SCAs: Ocean beach, coastal dunes, scrub shrub landscape, agricultural/open fields, medium density residential

structures

Adjacent KOPs: KOP 32-N Tom Nevers Beach (Public Beach

Access Point), KOP 7-N Low Beach



The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

### Nantucket

### **PANORAMIC PHOTOGRAPH - SIMULATED CONDITIONS**



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

### **REGIONAL MAP**

# Buzzards Bay Nantucket Sound NANTUCKET Tom Nevers Beach Nantucket Sound Mayflower Wind OCS-A 0521s Legend Key Observation Point (Photograph) Substation Wind Turbine Circle Obscurity Ring (TIP) Circle Obscurity Ring (HUB)

### **PHOTOGRAPH AND SITE**

Time of photograph: 8:44 AM

Date of photograph: 6-27-20

L/SCA: Ocean Beach, Open
Ocean, Dunes

Viewing direction: South (212°)

Latitude: 41.244577°N

Longitude: 69.985046°W

Lighting Direction: Sidelit diffused

### **ENVIRONMENT**

Temperature: 68° F
Humidity: 90%
Wind Dir & Speed: S 10 mph
Weather Condition:Partly Cloudy

### **CAMERA**

Camera Elevation: 6.5 ft /1.7 m Fstop: f/7.1

Nikon D4 Shutter: 1/1250 sec

Nikon 50mm Aperture priority

ISO: 100 Exposure bias: -0.7 step

### **SITE MAP**




### **PROJECT VIEW**


Horizontal Field of View: 127° Furthest WTG: 53.9 mi / 86.8 km

Vertical Field of View: 39.6° Potential Number of WTGs Visible: 88

Nearest WTG: 26.6 mi / 42.7 km Potential Number of WTGs Not Visible: 61

### **VISIBILITY OF CLOSEST TURBINE**





The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

### **Table 11. KOP Number 8-N**

		A. KOF	Information			
KOP Number:	Name KOP:	Date		Time:		Weather:
8-N	Tom Nevers Field	June 27, 2020		9:36 AM		Overcast, partly blue sky
Location Description:						
Tom Nevers Field is a park locate Conservation Foundation. The be		-	-		_	d and managed by the Nantucket unities, and the grassy dunes.
The coarse tan sandy beach is a strong angle causes heavy surf be residing in or staying at the Tom I	each break, and unpred	ictable currents and underto	ow. The beach is	s very popula	ar and accessed primari	· ·
Landscape Character Descripti Open Ocean, Coastal Bluffs, Dur		Scenic Integrity: No permanent visual intrus	ions			
Visual Absorption Capability:			Dominant La	ndscape Att	ributes:	
Low – the view from the remote by visual absorption.	peach to a distant ocean	horizon does not facilitate		-		t views of passing vessels.
Relevant Viewer Groups: Residents, Tourists, Recreational	Users	Viewer Context: The beach is popular for su sunset viewing	ınbathing, picnic	king and	Viewer Position: Slightly Viewer Superi	or
Visual Connection to Project: Unobstructed view to project other	er than receptors enjoyin	g the beach		<b>Viewing dis</b> 25.68 mi 41.33 km	stance: Statute Miles a	nd Kilometers (km)

		B. Landscape/Seascape C	haracter Description [KOP	8-N]	
Landscape/Seascape Character Attributes	Landform	Ocean	Enclosed Water Bodies	Vegetation	Structures
Form	Steep to flat to sharply angled	Strongly horizontal, flat to mildly choppy ripple	NA	NA	NA
Line	Strong formal line at top of dune cliff and at the margin of where cliff meets the beach. An irregular line where beach meets the top of tide	Horizon line, intermittent line, clouds, Regular rolling wave lines	NA	NA	NA
Color	Tan sand	Dark horizon line- reflective white and blue, gray, white clouds	NA	NA	NA
Texture	Fine grainy	Smooth to choppy	NA	NA	NA

### **Existing Landscape/Seascape Character Description:**

The dominant visual impression is the broad, flat expanse of open ocean against the blue and gray color of the sky. The dark blue-gray ocean surface stretches to the distant horizon line. Scenic integrity is high with no visual intrusions. The dark horizon line is providing a distinct linear break between the ocean and the white clouds in the sky. Ocean conditions range from flat water to choppy to rolling swells.

The viewer position to the ocean ranges from slightly elevated at the top of the dune at Tom Nevers Field to level along the beach. The elevated position provides an expansive field of view of the entire ocean along the horizon degree.

						C. Co	ntrast	Rating	[KOP	3-N]	□Short	Term	⊠Lor	ng Term	1						
											Feat	ures									
			Land	lform			Oce	ean		Encl	osed W	ater Bo	odies		Vege	tation			Struc	tures	
Deç	gree of Contrast	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None
	Form		Х				Х			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Line	Х				Х				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Color			Х				Х		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Elements	Horizontal Scale (% field of view)	NA	NA	NA	NA		X			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Elen	Vertical (Height of Object against the horizon)	NA	NA	NA	NA		Х			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Motion	NA	NA	NA	NA	Х				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Lighting	NA	NA	NA	NA	Х				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Overall Visual Contrast Rating: Weak - Moderate

Visibility Level Rating: [2] - [3]

[2] Visible when scanning in the general direction of the project facilities.

[3] Visible after only a brief glance in the direction of the project facilities. Not dominant due to distance

The contrast rating is Weak to Moderate. The atmospheric conditions within the simulations present an overcast haze limiting the visibility of the Project. With these atmospheric conditions visibility rates closer to a [3]. The project may be visible only after a brief glance. In clear conditions the Project would be plainly visible. The light turbine color is reflective of the ocean conditions and lighting. Details of the turbines would not be noticeable due to the distance. The rotation of the blades is expected to be visible and may draw the viewer's attention.

### **Contrasting Elements:**

- Overcast skies and low morning front light highlights the Project as gray against the white to blue back drop of the sky.
- Vertical elements introduced into a flat horizontal seascape scene;
- The density of structures arrayed across the horizon line obscures views of the open ocean setting;
- A perceived lack of visual order of the Project from the viewer position;
- Blade motion will likely be visible along the horizontal line. Circular motion of the blades does not correspond with the natural back and forth motion of the waves, and will be non-synchronized, adding visual chaos. **Mitigating Factors:** 
  - Distance to nearest turbines over 20 miles
  - Wide panorama reduces apparent horizontal scale of project
  - Nighttime visibility will depend on selection of an FAA approved lighting system. The Project will use Radar Activated ADLS, if approved by FAA.


### Nantucket

### **PANORAMIC PHOTOGRAPH** - EXISTING CONDITIONS



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

### **ISLAND MAP**



### **PHOTOGRAPH AND SITE**

Time of photograph: 9:36 AM Date of photograph: 6-27-20 Latitude: 41.239967°N L/SCA: Open Ocean, Coastal Bluffs, Dunes, Coastal Scrub

Viewing direction: South (211°)

Longitude: 70.007224°W

Lighting Direction: Sidelit diffused

### **ENVIRONMENT**

Temperature: 70° F Humidity: 81%

Wind Dir & Speed: SSW 8 mph

Weather Condition: Cloudy


### **CAMERA**

Camera Elevation: 15.0 ft /6.3 m Fstop: f/7.1

Nikon D4 Shutter: 1/1250 sec Nikon 50mm Aperture priority

ISO: 100 Exposure bias: -0.7 step

### **CONTEXT MAP**



### **ADJACENT FEATURES**

Access: Public park recreation


Scenic Resources: Ocean beach, open ocean, coastal dunes

Adjacent Amentities: Small parking lot

Adjacent Areas: Public park, residential homes

Adjacent L/SCAs: Coastal scrub bush, grassy fields, ocean beach, open ocean, coastal dunes, low density residential structures Adjacent KOPs: KOP 27-N New South Road, KOP 32-N Tom

Nevers Beach (Public Beach Access Point)



The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

### Nantucket

### **PANORAMIC PHOTOGRAPH - SIMULATED CONDITIONS**



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

### **REGIONAL MAP**

# Buzzords Buzzords Nantucket Sound MANTUCKET Tom Nevers Field Nantucket Sound Mayflower Wind OCS-A\05213 Legend Key Observation Point (Photograph) Potential WTG/OSP Positions Circle Obscurity Ring (TIP) Circle Obscurity Ring (HUB)

### **PHOTOGRAPH AND SITE**

Time of photograph: 9:36 AM
Date of photograph: 6-27-20
L/SCA: Open Ocean, Coastal
Bluffs, Dunes, Coastal Scrub

Viewing direction: South (211°)

Latitude: 41.239967°N Longitude: 70.007224°W

Lighting Direction: Sidelit diffused

### **ENVIRONMENT**

Temperature: 70° F Humidity: 81%

Wind Dir & Speed: SSW 8 mph

Weather Condition: Cloudy

### **CAMERA**

Camera Elevation: 15.0ft / 6.3 m Fstop: f/7.1

Nikon D4 Shutter: 1/1250 sec
Nikon 50mm Aperture priority

ISO: 100 Exposure bias: -0.7 step

### **SITE MAP**




### **PROJECT VIEW**


Horizontal Field of View: 127° Furthest WTG: 53.0 mi / 85.2 km

Vertical Field of View: 39.6° Potential Number of WTGs Visible: 104

Nearest WTG: 25.7 mi / 41.3 km Potential Number of WTGs Not Visible: 45

### **VISIBILITY OF CLOSEST TURBINE**





The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

# KOP 8-N Tom Nevers Field-nightime

### Nantucket

### **PANORAMIC PHOTOGRAPH** - EXISTING CONDITIONS



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

### **ISLAND MAP**

# **Key Observation Point** Circle Obscurity Ring (TIP) Circle Obscurity Ring (HUB)

### **PHOTOGRAPH AND SITE**

Time of photograph: Night Date of photograph: 6-27-20 L/SCA: Open Ocean, Coastal Bluffs, Dunes, Coastal Scrub

Viewing direction: South (211°)

Latitude: 41.239967°N Longitude: 70.007224°W Lighting Direction: Night

### **ENVIRONMENT**

Temperature: 70° F Humidity: 81%

Wind Dir & Speed: SSW 8 mph

Horizontal Field of View: 127°

Nearest WTG: 25.7 mi / 41.3 km

Vertical Field of View: 39.6°

# Weather Condition: Cloudy

### **CAMERA**

Camera Elevation: 15.0ft / 6.3 m Fstop: f/7.1

Nikon D4 Shutter: 1/1250 sec Nikon 50mm Aperture priority

ISO: 100 Exposure bias: -0.7 step


### **CONTEXT MAP**



### **ADJACENT FEATURES**

Furthest WTG: 53.0 mi / 85.2 km Number of WTGs Visible: 104 Number of WTGs Not Visible: 45

# KOP 8-N Tom Nevers Field-nightime Nantucket



The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

### Table 12. KOP Number 10-N

		A. KO	P Information								
KOP Number: 10-N	Name KOP: Nobadeer Beach	<b>Date</b> June 28, 2020		<b>Time:</b> 10:00 AM		Weather: Partly Sunny with scattered clouds, blue sky					
Location Description: Nobadeer Beach access is locate is located within the scrub shrub of the cliff and the irregular interm. The beach is level and allows for Nobadeer and used for for-beach	vegetation community the littent line of the beach lively vehicle access. This be	nat leads to a steep eroding oreach at the top of tide. ach is very popular for your	cliff edge above	the beach. T	he beach is defined by socializing. The beach	the long linear edge at the base is also accessed by residents of					
Landscape Character Description: Open Ocean, Ocean Beach, Dunes, Residential  Scenic Integrity: No permanent visual intrusions											
Visual Absorption Capability: Low – the view from the remote b visual absorption.	each to a distant ocean	horizon does not facilitate	Dominant Lar Broad expanse	-		it views of passing vessels.					
Relevant Viewer Groups: Residents, Tourists, Recreational	Users	Viewer Context: The beach is popular for so sunset viewing	unbathing, picnic	king and	Viewer Position: Slightly viewer superio	or					
Visual Connection to Project: Unobstructed view to project other	er than receptors enjoyir	ng the beach		Viewing dist 23.18 mi 37.51 km	 tance: Statute Miles a	nd Kilometers (km)					

	E	3. Landscape/Seascape Ch	naracter Description [KOP 1	[0-N]	
Landscape/Seascape Character Attributes	Landform	Ocean	Enclosed Water Bodies	Vegetation	Structures
Form	Flat upper terrace to steep eroding cliff face. Flat beach to sharply angled	Strongly horizontal, angled irregular, flat	NA	NA	NA
Line	Strong formal line at top of dune cliff and at the margin of where cliff meets the beach. An irregular line where beach meets the top of tide	Strong prominent Horizon line, intermittent irregular beach break, clouds, Regular rolling wave lines beyond beach break	NA	NA	NA
Color	Tan sand	Dark horizon line- reflective white and blue, gray, white clouds	NA	NA	NA
Texture	Fine grainy	Smooth to choppy	NA	NA	NA

### **Existing Landscape/Seascape Character Description:**

The dominant visual impression is the broad, flat expanse of open ocean against the blue and gray color of the sky. The dark blue-gray ocean surface stretches to the distant horizon line. Scenic integrity is high with no existing visual intrusions. The dark horizon line provides a distinct linear break between the ocean and the white clouds in the sky. Ocean conditions range from flat water to choppy to rolling swells and strong beach break.

The viewer position is level along the beach and elevated from private residences within the scrub shrub at the top of the dunes. A strong line defines the character of beach setting. The beach is sandwiched between the eroding cliff face and the tope of tide.

					C	Con	trast R	ating [	KOP 1	0-N]	□Short	Term	⊠Lor	ng Term	1						
											Feat	ures									
			Land	form			Oce	ean		Enclo	osed W	ater Bo	odies		Vege	tation			Struc	tures	
De	gree of Contrast	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None
	Form	Х					Х			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Line	Х					Х			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Color		Х				Х			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Elements	Horizontal Scale (% field of view)	NA	NA	NA	NA		х			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Elen	Vertical (Height of Object against the horizon)	NA	NA	NA	NA		х			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Motion	NA	NA	NA	NA	Х				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Lighting	NA	NA	NA	NA	Х				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

**Overall Visual Contrast Rating: Moderate** 

Visibility Level Rating: [3] - [4]

[3] Visible after only a brief glance in the direction of the project facilities.

[4] Plainly visible, but not dominant.

The Contrast Rating is Moderate. The view position is in direct alignment of the turbines. Although the distance and atmospheric haze may reduce the clarity of the view of the turbines, the project elements are still plainly visible. Moreover, the rotation of the blades will draw attention of the viewer. The project, particularly substations, would be easily detected after a brief look and would be visible to most casual observers, but within context of full field of view would be of insufficient size or contrast to compete with major landscape/seascape elements.

### Contrasting Elements:

- The Project structures appear light to dark gray with the mid-morning sun angle;
- Gray color and rectangular form of the platforms attracts the attention of the viewer within the scene and dark gray against the blue background of the sky;
- Vertical elements introduced into a flat horizontal seascape scene which are visually evident against the strong horizon line;
- The density of visible structures arrayed across the horizon line as well as the extent of the visible horizon occupied by the Project;
- The perceived lack of visual order of the Project from the viewer position;
- Gray color and rectangular form of the platforms attracts the attention of the viewer within the scene and dark gray against the blue background of the sky
- Blade motion will also be visible along the horizontal line contrasting the natural motion of physical element. Motion of the blades also does not correspond with the natural back and forth motion of the waves and moves with an irregular pattern.

### Mitigating Factors:

- Distance to nearest turbines is more than 20 miles
- Wide panorama reduces apparent horizontal scale of project
- Nighttime visibility will depend on selection of an FAA approved lighting system. The Project will use Radar Activated ADLS, if approved by FAA.


### Nantucket

### **PANORAMIC PHOTOGRAPH** - EXISTING CONDITIONS



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

### **ISLAND MAP**



### **PHOTOGRAPH AND SITE**

Time of photograph: 10:00 AM

Date of photograph: 6-28-20

L/SCA: Open Ocean, Ocean
Beach, Dunes, Residential

Viewing direction: South (202°)

Latitude: 41.244605°N

Longitude: 70.079013°W

Lighting Direction: Sidelit

### **ENVIRONMENT**

Temperature: 69° F
Humidity: 84%
Wind Dir & Speed: SSW 8 mph
Weather Condition: Partly Cloudy

### **CAMERA**

Camera Elevation: 6.0 ft / 9.3 m Fstop: f/7.1

Nikon D4 Shutter: 1/1250 sec

Nikon 50mm Aperture priority

ISO: 100 Exposure bias: -0.7 step

### **CONTEXT MAP**



### **ADJACENT FEATURES**

Access: Public beach recreation

Scenic Resources: Ocean beach, open ocean, coastal dunes
Adjacent Amentities: Moderately sized parking lot with surf


rental trucks

Adjacent Areas: Nantucket Memorial Airport, residential homes
Adjacent L/SCAs: Ocean beach, coastal dunes, scrub shrub
landscape, medium density residential structures, flat, maintained
airport runway

Adjacent KOPs: KOP 20-N Madequacham 1, KOP 1-N Surfside

Beach

Comparable KOPs: KOP 1-N Surfside Beach



The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

### Nantucket

### **PANORAMIC PHOTOGRAPH - SIMULATED CONDITIONS**



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

### **REGIONAL MAP**

# Buz lards Nantucket Sound NANTURKET NANTURKET NANTURKET NANTURKET NANTURKET NANTURKET NANTURKET Atlantic Ocean Gircle Obscurity Ring (TIP) Gircle Obscurity Ring (HUB)

### **PHOTOGRAPH AND SITE**

Time of photograph: 10:00 AM

Date of photograph: 6-28-20

L/SCA: Open Ocean, Ocean
Beach, Dunes, Residential

### Viewing direction: South (202°)

Latitude: 41.244605°N Longitude: 70.079013°W Lighting Direction: Sidelit

### **ENVIRONMENT**

Temperature: 69° F

Humidity: 84%
Wind Dir & Speed: SSW 8 mph
Weather Condition: Partly Cloudy

### **CAMERA**

Camera Elevation: 6.0 ft / 9.3 m

Nikon D4

Shutter: 1/1250 sec

Nikon 50mm

Aperture priority

ISO: 100

Exposure bias: -0.7 step

### **SITE MAP**




### **PROJECT VIEW**


Horizontal Field of View: 127° Furthest WTG: 50.9 mi / 81.9 km

Vertical Field of View: 39.6° Potential Number of WTGs Visible: 104

Nearest WTG: 23.3 mi / 37.5 km Potential Number of WTGs Not Visible: 45

### **VISIBILITY OF CLOSEST TURBINE**





The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

### **Table 13. KOP Number 11-N**

	A. KOP Information  OP Number:   Date:   Time:   Weather:												
KOP Number: 11-N	Name KOP: Miacomet Beach and	Pond	<b>Date:</b> June 28, 2020		<b>Time:</b> 11:55 AM		Weather: Sunny with light haze and clouds						
Location Description: Miacomet Beach is located behind vegetation. The dunes rise above area. Miacomet Beach is a lightly	e the beach behind the lo	cation. Also	o, behind the bead	ch lies Miacom	et Pond. Beacl	h amenities are limited	and only includes a small parking						
Landscape Character Descript Open Ocean, Dunes, Residentia Marsh		Scenic Int No permar	regrity: nent visual intrusion	ons									
Visual Absorption Capability: Low – the view from the remote visual absorption.	beach to a distant ocean	horizon do	es not facilitate				the ocean edge. Unobstructed						
Relevant Viewer Groups: Residents, Tourists, Recreationa			ontext: is popular for su , and people wate	•	ng, picnicking,	Viewer Position: Level							
Visual Connection to Project: Unobstructed view to project			Viewing dista 23.49 mi 37.80 km	│ ance: Statute Miles (m	ni) and Kilometers (km)								

		3. Landscape/Seascape Ch	naracter Description [KOP 1	1-N]	
Landscape/Seascape Character Attributes	Landform	Ocean	Enclosed Water Bodies	Vegetation	Structures
Form	Flat to gently sloped beach	Flat, Strongly horizontal – mildly choppy -ripple,	NA	NA	NA
Line	Strong line where beach meets the ocean	Horizon line, intermittent line, clouds, Irregular wave lines	NA	NA	NA
Color	Tan sand	Dark horizon line- reflective white and blue, gray to white clouds above ocean, blue sky above	NA	NA	NA
Texture	Fine grainy	Smooth to choppy	NA	NA	NA

### **Existing Landscape/Seascape Character Description:**

The visual conditions include a flat expanse of open ocean against the band of white haze and gray overcast clouds of the sky. The reflective dark blue-gray ocean surface stretches along the horizon line. Scenic integrity is high, with visual acuity limited by the influence of the evaporation and the haze. Due to periodic overcast, the horizon line and ocean color begin to integrate with the background. The horizon line remains visually evident, but the color is less distinct. The movement of the ocean ranges from slight ripples to rolling swells to small surf waves and strong beach break. Miacomet Beach is seasonally moderately busy with people recreating, surfing, socializing, and enjoying the beach setting.

						C. Co	ontrast	Rating	[KOP	11-N]	□Shoi	t Term	⊠Loı	ng Term	1						
											Feat	ures									
			Land	form			Oc	ean		Encl	osed W	ater Bo	odies		Vege	tation			Struc	tures	
Deç	gree of Contrast	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None
	Form		Х			Х				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Line	Х				Х				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Color		Х				Х			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Elements	Horizontal Scale (% field of view)	NA	NA	NA	NA	X				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Elem	Vertical (Height of Object against the horizon)	NA	NA	NA	NA		х			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Motion	NA	NA	NA	NA	Х				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Lighting	NA	NA	NA	NA	Х				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

**Overall Visual Contrast Rating: Moderate** 

Visibility Level Rating: [3] - [4]

[3] Visible after only a brief glance in the direction of the project facilities. Not dominant due to distance

[4] Plainly visible, but not dominant

The Contrast Rating is Moderate. The viewer position on the beach is in direct alignment with the Project. Although the distance and atmospheric haze reduces the visibility, the Project elements remain plainly visible. The project would be easily detected after a brief look and would be visible to most casual observers [3], but within context of full field of view would be of insufficient size or contrast to compete with major landscape/seascape elements. Moreover, the rotation of the blades will likely draw attention from the viewer. In clear conditions and with blade movement, the Project will be a plainly visible feature and draw attention to the view at Visibility Level [4].

### **Contrasting Elements:**

- Gray color of the OSP(s) is visually evident and dark gray against the white/blue background.
- Vertical elements introduced into a flat horizontal seascape scene which are visually evident against the strong horizon line;
- The density of visible structures arrayed across the horizon line interrupts the view of the sky above;
- The perceived lack of visual order of the Project from the viewer position;
   Blade motion will also be visible along the horizontal line contrasting the natural motion of physical element. Motion of the blades also does not correspond with the natural back and forth motion of the waves and moves with an irregular pattern

### **Mitigating Factors:**

- Distance to nearest turbines over 20 miles
- Wide panorama reduces apparent horizontal scale of project
- Nighttime visibility will depend on selection of an FAA approved lighting system. The Project will use Radar Activated ADLS, if approved by FAA.


### Nantucket

### **PANORAMIC PHOTOGRAPH** - EXISTING CONDITIONS



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

### **ISLAND MAP**



### **PHOTOGRAPH AND SITE**

Time of photograph: 10:55 AM

Date of photograph: 6-28-20

L/SCA: Open Ocean, Dunes, Salt Ponds, Tidal Marsh, Residential

Viewing direction: South (198°)

Latitude: 41.243339°N

Longitude: 70.119422°W

Lighting Direction: Backlit diffused

### **ENVIRONMENT**

Temperature: 70° F
Humidity: 84%
Wind Dir & Speed: S 7 mph
Weather Condition: Cloudy

### **CAMERA**

Camera Elevation: 12.5 ft / 3.8 m Fstop: f/7.1

Nikon D4 Shutter: 1/1250 sec

Nikon 50mm Aperture priority

ISO: 100 Exposure bias: -0.7 step

### **CONTEXT MAP**



### **ADJACENT FEATURES**

Access: Public beach recreation

Scenic Resources: Ocean beach, open ocean, coastal dunes,

scrub shrub landscape

Adjacent Amentities: Small parking lot

**Adjacent Areas:** Miacomet Pond - a coastal tidal pond surrounded by residential homes, scrub schrub and forested


andscape

Adjacent L/SCAs: Ocean beach, coastal scrub bush, low

density residential structures, pond

Adjacent KOPs: KOP 1-N Surfside Beach, KOP 19-N Miacomet

Golf Club, KOP 18-N Ladies Beach



The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

### Nantucket

### **PANORAMIC PHOTOGRAPH - SIMULATED CONDITIONS**



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

### **REGIONAL MAP**

# Mantucket Sound Mantuc

### **PHOTOGRAPH AND SITE**

Time of photograph: 10:55 AM Viewing direction: South (198°)

Date of photograph: 6-28-20 Latitude: 41.243339°N

L/SCA: Open Ocean, Dunes, Salt Ponds, Tidal Marsh, Residential Lighting Direction: Backlit diffused

### **ENVIRONMENT**

Temperature: 70° F

Humidity: 84%
Wind Dir & Speed: S 7 mph
Weather Condition: Cloudy

### **CAMERA**

Camera Elevation: 12.5 ft / 3.8 m Fstop: f/7.1

Nikon D4 Shutter: 1/1250 sec

Nikon 50mm Aperture priority

ISO: 100 Exposure bias: -0.7 step

### **SITE MAP**




### **PROJECT VIEW**


Horizontal Field of View: 127° Furthest WTG: 49.5 mi / 79.6 km

Vertical Field of View: 39.6° Potential Number of WTGs Visible: 121

Nearest WTG: 23.5 mi / 3.8 km Potential Number of WTGs Not Visible: 28

### **VISIBILITY OF CLOSEST TURBINE**





The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

### **Table 14. KOP Number 12-N (Clear Skies)**

A. KOP Information									
KOP Number: 12-N (Clear Skies)	Name KOP: Cisco Beach (Clear S	Date July 29, 2020		<b>Time:</b> 1:25 PM		Weather: Sunny with light haze and high clouds			
to a saltwater pond. The du		ind the location. Beach	amenities include	a large parking	area, surfboard rental :	I the beach and grassy dunes, next station, food cart, and temporary surf, and socialize.			
Landscape Character Description: Open Ocean, Ocean Beach, Dunes, Salt Ponds/Tidal Marsh, Residential		Scenic Integrity: No permanent visual intrusions							
Visual Absorption Capability: Low – the view from the remote beach to a distant ocean horizon does not favisual absorption.			ate Broad expa	Dominant Landscape Attributes:  Broad expanse of beach framed by the dunes and the ocean edge. Unobstructed view of the open ocean.					
Relevant Viewer Groups: Residents, Tourists, Recreational Users		Viewer Context: The beach is popular for surfing, sunbathin		hing, picnicking.	Viewer Position: Level				
Visual Connection to Project: Unobstructed view to project				23.61 mi	Viewing distance: Statue Miles (mi) or Kilometers (km) 23.61 mi 38.00 km				

B. Landscape/Seascape Character Description [12-N (Clear Skies)]									
Landscape/Seascape Character Attributes	Landform	Ocean	Enclosed Water Bodies	Vegetation	Structures				
Form	Flat to gently sloped beach	Flat, Strongly horizontal – mildly choppy, ripple	NA	NA	NA				
Line	Strong line where beach meets the ocean	Horizon line, intermittent line, clouds, Irregular wave lines	NA	NA	NA				
Color	Tan sand	Dark horizon line - reflective white and blue, gray to white clouds above ocean, blue sky above	NA	NA	NA				
Texture	Fine grainy	Smooth to choppy	NA	NA	NA				

### **Existing Landscape/Seascape Character Description:**

The dominant visual impression is the broad, flat expanse of water, the blue or gray color reflecting the sky, the smooth or choppy texture of the water surface, and the distant horizon line. Scenic integrity is high, with few or no visual intrusions. Numerous commercial fishing and recreational boats are seasonally found in the waters of the area, and views of the Project can be from any point on the ocean surface on the south and west sides of the islands. Conditions range from flat water to choppy to rolling swells. Ferry boats are limited to inland waters on the side of the islands away from the project.

Dominant elements of the view are open water, white and reflective color, and dark, strong horizon line. Water breaks on the beach. No visual intrusions other than people surfing.

Cisco beach has a slight curvilinear form, tan color and strong variable edge where the ocean tide meets the beach.

					C. c	ontras	t Ratin	g [12-N	l (Clear	Skies)		hort Te	rm 🗵	Long T	erm						
											Feat	ures									
			Land	lform			Oc	ean		Encl	sed W	ater Bo	odies		Vege	tation			Struc	tures	
De	gree of Contrast	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None
	Form		Х			Х				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Line	Х				Х				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Color			Х				Х		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Elements	Horizontal Scale (% field of view)	NA	NA	NA	NA		Х			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Elen	Vertical (Height of Object against the horizon)	NA	NA	NA	NA		Х			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Motion	NA	NA	NA	NA	Х			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Lighting	NA	NA	NA	NA	Х			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

**Overall Visual Contrast Rating: Moderate to Strong** 

Visibility Level Rating: [4] - [5]
[4] Plainly visible, but not dominant

[5] Strongly attracts visual attention. Prominent.

The Contrast Rating is Moderate to Strong. The viewer position on the beach is in direct alignment with the Project within the open ocean setting. Although the distance and atmospheric haze may reduce visibility, the Project elements remain plainly visible most of the time. Moreover, the blade rotation will draw the viewer's attention. In clear conditions, the Project will be a prominent feature and may dominate the view.

#### **Contrasting Elements:**

- Gray color of the OSP(s) is visually evident and dark gray against the white/blue background.
- Vertical elements introduced into a flat horizontal seascape scene which are visually evident against the strong horizon line;
- The density of structures arrayed across the horizon line interrupts the view of the sky above;
- The perceived lack of visual order of the Project from the viewer position;
- Blade motion is spinning along the horizontal line. Motion of the blades also does not correspond with the natural back and forth motion of the waves.

#### **Mitigating Factors:**

- Distance to nearest turbines over 20 miles
- Wide panorama reduces apparent horizontal scale of project
- Nighttime visibility will depend on selection of an FAA approved lighting system. The Project will use Radar Activated ADLS, if approved by FAA.

# KOP 12-N Cisco Beach- clear skies


# Nantucket

#### **PANORAMIC PHOTOGRAPH** - EXISTING CONDITIONS



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

#### **ISLAND MAP**



#### **PHOTOGRAPH AND SITE**

Time of photograph: 1:25PM

Viewing direction: South (193°)

Date of photograph: 8-20-20

Latitude: 41.252490°N

L/SCA: Open Ocean, Ocean Beach,
Dunes, Salt Ponds/Tidal Marsh, Residential

Lighting Direction: Backlit diffused

#### **ENVIRONMENT**

Temperature: 61° F
Humidity: 90%
Wind Dir & Speed: N 6 mph
Weather Condition:Partly Cloudy

#### **CAMERA**

Camera Elevation: 23.0 ft / 7.0 m Fstop: f/7.1

Nikon D4 Shutter: 1/1250 sec

Nikon 50mm Aperture priority

ISO: 100 Exposure bias: -0.7 step

#### **CONTEXT MAP**



# **ADJACENT FEATURES**

Access: Public beach recreation

Scenic Resources: Ocean beach, seascape, scrub shrub

landscape

Adjacent Amentities: Cisco Bike Path and a moderately sized

parking lot with surf rental trucks and food trucks

Adjacent Areas: Hummock Pond - a coastal tidal pond

surrounded by residential homes, coastal scrub, and agricultural/

open fields

Adjacent L/SCAs: Coastal scrub bush, coastal dunes, ocean

beach, low density residential structures

Adjacent KOPs: KOP 13-N Hummock Pond Road Bike Path, KOP 18-N Ladies Beach, KOP 31-N Cisco Beach Below Sanford

Farm Barn

# KOP 12-N Cisco Beach- clear skies

Nantucket



# KOP 12-N Cisco Beach - clear skies

# Nantucket

#### **PANORAMIC PHOTOGRAPH - SIMULATED CONDITIONS**



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

#### **REGIONAL MAP**

# Buzzarrs Ba Nantucket Sound MARTHALS VINEYARD Nantucket Sound Circle Obscurity Ring (TIP) Circle Obscurity Ring (HUB) Circle Obscurity Ring (HUB)

#### **PHOTOGRAPH AND SITE**

Time of photograph: 1:25PM

Date of photograph: 8-20-20

L/SCA: Open Ocean, Ocean Beach,
Dunes, Salt Ponds/Tidal Marsh, Residential

Lighting Direction: South (193°)

Latitude: 41.252490°N

Longitude: 70.154080°W

Lighting Direction: Backlit diffused

#### **ENVIRONMENT**

Temperature: 61° F

Humidity: 90%
Wind Dir & Speed: N 6 mph
Weather Condition: Partly Cloudy

#### **CAMERA**

Camera Elevation: 23.0 ft / 7.0 m Fstop: f/7.1

Nikon D4 Shutter: 1/1250 sec

Nikon 50mm Aperture priority

ISO: 100 Exposure bias: -0.7 step

#### SITE MAP




#### **PROJECT VIEW**

Horizontal Field of View: 127° Furthest WTG: 49.5 mi / 79.3 km

Vertical Field of View: 39.6° Potential Number of WTGs Visible: 131

Nearest WTG: 23.6 mi / 38.0 km Potential Number of WTGs Not Visible: 18

#### **VISIBILITY OF CLOSEST TURBINE**



# KOP 12-N Cisco Beach- clear skies

Nantucket



# Table 15. KOP Number 12-N (Overcast)

			A.	KOP Information						
KOP Number: 12-N (Overcast)	Name KOP: Cisco Beach (Overca	st Skies)	Date June 28, 2	2020	<b>Time:</b> 11:28 AM		Weather: Cloudy overcast skies			
Location Description:  Cisco Beach is an expanse of beach located on the southwestern end of Nantucket. The Cisco residential neighborhood is located behind the beach and grassy dunes, next to a saltwater pond. The dunes rise above the beach behind the location. Beach amenities include a large parking area, surfboard rental station, food cart, and temporary toilets with hand washing stations. This is a developed recreation area and popular destination by residents, tourists looking to sunbathe, surf, and socialize.										
Landscape Character Descripti Open Ocean, Ocean Beach, Dun Marsh, Residential		Scenic Int No perman	regrity: nent visual i	ntrusions						
Visual Absorption Capability: NA				Dominant Landsca Broad expanse of both the open ocean.	-		ean edge. Unobstructed view of			
Relevant Viewer Groups: Residents, Tourists, Recreational	Users			for surfing, sunbathir e watching	ng, picnicking,	Viewer Position: Level				
Visual Connection to Project: Unobstructed view to project					Viewing dista 23.61 miles 38.00 km	l ance: Statute Miles an	d Kilometers (km)			

B. Landscape/Seascape Character Description [12-N (Overcast)]													
Landscape/Seascape Character Attributes	Landform	Ocean	Enclosed Water Bodies	Vegetation	Structures								
Form	Flat to gently sloped beach	Flat, Strongly horizontal – mildly choppy, ripple	NA	NA	NA								
Line	I meets the ocean	Horizon line, intermittent line, clouds, Irregular wave lines	NA	NA	NA								
Color	Tan sand	Dark horizon line - reflective white and blue, gray to white clouds above ocean, blue sky above	NA	NA	NA								
Texture	Fine grainy	Smooth to choppy	NA	NA	NA								

#### Summary

#### **Existing Landscape/Seascape Character Description:**

The visual conditions include a flat expanse of open ocean against the band of white haze against gray overcast clouds of the sky. The reflective dark blue-gray ocean surface stretches along the horizon line. Scenic integrity is high, with visual acuity limited by the influence of the evaporation and the haze. Due to periodic overcast the horizon line and ocean color begin to integrate with the background. The horizon line remains visually evident, but the color is less distinct. The movement of the ocean ranges from slight ripples to rolling swells to small surf waves and strong beach break. Cisco beach is seasonally busy with people recreating, surfing, socializing and enjoying the beach setting.

	C. Contrast Rating [12-N (Overcast)] □Short Term ☑Long Term																				
											Feat	ures									
			Land	lform			Oce	ean		Encl	osed W	ater Bo	odies		Vege	tation			Struc	tures	
Deç	gree of Contrast	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None
	Form		Х			Х				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Line	Х				Х				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Color		Х				Х			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Elements	Horizontal Scale (% field of view)	NA	NA	NA	NA	Х				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Elen	Vertical (Height of Object against the horizon)	NA	NA	NA	NA		Х			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Motion	NA	NA	NA	NA	Х				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Lighting	NA	NA	NA	NA	Х	_			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Overall Visual Contrast Rating: Moderate to Strong

Visibility Level Rating: [4] – [5]
[4] Plainly visible, but not dominant.

[F] Other with a street a viewed attention. December

[5] Strongly attracts visual attention. Prominent.

The Contrast Rating is Moderate to Strong. The viewer position on the beach is in direct alignment with the Project within the open ocean setting. Although the distance and periodic atmospheric haze reduces the visibility, the Project elements remain plainly visible. Moreover, the rotation of the turbine blades will draw attention of the viewer. In clear conditions, the Project will be a prominent feature and may dominate the view.

#### **Contrasting Elements:**

- Gray color of the platforms is visually evident and dark gray against the white/blue background
- Vertical elements introduced into a flat horizontal seascape scene which are visually evident against the strong horizon line;
- The density of visible structures arrayed across the horizon interrupts the view of the sky above;
- The perceived lack of visual order of the Project from the viewer position;
  Blade motion is spinning along the horizontal line. Motion of the blades also does not correspond with the natural back and forth motion of the waves.

#### **Mitigating Factors:**

- Distance to nearest turbines over 20 miles
- Wide panorama reduces apparent horizontal scale of project
- Nighttime visibility will depend on selection of an FAA approved lighting system. The Project will use Radar Activated ADLS, if approved by FAA.


# Nantucket

#### **PANORAMIC PHOTOGRAPH** - EXISTING CONDITIONS



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

#### **ISLAND MAP**



#### **PHOTOGRAPH AND SITE**

Time of photograph: 11:28 AM Viewing direction: South (193°)

Date of photograph: 6-28-20 Latitude: 41.252122°N

L/SCA: Open Ocean, Ocean Beach,

Dunes, Salt Ponds/Tidal Marsh, Residential

Lighting Direction: Sidelit diffused

#### **ENVIRONMENT**

Temperature: 71° F

Humidity: 84%
Wind Dir & Speed: S 7 mph
Weather Condition: Cloudy

#### **CAMERA**

Camera Elevation: 24.5 ft / 7.5 m

Nikon D4

Shutter: 1/1250 sec

Nikon 50mm

Aperture priority

ISO: 100

Exposure bias: -0.7 step

#### **CONTEXT MAP**



# **ADJACENT FEATURES**

Access: Public beach recreation

Scenic Resources: Ocean beach, seascape, scrub shrub

landscape

Adjacent Amentities: Cisco Bike Path and a moderately sized

parking lot with surf rental trucks and food trucks

Adjacent Areas: Hummock Pond - a coastal tidal pond

surrounded by residential homes, coastal scrub, and agricultural/

open fields


Adjacent L/SCAs: Coastal scrub bush, coastal dunes, ocean

beach, low desnity residential structures

**Adjacent KOPs:** KOP 13-N Hummock Pond Road Bike Path, KOP 18-N Ladies Beach, KOP 31-N Cisco Beach Below Sanford

Farm Barn

Nantucket



The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

# Nantucket

# **PANORAMIC PHOTOGRAPH - SIMULATED CONDITIONS**



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

#### **REGIONAL MAP**

# Buzzards Bay Nantucket Sound Marthas VINEYARD Nantucket Sound Circle Observation Point (Photograph) Potential WTG/OSP Positions Circle Obscurity Ring (TIP) Circle Obscurity Ring (HUB)

#### **PHOTOGRAPH AND SITE**

Time of photograph: 11:28 AM Viewing direction: South (193°)

Date of photograph: 6-28-20 Latitude: 41.252122°N

L/SCA: Open Ocean, Ocean Beach,

Dunes, Salt Ponds/Tidal Marsh, Residential Lighting Direction: Sidelit diffused

#### **ENVIRONMENT**

Temperature: 71° F

Humidity: 84%
Wind Dir & Speed: S 7 mph
Weather Condition: Cloudy

#### **CAMERA**

Camera Elevation: 24.5 ft / 7.5 m Fstop: f/7.1

Nikon D4 Shutter: 1/1250 sec

Nikon 50mm Aperture priority

ISO: 100 Exposure bias: -0.7 step

#### **SITE MAP**




#### **PROJECT VIEW**

Horizontal Field of View: 127° Furthest WTG: 49.3 mi / 79.3 km


Vertical Field of View: 39.6° Potential Number of WTGs Visible: 131

Nearest WTG: 23.6 mi / 38.0 km Potential Number of WTGs Not Visible: 18

#### **VISIBILITY OF CLOSEST TURBINE**



Nantucket



The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

# KOP 12-N Cisco Beach- stormy skies


# Nantucket

# **PANORAMIC PHOTOGRAPH** - EXISTING CONDITIONS



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

#### **ISLAND MAP**



#### **PHOTOGRAPH AND SITE**

Dunes, Salt Ponds/Tidal Marsh, Residential

Time of photograph: 8:30 AM

Viewing direction: South (193°)

Date of photograph: 7-29-20

Latitude: 41.252122°N

L/SCA: Open Ocean, Ocean Beach,

Longitude: 70.152251°W

#### **ENVIRONMENT**

Temperature: 68° F

Humidity: 85%
Wind Dir & Speed: SW 26 mph
Weather Condition: Cloudy

#### **CAMERA**

Camera Elevation: 24.5 ft / 7.5 m Fstop: f/7.1

Nikon D4 Shutter: 1/1250 sec

Nikon 50mm Aperture priority

ISO: 100 Exposure bias: -0.7 step

#### **CONTEXT MAP**



Lighting Direction: Sidelit diffused

# **ADJACENT FEATURES**

Access: Public beach recreation

Scenic Resources: Ocean beach, seascape, scrub shrub

landscap

Adjacent Amentities: Cisco Bike Path and a moderately sized

parking lot with surf rental trucks and food trucks

Adjacent Areas: Hummock Pond - a coastal tidal pond

surrounded by residential homes, coastal scrub, and agricultural/

open fields


Adjacent L/SCAs: Coastal scrub bush, coastal dunes, ocean

beach, low desnity residential structures

**Adjacent KOPs:** KOP 13-N Hummock Pond Road Bike Path, KOP 18-N Ladies Beach, KOP 31-N Cisco Beach Below Sanford

Farm Barn

# KOP 12-N Cisco Beach- stormy skies Nantucket



The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

# KOP 12-N Cisco Beach- stormy skies


# Nantucket

# PANORAMIC PHOTOGRAPH - SIMULATED CONDITIONS



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

#### **REGIONAL MAP**



#### **PHOTOGRAPH AND SITE**

Time of photograph: 8:30 AM

Date of photograph: 7-29-20

L/SCA: Open Ocean, Ocean Beach,
Dunes, Salt Ponds/Tidal Marsh, Residential

Lighting Direction: South (193°)

Latitude: 41.252122°N

Longitude: 70.152251°W

Lighting Direction: Sidelit diffused

#### **ENVIRONMENT**

Temperature: 68° F

Humidity: 85% Wind Dir & Speed: SW 26 mph Weather Condition: Cloudy

#### **CAMERA**

Camera Elevation: 24.5 ft / 7.5 m Fstop: f/7.1

Nikon D4 Shutter: 1/1250 sec

Nikon 50mm Aperture priority

ISO: 100 Exposure bias: -0.7 step

#### SITE MAP




#### **PROJECT VIEW**

Horizontal Field of View: 127° Furthest WTG: 49.3 mi / 79.3 km


Vertical Field of View: 39.6° Potential Number of WTGs Visible: 131

Nearest WTG: 23.6 mi / 38.0 km Potential Number of WTGs Not Visible: 18

#### **VISIBILITY OF CLOSEST TURBINE**



# KOP 12-N Cisco Beach- stormy skies Nantucket




The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

# KOP 12-N Cisco Beach- nightime

# Nantucket

# **PANORAMIC PHOTOGRAPH** - EXISTING CONDITIONS



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

#### **ISLAND MAP**

# Buzzarrs Ba Sound Nantucket Sound MARTHAS VINEYARD Mayflower Wind OCS-A 0521; Legend Key Observation Point (Photograph) Potential WTG/OSP Positions Circle Obscurity Ring (TIP) Circle Obscurity Ring (HUB)

#### **PHOTOGRAPH AND SITE**

Time of photograph: Night Viewing direction: South (193°)

Date of photograph: 7-29-20 Latitude: 41.252122°N

L/SCA: Open Ocean, Ocean Beach,

Dunes, Salt Ponds/Tidal Marsh, Residential Lighting Direction: Night

#### **ENVIRONMENT**

Temperature: 68° F
Humidity: 85%
Wind Dir & Speed: SW 26 mph
Weather Condition: Cloudy

#### **CAMERA**

Camera Elevation: 24.5 ft / 7.5 m Fstop: f/7.1

Nikon D4 Shutter: 1/1250 sec

Nikon 50mm Aperture priority

ISO: 100 Exposure bias: -0.7 step

#### **CONTEXT MAP**



Horizontal Field of View: 127° Vertical Field of View: 39.6° Nearest WTG: 23.6 mi / 38.0 km


# ADJACENT FEATURES

Furthest WTG: 49.3 mi / 79.3 km

Potential Number of WTGs Visible: 131

Potential Number of WTGs Not Visible: 18

# KOP 12-N Cisco Beach- nightime Nantucket



# Table 16. KOP Number 13-N

			A. KOP	Information			
Number KOP: 13-N	KOP Name: Hummock Pond Road	l Bike Path	Date: October 7, 2020	Time: 1:30 PM			Weather: Sun, partly cloudy with haze band
path ends at the access road to opens up at near Cisco Beach p	Cisco Beach. The bike p roviding view across the tion. The coastal shrub	ath is mostly low growing scrub vegeta	y situated behind g native scrub. Th ation community i	tall mature coas ne parcel of land integrates many	tal shrub scrubehind the C	ib vegetation, residentia isco Beach access are	and visitors of Nantucket. The bike al housing, and pasture. The view a is owned and managed by the vith the blue ocean setting in the
Landscape Character Descrip Open Ocean, Salt Pond/Tidal M Fields/Meadow, Coastal Scrub, Rural/Residential	arsh, Scenic	Integrity: integrity is h and frame th	•	tting remaining r	mostly natura	I. Residential structures	s are set within the context of the
Visual Absorption Capability: Low to moderate due to the den viewing position	sity of the residential bui	ldings adjac	ent to the	Dominant Lan Grass lands, s	•	butes: ousing and ocean in the	e background
Relevant Viewer Groups: Recreational User, Residents, To	ourists	Viewer Co Jogging, b	ontext: iking, walking			Viewer Position: Slightly Viewer Superi	or
Visual Connection to Project: Partly screened by the vegetation			Viewing dis 23.82 mi 38.33 km	tance: Statute Miles a	nd Kilometers (km)		

B. Landscape/Seascape Character Description [KOP 13-N]													
Landscape Seascape Character Attributes	Landform	Ocean	Enclosed Water Bodies	Vegetation	Structures								
Form	Level to slightly sloping, landform is not exposed covered in scrub shrub vegetation	Linear and regular, transition between land and horizontal alignment with the sky	Irregular	Grasses erect low massing; shrubs are low and irregular massed	Triangular roof lines, irregular geometry								
Line	None	Horizontal horizon line, regular line between the structure, vegetation and ocean	Even edge along house, curvilinear edge along vegetates margin of coastal scrub	Irregularly horizontal district edges and coastal shrub, undulating line where coastal shrub meets the water edge	Horizontal, angular								
Color	None	Very light gray/blue	Gray to Light blue to reflects the sky condition and cloud color	Tan, light to dark greens, seasonal wildflowers	Gray, brown, tan, white								
Texture	None	Smooth	Smooth to choppy	Fine to course texture coastal scrub	Not discernable								

#### Summary:

Rising behind Hummock Pond is the residential community of Cisco. The Cisco community is considered a newer development on the island. The houses are large in stature and reflect the Cape Cod style with gray shingle siding and angular sloped roofs. The ocean is visible, with the multiple colors and textures found within the foreground vegetation. The dark horizon line is distinct, defining the break between the ocean edge and the sky.

Scenic integrity is high, due to the condition, diversity, and texture of the shrub scrub vegetation and the ocean setting. After being enclosed along the bike path behind tall vegetation, topography and structures, the receptor is awarded an inland opening to the ocean.

						C. Coi	ntrast F	Rating	[KOP 1	3-N]	□Shor	t Term	⊠Lor	ng Term	l						
											Feat	ures									
			Land	lform			Oc	ean			Wa	iter			Vege	tation			Struc	tures	
Deg	gree of Contrast	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None
	Form			Х						NA	NA	NA	NA	Х				Х			
	Line	NA	NA	NA	NA		Х			NA	NA	NA	NA	Х				Х			
	Color	NA	NA	NA	NA			Х		NA	NA	NA	NA		Х					Х	
Elements	Horizontal Scale (% field of view)	NA	NA	NA	NA		X			NA	NA	NA	NA		Х					Х	
Elen	Vertical (Height of Object against the horizon)	NA	NA	NA	NA	х				NA	NA	NA	NA	х					Х		
	Motion	NA	NA	NA	NA	Х				NA	NA	NA	NA	NA	Х				Х		
	Lighting	NA	NA	NA	NA	Х				NA	NA	NA	NA	Х				Х			

**Overall Visual Contrast Rating: Moderate to Strong** 

Visibility Level Rating: [4] - [5] [4] Plainly visible, but not dominant

[5] Strongly attracts visual attention. Prominent.

The Contrast Rating is Moderate to Strong. As the viewer travels along the bike path, the view opens up across the vegetated foreground and the beach access point to the open ocean setting. This position along the bike path is one of the only clear inland views from the path to the ocean that is not obstructed by vegetation, buildings, or topography. The Project forms the backdrop along the horizon and will be plainly visible in clear conditions.

#### **Contrasting Elements:**

- Scale of the turbine blades contrasts the color, texture, form and scale of the vegetation foreground or middle ground view and the ocean.
- Vertical elements introduced into a flat horizontal seascape scene;
- The density of structures arrayed across the horizon line interrupts the view of the sky above;
- The perceived lack of visual order of the Project from the viewer position;
- Blade motion is spinning along the horizontal irregular line accented by the roof lines of the residential structures and rolling edge of the dunes.
- Motion of the blades does not relate to any existing feature found within the context of the foreground and middle ground scene

#### **Mitigating Factors:**

- Distance to nearest turbines over 20 miles
- Wide panorama reduces apparent horizontal scale of project
- Nighttime visibility will depend on selection of an FAA approved lighting system. The Project will use Radar Activated ADLS, if approved by FAA.


# Nantucket

#### **PANORAMIC PHOTOGRAPH** - EXISTING CONDITIONS



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

#### **ISLAND MAP**



#### **PHOTOGRAPH AND SITE**

Time of photograph: 1:31 PM

Date of photograph: 10-7-20

L/SCA: Open Ocean, Salt Pond/Tidal
Marsh, Field/Meadow, Coastal Shrub,
Rural/Residential

Viewing direction: South (193°)

Latitude: 41.254755°N

Longitude: 70.150408°W

Lighting Direction: Backlit

#### **ENVIRONMENT**

Temperature: 68° F
Humidity: 82%
Wind Dir & Speed: SW 26 mph
Weather Condition: Partly Cloudy

#### **CAMERA**

Camera Elevation: 25.5 ft / 7.8 m Fstop: f/7.1

Nikon D4 Shutter: 1/1250 sec

Nikon 50mm Aperture priority

ISO: 100 Exposure bias: -0.7 step

#### **CONTEXT MAP**



# **ADJACENT FEATURES**

Access: Public recreation path

Scenic Resources: Scrub shrub landscape

Adjacent Amentities: Paved biking/waking path ending at Cisco

Beach with food and surf rental trucks

Adjacent Areas: Cisco Beach, Hummock Pond, residential

home

Adjacent L/SCAs: Coastal scrub bush, medium density

residential structures

Adjacent KOPs: KOP 12-N Cisco Beach, KOP 18-N Ladies
Beach, KOP 17-N Bartlett's Farm, KOP 2-N Sanford Farm Barn
Overlook, KOP 31-N Cisco Beach Below Sanford Farm Barn

Nantucket



The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

# Nantucket

#### **PANORAMIC PHOTOGRAPH - SIMULATED CONDITIONS**



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

#### **REGIONAL MAP**

# Bike Path 13-N Mayflower Wind OCS-A 0521 Legend **Key Observation Point** Potential WTG/OSP Positions Ocean Circle Obscurity Ring (TIP) Circle Obscurity Ring (HUB)

#### **PHOTOGRAPH AND SITE**

Time of photograph: 1:31 PM Viewing direction: South (193°) Date of photograph: 10-7-20 Latitude: 41.254755°N L/SCA: Open Ocean, Salt Pond/Tidal Longitude: 70.150408°W Marsh, Field/Meadow, Coastal Shrub, Lighting Direction: Backlit

#### **ENVIRONMENT**

Temperature: 68° F Humidity: 82% Wind Dir & Speed: SW 26 mph Weather Condition: Partly Cloudy

#### **CAMERA**

Camera Elevation: 25.5 ft / 7.8 m Fstop: f/7.1 Nikon D4 Shutter: 1/1250 sec Nikon 50mm Aperture priority ISO: 100 Exposure bias: -0.7 step

#### **SITE MAP**


Rural/Residential



#### **PROJECT VIEW**

Horizontal Field of View: 96° Furthest WTG: 49.5 mi / 79.6 km Vertical Field of View: 47° Potential Number of WTGs Visible: 131 Nearest WTG: 23.8 mi / 38.3 km Potential Number of WTGs Not Visible: 18

#### **VISIBILITY OF CLOSEST TURBINE**



Nantucket



The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

# **Table 17. KOP Number 16-N**

		A. KO	OP Information							
KOP Number: 16 N	Name KOP: Head of Plains	Date October 10, 20	020	<b>Time:</b> 3:54 AM		Weather: Mostly sunny with scattered clouds, blue sky				
Location Description: Head of the Plains Beach is man unproved road to a primitive park located within the community the	ing site set within the	e scrub shrub vegetation of the	coastal plain. The			beach is accessed by an ot path to the beach. The beach is				
Landscape Character Description: Ocean Beach, Dunes, Open Ocean  Scenic Integrity: No permanent visual intrusions										
Visual Absorption Capability: Low – the view from the remote by visual absorption.	peach to a distant oc	cean horizon does not facilitate		-	•	of unobstructed ocean.				
Relevant Viewer Groups: Residents, Tourists, Recreational	Users	Viewer Context: The beach is less popular for a more serene experie sunbathing, picnicking, su	nce. Activities incl	lude	Viewer Position: Level					
Visual Connection to Project: Unobstructed view to Project other	er than receptors enj	joying the beach		Viewing dist 23.98 mi 38.59 km	tance: Statute Miles a	nd Kilometers (km)				

	[	3. Landscape/Seascape Ch	naracter Description [KOP 1	6-N]	
Landscape/Seascape Character Form	Landform	Ocean	Enclosed Water Bodies	Vegetation	Structures
Form	Flat upper terrace to steep eroding sandy dune. Flat narrow beach to sharply angled slope to intersection with ocean edge	Strongly horizontal, angled irregular, flat	NA	NA	NA
Line	Strong formal line at top of dune. An irregular line where beach meets the top of tide	Strong prominent Horizon line, intermittent irregular beach break, clouds, Regular rolling wave lines beyond beach break	NA	NA	NA
Color	Tan sand	Dark horizon line- reflective white and blue, gray, white clouds	NA	NA	NA
Texture	Fine grainy	Smooth to choppy	NA	NA	NA

#### **Existing Landscape/Seascape Character Description:**

The dominant visual impression is the broad, flat expanse of open ocean against the blue sky and white clouds. The ocean color transitions from green to turquoise to gray to dark blue. The expanse of ocean stretches to the distant horizon black line. Scenic integrity is high as the setting is not interrupted by any visual intrusions. The dark horizon is a distinct linear break between the ocean and the sky. Ocean conditions range from flat water to choppy to rolling swells and strong beach break.

					C	Con	trast R	ating [	KOP 16	6-N]	□Short	Term	⊠Lon	g Term							
											Feat	ures									
			Land	lform			Oc	ean		Encl	osed W	ater Bo	odies		Vege	tation			Struc	tures	
Deg	gree of Contrast	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None
	Form	Х					Х			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Line			Х			Х			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Color		Х				Х			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Elements	Horizontal Scale (% field of view)	NA	NA	NA	NA	Х				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Elen	Vertical (Height of Object against the horizon)	NA	NA	NA	NA	Х				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Motion	NA	NA	NA	NA	Х				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Lighting	NA	NA	NA	NA	Х				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

**Overall Visual Contrast Rating: Weak to Moderate** 

Visibility Level Rating: [2] - [3]

[2] Visible when scanning in the general direction of the Project facilities

[3] Visible after a brief glance in the general direction of the study subject

The Contrast Rating is Weak to Moderate. The viewer position from this KOP is in direct alignment with the Project which will be visible plainly visible in clear conditions [4]. The rotation of the blades and the horizontal and vertical scale against the horizon will draw the attention of the viewer from this location.

#### **Contrasting Elements:**

- Afternoon sun produces an apparent structure color of light to light gray contrasting the background setting.
- The scale of the rectangular platforms attracts the attention of the viewer within the scene and light gray against the blue background of the sky and the horizon line.
- Vertical elements introduced into a flat horizontal seascape scene;
- The density of visible structures arrayed across the horizon interupts the view of the sky;
- The perceived lack of visual order of the Project from the viewer position;
- Blade motion will also be visible along the horizontal line. Circular motion of the blades does not correspond with the natural back and forth motion of the waves. Non synchronized blade movement adds to visual chaos.

#### **Mitigating Factors:**

- Distance to nearest turbines over 20 miles
- Wide panorama reduces apparent horizontal scale of project
- Nighttime contrast will depend on selection of an FAA approved lighting system. The Project will use Radar Activated ADLS, if approved by FAA. This system is activated only when aircraft penetrates the radar field.


# Nantucket

# **PANORAMIC PHOTOGRAPH** - EXISTING CONDITIONS



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

#### **ISLAND MAP**



#### **PHOTOGRAPH AND SITE**

Time of photograph: 3:54 PM

Date of photograph: 10-7-20

L/SCA: Ocean Beach, Open

Ocean, Dunes

Viewing direction: South (190°)

Latitude: 41.341724°N

Longitude: 70.179524°W

Lighting Direction: Sidelit

#### **ENVIRONMENT**

Temperature: 66° F
Humidity: 81%
Wind Dir & Speed: SW 21 mph
Weather Condition: Clear

#### **CAMERA**


Camera Elevation: 20.5 ft / 6.3 m Fstop: f/7.1

Nikon D4 Shutter: 1/1250 sec

Nikon 50mm Aperture priority

ISO: 100 Exposure bias: -0.7 step

#### **CONTEXT MAP**



# **ADJACENT FEATURES**

Access: Public beach recreation

Scenic Resources: Ocean beach, open ocean, coastal dunes,

scrub shrub landscape


Adjacent Amentities: Small parking lot

Adjacent Areas: Madaket, Clark Cove, residential homes
Adjacent L/SCAs: Coastal scrub bush, agricultural/open fields,
open ocean, ocean beach, coastal dunes, low density residential
structures

Adjacent KOPs: KOP 31-N Cisco Beach Below Sanford Farm Barn, KOP 3-N Madaket Beach, KOP 22-N Madaket Beach Sunset, KOP 24-N Washington Ave and Madaket Road

Nantucket

# **EXISTING CONDITIONS**



The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

# Nantucket

# **PANORAMIC PHOTOGRAPH - SIMULATED CONDITIONS**



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

#### **REGIONAL MAP**

# Buzzards Bay Nantucket Sound NASTUREE MARTHANS VINEYAR D Head of Plains 16-70 Head of Plains 16-70 CS-A 05215 Legend Key Observation Point (Photograph) Potential WTG/OSP Positions Circle Obscurity Ring (TIP) Circle Obscurity Ring (HUB)

#### **PHOTOGRAPH AND SITE**

Time of photograph: 3:54 PM Viewing direction: South (190°)

Date of photograph: 10-7-20 Latitude: 41.261513°N

L/SCA: Ocean Beach, Open Cocean, Dunes Lighting Direction: Sidelit

#### **ENVIRONMENT**

Temperature: 66° F
Humidity: 81%
Wind Dir & Speed: SW 21 mph
Weather Condition: Clear

#### **CAMERA**

Camera Elevation: 20.5 ft /6.3 m

Nikon D4

Shutter: 1/1250 sec

Nikon 50mm

Aperture priority

ISO: 100

Exposure bias: -0.7 step

#### SITE MAP




#### **PROJECT VIEW**

Horizontal Field of View: 127° Furthest WTG: 49.3 mi / 79.3 km

Vertical Field of View: 39.6° Potential Number of WTGs Visible: 128


Nearest WTG: 37.5 mi / 60.3 km Potential Number of WTGs Not Visible: 21

#### **VISIBILITY OF CLOSEST TURBINE**



# Nantucket

# SIMULATED CONDITIONS



The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

# Table 18. KOP Number 18-N

		A. KOF	Information		
KOP Number: 18-N	Name KOP: Ladies Beach	<b>Date</b> July 29, 2020	<b>Time</b> 2:52	•	Weather: Mostly sunny with scattered clouds, blue sky
	ath through the grassy du	nes. The beach provides for a			primitive parking lot set within the scrub shrub s narrow set below the dunes. The steep angle
Landscape Character Descr Coastal Scrub, Dunes, Ocean	•	Scenic Integrity: No permanent visual intrusi	ions		
Visual Absorption Capability Low – the view from the remo visual absorption.		n horizon does not facilitate	Dominant Landscape Broad expanse of uno		ı. Intermittent views of passing vessels.
Relevant Viewer Groups: Residents, Tourists, Recreation	onal Users	Viewer Context: The beach is less popular the for a more serene experience sunbathing, picnicking, surf	ce. Activities include	Viewer P liding Level	Position:
Visual Connection to Project of Unobstructed view to Project of		ing the beach.	<b>Viewin</b> 23.01 r 37.03 k	ni	atute Miles (mi) and Kilometers (km)

	B. Landscape/Seascape Character Description [KOP 18-N]													
Landscape/Seascape Character Attributes	Landform	Ocean	Enclosed Water Bodies	Vegetation	Structures									
Form	Flat upper terrace to steep eroding sandy dune. Flat narrow beach to sharply angled slope to intersection with ocean edge	Strongly horizontal, angled irregular, flat	NA	NA	NA									
Line	Strong formal line at top of dune. An irregular line where beach meets the top of tide	Strong prominent Horizon line, intermittent irregular beach break, clouds, Regular rolling wave lines beyond beach break	NA	NA	NA									
Color	Tan sand	Dark horizon line- reflective white and blue, gray, white clouds	NA	NA	NA									
Texture	Fine grainy	Smooth to choppy	NA	NA	NA									

#### **Existing Landscape/Seascape Character Description:**

The dominant visual impression is the broad, flat expanse of open ocean against the blue sky and white clouds. The ocean color transitions from green to turquoise to gray to dark blue. The expanse of ocean stretches to the distant horizon black line. Scenic integrity is high as the setting is not interrupted by any visual intrusions. The dark horizon is a distinct linear break between the ocean and the sky. Ocean conditions range from flat water to choppy to rolling swells and strong beach break.

					С	. Con	Contrast Rating [KOP 18-N] □Short Term ⊠Long Term														
Features																					
Degree of Contrast		Landform				Ocean				Enclosed Water Bodies				Vegetation				Structures			
		Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None
Elements	Form	Х					Х			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Line	Х				Х				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Color		Х				Х			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Horizontal Scale (% field of view)	NA	NA	NA	NA	Х				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Vertical (Height of Object against the horizon)	NA	NA	NA	NA	X				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Motion	NA	NA	NA	NA	Х			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Lighting	NA	NA	NA	NA	NA			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

**Overall Visual Contrast Rating: Moderate to Strong** 

Visibility Level Rating: [4] - [5]
[4] Plainly visible, but not dominant

[5] Strongly attracts visual attention. Prominent.

The Contrast Rating is Moderate to Strong. The viewer position from this KOP is in direct alignment with the Project. The rotation of the blades and the horizontal and vertical scale against the horizon will draw attention from the viewer from this location.

#### **Contrasting Elements:**

- The Project as light to light gray in the afternoon sun, contrasting with the background setting.
- The scale of the rectangular platforms attracts the attention of the viewer within the scene and light gray against the blue background of the sky and the horizon line
- Vertical elements introduced into a flat horizontal seascape scene;
- The apparent density of visible structures arrayed across the horizon line as well as the extent of the visible horizon occupied by the Project;
- The perceived lack of visual order of the Project from the viewer position;
- Blade motion will also be visible along the horizontal line. Circular motion of the blades does not correspond with the natural back and forth motion of the waves.

#### **Mitigating Factors:**

- Distance to nearest turbines over 20 miles
- Wide panorama reduces apparent horizontal scale of project
- Nighttime contrast will depend on selection of an FAA approved lighting system. The Mayflower Project will use Radar Activated ADLS, if approved by FAA. This system is activated only when aircraft penetrates the radar field.

# **KOP 18-N Ladies Beach**


# Nantucket

# **PANORAMIC PHOTOGRAPH** - EXISTING CONDITIONS



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

#### **ISLAND MAP**



#### **PHOTOGRAPH AND SITE**

Time of photograph: 2:52 PM

Date of photograph: 7-29-20

L/SCA: Ocean Beach, Open
Ocean, Dunes

Viewing direction: South (196°)

Latitude: 41.248174°N

Longitude: 70.135790°W

Lighting Direction: Sidelit

#### **ENVIRONMENT**

Temperature: 75° F
Humidity: 73%
Wind Dir & Speed: SSW 9 mph
Weather Condition: Partly Cloudy

#### **CAMERA**

Camera Elevation: 25.5 ft / 7.8 m Fstop: f/7.1

Nikon D4 Shutter: 1/1250 sec

Nikon 50mm Aperture priority

ISO: 100 Exposure bias: -0.7 step

#### **CONTEXT MAP**



# **ADJACENT FEATURES**

Access: Public beach recreation

Scenic Resources: Ocean beach, open ocean, coastal dunes,

scrub shrub landscape

Adjacent Amentities: Facilities at Bartlett's Farm

Adjacent Areas: Bartlett's Farm, Miacomet Heath, Miacomet

Gold Course, residential homes


Adjacent L/SCAs: Coastal scrub bush, ocean beach, open

ocean, tidal marshes, coastal dunes

Adjacent KOPs: KOP 11-N Miacomet Beach and Pond, KOP 19-N Miacomet Golf Club, KOP17-N Bartlett's Farm, KOP 13-N Hummock Pond Road Bike Path, KOP 12-N Cisco Beach

# KOP 18-N Ladies Beach

Nantucket



The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

# **KOP 18-N Ladies Beach**

# Nantucket

# **PANORAMIC PHOTOGRAPH - SIMULATED CONDITIONS**



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

#### **REGIONAL MAP**

# Buzzard Bay Nantucket Sound MARTHAR VINEYARD NANTURNET Ladies Beach NANTURNET NANTURNET NANTURNET OCS-A 05214 Legend Key Observation Point (Photograph) Potential WTG/OSP Positions Circle Obscurity Ring (TIP) Circle Obscurity Ring (HUB)

#### **PHOTOGRAPH AND SITE**

Time of photograph: 2:52 PM

Date of photograph: 7-29-20

L/SCA: Ocean Beach, Open Ocean,

Dunes, Coastal Scrub

Viewing direction: South (196°)

Latitude: 41.248174°N

Longitude: 70.135790°W

Lighting Direction: Sidelit

#### **ENVIRONMENT**

Temperature: 75° F

Humidity: 73%
Wind Dir & Speed: SSW 9 mph
Weather Condition: Partly Cloudy

#### **CAMERA**


Camera Elevation: 25.5 ft / 7.8 m Fstop: f/7.1

Nikon D4 Shutter: 1/1250 sec

Nikon 50mm Aperture priority

ISO: 100 Exposure bias: -0.7 step

#### **SITE MAP**




#### **PROJECT VIEW**

Horizontal Field of View: 127° Furthest WTG: 49.4 mi / 79.5 km

Vertical Field of View: 39.6° Potential Number of WTGs Visible: 131


Nearest WTG: 23.0 mi / 37.0 km Potential Number of WTGs Not Visible: 18

#### **VISIBILITY OF CLOSEST TURBINE**



# KOP 18-N Ladies Beach

Nantucket



The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

# Table 20. KOP Number 20-N

		A. KO	P Information			
KOP Number: 20-N	Name KOP: Madequecham 1	<b>Date</b> July 28, 2020		<b>Time:</b> 11:50 AM		Weather: Mostly sunny with strong haze
Location Description: Madaquecham is a mix of large properties of large properties and the control of the contr	and is located mostly alo	ng the top of the steep bluff				
Landscape Character Descript Coastal Scrub, Dunes, Ocean Be		Scenic Integrity: No permanent visual intrus	sions			
Visual Absorption Capability: Low – the view from the remote by visual absorption.	peach to a distant ocean	horizon does not facilitate	Dominant Lan Broad expanse	-		views of passing vessels.
Relevant Viewer Groups: Residents, Tourists, Recreational	l Users	Viewer Context: The beach is very remote patural experience. Activiti picnicking, surfing, and sw	es include sunbat		Viewer Position: Level	
Visual Connection to Project: Unobstructed view to project other	er than receptors enjoyir	g the beach	2	<b>Viewing dis</b> 24.91 mi 40.09 km	I tance: Statute Miles (r	ni) and Kilometers (km)

	B. Landscape/Seascape Character Description [KOP 20-N]									
Landscape/Seascape Character Attributes	Landform	Ocean	Enclosed Water Bodies	Vegetation	Structures					
Form	Flat rolling upper terrace to steep eroding sandy dune. Flat narrow beach to sharply angled slope to intersection with ocean edge	Strongly horizontal, angled irregular, flat	NA	NA	NA					
Line	Strong formal line at top of dune. An irregular line where beach meets the top of tide	Strong prominent horizon line, intermittent irregular beach break, clouds, Regular rolling wave lines beyond beach break	NA	NA	NA					
Color	Tan sand	Dark horizon line- reflective white and blue, gray, white clouds	NA	NA	NA					
Texture	Fine grainy	Smooth to choppy	NA	NA	NA					

#### Summary

#### **Existing Landscape/Seascape Character Description:**

The dominant visual impression is the broad, flat expanse of open ocean against a partly blue sky and haze, periodically reducing visual acuity. The ocean color varies from turquoise to gray to dark blue. The expanse of ocean stretches to a distant horizon line differentiating the transition between the ocean and the sky. Scenic integrity is high as the setting is not interrupted by any visual intrusions. Ocean conditions range from flat stippled and reflective in the background to water to rolling swells and strong beach break.

	B. Landscape/Seascape Character Description [KOP 20-N]									
Landscape/Seascape Character Attributes	Landform	Ocean	Enclosed Water Bodies	Vegetation	Structures					
Form	Flat rolling upper terrace to steep eroding sandy dune. Flat narrow beach to sharply angled slope to intersection with ocean edge	Strongly horizontal, angled irregular, flat	NA	NA	NA					
Line	Strong formal line at top of dune. An irregular line where beach meets the top of tide	Strong prominent horizon line, intermittent irregular beach break, clouds, Regular rolling wave lines beyond beach break	NA	NA	NA					
Color	Tan sand	Dark horizon line- reflective white and blue, gray, white clouds	NA	NA	NA					
Texture	Fine grainy	Smooth to choppy	NA	NA	NA					

#### Summary

#### **Existing Landscape/Seascape Character Description:**


The dominant visual impression is the broad, flat expanse of open ocean against a partly blue sky and haze, periodically reducing visual acuity. The ocean color varies from turquoise to gray to dark blue. The expanse of ocean stretches to a distant horizon line differentiating the transition between the ocean and the sky. Scenic integrity is high as the setting is not interrupted by any visual intrusions. Ocean conditions range from flat stippled and reflective in the background to water to rolling swells and strong beach break.

-	Nighttime visibility will depend on selection of an FAA approved lighting system. The Project will use Radar Activated ADLS, if approved by FAA. This system is activated only when aircraft penetrates the radar field.

# KOP 20-N Madequecham 1


# Nantucket

# **PANORAMIC PHOTOGRAPH** - EXISTING CONDITIONS



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

#### **ISLAND MAP**



#### **PHOTOGRAPH AND SITE**

Time of photograph: 11:50 AM

Viewing direction: South (206°)

Date of photograph: 7-28-20

Latitude: 41.243377°N

Longitude: 70.047251°W

Lighting Direction: Backlit diffused

#### **ENVIRONMENT**

Temperature: 81° F
Humidity: 77%
Wind Dir & Speed: SW 13 mph
Weather Condition: Hazy

#### **CAMERA**

Camera Elevation: 17.5 ft / 5.3 m Fstop: f/7.1

Nikon D4 Shutter: 1/1250 sec

Nikon 50mm Aperture priority

ISO: 100 Exposure bias: -0.7 step

#### **CONTEXT MAP**



# **ADJACENT FEATURES**

Access: Public beach recreation

Scenic Resources: Ocean beach, open ocean, coastal dunes

Adjacent Amentities: Small parking lot

Adjacent Areas: Nantucket Memorial Airport, residential homes
Adjacent L/SCAs: Ocean beach, open ocean, coastal scrub


bush, coastal dunes, tidal marshes

Adjacent KOPs: KOP 26-N Madequacham 3, KOP 10-N

Nobadeer Beach

Comparable KOPs: KOP 9-N Madequacham 5

# KOP 20-N Madequecham 1 Nantucket




The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

# KOP 20-N Madequecham 1

# Nantucket

# **PANORAMIC PHOTOGRAPH - SIMULATED CONDITIONS**



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

#### **REGIONAL MAP**

# Buyeards Bay Nantucket Sound NAMED CRAFT Madequecham 1 NAMED CRAFT Madequecham 1 NAMED CRAFT Mayflower Winds OCS-A 0521; Legend Key Observation Point (Photograph) Potential WTG/OSP Positions Circle Obscurity Ring (TIP) Circle Obscurity Ring (HUB)

#### **PHOTOGRAPH AND SITE**

Time of photograph: 11:50 AM

Viewing direction: South (206°)

Date of photograph: 7-28-20

Latitude: 41.243377°N

Longitude: 70.047251°W

Lighting Direction: Backlit diffused

#### **ENVIRONMENT**

Temperature: 81° F

Humidity: 77%
Wind Dir & Speed: SW 13 mph
Weather Condition: Hazy

#### **CAMERA**

Camera Elevation: 17.5 ft / 5.3 m Fstop: f/7.1

Nikon D4 Shutter: 1/1250 sec

Nikon 50mm Aperture priority

ISO: 100 Exposure bias: -0.7 step

#### SITE MAP




#### **PROJECT VIEW**

Horizontal Field of View: 127° Furthest WTG: 51.9 mi / 83.5 km


Vertical Field of View:41° Potential Number of WTGs Visible: 112

Nearest WTG: 24.9 mi / 40.0 km Potential Number of WTGs Not Visible: 37

#### **VISIBILITY OF CLOSEST TURBINE**



# KOP 20-N Madequecham 1 Nantucket



The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

# **Table 21. KOP Number 21-N**

			A. KOP	Information					
KOP Number: 21-N	Name KOP: Sankaty Head Lighth	ouse	<b>Date</b> July 29, 2020		<b>Time:</b> 8:10 AM		<b>Weather</b> : Sunny Clear Sky		
Location Description: Sankaty Head Lighthouse is located on the eastern bluffs of the island of Nantucket. The light house was listed on the National Register of Historic Pl 2007 the Sconset Trust took over ownership. The lighthouse is a primary attraction to locals and visitors to Nantucket who visit the lighthouse to learn to take advantage of the extensive views of the ocean and the island.									
Landscape Character Descripti Coastal Scrub, Residential, Devel Coastal Bluff	oped Recreation,		• •	intrusion of the b	ouilt residentia	al and commercial struc	ture within the viewing corridor to		
Visual Absorption Capability: Moderate - because there are ma ground. Ability to introduce eleme	-	_		Dominant Lar View of the occ	-	butes: d from vegetation, struc	eture and topography.		
Relevant Viewer Groups: Residents, Tourists, Recreational Users  Viewer Context: Elevated position from s				ic viewpoint		Viewer Position: Viewer superior			
Visual Connection to Project: Obstructed view to the project from	n vegetation, structures	and topogr	aphy.		Viewing dis 29.38 mi 47.28 km	l tance: Statute Miles (r	ni) and Kilometers (km)		

	B. Landscape/Seascape Character Description [KOP 21-N]									
Landscape/Seascape Character Attributes	Landform	Ocean	Enclosed Water Bodies	Vegetation	Structures					
Form	Flat to rolling	Horizontal	NA	Vertical, horizontal and irregular	Vertical, erect					
Line	Strong formal line along fairway of golf club	Horizontal horizon line	NA	Vertical and irregular	Linear vertical					
Color	Gray, green, brown	Gray, blue blends with sky	NA	Light green, dark green, yellow, brown and gray	Gray, yellow					
Texture	Smooth, fine textures	Smooth	NA	Fine to course, stippled	Smooth to rough					

#### **Existing Landscape/Seascape Character Description:**

Vegetation, structures and topography block the view to the ocean and project site. The irregular massing of course textured vegetation along the elevated topography within the foreground blocks and the residential structures interrupt the view to the ocean.

					-	A. Cor	ntrast F	Rating [	KOP 2	1-N]	□Short	Term	⊠Lor	ng Term							
											Feat	ures									
			Land	lform			Oc	ean		Encl	osed W	ater B	odies		Vege	tation			Struc	tures	
Deg	ree of Contrast	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None
	Form			Х			Х			NA	NA	NA	NA			Х			Х		
	Line			Х			Х			NA	NA	NA	NA			Х				Х	
	Color		Х					Х		NA	NA	NA	NA			Х				Х	
Elements	Horizontal Scale (% field of view)			X				X		NA	NA	NA	NA			x				х	
Elem	Vertical (Height of Object against the horizon)			Х				Х		NA	NA	NA	NA			Х				х	
	Motion	NA	NA	NA	NA			Х		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Lighting	NA	NA	NA	NA		Х			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Overall Visual Contrast Rating: Weak

Visibility Level Rating: [1] - [2]

[1] Visible only after extended, close viewing. Otherwise invisible.

[2] Visible when scanning in the general direction of the project facilities.

The Contrast Rating is Weak. Visible only after extended viewing [1]; turbines can be seen faintly, however, hazy in the distance limits visibility in the simulated condition. Likely visible when scanning in the general direction of the project [2] under clear skies.

#### **Contrasting Elements:**

- The project is mostly screened by existing vegetation, structures and topography
- Distance to the project and screening make project barely visible.
- There is little to no visibility or visual contrast.

#### **Mitigating Factors:**

- The project is mostly screened by existing vegetation, structures and topography
- Nighttime visibility will depend on selection of an FAA approved lighting system. The Project will use Radar Activated ADLS, if approved by FAA

# KOP 21-N Sankaty Head Lighthouse


# Nantucket

# **PANORAMIC PHOTOGRAPH** - EXISTING CONDITIONS



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

#### **ISLAND MAP**



#### **PHOTOGRAPH AND SITE**

Time of photograph: 8:10 AM

Date of photograph: 7-29-20

L/SCA: Ocean beach

Viewing directly beautiful to be a constant of the constant of t

Viewing direction: Southwest (211°)

Latitude: 41.283415°N Longitude: 69.964935°W

Lighting Direction: Sidelit diffused

#### **ENVIRONMENT**

Temperature: 80° F Humidity: 58%

Wind Dir & Speed: NW 5 mph

Weather Condition: Cloudy

#### **CAMERA**

Camera Elevation: 104.5 ft /31.9 m Fstop: f/7.1

Nikon D4 Shutter: 1/1250 sec
Nikon 50mm Aperture priority

ISO: 100 Exposure bias: -0.7 step

#### **CONTEXT MAP**



# **ADJACENT FEATURES**

Access: Public recreation parking lot

Scenic Resources: Scrub shrub landscape, seascape,

coastal bluff

Adjacent Amentities: Lighthouse (historic landmark), dirt

walking paths, Town of Siasconset

Adjacent Areas: Residential homes, golf course,

Sesachacha Pond


Adjacent L/SCAs: Ocean beach, coastal scrub bush,

coastal dunes

**Adjacent KOPs:** KOP 5-N Siasconset Bridge, KOP 4-N Siasconset Beach, KOP 25-N Siasconset Golf Club, KOP

15-N Altar Rock

# KOP 21-N Sankaty Head Lighthouse Nantucket



The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

# KOP 21-N Sankaty Head Lighthouse


# Nantucket

# **PANORAMIC PHOTOGRAPH - SIMULATED CONDITIONS**



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

#### **REGIONAL MAP**



#### **PHOTOGRAPH AND SITE**

Time of photograph: 8:10 AM Viewing direction: Southwest (211°)

Date of photograph: 7-29-20 Latitude: 41.283415°N

L/SCA: Ocean beach Longitude: 69.964935°W

Lighting Direction: Sidelit diffused

#### **ENVIRONMENT**

Temperature: 80° F
Humidity: 58%
Wind Dir & Speed: NW 5

Wind Dir & Speed: NW 5 mph
Weather Condition: Cloudy

#### **CAMERA**

Camera Elevation: 104.5 ft /31.9 m Fstop: f/7.1

Nikon D4 Shutter: 1/1250 sec

Nikon 50mm Aperture priority

ISO: 100 Exposure bias: -0.7 step

#### SITE MAP




#### **PROJECT VIEW**

Horizontal Field of View: 127° Furthest WTG: 56.7 mi / 91.2 km


Vertical Field of View: 39.6° Potential Number of WTGs Visible: 133

Nearest WTG: 29.4 mi / 47.3 km Potential Number of WTGs Not Visible: 16

#### **VISIBILITY OF CLOSEST TURBINE**



# KOP 21-N Sankaty Head Lighthouse Nantucket



The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

# Table 22. KOP Number 22-N (Clear Skies/Sunset)

		A. K	OP Information				
KOP Number: 22-N (Clear Skies/Sunset)	Name KOP: Madaket Beach at Su (Clear Skies)	Date July 29, 2020	)	<b>Time:</b> 6:10 PM		Weather: Sunny Reflective	
Location Description: The neighborhood of Madaket is its pristine sandy beaches and of Public beach access is confined vehicle access to the beach.	pen ocean sunsets. The l	ong linear tan beach is s	andwiched betweer	n elevated erc	oding dunes and the var	riable irregular edge of tide.	
The recreation area is a very popocean during the evening. The particle photo point is located within where most people congregate to	arking area is undersized the Public Beach Access	for the level of visitation	and cars are often	parked along	the roadway edge.		
The image was taken 30 minutes moving to the south and west of on the eastern United States affo	the viewpoint. Madaket B	each is a popular place t	o experience an un	structured op	en ocean sunset view.	This is one of the few locations	
Landscape Character Descript Open Ocean, Open Beach, Dune		Scenic Integrity: No permanent visual intr	rusions				
Visual Absorption Capability: Low – the view from the remote I visual absorption.	beach to a distant ocean	horizon does not facilitat	ocean surface	e of unobstruc . The sun ang	ted Ocean with sharp a	angle of light reflecting off the find the sand, increasing color	
Residents, Tourists, Recreational Users  Viewer Context: In summer this beach is inundated with people coming to experience the sunset views.  Viewer Position: Level							
Visual Connection to Project: Unobstructed view to project. The	e project direction is sout	h east of the viewpoint.		Viewing dist 24.20 mi 38.94km	tance: Statute Miles a	nd Kilometers (km)	

	B. Landscape/Seascape Character Description [KOP 22-N (Clear Skies/Sunset)]									
Landscape/Seascape Character Attributes	Landform	Ocean	Enclosed Water Bodies	Vegetation	Structures					
Form	Flat to gently sloped beach	Strongly horizontal, flat to mildly choppy ripple	NA	NA	NA					
Line	Strong line where beach meets the ocean	Horizon line, intermittent line, clouds, Irregular wave lines	NA	NA	NA					
Color	Tan sand	Dark horizon line- reflective white and blue, gray to white clouds, slight haze above ocean, blue sky above haze band	NA	NA	NA					
Texture	Fine grainy	Smooth to choppy	NA	NA	NA					

#### **Existing Landscape/Seascape Character Description:**

The dominant visual impression is the broad, flat expanse of dark blue water contrasting the smooth light blue of the sky. The horizon line is very strong due to the time of day and light conditions. Scenic integrity is high, with few or no existing visual intrusions other than beach activity. Madaket Beach has a long linear horizontal line form, tan color and strong variable edge where the ocean tide meets the beach.

				C.	Contra	st Ratii	ng [KO	P 22-N	(Clear	Skies/S	unset)	] 🗆 S	Short Te	rm 🗵	Long T	erm					
											Feat	ures									
			Land	lform			Oc	ean		Encl	osed W	ater Bo	odies		Vege	tation			Struc	tures	
Deg	ree of Contrast	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None
	Form		Х			Х				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Line	Х				Х				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Color	Х				Х				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Elements	Horizontal Scale (% field of view)	NA	NA	NA	NA		x			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Elen	Vertical (Height of Object against the horizon)	NA	NA	NA	NA		х			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Motion	NA	NA	NA	NA	Х				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Lighting	NA	NA	NA	NA	Х				NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

**Overall Visual Contrast Rating: Moderate to Strong** 

Visibility Level Rating: [4] - [5]
[4] Plainly visible, but not dominant

[5] Strongly attracts visual attention. Prominent.

The Contrast Rat8ng is Moderate to Strong. The Project is in direct view to the ocean setting from the viewer position on the beach. Although the distance and atmospheric haze will partly reduce visibility, the Project will be [5] visually dominant in clear conditions. The blade movement will also draw the attention of the viewer.

#### **Contrasting Elements:**

- Dark gray platforms are visually evident against the white/blue background.
- Vertical elements introduced into a flat horizontal seascape scene;
- The density of structures arrayed across the horizon interrupts the view of the sky;
- The perceived lack of visual order of the Project from the viewer position;
- Blade motion is visible along the horizontal line, spinning motion of the blades does not correspond with the natural back and forth motion of the waves.

#### **Mitigating Factors:**

- Distance to nearest turbines is more than 20 miles
- Wide panorama reduces apparent horizontal scale of project
- Nighttime visibility will depend on selection of an FAA approved lighting system. The Project will use Radar Activated ADLS, if approved by FAA.


# Nantucket

# PANORAMIC PHOTOGRAPH - EXISTING CONDITIONS



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

#### **ISLAND MAP**



#### **PHOTOGRAPH AND SITE**

Time of photograph: 6:11 PM Viewing direction: South (187°) Date of photograph: 7-29-20 L/SCA: Ocean beach

Latitude: 41.270282°N Longitude: 70.201719°W

Lighting Direction: Backlit diffused

#### **ENVIRONMENT**

Temperature: 74° F Humidity: 79%

Wind Dir & Speed: WNW 3 mph

Weather Condition: Clear

#### **CAMERA**

Camera Elevation: 13.5 ft / 4.1 m Fstop: f/7.1

Nikon D4 Shutter: 1/1250 sec Nikon 50mm Aperture priority

ISO: 100 Exposure bias: -0.7 step

#### **CONTEXT MAP**



# **ADJACENT FEATURES**

Access: Public beach recreation

Scenic Resources: Ocean beach, open ocean, coastal dunes,

scrub shrub landscape

Adjacent Amentities: Small parking lot, Millie's Restaurant,

Madaket Town Center

Adjacent Areas: Residential homes, Smiths Point, White Goose

Cove, Madaket Harbor


Adjacent L/SCAs: Ocean beach, coastal dunes, coastal scrub

bush, medium density residential structures

Adjacent KOPs: KOP 3-N Madaket Beach, KOP 24-N Washington Ave and Madaket Road, KOP 30-N Massachusetts Ave, KOP 16-N

Head of Plains


Nantucket



The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

# Nantucket

# PANORAMIC PHOTOGRAPH - SIMULATED CONDITIONS



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

#### **REGIONAL MAP**

# Buzzo ds Buzzo ds Buzzo ds Nantucket Sound NANTUCKET Nantucket Sound Mayflower Winds OCS-A 05214 Legend Key Observation Point (Photograph) Potential WTG/OSP Positions Circle Obscurity Ring (TIP) Circle Obscurity Ring (TIP)

#### **PHOTOGRAPH AND SITE**

Time of photograph: 6:11 PM Viewing direction: South (187°)

Date of photograph: 7-29-20 Latitude: 41.270282°N

L/SCA: Ocean beach Longitude: 70.201719°W

Lighting Direction: Backlit diffused

#### **ENVIRONMENT**

Temperature: 74° F Humidity: 79%

Wind Dir & Speed: WNW 3 mph

Weather Condition: Clear

#### **CAMERA**

Camera Elevation: 13.5 ft / 4.1 m Fstop: f/7.1

Nikon D4 Shutter: 1/1250 sec
Nikon 50mm Aperture priority

ISO: 100 Exposure bias: -0.7 step

#### SITE MAP




# **PROJECT VIEW**

Horizontal Field of View: 127° Furthest WTG: 207.2 mi / 333.5 km


Vertical Field of View: 39.6° Potential Number of WTGs Visible: 134

Nearest WTG: 24.4 mi / 39.2 km Potential Number of WTGs Not Visible: 15

#### **VISIBILITY OF CLOSEST TURBINE**



Nantucket



The page should viewed at 11" x 17" approximately 15" from viewer's eyes .


# Nantucket

#### **PANORAMIC PHOTOGRAPH** - EXISTING CONDITIONS



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

#### **ISLAND MAP**



#### **PHOTOGRAPH AND SITE**

Time of photograph: 11:28 AM Viewing direction: South (187°)

Date of photograph: 6-28-20 Latitude: 41.269820°N

L/SCA: Ocean beach Longitude: 70.201260°W

Lighting Direction: Backlit

#### **ENVIRONMENT**

Temperature: 71° F Humidity: 84%

Wind Dir & Speed: S 7 mph
Weather Condition: Partly Cloudy

# oudy ISC

#### CAMERA

Camera Elevation: 13.5 ft / 4.1 m Fstop: f/7.1

Nikon D4 Shutter: 1/1250 sec
Nikon 50mm Aperture priority

ISO: 100 Exposure bias: -0.7 step

#### **CONTEXT MAP**



# **ADJACENT FEATURES**

Access: Public beach recreation

Scenic Resources: Ocean beach, open ocean, coastal dunes,

scrub shrub landscape

Adjacent Amentities: Small parking lot, Millie's Restaurant,

Madaket Town Center

Adjacent Areas: Residential homes, Smith Point, White Goose

Cove, Madaket Harbor


Adjacent L/SCAs: Ocean beach, coastal dunes, coastal scrub

bush, medium density residential structures

**Adjacent KOPs:** KOP 3-N Madaket Beach, KOP 24-N Washington Ave and Madaket Road, KOP 30-N Massachusetts Ave, KOP 16-N

Head of Plains

Nantucket



The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

# Nantucket

# **PANORAMIC PHOTOGRAPH - SIMULATED CONDITIONS**



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

#### **REGIONAL MAP**

# Buzzords Buzzords Nantucket Sound Natucket Sound Nat

#### **PHOTOGRAPH AND SITE**

Time of photograph: 11:28 AM Viewing direction: South (187°)
Date of photograph: 6-28-20 Latitude: 41.269820°N
L/SCA: Ocean beach Longitude: 70.201260°W
Lighting Direction: Backlit

#### **ENVIRONMENT**

Temperature: 71° F

Humidity: 84%
Wind Dir & Speed: S 7 mph
Weather Condition:Partly Cloudy

#### **CAMERA**

Camera Elevation: 13.5 ft / 4.1 m Fstop: f/7.1

Nikon D4 Shutter: 1/1250 sec

Nikon 50mm Aperture priority

ISO: 100 Exposure bias: -0.7 step

#### SITE MAP




#### **PROJECT VIEW**

Horizontal Field of View: 127° Furthest WTG: 49.2 mi / 79.2 km


Vertical Field of View: 39.6° Potential Number of WTGs Visible: 134

Nearest WTG: 24.4 mi / 39.2 km Potential Number of WTGs Not Visible: 15

#### **VISIBILITY OF CLOSEST TURBINE**



Nantucket



The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

**Attachment 4 – Onshore Visibility Analysis Forms and Photo Simulations for Falmouth, Massachusetts** 

# **Attachment 4 Onshore Visibility Analysis Forms**

#### **Tables**

Table 1. KOP Number 44-C	2
Table 2. KOP Number 46-C	
Table 3. KOP Number 47-C	
Table 4 KOP Number 49-C	

Scale		Level	Definition
Weak		1	Visible only after extended, close viewing.
contrast			Visible when scanning in the general direction of the project facilities.
Moderate		3	Visible after only a brief glance in the direction of the project facilities.
contrast		4	Plainly visible, but not dominant.
Strong		5	Strongly attracts visual attention. Prominent.
contrast	-		Dominates the view. Occupies most of the visual field.
No contrast		NA	Not Visible

#### Table 1. KOP Number 44-C

			A. KOP	Information					
KOP Number: 44-C	Name KOP: Oak Grove Cemeter	'	Date: November 3, 2020		<b>Time:</b> 9:29 AM		Weather: Sun, partly cloudy		
Location Description: The key observation point is lo	ocated in the north cer	ntral part of	the historic Oa	ak Grove Cemeter	y in Falm	outh, Massachusetts			
Landscape Character Descr Village/Town		Scenic Integrity: Scenic integrity is moderately high due to the manicured, park-like landscape with mature trees, and the dense woodland buffer that screens the Project site and adjacent neighborhoods.							
Visual Absorption Capability Moderate— The scene is sem mostly deciduous. Views of ste powerline pole. Therefore, its	i-natural in character. ructures along the rid	ge and evid		Dominant Landscape Attributes: Park-like village setting within residential neighborhood. Mature trees growing in maintained lawn. Dense, low shrubs provide screening at edges.					
Relevant Viewer Groups: Residents, Tourists	Viewer Co From within		ntral part of the cemetery		Viewer Position: Viewer level				
Visual Connection to Project: View is partly open to the proposed Project				Viewing distance: Statute Miles (mi) and Kilometers (km) 0.14 mi 0.22 km					

B. Landscape Character Description [KOP 44-C]										
Landscape	Landform	Enclosed Water Bodies	Vegetation	Structures						
Form	Flat terrain. Slight rise in distance.	Not in view	Open mature tree canopy Maintained lawn. Massing of broadleaf shrubs and small trees at edges. Semi-natural.	Wooden H type utility poles in central part of view. Partial view of residences.						
Line	Flat plain creates strong horizontal	Not in view	Strong line of dense shrubs at property boundary. Diffused lines of open canopy within cemetery.	Utility poles create a weak vertical in distance.						
Color	NA	Not in view	Mostly shades of green, seasonal yellow, lime, reds,	Light gray, white, green fencing						
Texture	exture NA		Smooth lawn and tree boles. Irregular, rough shrub edge.	NA						

#### Summary

#### Existing Landscape Character Description:

The Oak Grove Cemetery is a historic site with a park-like character within Falmouth. It is semi-natural with mature deciduous trees well-spaced within a managed lawn. Dense, moderately low deciduous shrubs sit on top of a berm at the property line of the site.

C. Contrast Rating [KOP 44-C] □Short Term ☑Long Term																	
	Features																
		Landform			Enclosed Water Bodies			Vegetation				Structures					
Degree of Contrast		Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None
Elements	Form			Х		NA	NA	NA	NA	Х				Х			
	Line	Х				NA	NA	NA	NA		Х			Х			
	Color		Х			NA	NA	NA	NA	X				Х			
	Horizontal Scale (% field of view)		Х			NA	NA	NA	NA		Х			Х			
	Vertical (Height of Object against the horizon)		Х			NA	NA	NA	NA		Х				Х		
	Motion	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Lighting	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

**Overall Visual Contrast Rating: High** 

Visibility Rating: 4-5

[4] Plainly visible, but not dominant

[5] Strongly attracts visual attention.

The proposed facilities are plainly visible to dominant in this view due to the partially open canopy on the perimeter of the cemetery. The building is visually evident and only partly screened through the open forest.

#### **Contrasting Elements:**

- Introduction of large structures very close to cemetery boundary
- Corrugated texture of building contrasts strongly with existing landscape textures. Substation has very "busy" and complex lines.

#### **Mitigating Factors:**


- Partially screened by existing vegetation

# KOP 44-C - Oak Grove Cemetery Cape Cod



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

#### **REGIONAL MAP**



#### **PHOTOGRAPH AND SITE**

Time of photograph: 9:29 AM

Date of photograph: 11-3-20

L/SCA: Cemeteries, Village/Town

Lighting Direction: East (105°)

Latitude: 41.565870°N

Longitude: 70.614637°W

Lighting Direction: Sidelit diffused

#### **ENVIRONMENT**

Temperature: 55° F
Humidity: 80%
Wind Dir & Speed: WNW 16 mph
Weather Condition: Partly Cloudy

#### **CAMERA**

Camera Elevation: 16.5 ft / 5.0 m Fstop: f/7.1

Nikon D4 Shutter: 1/1250 sec

Nikon 50mm Aperture priority

ISO: 100 Exposure bias: -0.7 step

#### **CONTEXT MAP**



#### **ADJACENT FEATURES**

Access: Public residential road

Scenic Resources: Cemeteries, Village/Town

Adjacent Amentities: Falmouth Hospital, Falmouth Pumping

Station, Falmouth DPW, restaurants, shops

Adjacent Areas: Goodwill Park, Lawrence Lynch Corporation, residential homes, Falmouth DPW, Grews Pond, Jones Pond, Falmouth District Court, Falmouth Hospital, shopping, restaurants

Adjacent L/SCAs: Commercial, Light Industrial, Parks/Developed

Recreation, Forests/Woodlands, Village/Town

Adjacent KOPs: KOP 33-C Carlson Lane at Park near Bike Path, KOP 32-C Ter Heun Drive at Bike Path, KOP 46-C Goodwill Park, KOP 4-C Gifford Road, KOP 47-C Lawrence Lynch Site - Gifford Road Substation, KOP 48-C Gifford Road

# KOP 44-C - Oak Grove Cemetery Cape Cod

# **EXISTING CONDITIONS**



The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

# KOP 44-C - Oak Grove Cemetery Cape Cod





Time of photograph: 9:29 AM Date of photograph: 11-3-20 L/SCA: Cemeteries, Village/Town Viewing direction: East (105°) Latitude: 41.565870°N Longitude: 70.614637°W

Lighting Direction: Sidelit diffused

Temperature: 55° F Humidity: 80%

Wind Dir & Speed: WNW 16 mph

Weather Condition: Partly Cloudy

Camera Elevation: 43.5 ft / 13.3 m

Nikon D4 Nikon 50mm ISO: 100

Shutter: 1/1250 sec Aperture priority

Fstop: f/7.1

Exposure bias: -0.7 step

Horizontal Field of View: 127° Vertical Field of View: 42°

Distance to Preferred Substation: 0.14 mi / 0.22 km



# KOP 44-C - Oak Grove Cemetery Cape Cod

# SIMULATED CONDITIONS



The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

#### Table 2. KOP Number 46-C

			A. KOP Inf	ormation					
KOP Number: 46-C	Name KOP: Goodwill Park		Date: November 2, 2020		<b>Time:</b> 10:10 AM	<b>Weather</b> : Sun, partly cloudy			
Location Description: The key observation point is lo 70 acres of forested woodland				a at Goodwi	ill Park, southeast c	of Grews Pond. The park is comprised of			
Landscape Character Descri Village/Town, Parks/Developed Forests/Woodlands	-	Scenic Into Scenic into visual intru	egrity high due to a	h due to a combination of mature trees, woodland, and park setting. There are few					
Visual Absorption Capability Moderate— Woodland vegetation		unding land	l uses.		Landscape Attribest and woodland, n	utes: nanicured landscaping, paved park road.			
Relevant Viewer Groups: Residents, Tourists, Recreational Users  Viewer Context From along main				text: main park road south of pond.		Position: level			
Visual Connection to Project View is partly screened to the		0.19	Viewing distance: Statute Miles (mi) and Kilometers (km) 0.19 mi 0.30 km						

	B. Landscape Character Description [KOP 46-C]													
Landscape	Landform	<b>Enclosed Water Bodies</b>	Vegetation	Structures										
Form	Level to gently rolling terrain.	180 degrees from this view	Mature mixed broadleaf and pine woodland, grass in foreground at viewpoint, natural undergrowth at edge.	None noticeable.										
Line	Horizontal plain	180 degrees from this view	Trees provide vertical elements. Lawn/road edge is strongly horizontal.	None noticeable										
Color	NA	NA	Dark green, light green seasonal yellow, lime, reds,	NA										
Texture	NA	NA	Smooth lawn, rough, Irregular, understory shrubs.	NA										

### Summary

### **Existing Landscape Character Description:**

Goodwill Park is a semi-natural woodland that surrounds a small pond in Falmouth. The interior of the park is well screened from adjacent land uses due to the woodland vegetation. Some areas are more open and park-like, with open, maintained lawn undergrowth. The scenic integrity of the setting is high and the cultural relationship to the area is strong.

				C. (	Contras	t Rating	[KOP 4	6-C]	□Short	Term	⊠Long	Term					
									Feat	ures							
			Land	lform		Enc	losed W	ater Bo	dies		Vege	tation		Structures			
C	Degree of Contrast	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None
	Form		Х			NA	NA	NA	NA		Х					Х	
	Line		Х			NA	NA	NA	NA		X					Х	
	Color		Х			NA	NA	NA	NA	Х		X				Х	
Elements	Horizontal Scale (% field of view)			Х		NA	NA	NA	NA							Х	
Elen	Vertical (Height of Object against the horizon)			Х		NA	NA	NA	NA		Х				Х		
	Motion	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Lighting	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Overall Visual Contrast Rating: Weak to Medium

Visibility Rating: 2-3

[2] Visible when scanning in the general direction of the project facilities

[3] Visible after only a brief glance in the direction of the project facilities

The substation buildings and utility infrastructure are visible through the vegetated buffer at the edge of the property.

### **Contrasting Elements:**

- Introduction of new structures near property edge that rise above screening vegetation.

### **Mitigating Factors:**

- Vegetation screening provides a good visual buffer

# KOP 46-C - Goodwill Park


## Cape Cod

### **PANORAMIC PHOTOGRAPH - EXISTING CONDITIONS**



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

### **REGIONAL MAP**



### **PHOTOGRAPH AND SITE**

Time of photograph: 10:10 AM Viewing direction: Southeast (167°)

Date of photograph: 11-3-20 Latitude: 41.567893°N

L/SCA: Village/Town, Parks/Developed Recreation, Forests/Woodlands Lighting Direction: Backlit diffused

### **ENVIRONMENT**

Temperature: 43° F
Humidity: 61%
Wind Dir & Speed: WNW 16 mph
Weather Condition: Partly Cloudy

### **CAMERA**


Camera Elevation: 42.5 ft / 13.0 m Fstop: f/7.1

Nikon D4 Shutter: 1/1250 sec

Nikon 50mm Aperture priority

ISO: 100 Exposure bias: -0.7 step

### **CONTEXT MAP**



### **ADJACENT FEATURES**

Access: Public road

Scenic Resources: Village/Town, Parks/Developed Recreation,


Forests/Woodlands

Adjacent Amentities: Goodwill Park, Lawrence Lynch Corporation, residential homes, Falmouth DPW, Grews Pond, Jones Pond, Falmouth District Court, Falmouth Hospital, restaurants, shops
Adjacent Areas: Lawrence Lynch Corporation, residential homes
Adjacent L/SCAs: Commercial, Light Industrial, Salt Pond/
Tidal Marsh, Village/Town, Parks/Developed Recreation, Forests/
Woodlands

**Adjacent KOPs:** Kop 33-C Carlson Lane at Park near Bike Path, KOP 44-C Oak Grove Cemetery, KOP 4-C Gifford Road, KOP 50-C St. Joseph Cemetery

# KOP 46-C - Goodwill Park Cape Cod

# **EXISTING CONDITIONS**



The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

# KOP 46-C - Goodwill Park Cape Cod





Time of photograph: 10:10 AM

Date of photograph: 11-3-20

L/SCA: Village/Town, Parks/Developed
Recreation, Forests/Woodlands

KOP 46-C /

Viewing direction: Southeast (167°)
Latitude: 41.567893°N
Longitude: 70.612580°W
Lighting Direction: Backlit diffused

Temperature: 43° F
Humidity: 61%
Wind Dir & Speed: WNW 16 mph
Weather Condition: Partly Cloudy


Camera Elevation: 42.5 ft / 13.0 m Nikon D4 Nikon 50mm ISO: 100

Fstop: f/7.1
Shutter: 1/1250 sec
Aperture priority
Exposure bias: -0.7 step

Horizontal Field of View: 127° Verticle Field of View: 42° Distance to Preferred Substation: 0.19 mi / 0.30 km

# KOP 46-C - Goodwill Park Cape Cod

# SIMULATED CONDITIONS



The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

### Table 3. KOP Number 47-C

			A. KO	P Information						
KOP Number: 47-C	Name KOP: Lawrence Lynch Sit Road Substation	e - Gifford	Date: November 3, 2020		<b>Time:</b> 10:33 AM	Weather: Sun, partly cloudy				
Location Description: The key observation point	is located on the sidewal	k of Gifford	Road at the c	orridor clearing, v	west of Sols Pond.					
Landscape Character De Roadway, Village/Town, V	-		egrity is low du	: s low due to numerous utility poles, containers, and disturbed vegetation. Wooded of the Project area has higher integrity. No foreground screening.						
Visual Absorption Capal Moderate – The view is of and wires but few building bleached out wooden pole scene is developed/distur	an engineered facility, wi s. Green vegetation is the es and light metal building	e dominant	color but	Woodland at outer edges.						
Relevant Viewer Groups: View			ontext: ord Road		<b>Viewer I</b> Viewer E	Position: Even				
Visual Connection to Pro View is open to the propos			Viewing distance: Statute Miles (mi) and Kilometers (km) 0.17 mi 0.28 km							

B. Landscape Character Description [KOP 47-C]												
Landscape	Landform	<b>Enclosed Water Bodies</b>	Vegetation	Structures								
Form	Flat to slightly rolling. Low	Not in view	Low scrub. Broadleaf and pine woodland outside immediate project area.	Wooden utility poles. Metal buildings and containers.								
Line	Horizontal ground plain and road.	No water in view	Vertical and horizontal lines in the vegetation, low scrub under utility lines, some vertical in surrounding woodlands.	Horizontal lines of metal containers and trailer. Vertical lines of utility poles.								
Color	NA	No water in view	Light green, brown	Gray, white, green								
Texture	NA	No water in view	Irregular, rough	Smooth surfaces. Ribbed metal siding								

### Summary

### **Existing Landscape Character Description:**

A village edge and sparse woodland context around the Project site, which is a disturbed area with a dense array of wooden utility poles and scattered metal buildings and shipping containers.

				C. (	Contras	t Rating	[KOP 4	7-C]	□Short	Term	⊠Long	Term						
									Feat	ures								
			Land	lform		Enc	losed W	later Bo	dies		Vege	tation			Structures			
	Degree of Contrast	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	
	Form				Х	NA	NA	NA	NA			Х					Х	
	Line			Х		NA	NA	NA	NA				X				X	
	Color		Х			NA	NA	NA	NA		Х			Х			Х	
ments	Horizontal Scale (% field of view)				Х	NA	NA	NA	NA		х						NA	
Elen	Vertical (Height of Object against the horizon)		Х			NA	NA	NA	NA		Х				Х			
	Motion	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
	Lighting	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	

**Overall Visual Contrast Rating: Medium** 

Visibility Rating: 3-4

[3] Visible after only a brief glance in the direction of the project facilities

[4] Plainly visible, but not dominant

This simulation shows the proposed new building and substation within an open, manicured landscape clean of existing visual clutter. While the project is fully visible, the removal of the existing clutter offsets this and the result is a neutral or even slightly positive visual change to the site as seen from this viewpoint.

### **Contrasting Elements:**

- Landscape improvements will reflect local codes and relate to existing native vegetation within the area.

### **Mitigating Factors:**

- Removal of substantial visual clutter and landscape improvements make the Project neutral or slightly beneficial visually.


# KOP 47-C - Lawrence Lynch Site – Gifford Road Substation Cape Cod

### **PANORAMIC PHOTOGRAPH** - EXISTING CONDITIONS



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

### **REGIONAL MAP**



### **PHOTOGRAPH AND SITE**

Time of photograph: 10:33 AM Viewing direction: North (297°)

Date of photograph: 11-3-20 Latitude: 41.564221°N

L/SCA:Roadways, Village/Town, For-Longitude: 70.609044°W

ests/Woodlands, Light Industrial Lighting Direction: Sidelit

### **ENVIRONMENT**

Temperature: 43° F
Humidity: 49%
Wind Dir & Speed: WNW 21 mph
Weather Condition: Partly Cloudy

### **CAMERA**

Camera Elevation: 35.5 ft / 10.2 m Fstop: f/7.1

Nikon D4 Shutter: 1/1250 sec

Nikon 50mm Aperture priority

ISO: 100 Exposure bias: -0.7 step

### **CONTEXT MAP**



### **ADJACENT FEATURES**

Access: Public road

 $\textbf{Scenic Resources:} \ Roadways, \ Village/Town, \ Forests/Woodlands,$ 

ight Industria.

**Adjacent Amentities:** Goodwill Park, Lawrence Lynch Corporation, residential homes, Falmouth DPW, Grews Pond, Jones Pond, Falmouth District Court, Falmouth Hospital, restaurants, shops

Adjacent Areas: Falmouth Center, residential homes

Adjacent L/SCAs: Commercial, Light Industrial, Coastal Scrub, Salt Pond/Tidal Marsh, Village/Town, Parks/Developed Recreation,

Forests/Woodlands

Adjacent KOPs: KOP 4-C Gifford Road, KOP 48-C Gifford Road,

KOP 49-C Two Ponds

# KOP 47-C - Lawrence Lynch Site – Gifford Road Substation Cape Cod

## **EXISTING CONDITIONS**



The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

# KOP 47-C - Lawrence Lynch Site - Gifford Road Substation

### Cape Cod

### PANORAMIC PHOTOGRAPH-SIMULATED CONDITIONS



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

### **STATE MAP**



### **PHOTOGRAPH AND SITE**

Time of photograph: 10:33 AM Viewing direction: North (297°) Date of photograph: 11-3-20 Latitude: 41.564221°N L/SCA:Roadways, Village/Town, For- Longitude: 70.609044°W ests/Woodlands, Light Industrial Lighting Direction: Sidelit

### **ENVIRONMENT**


Temperature: 43° F

Humidity: 49% Wind Dir & Speed: WNW 21 mph Weather Condition: Partly Cloudy

### **CAMERA**

Camera Elevation: 35.5 ft / 10.2 m Fstop: f/7.1 Nikon D4 Shutter: 1/1250 sec Nikon 50mm Aperture priority ISO: 100 Exposure bias: -0.7 step

### **SITE MAP**



### **PROJECT VIEW**

Horizontal Field of View: 115° Verticle Field of View: 42°

Distance to Preferred Substation: 0.17 mi / 0.28 km

# KOP 47-C - Lawrence Lynch Site – Gifford Road Substation Cape Cod

# SIMULATED CONDITIONS



The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

### Table 4. KOP Number 49-C

		A. KO	P Information					
KOP Number: 49-C	Name KOP: Two Ponds	<b>Date:</b> November 3,		<b>Time:</b> 0:54 AM	<b>Weather</b> : Sun, partly cloudy			
<b>Location Description:</b> The key observation point is I retirement community.	ocated along the Two	Ponds walking trail acros	ss Sols Pond, north	west of Jones Po	ond, and east of Gifford Street behind a			
Landscape Character Desc Forest/Woodland, Freshwater			noderately high due to the woodland/pond setting. Buildings, utility poles, and age on the view, but are mostly screened by forest vegetation.					
<b>Visual Absorption Capabilit</b> Moderate – The extent and dedevelopment.		d vegetation helps screen	Dominant Land Native forest and	•				
Relevant Viewer Groups: Residents, Tourists, Recreation	Viewer Context: From the Two Pond trai	il southeast of Sols		<b>r Position:</b> r Even				
Visual Connection to Project View to the proposed Project		y forest vegetation.	Viewing distance: Statute Miles (mi) and Kilometers (km) 0.26 mi 0.41 km					

	B. Landscape Character Description [KOP 49-C]													
Landscape	Landform	<b>Enclosed Water Bodies</b>	Vegetation	Structures										
Form	Low, level to rolling terrain	Sols Pond has rounded form partly noticeable	Massing of broadleaf woodland forest, grass, understory shrubs in foreground at viewpoint	One visible utility pole, tanks, houses partly screened										
Line	Distinct linear edge along margins upper edge of pond.	Sols pond upper edge has strong horizontal line	Bent vertical lines of trees. Horizontal line of vegetation along pond.	Vertical line of visible utility poles.										
Color	NA	Blue water of pond	Green, seasonally yellow to brown leaves.	Light grays,										
Texture	NA	Smooth pond surface	Irregular, rough	Smooth flat surface of storage tanks.										

### **Summary**

### **Existing Landscape Character Description:**

The Two Ponds Trail provides access to a local 14.75 acre conservation area that was once part of a golf course. The trail goes through broadleaf woodland vegetation, and along Sols and Jones Ponds. Overhead powerlines bisect the property at the south end of Sols Pond. Commercial and residential development surround the area on three sides. Woodland continues to the north. The terrain is level to gently rolling. There are wetlands along Jones Pond. The scenic integrity of the setting is moderately high.

				C. (	Contras	t Rating	[KOP 4	9-C]	□Short	Term	⊠Long	Term					
									Feat	ures							
			Land	lform		Enc	losed W	ater Bo	dies		Vege	tation			Struc	tures	
C	Degree of Contrast	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None	Strong	Moderate	Weak	None
	Form			Х	Х		Х						Х				Х
	Line			Χ	Х		Χ						Х				Х
	Color				Х		Х						Х				
Elements	Horizontal Scale (% field of view)				Х								Х				Х
Elen	Vertical (Height of Object against the horizon)			Х	Х	NA	NA						Х				Х
	Motion	NA	NA	NA	NXA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
	Lighting	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

**Overall Visual Contrast Rating: Weak** 

Visibility Rating: [1]

[1] Project is not visually evident

This simulation shows the new gray building that can barely be seen through the vegetation and across the pond. The proposed facility does not detract from existing visual setting.

### **Contrasting Elements:**

- Gray building and color blend with the color of the pond and sky

### Mitigating factors:

- Existing screening is sufficient to mostly hide the proposed building
- New building compatible with existing development

# KOP 49-C - Two Ponds


### Cape Cod

### **PANORAMIC PHOTOGRAPH - EXISTING CONDITIONS**



This image should be viewed on a 24 inch monitor scaling the yellow square to 11" x 17" and pan the surrounding panoramic image maintaining the 11" x 17" size. The yellow area depicts the area on the following page.

### **REGIONAL MAP**



### **PHOTOGRAPH AND SITE**

Time of photograph: 10:54 AM

Date of photograph: 11-3-20

L/SCA: Freshwater Pond, Forest/
Woodland

Viewing direction: Northwest (284°)

Latitude: 41.564407°N

Longitude: 70.607283°W

Lighting Direction: Front lit

### **ENVIRONMENT**

Temperature: 43° F
Humidity: 49%
Wind Dir & Speed: WNW 21 mph
Weather Condition: Partly Cloudy

### CAMERA


Camera Elevation: 27.5 ft / 8.4 m Fstop: f/7.1

Nikon D4 Shutter: 1/1250 sec

Nikon 50mm Aperture priority

ISO: 100 Exposure bias: -0.7 step

### **CONTEXT MAP**



### ADJACENT FEATURES

Access: Public parking lot

Scenic Resources: Freshawater Ponds, Forests/Woodlands
Adjacent Amentities: Goodwill Park, Lawrence Lynch

Corporation, residential homes, Falmouth DPW, Grews Pond, Jones Pond, Falmouth District Court, Falmouth Hospital,

restaurants, shops

Adjacent Areas: Falmouth Center, residential homes

Adjacent L/SCAs: Commercial, Light Industrial, Coastal Scrub, Salt Pond/Tidal Marsh, Village/Town, Parks/Developed Recreation,

Forests/Woodlands

**Adjacent KOPs:** KOP 4-C Gifford Road, KOP 47-C Lawrence Lynch Site - Gifford Road Substation, KOP 48-C Gifford Road

# KOP 49-C - Two Ponds Cape Cod

# **EXISTING CONDITIONS**



The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

# KOP 49-C - Two Ponds Cape Cod





Time of photograph: 10:54 AM

Date of photograph: 11-3-20

L/SCA: Freshwater Pond, Forest/
Woodland

Viewing direction: Northwest (284°)
Latitude: 41.564407°N
Longitude: 70.607283°W
Lighting Direction: Frontlit

**KOP 49-C** 

Temperature: 43° F
Humidity: 49%
Wind Dir & Speed: WNW 21 mph
Weather Condition:Partly Cloudy

Camera Elevation: 27.5 ft / 8.4 m Nikon D4 Nikon 50mm ISO: 100 Fstop: f/7.1
Shutter: 1/1250 sec
Aperture priority
Exposure bias: -0.7 step

Horizontal Field of View: 127° Verticle Field of View: 42° Distance to Preferred Substation: 0.26 mi / 0.41 km

# KOP 49-C - Two Ponds

# Cape Cod

# SIMULATED CONDITIONS



The page should viewed at 11" x 17" approximately 15" from viewer's eyes .

# Attachment 5 – Photographs Supporting the Visual Impact Assessment (Business Confidential)