

BOEM ENVIRONMENTAL STUDIES PROGRAM: Ongoing Studies

Region: Alaska

Planning Area(s): Cook Inlet

Title: Ecological Processes in Lower Cook Inlet and Kachemak Bay: A Partnership in Monitoring (AK-14-x10; AK-14-x11; AK-14-x12)

BOEM Information Need(s) to be Addressed: The BOEM *2017-2022 Outer Continental Shelf Oil & Gas Leasing Draft Proposed Program* includes a lease sale in the Cook Inlet Planning Area. NEPA analysts require updated information regarding the physical and biological environment, including variability in oceanographic conditions and plankton communities, as well as data related to sensitive species. The results will support NEPA analysis and documentation for lease sales, Explorations Plans (EPs), and Development and Production Plans (DPPs). Collected oceanographic, benthic and seabird data will support validation and sensitivity testing of ocean circulation models used for BOEM's Oil-Spill Risk Analysis efforts.

Total Cost: \$350,000
plus Joint Funding (~\$1,000,000)

Period of Performance: FY 2014-2017

Conducting Organization: NOAA; USFWS; NPS

BOEM Contact: [Catherine Coon](#)

Description:

Background: Cook Inlet circulation patterns are influenced by intrusions of the Alaska Coastal Current, large seasonal changes in freshwater input, geographically-influenced wind forcing and a large tidal range. The lower Cook Inlet and Kachemak Bay also support rich nearshore and pelagic biological communities. Improving understanding of this complex marine environment will improve understanding of biological variability and potential impacts from oil and gas development activities.

The *Exxon Valdez* Oil Spill Trustee Council (EVOSTC) and State and Federal agencies are currently supporting a five-year, \$12 million long-term monitoring program in the Gulf of Alaska region affected by the 1989 *Exxon Valdez* oil spill, including lower Cook Inlet. The multidisciplinary monitoring program, called GulfWatch Alaska, seeks to build upon the extended restoration research and monitoring by providing data to identify and help understand the impacts of multiple ecosystem factors on the recovery of injured resources. This program, headed by the Alaska Ocean Observing System (AOOS), Prince William Sound Science Center, and the NOAA Kasitsna Bay Laboratory, links changes in environmental conditions with population trends in nearshore benthic and pelagic species. In lower Cook Inlet and Kachemak Bay, the program includes seasonal oceanographic and plankton surveys, annual near-shore benthic surveys, and opportunistic seabird and marine mammal surveys.

Data management for the GulfWatch Alaska program is coordinated by AOOS and science synthesis is led by the NOAA Kasitsna Bay Laboratory. Oceanographic data from this study will also support NOAA's ongoing validation efforts for the NOS circulation model to improve model use in environmental assessments and oil-spill response planning. Collaboration with the GulfWatch Alaska program and partner organizations (AOOS, NOAA, USGS, UAF, ADF&G, USFWS, etc.) presents a unique opportunity for BOEM to leverage funds and obtain needed information through support of expanded ecosystem monitoring efforts in lower Cook Inlet.

Objectives:

- Quantify seasonal and inter-annual variability in oceanographic conditions and plankton communities and provide information to assess long-term trends.
- Enhance monitoring of sensitive species (seabirds, sea otters) in conjunction with monitoring of environmental conditions.
- Improve understanding of water mass movement in lower Cook Inlet/Kachemak Bay for use in environmental analysis and circulation model validation.
- Compile existing historical data and literature in regards to intertidal studies and canopy kelps in the subtidal from Cook Inlet. Information will be accessible for use in planning as well as for use in future site selection and recommendation for more extensive evaluations.

Methods: This study will enhance existing oceanographic surveys, plankton surveys, near-shore benthic surveys, and upper trophic level surveys of seabirds and marine mammals to support NEPA analyses. Collected data include: temperature, salinity, phytoplankton and zooplankton samples, water samples for acidification analyses, benthic surveys, and seabird and sea otter observations when possible. Currently, oceanographic and plankton surveys are conducted quarterly along three transects in lower Cook Inlet and two transects in Kachemak Bay. Based upon consideration of results from analysis of data collected in 2012, surveys will be expanded in time and/or space to improve assessment of seasonal conditions. The need for expanded benthic monitoring will be assessed and implemented if appropriate. This study will also provide for addition of seabird and marine mammal observers to all surveys in Cook Inlet. Standard agency protocols are used for intertidal, bivalve and subtidal canopy kelp, at-sea seabird and marine mammal monitoring.

Current Status: Ongoing

Final Report Due: July 2017

Publications Completed: None

Affiliated WWW Sites: <http://www.boem.gov/akstudies/>
www.gulfwatchalaska.org/

Revised Date: August 2016

ESPIS: Environmental Studies Program Information System

All *completed* ESP studies can be found

here: http://www.data.boem.gov/homepg/data_center/other/espis/espisfront.asp