
# SIMULATIONS 010 Long Point Camps Starlit Night



010 Long Point Camps Starlit Night Siemens SWT-3.6-107 10 nm

## Simulation 010 Long Point Camps Starlit Night

Siemens SWT-3.6-107 10 nm

#### GENERAL INFORMATION

#### **Base Photograph**

Photo Name: LPS\_0099-UV3

Date: June 3, 2012 Time: 4:39 AM

GPS Coordinates1: lat 34.898977°, long -76.25513°

Viewpoint Elevation: 11'

#### Weather

Moon is below horizon

Weather Conditions: Starlit, clear

Visibility<sup>2</sup>: 10 mi Wave Height: 2 - 4' Period: Unknown

#### Camera

Camera Make/Model: Nikon D7000 Sensor Dimensions: 23.6 mm X 15.6 mm Lens Make/Model: Nikkor DX AF-S 35 mm

Lens Focal Length: 35 mm

35 mm Equivalent Focal Length: 52.5 mm Horizontal and Vertical Angles of View: 37.3° wide and 25.3° high

Camera Height: 1.5 m (5') Camera Azimuth<sup>3</sup>: 118°

#### Wind Turbine Information

Number: 200

Make and Model: Siemens SWT-3.6-107

Height/Dimensions:


Support Structure/Monopile Ht.: 13 m (43') Hub Ht. (above Monopile): 80 m (262')

Rotor Diameter: 107 m (351')

Total Height to Tip of Blade: 147 m (481') Service Platform: A bldg. 50'H X 100'W X 200' L

elevated 50' above the water

#### CONTEXT MAP




#### VIEWING INSTRUCTIONS

The simulation is properly printed on an 11" X 17" sheet at actual size. If viewed on a computer monitor, use the highest screen resolution. The simulated image is at the proper perspective when viewed at 23.5" from the eye, or at a distance of approximately twice the image height.

#### NOTES

- The simulated light is derived from a photograph of an LED L-864 FAA warning light taken at Lempster, NH on a clear night from a distance of 15 nm. The photograph of the light as displayed on a Lenovo W520 laptop computer at a screen resolution of 1600 X 900 was compared to the light as actually seen. The selected image most closely captured what was actually seen.
- Refraction Coefficient<sup>4</sup> (k) = .075





010 Long Point Camps Starlit Night Siemens SWT-3.6-107 15 nm

## Simulation 010 Long Point Camps Starlit Night

Siemens SWT-3.6-107 15 nm

#### GENERAL INFORMATION

#### **Base Photograph**

Photo Name: LPS\_0099-UV3

Date: June 3, 2012 Time: 4:39 AM

GPS Coordinates1: lat 34.898977°, long -76.25513°

Viewpoint Elevation: 11'

#### Weather

Moon is below horizon

Weather Conditions: Starlit, Clear Visibility<sup>2</sup>: 10 miWave Height: 2 - 4'

Period: Unknown

#### Camera

Camera Make/Model: Nikon D7000 Sensor Dimensions: 23.6 mm X 15.6 mm Lens Make/Model: Nikkor DX AF-S 35 mm

Lens Focal Length: 35 mm

35 mm Equivalent Focal Length: 52.5 mm Horizontal and Vertical Angles of View: 37.3° wide and 25.3° high

Camera Height: 1.5 m (5') Camera Azimuth<sup>3</sup>: 118°

#### **Wind Turbine Information**

Number: 200

Make and Model: Siemens SWT-3.6-107

Height/Dimensions:


Support Structure/Monopile Ht.: 13 m (43') Hub Ht. (above Monopile): 80 m (262')

Rotor Diameter: 107 m (351')

Total Height to Tip of Blade: 147 m (481') Service Platform: A bldg. 50'H X 100'W X 200' L

elevated 50' above the water

#### CONTEXT MAP




#### VIEWING INSTRUCTIONS

The simulation is properly printed on an 11" X 17" sheet at actual size. If viewed on a computer monitor, use the highest screen resolution. The simulated image is at the proper perspective when viewed at 23.5" from the eye, or at a distance of approximately twice the image height.

#### NOTES

- The simulated light is derived from a photograph of an LED L-864 FAA warning light taken at Lempster, NH on a clear night from a distance of 15 nm. The photograph of the light as displayed on a Lenovo W520 laptop computer at a screen resolution of 1600 X 900 was compared to the light as actually seen. The selected image most closely captured what was actually seen.
- Refraction Coefficient<sup>4</sup> (k) = .075





010 Long Point Camps Starlit Night Siemens SWT-3.6-107 20 nm

### Simulation 010 Long Point Camps Starlit Night

Siemens SWT-3.6-107 20 nm

#### GENERAL INFORMATION

#### **Base Photograph**

Photo Name: LPS\_0099-UV3

Date: June 3, 2012 Time: 4:39 AM

GPS Coordinates1: lat 34.898977°, long -76.25513°

Viewpoint Elevation: 11'

#### Weather

Moon is below horizon

Weather Conditions: Starlit, clear

Visibility<sup>2</sup>: 10 mi Wave Height: 2 - 4' Period: Unknown

#### Camera

Camera Make/Model: Nikon D7000 Sensor Dimensions: 23.6 mm X 15.6 mm Lens Make/Model: Nikkor DX AF-S 35 mm

Lens Focal Length: 35 mm

35 mm Equivalent Focal Length: 52.5 mm Horizontal and Vertical Angles of View: 37.3° wide and 25.3° high

Camera Height: 1.5 m (5') Camera Azimuth<sup>3</sup>: 118°

#### Wind Turbine Information

Number: 200

Make and Model: Siemens SWT-3.6-107

Height/Dimensions:


Support Structure/Monopile Ht.: 13 m (43') Hub Ht. (above Monopile): 80 m (262')

Rotor Diameter: 107 m (351')

Total Height to Tip of Blade: 147 m (481') Service Platform: A bldg. 50'H X 100'W X 200' L

elevated 50' above the water

#### CONTEXT MAP




#### VIEWING INSTRUCTIONS

The simulation is properly printed on an 11" X 17" sheet at actual size. If viewed on a computer monitor, use the highest screen resolution. The simulated image is at the proper perspective when viewed at 23.5" from the eye, or at a distance of approximately twice the image height.

#### NOTES

- The simulated light is derived from a photograph of an LED L-864 FAA warning light taken at Lempster, NH on a clear night from a distance of 15 nm. The photograph of the light as displayed on a Lenovo W520 laptop computer at a screen resolution of 1600 X 900 was compared to the light as actually seen. The selected image most closely captured what was actually seen.
- Refraction Coefficient<sup>4</sup> (k) = .075





010 Long Point Camps Starlit Night Vestas V164-7.0 MW 10 nm

## O10 Long Point Camps Starlit Night

Vestas V164-7.0 MW 10 nm

#### GENERAL INFORMATION

#### **Base Photograph**

Photo Name: LPS\_0099-UV3

Date: June 3, 2012 Time: 4:39 AM

GPS Coordinates1: lat 34.898977°, long -76.25513°

Viewpoint Elevation: 11'

#### Weather

Moon is below horizon

Weather Conditions: Starlit, clear

Visibility<sup>2</sup>: 10 mi Wave Height: 2 - 4' Period: Unknown

#### Camera

Camera Make/Model: Nikon D7000 Sensor Dimensions: 23.6 X 15.6 mm Lens Make/Model: Nikkor DX AF-S 35 mm

Lens Focal Length: 35 mm

35 mm Equivalent Focal Length: 52.5 mm Horizontal and Vertical Angles of View: 37.3° wide and 25.3° high

Camera Height: 1.5 m (5') Camera Azimuth<sup>3</sup>: 118°

#### Wind Turbine Information

Number: 200

Make and Model: Vestas V164-7.0 MW

Height/Dimensions:


Support Structure/Monopile Ht.: 13 m (43') Hub Ht. (above Monopile): 105 m (345')

Rotor Diameter: 164 m (538')

Total Height to Tip of Blade: 200 m (656') Service Platform: A bldg. 50'H X 100'W X 200' L

elevated 50' above the water

#### CONTEXT MAP





#### VIEWING INSTRUCTIONS

The simulation is properly printed on an 11" X 17" sheet at actual size. If viewed on a computer monitor, use the highest screen resolution. The simulated image is at the proper perspective when viewed at 23.5" from the eye, or at a distance of approximately twice the image height.

#### NOTES

- The simulated light is derived from a photograph of an LED L-864 FAA warning light taken at Lempster, NH on a clear night from a distance of 15 nm. The photograph of the light as displayed on a Lenovo W520 laptop computer at a screen resolution of 1600 X 900 was compared to the light as actually seen. The selected image most closely captured what was actually seen.
- Refraction Coefficient<sup>4</sup> (k) = .075





010 Long Point Camps Starlit Night Vestas V164-7.0 MW 15 nm

## O10 Long Point Camps Starlit Night

Vestas V164-7.0 MW 15 nm

#### GENERAL INFORMATION

#### **Base Photograph**

Photo Name: LPS\_0099-UV3

Date: June 3, 2012 Time: 4:39 AM

GPS Coordinates1: lat 34.898977°, long -76.25513°

Viewpoint Elevation: 11'

#### Weather

Moon is below horizon

Weather Conditions: Starlit, clear

Visibility<sup>2</sup>: 10 mi Wave Height: 2 - 4' Period: Unknown

#### Camera

Camera Make/Model: Nikon D7000 Sensor Dimensions: 23.6 mm X 15.6 mm Lens Make/Model: Nikkor DX AF-S 35 mm

Lens Focal Length: 35 mm

35 mm Equivalent Focal Length: 52.5 mm Horizontal and Vertical Angles of View: 37.3° wide and 25.3° high

Camera Height: 1.5 m (5') Camera Azimuth<sup>3</sup>: 118°

#### Wind Turbine Information

Number: 200

Make and Model: Vestas V164-7.0 MW

Height/Dimensions:


Support Structure/Monopile Ht.: 13 m (43') Hub Ht. (above Monopile): 105 m (345')

Rotor Diameter: 164 m (538')

Total Height to Tip of Blade: 200 m (656') Service Platform: A bldg. 50'H X 100'W X 200' L

elevated 50' above the water

#### CONTEXT MAP




#### VIEWING INSTRUCTIONS

The simulation is properly printed on an 11" X 17" sheet at actual size. If viewed on a computer monitor, use the highest screen resolution. The simulated image is at the proper perspective when viewed at 23.5" from the eye, or at a distance of approximately twice the image height.

#### NOTES

- The simulated light is derived from a photograph of an LED L-864 FAA warning light taken at Lempster, NH on a clear night from a distance of 15 nm. The photograph of the light as displayed on a Lenovo W520 laptop computer at a screen resolution of 1600 X 900 was compared to the light as actually seen. The selected image most closely captured what was actually seen.
- Refraction Coefficient<sup>4</sup> (k) = .075





010 Long Point Camps Starlit Night Vestas V164-7.0 MW 20 nm

## O10 Long Point Camps Starlit Night

Vestas V164-7.0 MW 20 nm

#### GENERAL INFORMATION

#### **Base Photograph**

Photo Name: LPS\_0099-UV3

Date: June 3, 2012 Time: 4:39 AM

GPS Coordinates1: lat 34.898977°, long -76.25513°

Viewpoint Elevation: 11'

#### Weather

Moon is below horizon

Weather Conditions: Starlit, clear

Visibility<sup>2</sup>: 10 mi Wave Height: 2 - 4' Period: Unknown

#### Camera

Camera Make/Model: Nikon D7000 Sensor Dimensions: 23.6 mm X 15.6 mm Lens Make/Model: Nikkor DX AF-S 35 mm

Lens Focal Length: 35 mm

35 mm Equivalent Focal Length: 52.5 mm Horizontal and Vertical Angles of View: 37.3° wide and 25.3° high

Camera Height: 1.5 m (5') Camera Azimuth<sup>3</sup>: 118°

#### Wind Turbine Information

Number: 200

Make and Model: Vestas V164-7.0 MW

Height/Dimensions:


Support Structure/Monopile Ht.: 13 m (43') Hub Ht. (above Monopile): 105 m (345')

Rotor Diameter: 164 m (538')

Total Height to Tip of Blade: 200 m (656') Service Platform: A bldg. 50'H X 100'W X 200' L

elevated 50' above the water

#### CONTEXT MAP





#### VIEWING INSTRUCTIONS

The simulation is properly printed on an 11" X 17" sheet at actual size. If viewed on a computer monitor, use the highest screen resolution. The simulated image is at the proper perspective when viewed at 23.5" from the eye, or at a distance of approximately twice the image height.

#### NOTES

- The simulated light is derived from a photograph of an LED L-864 FAA warning light taken at Lempster, NH on a clear night from a distance of 15 nm. The photograph of the light as displayed on a Lenovo W520 laptop computer at a screen resolution of 1600 X 900 was compared to the light as actually seen. The selected image most closely captured what was actually seen.
- Refraction Coefficient<sup>4</sup> (k) = .075





### VISUALIZATION STUDY FOR OFFSHORE NORTH CAROLINA

#### **INFORMATION PAGE FOOTNOTES**

#### <sup>1</sup>GPS Coordinates

Location coordinates as used in WindPRO to register the wireframe diagram to the photograph. Due to slight errors and lens distortion, these values may differ at the fourth significant digit as obtained from a handheld GPS device at the time the photographs were taken and as shown on the Project Location Map.

#### <sup>2</sup>Visibility

Visibility is obtained from the closest airport weather station (see chart at right). The chart shows which weather station was used for each site. Visibility is measured up to ten statute miles.

#### <sup>3</sup>Camera Azimuth

Camera azimuth was obtained using a magnetic compass at the time of photography. However magnetic anomalies in the study area make some of these measurements unreliable. The camera azimuth reported here is for true north and reflects the bearing used to register the wind turbines to the photograph in WindPRO.

#### <sup>4</sup>Refraction Coefficient

The correction for refraction comes from Technical Appendix F Earth Curvature and Refraction of Light, in the report *Visual Representation of Windfarms Good Practice Guidance*, prepared for Scottish Natural Heritage (h+m 2006). The coefficient of refraction k is commonly defined as the ratio between the radius of the earth and the radius of the light in the line of sight between an object and the observer (Hirt 2010). The value reported here is half this value, but it is multiplied by two in the Technical Appendix's equation.

#### **ABBREVIATIONS**

nautical miles statute miles mi mm millimeters meters m seconds sec. feet inches degrees latitude lat long Iongitude

#### **Closest Airport Weather Station to Sites**

Site	Weather Station Location NC
001 Corolla Lighthouse	Kill Devil Hills
002 Beach at Duck	Kill Devil Hills
003 Kitty Hawk	Kill Devil Hills
004 Coquina Beach	Kill Devil Hills
005 Bodie Island Lighthouse	Hatteras
006 Cape Hatteras Lighthouse	Hatteras
007 Lighthouse Beach	Hatteras
008 Ocracoke Beach	Hatteras
009 Portsmouth Life Saving Station Tower	Hatteras
010 Long Point Camps	Hatteras
011 Great Island Camps	Beaufort
012 Cape Lookout Lighthouse	Beaufort
013 Cape Point	Beaufort
014 Atlantic Beach	Beaufort
015 Bald Head Island	Southport
016 Oak Island	Southport
017 Holden Beach	Southport
018 Sunset Beach	Southport

#### **REFERENCES**

h+m and envision, 2006. Visual Representation of Windfarms Good Practice Guidance, Scottish Natural Heritage,

Hirt C., Guillaume S., Wisbar A., Bürki B. and Sternberg, H. 2010. Monitoring of the refraction coefficient of the lower atmosphere using a controlled set-up of simultaneous reciprocal vertical angle measurements. Journal of Geophysical Research, 115, D21102, doi:10.1029/2010JD014067