FISHERIES DATA REPORT SOUTH OF TUCKERNUCK AREA

September 2006

Prepared by

ESS Group, Inc. 888 Worcester Street, Suite 240 Wellesley, Massachusetts 02482

ESS Group, Inc. © 2006 – This document or any part may not be reproduced or transmitted in any form or by any means, electronic, or mechanical, including photocopying, microfilming, and recording without the express written consent of ESS Group, Inc. All rights reserved

TABLE OF CONTENTS

1.0 INTRODUCTION	1
2.0 NOAA FISHERIES COMMERCIAL VESSEL TRIP REPORT DATA 2.1 General Fisheries Landings Reported on Vessel Trip Reports (VTRs). 2.2 Finfish and Squid Landings. 2.3 Shellfish Landings. 2.4 Lobster Landings. 2.5 Commercial Dealer Landings.	3 6 8 . 11
3.0 MARINEFISHERIES COMMERCIAL LANDINGS DATA. 3.1 License Information	. 15 . 15 . 20
4.0 NOAA FISHERIES RECREATIONAL DATA 4.1 Marine Recreational Fisheries Statistics Survey 4.2 NOAA Fisheries Recreational Vessel Trip Report Data – Charter and Party Boats	. 22
5.0 <i>MARINEFISHERIES</i> RESOURCE TRAWL DATA	30
LIST OF TABLES	
Table 1. Total federally-reportable commercial landings by gear type in Area 537 from 1994-2004 (Source: NN Vessel Trip Report Data, Area 537)	
Table 2. Total federally-reportable finfish and squid landings by gear type in Area 537 from 1994-2004 (Sour	ce:
NMFS Vessel Trip Report Data, Area 537)	/IFS
Vessel Trip Report Data for Area 537)	004
(Source: NMFS Vessel Trip Report Data for Area 537)	004
Table 6. Federally-Reportable Pounds Harvested from Area 537 and Approximate Value	. 13
Table 7. Number of fishermen reporting fishing in DMF Area 16 via state catch reports for state management fisheries	
Table 8. Species reported on state catch reports from gill nets and fish pots in DMF Area 16 from 1990 throu 2004	ugh
Table 9. Number of MRFSS surveys reported from Dukes, Barnstable and Nantucket counties	004
LIST OF FIGURES	
Figure 1. South of Tuckernuck Island Site.	
Figure 2. NOAA Statistical Reporting Areas for Commercial Fishing – Note location of Area 537. [Area 5 extends south well beyond what is shown in this Figure – waiting for better figure from NOAA.]	
Figure 3. Total federally-reportable commercial landings from 1994 through 2004 for NMFS statistical area 5	537
(Source: NMFS Vessel Trip Report Data, Area 537)	ical
area 537 (Source: NMFS Vessel Trip Report Data for Area 537)	rea

Figure 6. Top 20 federally-reportable finfish and squid species harvested from 1994 through 2004 for NMFS
statistical area 537 (Source: NMFS Vessel Trip Report Data for Area 537)
Figure 7. Total federally-reportable shellfish landings from 1994 through 2004 for statistical area 537 (Source:
NMFS Vessel trip Report Data for Area 537)9 Figure 8. Top federally-reportable shellfish species landed from NMFS statistical area 537 from 1994 through
rigure 6. Top rederally-reportable shellinsh species landed from Nive's statistical area 537 from 1994 through 2004 (Source: NMFS Vessel Trip Report Data for Area 537)9
Figure 9. Total federally-reportable lobster landings from 1994 through 2004 for NMFS statistical area 537
(Source: NMFS Vessel Trip Report Data for Area 537)
Figure 10. DMF Statistical Reporting Areas for Commercial Fishing – Note location of Area 16
Figure 11. Total state-reported landings from the gill net fishery in DMF Area 1617
Figure 12. Dogfish landings (top species landed from gill nets) in DMF Area 16 from 1990 through 2004 (Source:
MarineFisheries Commercial Data 1990-2004)
Figure 13. Monkfish, skate and cod landings (next most common species landed from gill nets) in DMF Area 16
from 1990 through 2004 (Source: MarineFisheries Commercial Data 1990-2004)18
Figure 14. Trends in annual state-reported commercial landings of conch, sea bass and scup from fish pots in DMF Area 16 (Source: <i>MarineFisheries</i> Commercial Data 1990-2004)
Figure 15. Mean monthly state-reported commercial fish pot landings for conch, sea bass and scup from DMF
Area 16 (Source: <i>MarineFisheries</i> Commercial Data 1990-2004)
Figure 16. Total annual state-regulated crab landings from lobster pots reported in DMF Area 16 from 1990
through 2004 (Source: <i>MarineFisheries</i> Commercial Data 1990-2004)21
Figure 17. Total annual state-regulated lobster landings from lobster pots reported in DMF Area 16 from 1990
through 2004 (Source: <i>MarineFisheries</i> Commercial Data 1990 – 2004)21
Figure 18. Mean monthly state-regulated lobster landings from lobster pots reported in DMF Area 16 from 1990
through 2004 (Source: <i>MarineFisheries</i> Commercial Data 1990 – 2004)
Figure 19. Percent of surveyed anglers reporting mode of fishing as shore, party/charter boat, or private/rental
boat from surveys conducted from 1990 through 2004 in Dukes, Barnstable and Nantucket counties
(Source: MRFSS Data 1990 – 2004)24 Figure 20. Mean number of hours fished by surveyed anglers calculated from all surveys conducted in Dukes,
Barnstable and Nantucket counties (Source: MRFSS Data 1990 – 2004)24
Figure 21. Mean number of hours fished by wave as reported from surveys from 1990 through 2004 from Dukes,
Barnstable and Nantucket counties (Source: MRFSS 1990 – 2004)
Figure 22. Total number of fish reported by surveyed anglers fishing by different modes from 1990 through 2004
in Dukes, Barnstable and Nantucket counties (Source: MRFSS 1990 – 2004)26
Figure 23. Top 5 species observed by interviewers surveying anglers from shore, party/charter boats or
private/rental boats from Dukes, Barnstable and Nantucket counties (Source: MRFSS 1990 – 2004) 27
Figure 24. Total recreational landings from federally-permitted charter and party boats from 1994 through 2004
as reported from vessel trip reports for NMFS statistical Area 537 (Source: NMFS Vessel Trip Report
Data, Area 537)
Figure 25. Top 10 recreational species reported caught from federally-permitted charter and party boats from 1994 through 2004 for NMFS statistical Area 537 (Source: NMFS Vessel Trip Report Data for Area 537).
1994 through 2004 for Nivers statistical Area 537 (Source: Nivers Vesser Trip Report Data for Area 537).
Figure 26. Top 10 Fall NMFS Resource Trawl Species by Catch Number
Figure 27. Top 10 Fall NMFS Resource Trawl Species by Catch Weight (kg)
Figure 28. Top 10 Spring NMFS Resource Trawl Species by Catch Number
Figure 29. Top 10 Spring NMFS Resource Trawl Species by Catch Weight (kg)

ATTACHMENTS

Attachment A
Attachment B
Attachment C
Attachment C
Attachment D
Attachment D
Attachment E

NOAA Fisheries Commercial VTR Data
MarineFisheries Commercial Data
NOAA Fisheries MRFSS Recreational Data
NOAA Fisheries Recreational VTR Data
NOAA Fisheries Resource Trawl Data

1.0 INTRODUCTION

The offshore area south of Tuckernuck Island, between Muskeget Channel to the west and the southwestern coast of Nantucket Island to the east was previously presented in the DEIR/S (see Figure 1). In response to comments received on the DEIR/S, the FEIR evaluates the South of Tuckernuck Island alternative site at a greater level of detail with respect to environmental resources including fisheries resources. During the comment period for the DEIR/S, the Massachusetts Coastal Zone Management Office requested more detailed environmental evaluations of the South of Tuckernuck site so that it could serve as a deeper water comparison to the Project site in Nantucket Sound. The following report presents fisheries information on the South of Tuckernuck Island site including available state and federal data on commercial fisheries, recreational fisheries, and fishery resources.

The South of Tuckernuck Island Site is an area between Martha's Vineyard and Nantucket. Various fish species may migrate through this area during seasonal migrations into and out of Nantucket Sound and offshore waters as water temperatures change.

Both federal and state agencies monitor certain commercial and recreational fishing activities within the Atlantic Ocean. NOAA Fisheries monitors federally-permitted commercial and recreational fishing activities in all coastal states throughout the United States. The Commonwealth of Massachusetts monitors state-permitted commercial fishing activities in its coastal waters for certain fisheries and gear types. Commercial catch data monitored by NOAA Fisheries and reported by federally-permitted vessels fishing in the Atlantic Ocean south of Tuckernuck Island, Nantucket and Martha's Vineyard (NMFS Reporting Area 537) are presented in Section 2.0 for finfish, squid, shellfish and lobster. In addition, information from the NOAA Fisheries dealer database was used to calculate an average price per pound for fisheries landed in five counties surrounding Nantucket Sound and closest to the offshore south of Tuckernuck Island site. This average price per pound was then applied to the catch data for Area 537 reported by federally-permitted vessels to obtain an average dollar value for each species/year as available (see also Section 2.0). Commercial catch data monitored by the Massachusetts Division of Marine Fisheries (*MarineFisheries* or DMF) and reported by state-permitted vessels fishing in the Atlantic Ocean south of Tuckernuck Island (DMF Offshore Reporting Area 16) is presented in Section 3.0 for various fisheries including the gill net, fish pot, lobster, and crab fisheries.

Recreational fishery information was obtained from the NOAA Fisheries Marine Recreational Fisheries Statistical Surveys for three counties surrounding Nantucket Sound and closest to the offshore south of Tuckernuck Island site. Recreational catch data reported by federally-permitted charter or party boats fishing in the Atlantic Ocean south of Tuckernuck Island (NMFS Reporting Area 537) were also obtained and are presented in Section 4.0.

Information on fish resources from scientific studies or monitoring activities in the area south of Tuckernuck Island is less prevalent. The main source of resource data available in this offshore area is from the NMFS spring (March-April) and fall (September-October) resource trawl survey data. NMFS conducts bi-annual resource trawls throughout the U.S. in the spring and fall of each year to characterize the abundance and distribution of various fish and invertebrate species that are commonly collected using otter trawls. This information is independent of commercial fisheries monitoring. Data from those trawls located within the boundaries of the South of Tuckernuck site are discussed in detail in Section 5.0.




Figure 1. South of Tuckernuck Island Site.

2.0 NOAA FISHERIES COMMERCIAL VESSEL TRIP REPORT DATA

Data on commercial fisheries have long been collected by NMFS. In the Northeast prior to 1994, fishery statistics were collected through a voluntary reporting system. Fish landings and price information were collected by NMFS port agents at the point of initial sale of the catch through dealer reports or "weigh out receipts". This voluntary "weigh out" reporting was replaced in June 1994 with a mandatory reporting system. The mandatory reporting system continues today and involves fishermen submitting logbooks of their catch. NMFS refers to these data as vessel trip reports (VTRs). This system is used in all fisheries that are subject to federal fishery management plans except for American lobster and Atlantic herring fisheries.

For the purposes of summarizing commercial landings in the U.S., NMFS divides the coastline into statistical sampling areas. The waters around the South of Tuckernuck Island site are designated as NMFS Statistical Area 537, a large offshore statistical reporting area (Figure 2). NMFS records landings by these statistical areas and/or sub-areas. Commercial landings data from Area 537 were not evaluated in the DEIR/S since it is such a large geographical area compared to the size of the South of Tuckernuck Island Site. However, in response to comments received on the DEIR/S, commercial landings data from 1994-2004 have now been obtained for Area 537 and will be evaluated with respect to the South of Tuckernuck Island Site. For point of reference, Area 537 is xxx square miles and the South of Tuckernuck Island site is 25.55 square miles. The South of Tuckernuck site is only xx% of the total area occupied by Area 537, so much of the fishing activity likely occurs in the larger area outside of the proposed South of Tuckernuck site. [Acreage of Area 537 pending from NOAA Fisheries]




Chart 6. Rhode Island Sound, Cape Cod and Islands NEMFIS Area Codes

Figure 2. NOAA Statistical Reporting Areas for Commercial Fishing – Note location of Area 537. [Area 537 extends south well beyond what is shown in this Figure – waiting for better figure from NOAA.]

2.1 General Fisheries Landings Reported on Vessel Trip Reports (VTRs)

Approximately 468.5 million pounds of commercial landings subject to federal VTR reporting were harvested from Area 537 from 1994 through 2004 (Figure 3). The commercial data presented in Figure 3 includes finfish species, shellfish species, lobster, and other invertebrates such as squid, shrimp and crabs. The total federally-reported landings in Area 537 fluctuated from a high of approximately 58.1 million pounds in 1996 to a low of approximately 27.6 million pounds in 2003 with a mean of approximately 42.6 million pounds over the eleven-year period. It is important to note that quotas and management measures can affect landings; therefore some years with lower landings could be a result of management measures or quotas rather than abundance. Complete VTR data for Area 537 are presented annually by month and species in Tables 1 through 11 in Attachment A. A summary table showing the total commercial landings (pounds) and number of species landed by month and year is presented in Table 12 in Attachment A.

Of the species reported on NMFS VTRs, the top 20 species harvested in Area 537 from 1994 through 2004 included Atlantic herring, silver hake (Whiting), *Loligo* squid, skate, monkfish (anglerfish/goosefish), Atlantic mackerel, American lobster, butterfish, Jonah crab, summer flounder (fluke), squid (species not specified), red hake (Ling), tilefish, red crab, spiny dogfish, white hake, winter flounder (blackback), scup (porgy), *Illex* squid, and yellowtail flounder. The top 20 species accounted for approximately 441.6 million pounds of federally-reportable commercial species harvested, or about 94.3% of the total federally-reportable commercial species harvested during this time period (Table 13 in Attachment A and Figure 4). Annual trends of these top 20 species are also presented in Attachment B.




Figure 3. Total federally-reportable commercial landings from 1994 through 2004 for NMFS statistical area 537 (Source: NMFS Vessel Trip Report Data, Area 537).




Figure 4. Top 20 federally-reportable commercial species harvested from 1994 through 2004 for NMFS statistical area 537 (Source: NMFS Vessel Trip Report Data for Area 537).

Gear types reported on VTRs for the harvest of federally-reportable commercial species in Area 537 included various types of otter trawls, pots/traps, and gill nets; midwater and bottom pair trawls; bottom and pelagic longlines; sea scallop, quahog/surf clam and other dredges; purse and Scottish seines; handline/rod and reel; harpoon; and diving gear. The complete list of federally-reportable commercial landings by gear type is presented in Table 1 for the period 1994 through 2004 for Area 537. According to the federal VTR data, the greatest landings during this time period were from otter trawls for bottom fish (approximately 279.9 million pounds) or 59.7% of the total federally-reportable commercial landings. Combining landings from all types of otter trawls yielded a total of approximately 337.7 million pounds or 72% of the total federally-reportable commercial landings.

Table 1. Total federally-reportable commercial landings by gear type in Area 537 from 1994-2004 (Source: NMFS Vessel Trip Report Data, Area 537)

Gear Type	Total Federally-Reportable Commercial Landings (lbs) Area 537
Otter Trawl, Bottom, Fish	279,917,923
Otter Trawl, Midwater	57,135,889
Pot, Lobster	42,021,800
Gill Net, Sink	34,493,698
Pair Trawl, Midwater	25,920,741
Longline, Bottom	9,287,257
Pot, Crab	6,354,290
Other Gear	5,846,916
Purse Seine	1,746,950
Dredge, Scallop,Sea	1,554,634
Dredge, Ocean Quahog/Surf Clam	990,047
Mixed Gear	818,632
Hand Line/Rod & Reel	532,092
Longline, Pelagic	487,060
Otter Trawl, Bottom, Shrimp	309,676
Otter Trawl, Bottom, Other	281,380
Pot, Fish	247,599
Pot, Other	102,329
Gill Net, Runaround	92,602
Otter Trawl, Beam	82,449
Dredge, Other	60,309
Pot, Hag	50,131
Unknown/Not Reported	47,452
Pot, Conch/Whelk	36,760
Pair Trawl, Bottom	36,417
Gill Net, Drift,Large Mesh	23,282
Pot, Shrimp	18,700
Trap	12,317
Harpoon	3,350
Otter Trawl, Bottom, Scallop	1,785
Seine, Scottish	1,500
Diving Gear	314
Gill Net, Drift, Small Mesh	300
Pots, Mixed	216
Grand Total Source: NMFS Vessel Trip Report Data for Area 5	468,516,797

Source: NMFS Vessel Trip Report Data for Area 537.

Although latitude/longitude in degrees and minutes is reported on VTRs by federally-permitted commercial vessels, NOAA indicated that these data fields could not be provided for Area 537 given the enormous size of the data files and their limited staff resources. Therefore, it is not possible to plot the location of commercial fishing activity by gear type as reported on federal VTRs for the South of Tuckernuck alternative.

2.2 Finfish and Squid Landings

The commercial data presented in Figure 5 includes finfish species and squid species. Squid (both *Loligo* and *Illex*) landings are included with the finfish landings because they are an important commercial fishery in this region.

Of the approximately 468.5 million pounds of federally-reportable commercial landings harvested from 1994 through 2004 in Area 537, 417.8 million pounds (89.2%) were finfish and squid. The remaining 50.7 million pounds (10.8%) consisted of lobster and various scallop, whelk, clam and crab species. Similar to the overall total federally-reportable commercial landings for Area 537, finfish and squid landings appear highest in 1996 (55.1 million pounds) and lowest in 2003 (21.4 million pounds) (see Figure 3 and Figure 5). As stated earlier, quotas and management measures can affect landings; therefore some years with lower landings could be a result of management measures or quotas rather than abundance. Total federally-reportable landings for finfish and squid species in Area 537 and the proportion of total catch for each species by year is presented in Table 14 of Attachment A for the 1994-2004 time period.




Figure 5. Total federally-reportable finfish and squid landings from 1994 through 2004 for NMFS statistical area 537 (Source: NMFS Vessel Trip Report Data for Area 537)

Of the finfish and squid species reported on NMFS VTRs, the top 20 species harvested from 1994 through 2004 in Area 537 included Atlantic herring, silver hake (whiting), *Loligo* squid, skate, monkfish (anglerfish/goosefish), Atlantic mackerel, butterfish, summer flounder (fluke), squid (species not specified), red hake (Ling), tilefish, spiny dogfish, white hake, winter flounder (blackback), scup (porgy), *Illex* squid, yellowtail flounder, golden tilefish, king whiting (kingfish), and bluefish (Figure 6). The harvest of these 20 species accounted for approximately 403.8 million pounds or about 96.7% of the 417.8 million pounds of federally-reportable finfish and squid harvested in Area 537 from 1994-2004 (Figure 6).

In Area 537, the top three species landed included Atlantic herring, silver hake and *Loligo* squid, each contributing approximately 15 to 16% of federally-reportable finfish and squid landings in this area during the eleven year period. Skate, monkfish, and Atlantic mackerel were the next species with highest landings in Area 537, with each contributing approximately 10% of federally-reportable finfish and squid landings over the eleven year period.




Figure 6. Top 20 federally-reportable finfish and squid species harvested from 1994 through 2004 for NMFS statistical area 537 (Source: NMFS Vessel Trip Report Data for Area 537).

Gear types reported on VTRs for the harvest of finfish and squid species in Area 537 from 1994-2004 included various types of otter trawls, pots/traps, and gill nets; midwater and bottom pair trawls; bottom and pelagic longlines; Scottish and purse seines; sea scallop and other dredges; handlines; and harpoon. The complete list of reported gear types for federally-reportable finfish and squid landings in Area 537 are presented in Table 2 for the 1994 through 2004 time period. The greatest reported landings were from bottom otter trawls (approximately 279.6 million pounds). Midwater otter trawls and sink gill nets also captured a large fraction of the total federally-reportable finfish and squid landings in Area 537 during this time period.

Table 2. Total federally-reportable finfish and squid landings by gear type in Area 537 from 1994-2004 (Source: NMFS Vessel Trip Report Data, Area 537).

Gear Types	Federally-Reportable Finfish and Squid Landings (lbs) Statistical Area 537
Otter Trawl, Bottom, Fish	279,590,100
Otter Trawl, Midwater	57,135,889
Gill Net, Sink	34,407,147
Pair Trawl, Midwater	25,920,741
Longline, Bottom	9,287,016
Other Gear	5,833,293
Purse Seine	1,746,950
Mixed Gear	803,361
Dredge, Scallop,Sea	678,771
Hand Line/Rod & Reel	531,790
Longline, Pelagic	484,103
Otter Trawl, Bottom, Shrimp	308,071
Otter Trawl, Bottom, Other	281,099
Pot, Fish	207,083
Pot, Lobster	165,967
Gill Net, Runaround	92,594
Otter Trawl, Beam	76,236
Dredge, Other	59,244
Pot, Hag	50,000
Unknown/Not Reported	47,051
Pair Trawl, Bottom	36,417
Gill Net, Drift,Large Mesh	23,282
Trap	7,004
Harpoon	3,350
Seine, Scottish	1,500
Pot, Shrimp	1,200
Otter Trawl, Bottom, Scallop	528
Pot, Other	430
Gill Net, Drift, Small Mesh	300
Pot, Crab	51
Grand Total	417,780,568

2.3 Shellfish Landings

Federally-reportable shellfish landings in Area 537 between 1994 and 2004 are represented by several species including American lobster, several crab species, scallops, clams, and conch (whelk). Conch is the generic classification for the various whelks found in the Southern New England waters, including the knobbed whelk, channeled whelk, and lightning whelk. Federally-reportable shellfish harvested from Area 537 totaled approximately 50.7 million pounds from 1994 through 2004 (Figure 7). The lowest shellfish landings (approximately 1.5 million pounds) were reported in 1994 while the highest shellfish landings for Area 537 were reported in 1999 (approximately 6.4 million pounds; Figure 7). As stated earlier, quotas and management measures can affect landings; therefore some years with lower landings could be a result of management measures or quotas rather than abundance.

For Area 537, American lobster was the predominant federally-reportable shellfish species harvested from 1994-2004 (Figure 8). The other main federally-reportable shellfish harvested from Area 537 during this time period were crabs (multiple species), scallops, and surf clams. The American lobster totaled approximately 23.3 million pounds which constituted about 46.02% of the total shellfish landings over the 1994 through 2004 time period in Area 537 (Table 3). The various crab species totaled approximately 24.0 million pounds, which constituted about 47.2% of the total shellfish landings from 1994-2004 (Table 3) in Area 537.




Figure 7. Total federally-reportable shellfish landings from 1994 through 2004 for statistical area 537 (Source: NMFS Vessel trip Report Data for Area 537)




Figure 8. Top federally-reportable shellfish species landed from NMFS statistical area 537 from 1994 through 2004 (Source: NMFS Vessel Trip Report Data for Area 537)

Table 3. Total federally-reportable shellfish species landed (pounds) in Area 537 from 1994-2004 (Source: NMFS Vessel Trip Report Data for Area 537)

Shellfish Species	Total Federally- Reportable Shellfish Landings (lbs) Area 537	Percent of Total Shellfish Landings
American Lobster	23,347,577	46.02%
Jonah Crab	15,863,253	31.27%
Red Crab	6,235,997	12.29%
Rock Crab	1,872,772	3.69%
Sea Scallop	990,773	1.95%
Surf Clam	950,596	1.87%
Crab (Species Not Specified)	664,069	1.31%
Green Crab	366,595	0.72%
Blue Crab	230,094	0.45%
Channeled Whelk	46,407	0.091%
Whelk (Conch Species Not Specified)	44,980	0.089%
Blue Crab - Bushel	31,627	0.062%
Soft Clam	24,240	0.048%
Cancer Crab	16,323	0.032%
Quahogs/Bushel	12,928	0.025%
Spider Crab	9,450	0.019%
Jonah Crab - Bushel	8,050	0.016%
Calico Scallop	6,224	0.012%
Scallops - Shells	3,989	0.008%
Razor Clam	2,957	0.006%
Knobbed Whelk	2,949	0.006%
Surf Clam - Bushel	2,018	0.004%
Horseshoe Crab	1,123	0.002%
Bay Scallop	703	0.001%
Scallops - Bushel	425	0.001%
Mussels	110	0.0002%
Grand Total	50,736,229	100.0%

The most common gear type reported on VTRs for harvesting shellfish from Area 537 from 1994-2004 was lobster pots (Table 4). Eighty-two and a half percent of the federally-reportable shellfish landings in Area 537 were harvested from lobster pots during this time period. Shellfish were also reported to be harvested from crab pots (12.52%), guahog/clam dredges (1.95%), and sea scallop dredges (1.73%).

Table 4. Gear type used for harvesting of federally-reportable shellfish in Area 537 from 1994 through 2004 (Source: NMFS Vessel Trip Report Data for Area 537)

Gear Type	Total Federally-Reportable Shellfish Landings (lbs) Area 537	Percent of Total Shellfish Landings
Pot, Lobster	41,855,833	82.50%
Pot, Crab	6,354,239	12.52%
Dredge, Ocean Quahog/Surf Clam	990,047	1.95%
Dredge, Scallop,Sea	875,863	1.73%
Otter Trawl, Bottom, Fish	327,823	0.65%
Pot, Other	101,899	0.20%
Gill Net, Sink	86,551	0.17%
Pot, Fish	40,516	0.08%
Pot, Conch/Whelk	36,760	0.07%
Pot, Shrimp	17,500	0.03%
Mixed Gear	15,271	0.03%
Other Gear	13,623	0.03%
Otter Trawl, Beam	6,213	0.01%
Trap	5,313	0.01%
Longline, Pelagic	2,957	0.006%
Otter Trawl, Bottom, Shrimp	1,605	0.003%
Otter Trawl, Bottom, Scallop	1,257	0.002%
Dredge, Other	1,065	0.002%
Unknown/Not Reported	401	0.0008%
Diving Gear	314	0.0006%
Hand Line/Rod & Reel	302	0.0006%
Otter Trawl, Bottom, Other	281	0.0006%
Longline, Bottom	241	0.0005%
Pots, Mixed	216	0.0004%
Pot, Hag	131	0.0003%
Gill Net, Runaround	8	0.00002%
Grand Total	50,736,229	100.0%

2.4 Lobster Landings

Area 537 does support a significant lobster fishery. Federally-reportable lobster landings constituted about 5% of the total federally-reportable commercial landings and 46% of the federally-reportable shellfish landings from 1994 through 2004. Figure 9 presents the lobster landings by year for Area 537.

VTR data from Area 537 indicated the lowest lobster landings were reported in 2004 (1.2 million pounds). The highest federally-reportable lobster landings occurred in 1997 (3.0 million pounds) and in 1999 (2.99 million pounds).

The most common gear type reported to be used by commercial fishermen with federal licenses to harvest lobster is the lobster pot (Table 5). During the 1994-2004 time period, 98.6% of the federally-reportable lobster landings in Area 537 were from lobster pots, 0.9% were harvested in bottom fish otter trawls, and 0.2% were from fish pots. The remaining 0.3% of federally-reportable lobster landings in Area 537 were from mixed gear.




Figure 9. Total federally-reportable lobster landings from 1994 through 2004 for NMFS statistical area 537 (Source: NMFS Vessel Trip Report Data for Area 537)

Table 5. Gear type used for harvesting of federally-reportable lobster in Area 537 from 1994 through 2004 (Source: NMFS Vessel Trip Report Data for Area 537)

Gear Type	Total Federally-Reportable Lobster Landings (lbs) Area 537
Pot, Lobster	23,026,519
Otter Trawl, Bottom, Fish	221,351
Pot, Fish	36,706
Gill Net, Sink	22,658
Mixed Gear	12,158
Pot, Crab	10,153
Other Gear	6,935
Trap	4,876
Otter Trawl, Bottom, Shrimp	1,605
Pot, Shrimp	1,100
Pot, Other	980
Dredge, Scallop,Sea	605
Unknown/Not Reported	401
Pot, Conch/Whelk	365
Longline, Bottom	241
Otter Trawl, Bottom, Other	232
Otter Trawl, Bottom, Scallop	230
Pots, Mixed	151
Pot, Hag	131
Hand Line/Rod & Reel	119
Otter Trawl, Beam	53
Gill Net, Runaround	8
Grand Total	23,347,577

2.5 Commercial Dealer Landings

Price data for commercial fish landed were obtained from the NOAA Fisheries commercial dealer database. Dealers that purchase from federally-permitted vessels must complete dealer weigh-out forms when purchasing from federal vessels. These weigh out reports include information on the pounds landed and sold to the dealer and the price paid for each species. Dealer weigh out results are reported by county and cannot be matched with the NMFS statistical area where the fish were reported to be caught. In order to get an estimate of the value of landings from Area 537, the same method that was used for Nantucket Sound was applied to this analysis. Information from both the commercial VTR database (see Sections 2.1 through 2.4 above) and the dealer database were used. Price data were obtained from the NOAA dealer database for Barnstable, Dukes, Nantucket, Plymouth, and Bristol counties. Price data for these five counties were averaged for each species by year and then this average price was multiplied by the annual pounds for each species reported in the VTR data for Area 537 to come up with an approximation of the value of federally-reportable landings from Area 537. Table 15 in Attachment A provides the price data by species and year for federally-reportable commercial landings in Area 537 from 1994-2004.

Table 6, below provides a summary of the total federally-reportable pounds harvested from Area 537 and the total value based on average price data of those federally-reportable landings for each year between 1994 and 2004. The total value for a given year ranged from \$21,452,577 in 1994 to \$43,165,266 in 1999. Higher values are associated with years that reported higher landings. See Table 15 in Attachment A for species-specific price trends over the eleven year period.

Table 6.	Federally-Repo	rtable Pounds Harvested from A	rea 537 and Approximate Value
	V	Fadavalla Davadalala Davada	Tatal Value based on Avenage

Year	Federally-Reportable Pounds Harvested from Area 537	Total Value based on Average Price data from Dealer database
1994	31,147,995	\$21,452,577
1995	45,939,543	\$33,862,216
1996	58,142,287	\$36,265,304
1997	53,276,010	\$36,614,871
1998	46,777,950	\$41,234,126
1999	47,396,388	\$43,165,266
2000	38,647,841	\$33,612,413
2001	36,424,672	\$29,880,205
2002	45,276,350	\$30,710,563
2003	27,567,613	\$26,392,871
2004	37,920,148	\$30,739,689
Grand total	468,516,797	\$363,930,101

3.0 MARINEFISHERIES COMMERCIAL LANDINGS DATA

MarineFisheries has been collecting commercial landings and catch and effort data for over thirty years. Data collection efforts focus on lobster, shellfish and some other state-regulated fisheries throughout Massachusetts. The other fisheries include: striped bass, fluke, fish weir, gillnet, and fish-pot (sea bass, scup & conch). Unlike the NOAA Fisheries federal commercial data that bases information by trip through individual trip reports (see Section 2.0), MarineFisheries collects information via **annual** catch reports submitted at license renewal time which details catch and effort data by month, not by trip.

For the purposes of summarizing commercial landings in the Commonwealth, *MarineFisheries* divides the coastline into statistical sampling areas. The waters of the Atlantic Ocean, south of Tuckernuck Island are designated as DMF Statistical Area 16, a large offshore statistical reporting area (Figure 10). This statistical area is essentially equivalent to the NMFS statistical reporting Area 537.




Figure 10. DMF Statistical Reporting Areas for Commercial Fishing – Note location of Area 16 (Source: *MarineFisheries*).

MarineFisheries records landings for certain species/gear types by these statistical areas and/or sub-areas. Commercial landings data from Area 16 were not evaluated in the DEIR/S since it is such a large geographical area compared to the size of the South of Tuckernuck Island Site. However, in response to comments received on the DEIR/S, commercial landings data from 1990-2004, a fifteen-year period, have now been obtained for Area 16 and are evaluated below with respect to the South of Tuckernuck Island Site. For point of reference, Area 16 is 8,092.8 square miles and the South of Tuckernuck Island site is 25.55 square miles. The South of Tuckernuck site is only 0.3% of the total area occupied by DMF Area 16, so much of the fishing activity likely occurs in the larger area outside of the proposed South of Tuckernuck site.

Only three out of the seven state-regulated fisheries are active or tracked by *MarineFisheries* in Area 16. There is no weir or striped bass fishing in Area 16 (both occur within state waters only). In Massachusetts, shellfish landings are reported by Town and other state water areas, therefore, these data are not available for offshore Area 16. In addition, if commercial fishermen only harvested sea scallops, ocean quahogs and/or surf clams,

they are not required to report their catch to *MarineFisheries* (DMF personal communication, email to S. Herz on 8/2/2005). Therefore, these shellfish landings are also not available from *MarineFisheries* for Area 16 even though there are likely commercial catch of these species in Area 16.

In summary, the three state-reportable fisheries tracked by *MarineFisheries* in Area 16 include lobster/crab, gillnet and fish pot (sea bass, scup and conch). The landings results from these fisheries are summarized below.

3.1 License Information

Information on state-issued licenses in Area 16 over the 15-year period was obtained from *MarineFisheries* and is summarized in Table 7. This table represents the number of fishermen who participate in fisheries requiring annual state catch reports. It does not account for those fisheries in Area 16 that do not require annual state catch reports such as fluke, striped bass, certain shellfisheries, and scup and black sea bass harvested with gear other than pots.

For the purposes of reporting, the state-permitted fish pot fishery is further sub-divided by species: scup, conch, and black sea bass. Only a few fishermen reported harvesting scup, conch or black sea bass on state catch reports in DMF Area 16 during this time period. During several years, no licenses were issued for fish pot fishing in Area 16.

Table 7. Number of fishermen reporting fishing in DMF Area 16 via state catch reports for state managed fisheries

Fishery	'90	'91	'92	'93	'94	'95	'96	'97	'98	'99	'00	'01	'02	'03	'04
Fish Weir	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Lobster/Crab	42	67	73	85	104	123	111	114	111	102	100	89	92	68	62
Gillnet Sea Bass	*	*	12	11	11	6	5	7	2	1	3	3	4	7	6
(Fish Pot) Conch (Fish	0	0	0	1	1	0	1	0	0	1	0	1	0	1	0
Pot) Scup (Fish	*	*	0	1	2	0	1	0	0	0	0	0	0	0	0
Pot)	*	*	*	*	1	0	2	0	1	0	0	0	0	0	0

^{*} means the data was unavailable for these years

3.2 Gill Net and Fish Pot Fisheries

The fish species reported on catch reports to DMF from gill nets and fish pots are presented in Table 8. The fish pot fishery targets demersal species such as scup, sea bass and conch. No other species are reported for fish pots.

Table 8. Species reported on state catch reports from gill nets and fish pots in DMF Area 16 from 1990 through 2004

Gillnet	Fish pot
Atlantic Mackerel	Conch
Bluefish	Scup
Bonito	Sea bass
Cod	
Cusk	
Dab (Plaice)	
Dogfish	
Flounder (Unclassified)	
Fluke	
Gray Sole (Witch)	
Groundfish (Unclassified)	
Haddock	
Hake	
Herring (unclassified)	
Monkfish	
Pollock	
Red Hake	
Scup	
Skate	
Summer Flounder	
Tautog	
White Hake	
Whiting	
Winter Flounder	
Wolffish	
Yellowtail Flounder	

Gill Net Fishery: Total state-reported landings from the gill net fishery in Area 16 from 1992 to 2004 totaled approximately 13 million pounds (Figure 11). In DMF Area 16, an average of 11 species and 999,500 pounds of fish were reported caught using gill nets annually between 1992 and 2004. Highest reported landings occurred between 1992 and 1994 with approximately 4.0, 3.2, and 1.2 million pounds reported respectively. The average pounds landed between 1995 and 2004 (eliminating the three peak years) was only approximately 452,700 pounds. Figure 11 depicts the total annual reported state landings from gillnets for Area 16. Dogfish, monkfish, skate, and cod were the most common species reported in state catch reports to be harvested from fish gill nets from Area 16. The annual landing trends for these species are shown in Figure 12 and Figure 13. Individual species landed by year for the state-managed gill net fishery in DMF Area 16 are presented in Table 1, Attachment B.




Figure 11. Total state-reported landings from the gill net fishery in DMF Area 16. (Source: *MarineFisheries Commercial Data 1990-2005 – Area 16*)




Figure 12. Dogfish landings (top species landed from gill nets) in DMF Area 16 from 1990 through 2004 (Source: *MarineFisheries* Commercial Data 1990-2004).





Figure 13. Monkfish, skate and cod landings (next most common species landed from gill nets) in DMF Area 16 from 1990 through 2004 (Source: *MarineFisheries* Commercial Data 1990-2004).


Fish Pot Fishery: The state-permitted fish pot fishery includes the conch, black sea bass, and scup pot fisheries. Conch were only reported from 1992 to 2004 because fishermen were not required to file catch reports for conch prior to this date. Catch reports were not required for scup from 1990 to 1993. Figure 14 presents the total annual state-reported landings of conch, sea bass and scup from fish pots in Area 16.

The state-permitted conch pot fishery is open from April 15 to December 14. State-reported conch landings from fish pots between 1992 and 2004 totaled approximately 48 thousand pounds for Area 16. State conch landings from fish pots were only reported during the months of April through November in three of the fifteen years: 1993, 1994, and 1996. Maximum landings were reported in 1993 with 32,750 pounds landed. The lowest landings were reported in 1994 with 1,481 pounds landed. Seasonally, state-reported conch landings from fish pots are generally highest during the months of April through July, averaging approximately 612 pounds during those months (Figure 15). Attachment B (Table 2) presents state-reported conch landings by month and year for the fish pot fishery DMF Area 16.

State-reported sea bass landings from fish pots from 1990 through 2004 totaled approximately 47 hundred pounds for Area 16. Sea bass landings were only reported for six out of the fifteen years: 1993, 1994, 1996, 1999, 2001, and 2003. Annual state-reported sea bass landings were highest in 1999 and 2001, and were reported at or below 500 pounds landed for each of the other four years reported. Seasonally, sea bass landings from fish pots in Area 16 were highest in October for the 1990 through 2004 period, averaging approximately 237 pounds (Figure 15). Attachment B (Table 3) presents state-reported sea bass landings by month and year for the fish pot fishery in DMF Area 16.

State-reported scup landings from fish pots totaled approximately 73 hundred pounds from 1994 to 2004 for Area 16. State scup landings from fish pots were only reported during the months of June through October in three of the fifteen years: 1994, 1996, and 1998. Maximum landings were reported in 1998 with approximately 48 hundred pounds landed. The lowest landings were reported in 1994 with 649 pounds landed. Seasonally, state-reported scup landings from fish pots are generally highest during the month of September, averaging approximately 378 pounds (Figure 15). State-reported scup landings by month and year for the fish pot fishery in DMF Area 16 are presented in Attachment B (Table 4).








Figure 14. Trends in annual state-reported commercial landings of conch, sea bass and scup from fish pots in DMF Area 16 (Source: *MarineFisheries* Commercial Data 1990-2004)




Figure 15. Mean monthly state-reported commercial fish pot landings for conch, sea bass and scup from DMF Area 16 (Source: *MarineFisheries* Commercial Data 1990-2004)

3.3 Shellfish Landings

According to *MarineFisheries*, shellfish landings are reported by Massachusetts coastal towns and in other statewaters (Nantucket Sound, Buzzards Bay, etc.). Therefore, since Area 16 is an offshore reporting area beyond state waters, there are no shellfish landings reported via *MarineFisheries* shellfish catch reports for this area.

3.4 Crab and Lobster Landings

Commercial lobster harvesting with pots in Massachusetts' waters is open year-round. Commercial fishermen harvest both lobster and crab from lobster pots. A summary of the crab and lobster landings from state-permitted lobster pots in Area 16 is provided below.

Crab Landings

Most of the time, crab is considered bycatch in the lobster pot fishery, but some commercial fishermen do target crabs. Commercial fishermen reporting crab landings caught in permitted lobster pots report their catch as "crab" on catch reports and are not required to identify to species.

The total annual landings of crab species reported on state lobster pot catch reports in Area 16 from 1990 through 2004 is presented in Figure 16. Approximately 14.3 million pounds of crab were reported harvested by state permitees from Area 16 during this time period. From 1997 to 1999, state-reported crab landings caught in lobster pots increased from approximately 735 thousand pounds to just over 1.7 million pounds. Landings declined in 2000, but have been on a steady incline through 2004. State-reported crab landings from lobster pots in Area 16 from 1990 to 2004 are presented by month and year in Table 5, Attachment B.

Lobster Landings

State-regulated commercial lobster landings have been reported at least once for each month of the year from 1990 through 2004. The total annual state-regulated landings for lobster in DMF Area 16 from 1990 through 2004 are presented in Figure 17. Approximately 17.96 million pounds of lobster were reported harvested by state permit holders from DMF Area 16 during this time period. From 1990 to 1996, annual average state-reported lobster landings were approximately 1.3 million pounds. In 1997, annual state-reported lobster landings peaked at approximately 1.6 million pounds. From 1998 to 2004, annual state-reported lobster landings have steadily decreased from approximately 1.4 million pounds to a record low of 483 thousand pounds. This dramatic drop in

lobster landings is consistent with the Atlantic States Marine Fisheries Commission (ASMFC) findings. According to the ASMFC (http://www.asmfc.org), the Southern New England lobster management area (which includes DMF Reporting Area 16) has exhibited depleted stock abundance, low recruitment, and high fishing mortality rates over recent years. This has led the ASMFC Peer Review Panel to call for additional harvest restrictions and to initiate the development of a stock rebuilding schedule for the Southern New England stock.

Seasonally, state-regulated lobster landings were highest during the months of July through October (Figure 18), increasing substantially in July and peaking in August (mean = 246,945 pounds) and then declining steadily from August through December. State-reported lobster landings in Area 16 from 1990 to 2004 are presented by month and year in Table 6, Attachment B.




Figure 16. Total annual state-regulated crab landings from lobster pots reported in DMF Area 16 from 1990 through 2004 (Source: *MarineFisheries* Commercial Data 1990-2004)




Figure 17. Total annual state-regulated lobster landings from lobster pots reported in DMF Area 16 from 1990 through 2004 (Source: *MarineFisheries* Commercial Data 1990 – 2004)




Figure 18. Mean monthly state-regulated lobster landings from lobster pots reported in DMF Area 16 from 1990 through 2004 (Source: *MarineFisheries* Commercial Data 1990 – 2004)

4.0 NOAA FISHERIES RECREATIONAL DATA

4.1 Marine Recreational Fisheries Statistics Survey

Until 1979, data on marine recreational fisheries were not collected on a regular basis. In 1981, NMFS developed a Marine Recreational Fisheries Statistics Survey (MRFSS) to establish a database, which could be used for evaluating the impacts of recreational fishing on marine resources throughout the country. These surveys are conducted through telephone interviews or face-to-face interviews with recreational anglers at various ports. Unlike the commercial information, recreational fisheries data are not reported using a statistical sampling grid of the coastal waters. Instead, NMFS interviewers record the county where the survey was conducted, or if a phone interview was used, the county where anglers reported they visited to participate in recreational fishing activities. Surveyors question anglers as to where they fished, how long they fished, what types of gear they used, as well as what species they caught.

The information requested by NMFS using the MRFSS attempts to capture information from the surveyed population on the numbers of individuals that participate in the various types of recreational fisheries (i.e., hook and line, charter boat, private boat, etc.), the number of trips and hours spent fishing by the anglers, and the numbers and species of fish caught. The true recreational fishing effort would be greater than this, since NMFS cannot target every angler for a given year. These data can best be used to get a sense of fishing mode, length of fishing, gear type used and species caught by a proportion of individuals from a surveyed population.

MRFSS data from Dukes, Barnstable, and Nantucket counties from 1990-2004 were obtained and analyzed for the South of Tuckernuck site. These are the same counties used to evaluate recreational fishing in Nantucket Sound. It is important to note that the recreational fishery information summarized below cannot be directly related to recreational fishing at the South of Tuckernuck site. From the surveys, there is no way to determine the exact fishing location of the anglers that responded to the survey. Therefore, although survey information was gathered from these three counties, it can only be assumed that some portion of the anglers interviewed from these counties were truly fishing in the South of Tuckernuck site and not in other areas such as Nantucket Sound, farther out on the Cape, in Buzzards Bay, or in Cape Cod Bay. It is most likely that recreational fishing activities occurring in or in the vicinity of the South of Tuckernuck site would be out of Dukes or Nantucket counties. However, data from Barnstable County was also included in the analysis.

Information that was summarized from the recreational statistics data included fishing effort by mode, fishing effort by hours fished as reported by individual anglers, type of gear used by individual anglers, number of fish

reported by anglers, as well as the number of fish observed by interviewers during surveys, and the fish species observed by interviewers during surveys. The recreational fishing data are presented as 2-month intervals referred to as waves. For New England, no surveys were conducted during January and February (Wave 1).¹ The total number of MRFSS surveys used to summarize recreational fishing in the three evaluated counties is shown in Table 9. NMFS waves are as follows:

Wave 1: January and February

Wave 2: March and April

Wave 3: May and June

Wave 4: July and August

Wave 5: September and October

Wave 6: November and December

Table 9. Number of MRFSS surveys reported from Dukes, Barnstable and Nantucket counties

Year	Number of Surveys
1990	2,916
1991	2,479
1992	2,503
1993	3,105
1994	3,063
1995	3,446
1996	2,600
1997	2,594
1998	2,717
1999	2,627
2000	2,184
2001	2,474
2002	2,298
2003	2,906
2004	2,218
Grand Total	40,130

Data from three distinct modes of fishing were compiled and summarized (fishing from shore, fishing from a charter or party boat and fishing from a private or rental boat). Fishing from shore is comprised of any pier, dock or structure built over the water, any rock wall built out into the water or parallel to the shore to restrain currents or protect a harbor, a breakwater device, bridges, causeways, beaches or banks. Fishing effort from shore may not provide much pertinent information to the recreational fishing that occurs on the alternative Wind Park site South of Tuckernuck Island, but will be important in addressing concerns of anglers fishing near the proposed cable landfall areas.

A head or party boat is defined as a boat on which fishing space and privileges are provided for a fee. The vessel is operated by a licensed captain and crew. A charter boat is also operated by a licensed captain and crew; however, the anglers are part of a pre-formed group that "charters" the boat, captain and crew for a specific price and time. A private boat is that belonging to an individual. A rental boat is rented and operated by the renter. No captain or crew is provided for private or rental boats.

Based on the surveyed population, the use of private boats or rental boats appears to be the most common mode of recreational fishing over the past fifteen years (Figure 19). Approximately 45% of the individuals surveyed

Page 23

¹ http://www.st.nmfs.gov/st1/recreational/the_mrfss.html

reported using private/rental boats when engaged in fishing activities from 1990-2004. Surveyed anglers reporting the use of party/charter boats was much lower than private boats (15%). Out of the 40,130 anglers surveyed, the number reporting that they used charter/party boats ranged from a low of 274 individuals in 1999 to a high of 586 in 2003. Based on the surveyed population, fishing from shore was also more common than the use of charter/party boats over this fifteen year period. Approximately 40% of the individuals surveyed reported fishing from shore as the mode of recreational fishing from 1990-2004. Attachment C (Table 1) presents the complete MRFSS survey results of recreational fishing effort by mode, year and wave for Barnstable, Dukes and Nantucket counties between 1990 and 2004.




Figure 19. Percent of surveyed anglers reporting mode of fishing as shore, party/charter boat, or private/rental boat from surveys conducted from 1990 through 2004 in Dukes, Barnstable and Nantucket counties (Source: MRFSS Data 1990 – 2004)

The average length of time that surveyed individuals reported fishing over the 15-year period did not vary greatly among years (Figure 20). Average time spent fishing reported by surveyed anglers ranged from a low of 3.1 hours in 1993 to a high of 3.6 hours in 1997 and 2004.




Figure 20. Mean number of hours fished by surveyed anglers calculated from all surveys conducted in Dukes, Barnstable and Nantucket counties (Source: MRFSS Data 1990 – 2004)

The mean number of hours reported by surveyed anglers was calculated by wave across all years from 1990 through 2004 (Figure 21). As expected, the number of hours fished is longer during the summer months. Based on the surveyed population, the mean number of hours fished was greatest during wave 4 (July and August) followed by wave 5 (September and October). Attachment C (Table 2) presents the complete MRFSS survey results of recreational fishing effort by hours fished, year and wave for Barnstable, Dukes and Nantucket counties between 1990 and 2004.




Figure 21. Mean number of hours fished by wave as reported from surveys from 1990 through 2004 from Dukes, Barnstable and Nantucket counties (Source: MRFSS 1990 – 2004)

The fishing gear reported by surveyed anglers included hook and line, dip/A frame net, cast net, gill net, seine, trawl, trap, spear, hand, or other. By far, the majority of surveyed anglers (99.7%) reported use of hook and line for recreational fishing. The use of a dip net ranked second in terms of gear used (0.105%). Some type of fish trap use was reported in only 20 of 40,079 surveys from 1990 through 2004. Gill nets were reported one time each over the 15-year period. Attachment C (Table 3) presents complete MRFSS survey results of recreational fishing by gear type, year and wave for Barnstable, Dukes and Nantucket counties between 1990 and 2004.

The number of fish reported by surveyed anglers and the number of fish observed by interviewers are reported in Attachment C (Table 4) by fishing mode, year and wave. In general, the number of fish reported by anglers during interviews increased from 1990 through 2004 (Figure 22). However, it is important to note, that if an angler is surveyed multiple times over the years, he/she may become more familiar with survey questions and may provide more detailed information on the catch. Survey interviewers observed an average of 11.5% of the catches reported by anglers fishing from shore, fishing from party/charter boats, or fishing from private/rental boats (Figure 22). Anglers fishing from shore reported the lowest numbers of fish.

The species of fish observed by the interviewers from 1990 through 2004 by fishing mode is presented in Attachment C (Table 5). The top five species observed by interviewers over the fifteen year survey period by common fishing mode are presented in Figure 23. The most common species observed by interviewers surveying anglers fishing from shore were bluefish, Atlantic mackerel, scup, striped bass and winter flounder. The most common species observed by interviewers surveying anglers from party/charter boats included scup, bluefish, striped bass, Atlantic cod, and black sea bass. Bluefish, summer flounder, striped bass, scup, and Atlantic mackerel were the most common fish observed by interviewers surveying anglers who were fishing from private/rental boats (Figure 23).






Figure 22. Total number of fish reported by surveyed anglers fishing by different modes from 1990 through 2004 in Dukes, Barnstable and Nantucket counties (Source: MRFSS 1990 – 2004)








Figure 23. Top 5 species observed by interviewers surveying anglers from shore, party/charter boats or private/rental boats from Dukes, Barnstable and Nantucket counties (Source: MRFSS 1990 – 2004)

4.2 NOAA Fisheries Recreational Vessel Trip Report Data - Charter and Party Boats

NMFS recreational VTR data from 1994-2004 was obtained from NOAA Fisheries for the waters of the Atlantic Ocean, south of Tuckernuck Island (Area 537). These data include recreational landings for federally-permitted charter or party boats subject to VTR reporting. Federal charter/party permits are issued to federal vessels by NOAA Fisheries for the following fisheries: scup, black sea bass, squid/mackerel/butterfish, bluefish, summer flounder, and New England multi-species. Federal vessel permits for bluefish were not implemented until 2000 for party/charter fisheries (NOAA Fisheries, 2005 – personal communication). Approximately 847,284 individuals were reported caught by federally-permitted recreational charter and party boats in Area 537 from 1994 through 2004 (Figure 24). The recreational data presented in Figure 24 includes finfish species, squid, and certain shellfish species. There appears to be a general trend of decreasing federally-reported recreational charter/party boat landings in Area 537 from 1994-2004.




Figure 24. Total recreational landings from federally-permitted charter and party boats from 1994 through 2004 as reported from vessel trip reports for NMFS statistical Area 537 (Source: NMFS Vessel Trip Report Data, Area 537).

Charter and party boat recreational VTR data are presented annually by month and species in Tables 1 through 11 in Attachment D. A summary table showing the total federally-reportable recreational species landed by month over the 11 year period is presented in Table 12 of Attachment D. Recreational charter and party boat landings for federally-permitted vessels were reported throughout the year; however, higher landings were reported from May to November, with peak landings reported in the month of September over the eleven year period. [Waiting for clarification from NOAA Fisheries on why there were such high landings of squid in September]

Of the species reported on NMFS recreational VTRs, the top 10 species harvested from 1994 through 2004 in Area 537 included *Loligo* squid, silver hake (whiting), scup (porgy), cod, bluefish, white hake, yellowfin tuna, American lobster, summer flounder (fluke), and monkfish (anglerfish/goosefish). The top 10 species accounted for approximately 713,540 pounds of federally-reportable recreational species harvested, or about 84.2% of the total federally-reportable recreational species harvested during this time period (Table 13 in Attachment D and Figure 25).

Loligo squid was the top recreational species landed by federally-permitted charter and party boats in Area 537, with approximately 241,516 individuals reported over the 1994-2004 time period. This accounted for approximately 28.5% of the total federally-reportable recreational charter and party boat landings in Area 537 during the eleven year period. Silver hake, scup, cod, and bluefish also ranked among the top species reported by recreational charter and party boats in Area 537. These species combined accounted for approximately 39% of the total federally-reportable recreational charter and party boat landings during the eleven year period.




Figure 25. Top 10 recreational species reported caught from federally-permitted charter and party boats from 1994 through 2004 for NMFS statistical Area 537 (Source: NMFS Vessel Trip Report Data for Area 537).

Gear types used to harvest these recreational species included otter trawls, hand line/rod & reel, lobster pots, diving gear, and mixed/other gear. Federally-reportable recreational landings by gear type are presented in Table 10 for the period 1994 through 2004 for Area 537. According to the federal recreational VTR data, the greatest landings during this time period were from bottom fish otter trawls, which accounted for approximately 503 thousand individuals or approximately 59% of the total federally-reportable recreational charter and party boat landings in Area 537. Hand line/rod & reel was the second most common gear type reported and comprised approximately 37% of the total federally-reportable recreational charter and party boat landings. The remaining gear types comprised only 3% of the total reported landings. [Waiting for clarification from NOAA Fisheries on why recreational charter/party boats using otter trawls. Not consistent with Nantucket Sound and does not make sense. Response pending, but initial response from NOAA is that it is likely a data entry error. Waiting for further clarification since so many of the reported landings data received from NOAA database indicates otter trawls as gear type]

Table 10. Total federally-reportable charter and party boat recreational landings by gear type from 1994-2004 (Source: NMFS Vessel Trip Report Data, Area 537)

Gear Type	Total Federally-Reportable Recreational Charter and Party Boat Landings (lbs) Area 537
Otter Trawl, Bottom, Fish	502,987
Hand Line/Rod & Reel	315,102
Pot, Lobster	25,149
Other Gear	3,827
Mixed Gear	150
Diving Gear	69
Grand Total	847,284

Although latitude/longitude in degrees and minutes is reported on VTRs by federally-permitted recreational charter/party vessels, NOAA indicated that these data fields could not be provided for Area 537 given the enormous size of the data files and their limited staff resources. Therefore, it is not possible to plot the location of recreational charter/party fishing activity as reported on federal VTRs for the South of Tuckernuck alternative.

5.0 MARINEFISHERIES RESOURCE TRAWL DATA

NMFS spring and fall research trawl survey data from 1964 to 2002 was obtained from trawl locations within the boundaries of the South of Tuckernuck Alternative Site (Figure 1) to characterize finfish resources in this area. The spring survey is usually conducted between March and April and the fall survey between September and October. The biannual sampling is based on a stratified random sampling design that stratifies the mid to offshore waters into zones. Each stratum has a desired number of stations based on its size.

These surveys provide a good long-term characterization of finfish resources in sampled areas, but do not represent the abundance and distribution of finfish over the entire year. Additionally, the gear type (otter trawls) and methods used during the survey are similar to gear used by commercial fishermen and are more effective at collecting demersal and semi-pelagic species. The gear that is used has a very low efficiency for fast swimming and highly migratory species such as mackerel and bluefin tuna. These species generally exhibit a pelagic distribution and spend little time near the bottom. Therefore, the NMFS research trawls may not represent accurate abundance and distribution for these and other true pelagic species. Despite these limitations, NMFS resource trawl surveys represent the best long-term monitoring data for this area and provide seasonal finfish data when adults or juveniles are potentially present in this area.

A total of 54 species were observed in the bi-annual resource trawl dataset in the vicinity of the South of Tuckernuck site between 1964 and 2002. NMFS resource trawl sampling was conducted within the boundaries of the South of Tuckernuck Alternative Site only during certain years from 1964-2002. In fact, during the entire 39-year period, data were only available for 10 of those years in the fall and for nine of those years in the spring. The spring surveys collected 30 species and the fall surveys collected 47 species over the sampling period. Total annual catch number and catch weight for each species reported in fall trawls and spring trawls is presented in Tables 1 through 4 of Attachment E. As shown in these Tables, fall catch numbers were higher than spring catch numbers; however, fall catch weight was slightly lower than spring catch weight over the sampling period. This is likely due to the large presence of juveniles that typically pass through this region in the fall.

Figure 26 and Figure 27 depict the top 10 species by catch number and catch weight collected in the fall NMFS resource trawls within the boundaries of the South of Tuckernuck site over the sampling period. The top 10 species by number accounted for 10,444 individuals, which represents approximately 96% of the total number of individuals collected during the fall surveys. The top 10 species by weight accounted for approximately 2,305 kg (5,082 pounds) which represents approximately 95% of the total catch weight collected during the fall surveys in

the South of Tuckernuck area during those years where sampling was conducted between 1978 and 2004. Seven species were ranked in the top 10 for both catch weight and catch number during the fall. Smooth dogfish, winter skate, and bluefish were ranked in the top 10 for weight but not number and silver hake, butterfish and Northern sea robin were ranked in the top 10 species by catch number but not weight.




Figure 26. Top 10 Fall NMFS Resource Trawl Species by Catch Number.




Figure 27. Top 10 Fall NMFS Resource Trawl Species by Catch Weight (kg).

Figure 28 and Figure 29 depict the top 10 species by catch number and catch weight collected in the spring NMFS resource trawls within the boundaries of the South of Tuckernuck site over the sampling period. The top 10 species by number accounted for 6,545 individuals which represents approximately 96% of the total number of individuals collected during the spring surveys. The top 10 species by weight accounted for approximately 2,613 kg (5,761 pounds) which represents approximately 98% of the total catch weight collected during the spring surveys in the South of Tuckernuck area during those years where sampling was conducted between 1978 and 2004. Nine species were ranked in the top 10 for both catch weight and catch number during the spring. Atlantic cod was ranked in the top 10 for weight but not number and the Northern sand lance was ranked in the top 10 species by catch number but not weight.




Figure 28. Top 10 Spring NMFS Resource Trawl Species by Catch Number




Figure 29. Top 10 Spring NMFS Resource Trawl Species by Catch Weight (kg).

As demonstrated by these figures, five species were within the top 10 species by weight collected in both the fall and the spring surveys. The smooth dogfish, *Loligo* squid, round herring, scup and bluefish were within the top 10 species by weight for fall only and the ocean pout, longhorn sculpin, Atlantic herring, red hake and Atlantic cod were within the top 10 species by weight for spring only. Only four species were within the top 10 species by catch number for both the fall and spring surveys. *Loligo* squid, round herring, scup, silver hake, butterfish, and Northern sea robin were within the top 10 species by number for the fall season only and the winter skate, Northern sand lance, red hake, longhorn sculpin, Atlantic herring and ocean pout were within the top 10 species by number for the spring season only.

Attachment A

NOAA Fisheries Commercial Vessel Trip Report (VTR) Data

Table 1. 1994 commercial landings (pounds) for the area south of Tuckernuck Island

	March	April	May	June	July	August	September	익	November	December	November December Grand Total
Albacore Tuna				2,767	636	2,122	16,416	6,674	3,476		32,091
American Eel				11				150	252	387	800
American Lobster		5,810	8,964	968'08	154,501	315,966	287,580	294,298	120,505	82,503	1,351,023
American Plaice Flounder (DAB)			1,382	2,550	54	5,013	174	5	2,900	1,200	13,278
American Shad	9	129		1,607	269						2,011
Atlantic Herring		871,500	162,500	2,400							1,036,400
Atlantic Mackerel	165,000	1,316,104	76,483	2,190	5	846	240	10		10,167	1,571,045
Big Eye Tuna				4,245	4,184	3,230	16,021	14,679	7,321		49,680
Black Sea Bass	06	944	2,096	109	120	517	94	389	994	1,114	6,467
Black Whiting		97,720	31,810	72,728	131,210	71,120	44,330	33,350	26,200	12,120	520,588
Blue Back Herring			70								70
Blue Crab								3,000	8,535	3,351	14,886
Bluefin Tuna				575		006	1,810	2,961	10,403		16,649
Bluefish		3	863	680'8	17,621	43,896	78,953	158,484	106,113	23,445	437,467
Bonito					10	280	340	634	137	4	1,405
Butterfish	260'9	37,489	10,682	24,004	79,339	78,612	124,889	90,326	65,492	671,783	1,188,713
Channeled Whelk		380				100	260	200			1,240
Chub Mackerel		5,460									5,460
Cod	400	729	18,171	8,982	1,847	418	498	889	18,361	68,604	118,899
Conger Eel			115	6	15		5	8	55	145	352
Crab (Species Not Specified)					150	92			200	4,275	5,001
Cunner			10	2	10		1			4	27
Cusk		28	-								28
Dogfish (Species Not Specified)				6,535		8,855		6,200	20,000	50,480	92,070
Dolphin Fish (Mahi-Mahi)				446	888	564	491	47	45		2,481
Dusky Shark					72		369				441
Eel (Species Not Specified)	80			22							102
Flounder (Species Not Specified)			1,600	2,737	1,900	5,671	515	1,445	8,779	5,740	28,387
Fourspot Flounder		099	280								940
Haddock			25	50			12			10	97
Hake (Species Not Specified)			635	7,560	2,307	643	1,400	600	1,055	2,210	16,410
Hickory Shad								13			13
Illex Squid		6,244	8,500	8,927	217,100	180,300	85,500		5,120	1,240	512,931
John Dory	208	262		3		30		283	620	880	2,286
Jonah Crab				15,597	5,649	1,687	8,298	19,234	25,027	22,146	92,638
King Mackerel			3						3		9
King Whiting (Kingfish)	700	33,151	9,682	101,308	13,080	34,288	35,613	38,073	11,201	23,949	301,045
Loligo Squid	25,162	86,131	287,901	146,404	231,811	874,717	4,182,235	1,459,292	249,437	346,884	7,889,974
Mako Shark (Longfin)						475					475
Mako Shark (Shortfin)					173	Ţ	332	383	404		1,293
Mako Shark (Species Not Specified)						138			!		138
Monk Livers				400				40	6,847	6,156	13,443

Table 1. 1994 commercial landings (pounds) for the area south of Tuckernuck Island

	March	April	May	June	July	August	September		November	December	October November December Grand Total
Monk Tails			4,000		402		300		20,000	2,180	27,673
Monkfish (Anglerfish/Goosefish)	2,401	187,427	319,968	456,029	212,009	130,439	140,172	344,764	561,252	374,764	2,729,225
Ocean Pout		1,205		100							1,305
Other Finfish		525	1,000	4,946	4,540		684	1,908	4,010	3,047	20,660
Pollock			212	51	28		13	10			314
Red Hake (Ling)	3,689	124,911	67,173	52,832	33,269	21,158	17,047	10,457	5,711	15,239	351,486
Redfish (Ocean Perch)		71		2,274							2,345
Rock Crab				27,725	1,244	026	1,345	2,591	2,301	6,574	42,750
Sand Tiger Shark							32				35
Sandbar Shark				108	3,165						3,273
Scup (Porgy)	Ţ	195,481	239,650	3,936	1,135	3,320	2,331	10,794	183,760	328,690	969,108
Sea Raven			72	24	20			6	Ţ	20	79
Sea Robins		120				15				28	163
Sea Scallop			20	15,973	25	251	202	210	4,320	9,299	30,300
Shark (Species Not Specified)					10					928	938
Shrimp (Pandalid)							720				720
Silver Hake (Whiting)	44,849	380,371	263,954	599,849	992,871	378,409	464,603	694,296	286,442	390,102	4,495,746
Skate	165	3,754	23,502	171,583	33,634	323,836	763,232	469,509	248,065	57,070	2,094,350
Skate Wings			1,200	2,300		9,168		22		155	12,898
Smooth Dogfish				200							200
Spiny Dogfish		11,810	59,245	497,776	238,972			380,915	20,225	105,520	1,314,463
Spotted Weakfish (Spotted Sea Trout)			9	35					30		71
Squid (Species Not Specified)		71,725	57,827	3,678	37,380	168,085	739,180	180,525	123,484	111,879	1,493,763
Striped Bass			104	18	241	25					388
Summer Flounder (Fluke)	986′9	203,318	22,466	21,773	4,573	22,039	46,228	111,729	82,259	139,907	661,278
Surf Clam - Bushel									1,908		1,908
Swordfish				7,663			3,349	3,564	125		14,701
Tautog			1,746	16	40	69		30	30	170	2,101
Tilefish	102	418	73	2,416	7,841	451	625	563	189	34,593	47,271
Triggerfish					52						53
Tuna (Species Not Specified)						73		160			233
Weakfish (Squeteague/Gray Sea Trout)	5	117	30					64	481	62	759
Whelk (Conch Species Not Specified)			35								35
White Hake		30,149	21,283	142,159	138,185	70,313	128,011	135,635	75,470	78,628	819,833
Windowpane Flounder (Sand-Dab/Brill)	225	009′€	15,907	926		360	53		5,512	10,110	36,693
Winter Flounder (Blackback)	596	8,710	22,066	54,276	22,044	43,427	25,707	59,486	49,258	109,171	395,110
Witch Flounder (Gray Sole)	1,150	8,115	31,352	31,238	13,231	1,010	871	1,135	9,222	5,896	103,220
Wolffish (Ocean Catfish)			3	70					335	15	423
Yellowfin Tuna				1,707	992	7,466	17,937	6,208	1,473		35,783
Yellowtail Flounder	500	1,175	2,336	8,912	1,077	2,682	7,020	2,861	17,622	58,406	102,591
Grand Total	258,791	3,695,746	1,776,935	2,611,746	2,609,931	2,814,038	7,246,341	4,549,950	2,403,267	3,181,250	31,147,995

Table 2. 1995 commercial landings (pounds) for the area south of Tuckernuck Island

	January	February	March	April	May	June	July	يد	September	October	November	December	Srand Total
Albacore Tuna							953	1	8,925	14,269	1,853	8,925 14,269 1,853 26,845	26,845
American Lobster	42,639	23,018	60,831	89,017	102,417	141,764	254,204	385,172	409,930	284,075	82,017	90,342	1,965,426
American Plaice Flounder (DAB)	330	1,200	355	5,085	2,435	2,080	90		2,395	815		1,425	16,180
American Shad	8	14		38	43	351	20	30	205	95			834
Atlantic Halibut										09			90
Atlantic Herring	2,499,450	1,435,625	1,225,335	337,735	5,900	1,500							5,505,545
Atlantic Mackerel	21,120	168,710	1,872,929	2,456,952	325,520	891	692		6,110	442	1,000	20,743	4,875,109
Bay Scallop	87	92	210			7.54	74 + 2	7740	14 600	7 563	1.007		389
Big Eye Tuna						1,734	4,1/6	12,749	14,602	//5553	2,887	25.	40,/11
Black Sea Bass	9,282	1,351	2,004	5,652	6,3/4	gg Re	149	72	49	01/	1,231	5,749	32,002
Black Whiting	21,822	41,692	62,050	81,250	24,400	780	36,500	81,545	82,440	290	25,517	8,015	466,301
Blue Back Herring		2,000		5,000									7,000
Blue Crab	13	1,000			3,000				250			400	4,663
Bluefin Tuna						860	2,800	379	50	665			4,754
Bluefish	250	1,715		20	3,075	8,758	21,118	16,129	41,184	47,831	83,522	42,042	265,674
Bonito							20	29	507	218	364	12	1,150
Butterfish	359,122	442,004	149,144	32,867	35,309	26,440	21,487	20,335	35,802	18,418	17,277	418,615	1,576,820
Channeled Whelk						585	115	50	693	40			1,483
Chub Mackerel	2,455	10	13,000	1,540	30			50		243			17,328
Cod	56,031	39,538	36,816	22,461	12,511	5,246	4,083	2,243	5,577	2,878	20,461	37,398	245,243
Conger Eel	371	856	145	15	3	10		3		70	193	2,940	4,606
Crab (Species Not Specified)	2,550	3,700	10,400	10,900	5,000	5,700	3,070	1,400	1,500	8,240	1,515	4,348	58,323
Cunner				22	8					H		14	45
Cusk		105		70	45	200			086	140		145	1,635
Dogfish (Species Not Specified)	2,000	10,262		6,519	54,821	7,190	100		555	240	25,125	3,770	115,582
Dolphin Fish (Mahi-Mahi)						400	1,075	096	699	1,162	54		4,320
Eel (Species Not Specified)	979	581	833	254	250	20	20			26	29	1,320	4,342
Flounder (Species Not Specified)	2,240	2,725	800	455	80	2,989	10,400		2,000	5,664	2,881	3,365	33,599
Fourspot Flounder	160	435	220										815
Frigate Mackerel										130			130
Gizzard Shad							2						2
Haddock	755	418	17	100	529				200				2,319
Hake (Species Not Specified)	25,123	11,437	15,735	13,211	18,799	14,572	8,180	4,258	11,167	4,355	6,510	1,660	135,007
Illex Squid		17,795	23,225	5,840	81,450	61,960	272,121	51,527	20,458	505		7,733	542,614
John Dory	7,415	3,882	11,469	1,839	15	20	73	89		417	112	711	26,072
Jonah Crab	11,082	11,523	121		9,878	10,387	16,006	2,557	11,952	28,035	19,042	46,310	166,893
King Mackerel					1	000	000	000	004	12.5	0,000	30	30
King Whiting (Kingfish)	47,642	40,175	73,092	61,054	44,61/	98,392	123,286	119,930	44,550	57,314	90/19	730,050	085,580
Loligo Squid	368,023	810,403	737,193	395,544	388,572	387,562	952,241	351,308	78//810	794,160	127,600	330,065	5,430,481
Mako Shark (Longfin)							145		1	1			145
Mako Shark (Shortfin)						320	438	556	595	255			2,164
Mako Shark (Species Not Specified)							100		740	77			302
Monk Livers	7,203	1,992	2,108	1,731	323	100	1,790		650	6,447	6,826	4,375	33,545
Monk Tails	27,710	2,200	12,137	2,009	620	8,942	1,500		127	828	2,355	9,915	73,343
Monkfish (Anglerfish/Goosefish)	357,939	247,624	186,047	415,151	759,602	654,896	189,221	169,279	147,655	630,526	308,763	319,202	4,385,905
Ocean Pout		16,987	9	1,210	1,765							10	19,978
Other Finfish	1,606	4,108	1,468	9,515	3,961	5,359	1,500	1,500	2,516	18,036	507	1,650	51,726
Pollock	6,050	257	258	88	330	2,500		90	585			2,128	12,286
Porbeagle Shark	25			742	40							220	1,027

Table 2. 1995 commercial landings (pounds) for the area south of Tuckernuck Island

	January	February	March	April	May	June	July	August	August September		November	October November December Grand Total	Srand Total
Red Crab	152			10,000	2,210								12,362
Red Hake (Ling)	59,727	75,492	101,525	94,437	35,928	96,575	120,140	104,420	78,457	33,478	29,201	16,097	845,477
Redfish (Ocean Perch)	8,843	2	1,440			200			100	56			10,641
Rock Crab	4,035	4,953	8,462	5,467	20,985	17,793	6,607	1,030	1,438	2,858	618	17,935	92,181
Scallops - Shells	100												100
Sculpins		125	250										375
Scup (Porgy)	70,358	38,517	49,605	170,481	101,838	2,250	2,028	3,150	2,288	6,625	18,978	268,446	734,564
Sea Raven		150		70	71	12							253
Sea Robins	800											421	1,221
Sea Scallop	1,395	4,199	238	901	100	10,023	160	8,480	1,580	5,724	1,272	1,555	35,627
Seatrout, NK												1,080	1,080
Shark (Species Not Specified)		2,000	000′6				689	78	40				11,807
Sharpnose Shark			180										180
Shrimp (Pandalid)	700		943				75	525	3,815	1,890	20		7,998
Silver Hake (Whiting)	547,915	493,906	1,000,911	830,859	274,350	458,102	675,725	082'006	913,984	472,110	151,687	246,371	7,026,700
Skate	7,795	106,707	10,054	19,692	169,225	606,256	530,485	382,932	413,965	364,920	69,314	80,541	2,761,886
Skate Wings				664			30			21,637	17,700	6,045	46,076
Smooth Dogfish					8	3,000							3,070
Spiny Dogfish	82,370	2,041	1,300	33,380	80,466	69,762	300	200	11,459	479,169	293,863	68,165	1,122,475
Spotted Weakfish (Spotted Sea Trout)	2	81	47	22	33					20	264	1,700	2,169
Squid (Species Not Specified)	155,434	154,075	179,808	120,200	91,991	109,997	536,271	131,800	113,844	74,079	40,761	72,211	1,780,471
Striped Bass					140	340	156	253		20			606
Summer Flounder (Fluke)	600,798	188,327	177,334	150,129	37,846	8,390	14,303	20,729	68,784	125,959	111,951	218,058	1,722,608
Surf Clam		32,100			46,000								78,100
Swordfish						2,629	8,377	2,622	6,796	2,242	111		777,22
Tautog	5	10		1,609	1,282	58	7	16	9	34	20	146	3,193
Thresher Shark								158		128	25		311
Tilefish	52,347	299'22	266,760	79,629	57,945	45,874	65,754	59,248	74,465	99,032	88,678	59,509	1,026,906
Triggerfish							4		10	4			18
Tuna (Species Not Specified)						009	104	373	225	139			1,441
Wahoo									200		26		226
Weakfish (Squeteague/Gray Sea Trout)	321	197	106	112	9	80		105	10	255	603	4,494	6,217
Whelk (Conch Species Not Specified)							5,143	6,275	11,614	15,865	1,900		40,797
White Hake	30,237	89,740	59,742	80,407	31,626	131,458	169,592	68,325	139,204	17,727	24,100	5,928	848,086
Windowpane Flounder (Sand-Dab/Brill)	714	21,767	5,556	3,936	3,972	385	530	70	3,262	75	8,020	3,819	52,106
Winter Flounder (Blackback)	2,854	6,147	12,150	3,802	31,544	55,358	72,290	98,570	59,438	19,797	8,234	41,588	411,772
Witch Flounder (Gray Sole)	4,299	4,575	2,437	906'2	3,135	7,526	3,315	1,615	1,891	2,761	2,265	9,880	51,605
Wolffish (Ocean Catfish)		417	166	202	100	100	7,620	250	395		18		9,771
Yellowfin Tuna					П	6,573	14,713	_		20,143	_		138,594
Yellowtail Flounder	3,197	16,559	14,022	- 1		23,632	27,543		5,497	4,848			164,530
Grand Total	5,520,880	4,665,186	6,349,984	2	2,887,438	3,109,525	4,189,666	3,127,225		3,206,780	1,624,890	2,529,453	45,939,543

Table 3, 1996 commercial landings (pounds) for the area south of Tuckernuck Island

	Vacuar	February	March	Anril	Mav	June	July	11-	September		October November	December Grand Total	Grand Total
Albacore Tina	335	7				2	478	1.570	973				3,722
American Fel	1.030												1,030
American Lobster	47,355	27,007	30,726	83,230	148,632	160,494	267,183	519,764	372,356	333,135	190,889	128,686	2,309,457
American Plaice Flounder (DAB)		10		1,168	11,729	15,753	9,723	2,082	60	3,200	1,131	7,815	52,671
American Shad	20		18		14	23	71	8	14		2	247	489
Atlantic Croaker									200				200
Atlantic Halibut									1,000				1,000
Atlantic Herring	2,202,020	2,517,970	2,818,846	633,245	748,840	10,000	1,500		20,200	110	2,962,065	1,999,602	13,914,398
Atlantic Mackerel	4,775	15,341	689,504	2,905,264	1,991,020	323	52,241		4,519	556	4,996	132,783	314
Bay Scallop			314			r	4 078	4 019	2 825	1,500			12.425
Big Eye Tulia						ו	2,0,1	270/1	2,02,0	2222			22
Black Soa Bass	12 550	6 080	1 035	7 287	5 70K	2 330	767	3.480	1.787	2,233	4.635	5.455	53,349
Black Whiting	1 150	2007	8 446	1,620	2,408	255/2		5.915	28.557	36.702	814	20	85,632
Blie Cab	252/2	1.400	2.600	200	300		8			3,300			7,680
Blue Crab - Buchel		10	200/2										19
Rine Shark								1	160				161
Bliefin Tima							1.948	2.836	218				5,002
Bluefish	208	9	798		809	45,134	75,692	31,167	47,430	65,695	49,374	810	316,922
Bonito							6	20	81	209	9		325
Butterfish	406.812	287.678	74.798	82,248	110,885	62,283	56,631	88,179	68,374	119,950	102,018	218,249	1,678,105
Cancer Crab					250			-					250
Channeled Whelk					8	1,295	112	23	1,239	1,244			3,921
Chub Mackerel	30	30							375				435
Cod	32,998	13,124	6,090	11,420	12,535	20,542	2,374	3,659	56	837	29,179	41,266	174,080
Conger Eel	2,016	364			13	23	77	24	35	70	68	541	3,231
Crab (Species Not Specified)	2,740	1,300	5,550		22,350	8,387	10,425	11,700	9,160	19,375	7,440	575	99,002
Cunner	13	2			10								25
Cusk				160	11	2,480				89			2,719
Dogfish (Species Not Specified)	6,800	10		2,065	8,612	93,607	12,218	858	18,929	102,261	19,610	31,559	296,529
Dolphin Fish (Mahi-Mahi)							164	138	10	79			391
Eel (Species Not Specified)	2,714	593	3,632	115	598		8	9	9	20	99	712	8,470
Flounder (Species Not Specified)	4,555	854	760	1,578	1,396	3,145	57,949	32,383	2,569	300	5,567	40,065	151,121
Fourspot Flounder	1,425	1,380	65	330	700					15		100	4,075
Greenland Halibut	,	ļ		S.	1	750	o c	5			00+		731
Haddock	162	6		20		202	2	100	1.0	,	001	71, 7	174,
Hake (Species Not Specified)	7,892	5,793	8,480	11,166	580//	8,245	3,533	3,05/	10,/45	4,406	14,200	0,450	13
Illex Squid	39.787	44 841	17.255	52,497	4.746	143.040	145.750	256.050	291.859	187.980	11.771	4.600	1.199.671
John Dorv	3,559	901	10.078	3,904	14		1,884	16		80		160	20,524
Jonah Crab	47,248	20,196	15,298	19,963	38,765	32,119	32,586	14,439	19,611	61,485	62,305	105,901	469,916
King Mackerel					50						300		350
King Whiting (Kingfish)	21,131	12,624	12,670	38,849	18,713	267	101	89		34,872	6,313	90	146,200
Knobbed Whelk			1			330		10,	000	,,,,	077	,,,,	390
Loligo Squid	1,593,450	1,058,953	552,146	393,161	131,325	139,026	204,733	10/,823	86,432	320,214	113,149	1/9/111	1,879,523
IMako Shark (Longiin)						5	7.1.1	7	040	TO	70	60	103
Mako Shark (Shortin)						28	220	t 2	210	1/			93/
Marlin (Species Not Specified)								1 000					1 000
Monk 1 Ware	3 756	3 387	1 205	1 310	2 736	494		36	1.858	8.448	13.535	17.176	53.436
Monk Taile	2,730	2,302	570	1 058	4 775	8 780	35	006.6	73	10.473	18.805	24.004	82,993
MONK rails	7,320	2,100	7/6	T,UJO I	1,//,7	0,700	7	2,200	2.3	10/16-0	10,000	4.100/L	100,000

Table 3. 1996 commercial landings (pounds) for the area south of Tuckernuck Island

	1			1,11			1		Contomotor	Octobor	Norrombor	Docombor	Santambar Actabar Navambar Boromber Grand Total
() () () () () () () () () ()	January	repruary	March	April	May	aunc	yun'r	August	September	522 460	FO4 DEE	E26 704	E OBO BOE
Monkfish (Anglerfish/Goosetish)	328,697	41/,830	770,757	358,087	22,090	047,784	265,522	70,407	243,193	10	C07/T0C	320,107	3,000,003
Ocean Pout Other Finfish	4 373	6 510	5 441	2.770	173	3.847	8.310	6.859	1.930	2.391	1,280	4,840	48,624
Pollork	92	761	100	13	15	5,765	27			SS	09	45	6,912
Porbeagle Shark		352	18	576									946
Red Crab				480									480
Red Hake (Ling)	54,524	98,014	41,196	61,766	57,471	34,293	67,344	56,482	59,231	84,376	36,991	32,064	683,752
Redfish (Ocean Perch)			974	120	3	10,295	2	7			121		11,522
Rock Crab	36,040	36			4,009	115	5,744	3,310	383	1,918	5,539	18,283	75,377
Sandbar Shark							1,527	187	38				1,752
Sculpins									2,000		009		5,600
Scup (Porqy)	58,663	19,857	38,357	83,625	153,651	304	1,702	1,884	6,148	68,722	123,522	52,064	608,499
Sea Raven		200	18					5					223
Sea Robins				15	310							25	350
Sea Scallop	5,915	20	1,139	6,293	15,149	15,283	1,697	25,255	2,833	2,689	7,938	26,432	115,643
Sea Urchins											8		8
Seatrout, NK	930	009	200	10	30	3					549	213	2,535
Shark (Species Not Specified)						40		1,275	1,220				2,535
Shrimp (Pandalid)	2,594	1,410		2,950	2,507	1,899	3,270	8,620		8,237			31,487
Silver Hake (Whiting)	1,003,782	903,151	1,167,423	971,709	346,021	345,521	426,095	563,486	867,688	681,143	752,398	565,723	8,594,140
Skate	3,615	3,055	4,845	6,355	109,846	258,370	660,298	1,044,838	828,318	776,810	597,183	296,960	4,590,493
Skate Wings				2,070	2,140	20,161	10,431	177	533	10,480	6,875	6,323	59,190
Skinjack Tuna							18	12					30
Smooth Doafish					5	6,718		30	510	545	09		7,868
Spiny Dogfish	45,855	770	20	29,510	359,263	272,236	1,525	28,029	54,080	203,941	124,459	144,044	1,263,732
Spotted Weakfish (Spotted Sea Trout)	401	223	186	42	65				10	09	130	109	1,226
Squid (Species Not Specified)	208,628	68,291	41,422	45,929	8,252	10,479	23,360	8,855	14,101	56,153	62,174	66,530	614,174
Striped Bass	55					614	105		'n		101		880
Summer Flounder (Fluke)	514,314	422,778	44,668	15,629	45,952	93,372	44,857	37,730	41,998	22,852	65	1,000	1,285,215
Surf Clam - Bushel											110		110
Swordfish							10,484	945	208	755			12,392
Tautog	58	26		'n	474	812	1,287	49		1,040	325	59	4,135
Thresher Shark							150						150
Tiger Shark									45				45
Tilefish	102,949	125,705	103,979	67,175	91,480	42,572	70,265	75,946	52,752	73,870	73,279	71,956	951,928
Triggerfish								90					2
Tuna (Species Not Specified)	3												m
Wahoo								120					120
Weakfish (Squeteague/Gray Sea Trout)	5,928	1,015	468	867	217				159	226	629	233	9,792
Whelk (Conch Species Not Specified)	999												665
White Hake	18,782	27,579	19,230	15,143	22,309	110,889	122,466	208,380	178,123	142,759	28,728	20,296	914,684
Windowpane Flounder (Sand-Dab/Brill)	1,079	635	008	4,430	841	540	751	1,631	595	1,246	34,873	34,385	81,806
Winter Flounder (Blackback)	690'2	2,990	5,610	6,338	46,437	27,388	78,815	113,053	37,640	41,078	43,986	262,861	673,265
Witch Flounder (Gray Sole)	3,914	3,114	4,800	2,087	12,336	13,287	5,263	548	1,730	2,309	2,233	6,728	58,349
Wolffish (Ocean Catfish)	56	2,000	35			545	4,361	9	62		50	25	7,140
Yellowfin Tuna						267	6,403	26,270	10,442	869			44,080
Yellowtail Flounder	3,816	4,960	8,965	14,467	11,688	13,811	54,824	37,450	8,866	11,176	26,537	162,189	358,749
Grand Total	6,856,327	6,133,864	6,019,870	5,950,154	5,188,026	2,690,783	2,777,715	3,581,165	3,515,722	4,051,864	6,130,604	5,246,193	58,142,287

Table 4. 1997 commercial landings (pounds) for the area south of Tuckernuck Island

	January	January February	March	April	May	June	July	August	September		November	October November December Grand Total	Grand Total
Albacore Tuna						243	71	670	2,780	16			3,780
American Lobster	53,811	44,706	57,039	84,380	130,573	206,423	466,609	614,691	554,174	408,095	228,904	188,347	3,037,752
American Plaice Flounder (DAB)	666	1,161	65	57	2,826	6,085	4	413	170	3	3	44	11,830
American Shad	68	17	221	224		111	415		241	2		10	1,330
Atlantic Halibut					8	4							12
Atlantic Herring	1,725,000	7	3,360,000			355					130	344,380	10,382,565
Atlantic Mackerel	27,436	171,896	171,454	1,267,256	1,332,912	1,503	1,585	9	20		201	33,815	3,008,088
Bait						300	3,	2000	7	7,4,7	T,5UU		1,500
Big Eye Tuna						836	40	3,045	1,643	5,116	10, 1	200	10,680
Black Sea Bass	3,466	7,891	2,941	3,273	7,020	392	48	263	192	1,647	7,497	9,883	44,513
Black Whiting		85										25	110
Blue Back Herring	2	1,525									15		1,610
Blue Crab						888						16,356	17,244
Blue Shark						1							
Bluefin Tuna						300	712	830					1,842
Bluefish			30	740	1,000	11,241	10,359	13,696	68,207	70,695	38,492	8,833	223,293
Bonito							15	135	118	542	72	6	891
Bull Shark							264		,				264
Butterfish	298,989	319,921	446,477	176,319	101,042	126,188	71,103	39,964	58,626	33,693	31,534	281,861	2,285,717
Calico Scallop				6,218									6,218
Channeled Whelk						70	1,704	147	3,596				5,467
Chub Mackerel			20										70
Cod	15,772	16,524	3,069	2,751	8,573	1,931	1,870	1,633	240	1,176	1,879	5,706	61,124
Conger Eel	700	346	488	647	215	76	8	3		267	10	337	3,047
Crab (Species Not Specified)	1,240	8,378	200	55	4,139	301	35		2,366	5,891	900	400	24,205
Cunner	12	78	380		9			8	6	7			200
Cusk						155		11		15			181
Dogfish (Species Not Specified)	13,680	1,675			10,560	47,602	2,940	1,265	60	4,000	6,000		87,782
Dolphin Fish (Mahi-Mahi)						492	644	544	592	76			2,348
Dusky Shark							160						160
Eel (Species Not Specified)	319	140	165	67	298		12		2		423	209	1,635
Flounder (Species Not Specified)	2,482	845		1,120	8,557	9,212	4,850	3,550	10,746	4,690	3,050	6,630	55,732
Fourspot Flounder						475	82					150	710
Haddock		1,735			571	169				154			2,629
Hake (Species Not Specified)	12,993	8,519	5,099	7,729	874	5,176	4,893	3,910	1,510	1,320	240	1,303	53,566
Illex Squid	4,875	450	5,847	73,053	5,566	5,089	121	161,000	499,735	100		2,100	757,936
John Dory	106	186	9,199	3,317	73			2		90		563	13,506
Jonah Crab	57,117	41,010	80,056	75,652	85,177	74,628	49,5/6	59,869	41,981	110,232	132,227	164,903	942,428
King Mackerel							1			,		202	200
King Whiting (Kingfish)								2	90	16	5	46	159
Knobbed Whelk						400	134	35					569
Loligo Squid	205,499	255,902	570,935	582,993	158,237	78,236	139,049	103,066	452,115	1,118,061	316,776	608,162	4,589,031
Mako Shark (Longfin)				15					153				168
Mako Shark (Shortfin)							90	175					235
Mako Shark (Species Not Specified)							300	50	80	137			567
Monk Livers	8,600	17,305	3,223	365	2,178	606		700	6,527	22,990	17,316	27,559	107,672
Monk Tails	2,440	520	25,705	31,090	19,920	52,206		8,060	9,375	25,111	29,650	64,147	268,224
Monkfish (Anglerfish/Goosefish)	320,532	457,471	218,791	227,689	560,495	618,062	231,186	211,665	316,321	390,815	366,175	524,597	4,443,799
Ocean Pout	100	250	111	25					,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			140	929

Table 4. 1997 commercial landings (pounds) for the area south of Tuckernuck Island

	January	Februar	/ March	April	May	June	July	August	September	October	November	December	August September October November December Grand Total
Other Finfish	125	650	2,000		10,915		210	1,255	1,150	540	100	1,110	24,905
Other Invertebrates											300		300
Pollock		900		22	200	380	230			40	156	13	1,941
Porbeagle Shark	124	114	106	40									384
Red Crab		100		20									120
Red Hake (Ling)	103,473	94,628	83,210	70,844	38,543	139,033	112,215	53,423	62,125	9,156	4,909	21,026	792,585
Redfish (Ocean Perch)	629	199	25	6		3							915
Rock Crab	21,466	6,020		5,994	4,306	72	415	4,740	5,109	6,631	7,720	17,549	80,022
Sandbar Shark							32						32
Scup (Porgy)	275	11,257	8,275	20,743	23,372	1,947	131	557	86	10,168	140,024	27,898	274,745
Sea Raven						70	70	100	5	19			264
Sea Robins			10				664		93	2	438	09	1,267
Sea Scallop	2,607	30		11,950	19,696	13,335	3,952	4,553	10,641	9,638	36	7,511	83,949
Seatrout, NK	1,579	56	147	- 6	Ħ	7			19	355	148	87	2,496
Shark (Species Not Specified)			176							20			226
Shrimp (Pandalid)	2,900				1,108	7,045	9,280	15,005	2,118				37,456
Shrimp (Species Not Specified)							2,100						2,100
Silver Hake (Whiting)	942,198	90,206	606,831	714,267	314,836	926,202	1,152,730	760,938	859,221	533,209	148,813	295,589	7,945,340
Skate	275,255	222,268	62,964	37,833	251,414	733,337	1,007,388	1,023,809	1,475,932	1,195,174	340,786	276,529	6,902,689
Skate Wings	3,755	1,070	143	1,660	7,086	29,374	25,504	4,600	1,700	21,106	8,610	1,810	106,418
Skipjack Tuna							8						8
Smooth Dogfish						286	15		10		09		371
Spiny Dogfish	104,200	57,925	6,630	30,457	161,296	309,772	7,970	5,722	61,565	109,530	24,175	88,657	967,899
Spotted Weakfish (Spotted Sea Trout)	78		15	23							4	4	124
Squid (Species Not Specified)	42,695	106,211	133,350	292,578	17,397	4,272	62,235	87,951	237,731	190,558	21,653	145,301	1,341,932
Striped Bass						65	98	443		200	43		837
Summer Flounder (Fluke)	169,009	161,462	230,250	125,466	23,554	17,632	16,387	24,512	19,142	27,599	7,283	9,684	831,980
Surf Clam											41,200	102,000	143,200
Swordfish						1,223	800	5,611	4,449				12,083
Tautog	85			47	362	54	9	4	10	2	340	156	1,069
Thresher Shark						73							73
Tilefish	154,053	217,724	189,011	191,236	116,883	62,774	87,313	99,114	118,663	149,162	180,134	177,428	1,743,495
Triggerfish								2	12		15		8
Wahoo									34				34
Weakfish (Squeteague/Gray Sea Trout)	113	53	137	100	2	13		35	6	2,231	225	347	3,265
Whelk (Conch Species Not Specified)							3,202						3,202
White Hake	2,671	3,619	3,103	44,199	104,240	127,608	145,689	126,693	12,942	20,400	8,136	31,132	630,432
White Marlin								20					8
Windowpane Flounder (Sand-Dab/Brill)	4,792	4,874	3,764	1,667	711	2,947	385	1,569	160	376	101	1,683	23,029
Winter Flounder (Blackback)	29,273	22,396	12,079	19,893	41,396	85,304	59,142	71,060	52,286	15,300	34,607	52,130	494,866
Witch Flounder (Gray Sole)	2,163	4,776	1,435	363	7,307	6,022	3,682	8,849	3,856	1,667	2,853	677	43,650
Wolffish (Ocean Catfish)	4	25	16		42	71			20	9	20	5	239
						1,276	6,453	16,510	9,438				35,393
under	45,796		20,906	11,588	19,827	24,652	41,921	20,711	20,784		2,911		277,101
Grand Total	4,965,695 7,924,335		6,331,398 4,164,481 3,605,314 3,744,508 3,739,067 3,537,248	4,164,481	3,605,314	3,744,508	3,739,067	3,537,248	4,991,021	ᅰ	2,158,799	3,592,757	53,276,010

Table 5. 1998 commercial landings (pounds) for the area south of Tuckernuck Island

	January	February	March	April	May	June	July	August	September		November	October November December Grand Total	Grand Total
Albacore Tuna						44	3,304	H	7,956				17,651
American Lobster	83,943	36,204	45,480	85,473	124,557	152,210	346,863	379,523	501,742	384,147	270,633	191,706	2,602,481
American Plaice Flounder (DAB)	1,200	65		15	620		349	6,289				30	8,568
American Shad	7	17	47	49		31,452	109	78	11	53	5/	545	32,408
Atlantic Herring	1,642,000	1,499,054	1,370,000	15,800		26,305	400		32,200	427,598		215,000	5,228,357
Atlantic Mackerel	13,565	4,693	66,721	388,273	100,375	2,694	972	17	2	730	056	5,940	584,932
Big Eye Tuna						1,980	2,804	2,131	1,792	8,648			17,355
Black Sea Bass	4,035	3,359	3,419	1,971	1,332	288	34	45	1,335	1,476	11,112	10,567	38,970
Black Whiting	5,075		1,820	17,948		1,929		13,804	6,952	15,345	5,839	20,483	89,195
Blue Back Herring		515	006										1,415
Blue Crab					6,000							5,929	11,929
Blue Shark						09			9				99
Bluefin Tuna						384	638	147	3	224			1,396
Bliefish	39.520			16	824	1,925	3,700	4,092	28,271	38,602	43,826	5,093	165,869
Bonito								42	72	2,466	306	100	2,986
Butterfish	660,296	189,286	89,146	133,784	68,265	57,920	26,828	41,205	52,376	30,270	24,738	77,783	1,451,897
Channeled Whelk				20	364		125		1,563			1,300	3,402
Cod	13,750	23,261	2,140	5,819	10,347	1,803	2,633	4,380	1,266	90	1,840	3,287	70,616
Conger Eel	965	736	808	357	3	29	36	51	118	260	478	1,068	4,909
Crab (Species Not Specified)	12,119	6,804	13,581	678	70	2,755	2,865	263	689	4,023	11,560	9,819	65,226
Cunner		6				2			9	9	2	100	125
Cusk					100	175							275
Dogfish (Species Not Specified)	510	5,803		925		380	30		40	37,617	3,753	300	49,358
Dolphin Fish (Mahi-Mahi)							121	496	1,577	366			2,560
Eel (Species Not Specified)	1,266	321	366	420	18	20			16	75	340	1,065	3,907
Flounder (Species Not Specified)	170	759	12	510	15,615	15,323	8,655	5,615	2,027	4,500	3,820	10,610	67,616
Fourspot Flounder	625	345	675	2,125	120	980	1,800	620	80	475			7,845
Haddock		089	100		275			1,100	500				2,655
Hake (Species Not Specified)	10,678	4,887	2,080	1,298	150	36,819	7,775	21,311	30,502	6,520	2,000	1,870	125,890
Horseshoe Crab												400	400
Illex Squid	11,371	22,450	4,260	630	514,904	49,300	200	645	21,917	11,591	24,795	5,013	667,376
John Dory	4,527	3,865	668	473	4					12	105	181	9,835
Jonah Crab	208,677	74,534	97,755	82,041	123,157	866'66	123,656	65,166	45,264	63,722	125,348	210,072	1,319,390
King Whiting (Kingfish)	72	1							14,700	12,539	9,413	7,325	44,050
Little Tuna									32				32
Loligo Squid	1,242,923	1,445,963	1,224,418	482,061	10,653	1,864	7,835	29,755	268,089	866,658	729,766	878,582	7,188,567
Lumpfish			12										12
Mako Shark (Longfin)										1			+1
Mako Shark (Shortfin)							102			119			221
Mako Shark (Species Not Specified)							203		261				464
Monk Livers	10,931	20,494	7,419	4,157	875	339	250	651	4,829	9,288	13,298	14,182	86,713
Monk Tails	9,388	38,360	18,675	36,446	85,305	72,457	28,371	41,132	33,250	10,634	22,856	2,325	399,199
Monkrish (Anglerrish/Gooserish)	290,978	1/4,163	752,437	365,041	568,031	424,387	150,810	37,805	12/,/35	235,215	340,002	27/,220	2,320,332
Mussels Ocean Don't	700				25	32							\$ 000
Ocean rout	727											2	7,2,

Table 5. 1998 commercial landings (pounds) for the area south of Tuckernuck Island

	January	February	March	April	May	June	July	August	September	October	November	December	Grand Total
Other Finfish	4,410	208	570	1,600		205	995	2,795		2,800	1,990	2,947	21,190
Pollock	52	5	14	58	215	85	09	15,127	15,131			2	30,749
Porbeagle Shark		93	49	135	329		81			100			787
Red Crab										13,000	25,690	88,930	127,620
Red Hake (Ling)	93,225	75,344	48,604	45,241	10,715	221,420	155,937	48,641	114,795	78,105	35,464	38,802	966,293
Redfish (Ocean Perch)	2							310	80	38		1	431
Rock Crab	10,882	10,885	7,818	8,705	6,249	10,031	7,161	4,670	7,122	8,861	24,013	45,701	152,098
Rough Scad					9								9
Scup (Porgy)	8,345	268	373	97	9,012	513	64	966'9	12,108	18,944	170,231	151,951	378,902
Sea Raven			135			20	610	175					970
Sea Robins		350								35	121	106	612
Sea Scallop	11,959	8,496	7,697	4,500	22,279	21,489	27,103	14,575	3,607		3,742	100	125,547
Seatrout, NK	225	104	4,231	8	17					310	1,755	493	7,143
Shrimp (Pandalid)						1,901	1,660	4,119	2,184	2,206	1,375		13,445
Shrimp (Species Not Specified)											1,468		1,468
Silver Hake (Whiting)	602,369	613,150	669,001	504,587	138,536	978,139	743,607	390,290	1,026,888	699,296	433,591	308,522	7,107,976
Skate	160,913	101,031	87,618	272,565	292,737	810,350	1,032,673	924,628	1,064,894	749,537	493,949	398,269	6,389,164
Skate Wings	249	1,400		5,200	9,375	21,400	12,320	470	6,725	5,555	7,520	2,875	73,089
Skipjack Tuna							5	4	522				531
Smooth Dogfish						820		22	09	570			1,505
Spiny Dogfish	65,625	23,755	120	13,390	16,500	41,351	126,560	13,149	222,220	105,249	46,970	30,576	705,465
Spotted Weakfish (Spotted Sea Trout)	49	170	2	2							580	161	964
Squid (Species Not Specified)	353,329	674,519	557,905	139,905	344	785	6,741	8,216	78,666	253,663	120,523	175,747	2,370,343
Striped Bass							796	1,320	249	8	398		2,853
Summer Flounder (Fluke)	223,729	187,791	189,894	146,972	14,017	6,743	7,282	10,856	3,744	0/9	7,931	13,491	813,120
Surf Clam	32,880	56,160	9,120	19,600	40,600	50,400	14,000						222,760
Swordfish						1,454	5,056	2,354	1,867	2,461			13,192
Tautog	30			27	419	48	30	31	13	138	922	24	1,682
Thresher Shark					245					F			246
Tilefish	166,830	206,115	272,011	155,107	157,903	101,543	129,617	105,930	73,441	80,897	82,330	94,778	1,626,502
Triggerfish									106	33			139
Tuna (Species Not Specified)										55	32		87
Wahoo							35						35
Weakfish (Squeteague/Gray Sea Trout)	262	440	52	37						1,146	1,388	1,796	5,657
White Hake	39,810	20,760	113,982	45,790	15,243	171,830	253,356	159,360	108,935	40,002	27,797	3,600	1,000,465
Windowpane Flounder (Sand-Dab/Brill)	663	1,796	1,277	465	49	807	197	407	356	145	115	3,513	9,790
Winter Flounder (Blackback)	4,342	5,198	4,400	7,997	23,176	79,460	88,541	68,805	22,092	19,854	31,855	123,866	479,586
Witch Flounder (Gray Sole)	387	921	1,981	5,019	1,200	12,483	10,408	5,597	1,472	157	358	5	39,988
Wolffish (Ocean Catfish)				4		423			202				932
Yellowfin Tuna						497	3,458	4,030		3,633	1 1	1 1	20,814
Yellowtail Flounder	7,241	11,920	7,705	7,959	10,884	19,847	66,815	57,694	12,650	11,596	8,594	137,443	360,348
Grand Total	6,057,635	7	5,174,398	,174,398 3,011,345 2,402,064	2,402,064	3,537,931	3,416,936	2,566,944		4,273,794	3,177,557	3,622,302	46,777,950

Table 6. 1999 commercial landings (pounds) for the area south of Tuckernuck Island

	January	February	March	April	May	June	July	August	September	October	November December Grand Total	December	Grand Lotal
Albacore Tima							672	1,729	492	1,437			4,330
American Lobster	77,626	45,261	58,654	91,860	145,429	254,172	490,024	586,739	432,875	358,218	280,379	174,150	2,995,387
American Plaice Flounder (DAB)	121	832	1,651	80	152	115	2,111	70	5,902	35		9,927	20,996
American Shad	30	187	53	479	94	836	3	3			25		1,710
Atlantic Croaker							000	0100		75			75
Atlantic Herring	1,782,250	1,832,000	ml	346,735	101,500	650	220,000	2,950	000	2,50	007.0	000	0,202,320
Atlantic Mackerel	446,562	35,278	41,628	473,386	172,579	827	25	45	332	3,148	7,780	202	11 638
Big Eye Tuna		200	000	70,0	72,	301	3,0/5	3,1/2	3,132	2,120	24 076	3003	93,750
Black Sea Bass	12,229	11,396	14,280	3,424	4,636	787	245	C77	301	3,087	31,0/0	2000	172 901
Black Whiting	19,413	15,707	15,081	64,274	22,300	18,2/5	£ 5	/,440	1,820	1,350	1,8U4	707	1/3,001
Blue Back Herring	120				390		09						3/0
Blue Crab				2,955	4,725	421							8,101
Blue Crab - Bushel								432					432
Bluefin Tuna							292	14,829	164	997			16,282
Bluefish	14	100	2		199	4,191	14,618	20,586	13,623	35,827	78,791	14,034	181,985
Bonito		945					10	517	17	260	744	132	2,625
Butterfish	172,244	257,807	92,467	108,386	51,255	55,002	51,779	102,480	62,862	26,601	27,908	110,433	1,119,224
Calico Scallop								9					9
Channeled Whelk				2					1,925	5,853	256		8,036
Chub Mackerel												210	210
Cod	14,352	12,427	4,681	3,696	6,240	2,651	11,723	2,706	6,845	1,003	6,722	6,531	79,577
Conder Eel	899	671	1,007	541	93		17	7			1,976	1,600	6,580
Crab (Species Not Specified)	3,000	24,375	12,545	9,710	12,745		1,305	12,419	898'6	11,389	11,455	19,538	127,849
Cunner		8	368	753	10		2				19	264	1,424
Cusk		10							98				96
Dogfish (Species Not Specified)	20	211	5,400	40,533	85,833	38,681		19,280	3,390				193,348
Dolphin Fish (Mahi-Mahi)					18		1,431	467	936	276			3,128
Eel (Species Not Specified)	207	516	262	308		4		2	30	7		315	1,651
Flounder (Species Not Specified)	4,880	400	710	2,902		2,080	200	1,200		4,500	1 4	9,556	26,568
Fourspot Flounder	245	160	465	530		096	455			80	70		2,965
Haddock	25	20	2		185	4	873	400	11,769			220	13,528
Hake (Species Not Specified)	3,343	3,080	7,763	1,510	9,200	19,920	14,343	13,700	5,318	8,975	2,090	4,467	93,709
Horseshoe Crab					300								300
Illex Squid	16,534	12,231	5,648	72,363		2,790	280	1,012	120	7,000	260		118,238
John Dory	590	11,258	221	299						258	1,249	20	13,895
Jonah Crab	160,882	110,296	146,044	173,814	159,899	125,080	71,389	38,227	/1,5/5	165,635	123,492	191,410	1,53/,/43
King Mackerel	14 404	1 0 674	30 855	22 735	1 645		047	22 205	17 775	26 170	ıc	246	145.746
Milig William (Miligher)	TCT,T1	1/0/0	20,00	25/133	CL 0/7		31,5	207/27	21117	21.2			21
Michael Wilein									10				10
I oligo Squid	1.030.628	673.544	766,833	1,038,028	33,539	20,059	785,923	445,540	878,989	299,083	231,276	401,823	6,605,265
Mako Shark (Shortfin)							240				8		249
Mako Shark (Species Not Specified)									125				125
Monk Livers	14,744	40,108	┞	2,975	1,669	855	38	311	5,835	8,858	12,142	10,186	108,215
Monk Tails	20,815	60,223	┞	34,270	38,222	19,579	74	4,839	154	16,513	28,841	3,802	240,587
Monkfish (Anglerfish/Goosefish)	249,112	477,909	418,273	688,679	758,281	654,832	151,283	98,365	136,828	278,844	485,108	286,079	4,683,593
Mullets					30								30
Ocean Pout			30	866	1,126	2	210			,			2,434
Opah (Moonfish)										-			T

Table 6. 1999 commercial landings (pounds) for the area south of Tuckernuck Island

	January	February	March	April	May	June	July	August	September	October	November	December	November December Grand Total
Other Finfish	1,100	1,082	160	415		180	1,105	25	2,004	2,394	2,300	700	11,465
Other Invertebrates								200	200				400
Pollock	38	21	5	52	330		3,112	49	3,694		548	170	8,019
Porbeagle Shark	17		13		33	17							80
Red Crab	116,340	62,655	58,380	77,383	64,004	57,780	84,298	69,769	120,465	91,258	25,846	64,190	892,368
Red Hake (Ling)	118,152	106,038	148,099	77,359	109,160	154,415	72,525	147,264	74,454	94,432	26,041	48,543	1,176,482
Redfish (Ocean Perch)							434		10	1,900			2,344
Rock Crab	7,622	2,974	40	6,397	24,243	23,608	2,188	5,858	11,662	34,068	26,048	32,601	177,309
Scallops - Shells			250									65	315
Sculpins												10	10
Scup (Porgy)	22,926	11,917	3,713	15	21,297	924		6	29		293,304	4,900	359,034
Sea Raven				7		380	785						1,172
Sea Robins											80	12	92
Sea Scallop	15,590	000'E	8,784	20,669	12,533	21,258	10,381	21,713	476	8,890	9,674	424	133,392
Sea Urchins					1,350								1,350
Seatrout, NK	2,746	977	1,035	236	29					535	6,671	280	12,509
Shrimp (Pandalid)						2,150	4,800	3,650	3,720		2,077		16,397
Silver Hake (Whiting)	533,525	452,419	733,906	816,365	650,497	624,356	264,597	394,567	192,173	581,179	367,252	284,988	5,895,824
Skate	118,799	119,970	126,414	47,495	268,812	608,779	1,022,903	606,615	389,012	427,919	225,280	307,974	4,269,972
Skate Wings	2,990	1,350	425	1,630	5,430	3,027	375	250	1,392	9,145	230	2,120	28,364
Skipjack Tuna								979	98				1,077
Smooth Doafish					418	1,900							2,318
Soft Clam											4,480		4,480
Spiny Doafish	49,195	12,715	4,100	50,430	63,962	70,453	1,008	35,500	14,985	92,382	21,056	11,253	457,039
Spotted Weakfish (Spotted Sea Trout)	565	120	5							223	1,177	17	2,107
Squid (Species Not Specified)	214,722	173,224	203,221	282,363	32,036	4,030	153,030	73,526	200,702	145,136	85,445	118,998	1,686,433
Striped Bass					100			2,802	544		404		3,850
Summer Flounder (Fluke)	153,556	372,933	212,985	57,107	17,732	4,166	11,638	4,285	9,797	1,110	25,975	44,271	915,555
Surf Clam	49,920	22,680	62,580	125,920	56,350	49,706	11,200	45,360			22,600	11,640	492,956
Swordfish						51	5,862	630	942	785			8,270
Tautog	5			43	39	42				483		æ	620
Tiger Shark										64			64
Tilefish	82,156	77,385	92,725	83,419	73,683	37,896	53,423	25,871	15,236	23,320	33,042	21,383	619,539
Triggerfish											2		2
Tuna (Species Not Specified)								1	25				97
Wahoo								1		45			46
Weakfish (Squeteague/Gray Sea Trout)	2,085	1,619	955	475	30	10			228	687	9,817	74	15,980
Whelk (Conch Species Not Specified)								61					61
White Hake	20,056	4,605	30,863	87,100	88,315	127,074	128,600	117,552	34,400	13,600	8,632	2,489	663,286
Windowpane Flounder (Sand-Dab/Brill)	2,768	1,225	1,045	215	2,357	220	933	5		1,400		2,883	13,051
Winter Flounder (Blackback)	30,110	17,196	11,138	5,561	29,077	112,028	58,825	44,905	23,523	45,518	22,650	109,573	510,104
Witch Flounder (Gray Sole)	627	1,599	7,014	13,684	18,304	21,633	1,943	620	5,150	2,420	884	7,057	80,935
Wolffish (Ocean Catfish)			6		4,422	27	756		7		16		5,234
Yellowfin Tuna						490	6,995	5,280	2,653	2,668	283		18,369
Yellowtail Flounder	185,432 11	115,462	68,504	18,738	18,092	109,541	78,655	54,026	22,490	26,508	13,158	92,033	802,639
Grand Total	5,776,190	5,233,831	7,421,272	4,959,303	3,174,954	3,258,557	3,804,058	3,063,284	2,808,755	2,881,702	2,593,588	2,420,894	47,396,388

Table 7. 2000 commercial landings (pounds) for the area south of Tuckernuck Island

Albacore Tuna American Lobster American Plaice Flounder (DAB)							745	4 670	3 880	6.017	140 12,460		17 450
merican Lobster merican Plaice Flounder (DAB)					1	-	71	1,5/8	12272	7	2		12,400
merican Plaice Flounder (DAB)	37,283	25,	46,159	82,106	164,483	326,603	408,616	401,111	365,193	249,0	151,653	84,756	2,342,206
	08	120		2,790		115	m (76	1,245	33	282	14	5,064
American Shad				563	49	7,520	2	5			_		8,140
Atlantic Herring	250,000	2,1	577,010	287,000	27,070	800	100	40	20		_	1,000,757	6,151,077
Atlantic Mackerel	7,811	21,460	6,776	31,755	284,466	18,115	8,417		75	2	100	341,431	720,423
Big Eye Tuna							1,325	1,798	13,162	6,486	1,158		23,929
Black Sea Bass	17,255	6,597	5,289	7,129	4,939	1,251	2,959		7	50,924	2,552		98,905
Black Whiting	4,078		7,810	3,450	1,178	30	14,760	1,033	23,623	21,750	18,158		103,803
Blacktip Shark				7	76								83
Blue Crab	19,493	12,000			15				406				31,914
Blue Shark		l					F						1
Bluefin Tina							147	1,056		2,028			3,231
Ritefich	200				1.431	33.041	4.775		13,729	7,818	2,686		70,595
Bonito	250	30				= -				35			125
Butterfich	10 888	26.6	63 603	25 764	26.203	12 229	34.005	46.5	102.192	47.410	19.056	80.349	503,963
Arce IISII	ODD/CT		2007	10/3	20,203	75/55	200/10			16.061	200/22		16,061
Cancel Clab					1 603	2 753		o		10,201	4 165		18 900
Channeled whelk					7,000	2,733				10,230	2011	1	200701
Chub Mackerel	000	1	27.4	51 416	7763	2 653	735.0	10 949	23 504	10 850	36 864	3 906	734 373
COO	11,330	١	1,122 1,000	017,10	1,50	3,032	100/0		000/07	000	20,00	2,202	6 487
Conger rel	0,030	1,304	7000	130	0 4	205 C	1 003	7.7.0	7 561	10 105	6 357	1 003	214 913
Crab (Species Not Specified)	SEC/EUT	I	17,003	34,104	1/0	2,300	1,005		70C'7	COT OT	10010	1002	145
Cunner			0	1,1	77				208	100		P	319
Cusk	0.11	0,0,0,	0 00	. 002	1		2		203	2			370 05
Dogrish (Species Not Specified)	7,750	10,009	3,400	7,00/I			115	DCD	461	210			1 219
Dolphill Fish (Pani-Piani)	700	VEV	000	736	448	ā	CTT	171	14		13	7 847	4 852
Elounder (Species Not Specified)	3 540	1 691	4	9.092	3.265	3	8.509		725		3.685	3,975	34,586
Fourspot Flounder	200			20	15	630		350			9		1,077
Frigate Mackerel										3			3
Golden Tilefish	5,109	15,332	14,326	8,289	968'6	16,943			5	2,613			72,513
Green Crab			60,122	100,747					-	35,439	49,949	10,837	257,094
Haddock		200		98	3,000	37	9009	145		50		3	4,635
Hagfish			100										100
Hake (Species Not Specified)	3,207	15,475	4,804	5,668	293	23,600	8,400	8,122	14,575	550	425	652	85,771
Horseshoe Crab											410		410
Illex Squid					3,100		70,000	371,080	74,585	100	22	99	519,001
John Dory	495	1,297	110	20					20	325		118	2,625
Ionah Crab	83,809	263,219	164,989	99,338	193,271	141,775	116,200	90,473	154,161	161,989	184,151	143,083	1,796,458
Jonah Crab - Bushel							1		0.00	00,	, 01	8,050	8,050
King Whiting (Kingfish)	38,297		23,380	480		650	47,680	68,024	122,950	19,480	45,/01	77,720	411,44/
oligo Squid	423,439	571,417	629,461	93,890	32,885	1,018,610	268,944	199,708	226,161	522,988		55,475	4,074,037
Mako Shark (Longfin)							i	-		94	0		94
iko Shark (Shortfin)							81	490	194	505	39		1,/13
ako Shark (Species Not Specified)	200		1	025	77		8/7	2	2 134	200 55	17 351	6 454	252
Monk Livers	0,933	- 1	1	033	0000	200 2	100		10,050	45 302	77 435	10,864	186 617
Monkert (Angloder (Coccept)	1,000	40,307	19,030	000 777	141 346	177 160	52 143	21	56 300	710 177	342 014	106 994	2 967 150
Month (Aligiethsty Goosensty)	2/2/334	-	1	C7C1_/_	770	122,100	02,17J	1	CCCAOO	777/077	3.12,01.1	10000	810
Octobris (Species Not Specified)		3	2		27				12				12
Opah (Moonfish)								100					100
Other Finfish	890	1,100	200	5,070		110	2,882	2,824	5,670	207			19,253

Table 7. 2000 commercial landings (pounds) for the area south of Tuckernuck Island

	January	repruary	March	ADTII	Ividy	June	July	Andust	Schleimei	וסרוחם	ואסאפוווחפו (חפרפוווחפו		Cialla 10an
Pollock		155	10	235	400	52	215	310	44	20		100	1,544
Porbeagle Shark		23			43								99
Ouahogs/Bushel		3,840	880'6										12,928
Razor Clam											2,957		2,957
Red Crab												15	280
Red Hake (Ling)	85,227	175,286	12	70,531	28,089	201,3	91,347	167,063	203,096	33,052	23,308	51,528	1,288,277
Redfish (Ocean Perch)			1,8										3,405
Rock Crab	12,840	15,919	9 62	13,406	22,237	42,194	5,	12,	25,594	42,485	59,937	23,386	275,366
Sandbar Shark							800	135					935
Scallops - Shells	2,957	530							87				3,574
Scup (Porgy)	222,611	17,371		23	8	140	3,056	678	1		361		252,315
Sea Raven		28		78	998	599		90					1,227
Sea Robins								121			06		211
Sea Scallop	490	7,189	18,889	43,430		09	14,492	20,922	20,476	100		11,309	137,357
Seatrout, NK	556	244		141		07				9	4	13	1,109
Shark (Species Not Specified)			2,500										2,500
Shrimp (Pandalid)						1,300				4,173	1,150		25,074
Shrimp (Species Not Specified)							1,800						9,300
Silver Hake (Whiting)	429,296	655,992	۳	326,166	337,135	955,871		1,339,893	7			400,100	7,721,278
Skate	112,888	150,500		L		42	570,505	667,469	_	478,559	(*)	272,309	3,820,212
Skate Wings	3,232	75			4,679	2,975	2,852	4			16,215	37,513	81,416
Smooth Dogfish								250	180	90			490
Soft Clam		19,760											19,760
Southern Flounder									13,925				13,925
Spanish Mackerel									840	1,020			1,860
Spiny Dogfish	20,517	66,399	79,000	44,375	4,235	5,703	800						224,029
Spot										250			250
Spotted Weakfish (Spotted Sea Trout)						- 1							247
Squid (Species Not Specified)	121,539	292,506	274,408	33,997	7,350	112,	39,	7,	2	5,778	235	2,190	900,298
Striped Bass		7				616	624	381	400		20		2,043
Sturgeon (Species Not Specified)	100	000 11.					\perp				Ç	22 460	50
Summer Flounder (Fluke)	127,365	1/5,099	1//,889	5/0/55	11,592	10,916	\rfloor	12,975	1		‡	32,109	6/9/049
Swordfish					,	4	8,052		7,835	4, IU	9/6	L	33,334
Hautog		,			TTA	CT		2	350	250	2	n	612
Thefor	10 843	54.601	37 453	77 071	37 461	7 370	20 635	27 541	4	-	47 187	45 286	399 570
Trionerfish	20/01	700/10				(767)		11.67.73			201/21	207/21	5,2,2,5
Tuna (Species Not Specified)	9									25		-	25
Wahoo								109	70				179
Weakfish (Squeteague/Gray Sea Trout)	669	152	43	97	5	4	80	100		82	433	5	2,233
White Hake	3,945	666		11,740	2,019	144	1,417	1,409	1,650	1,897	2,780	8,702	38,545
Windowpane Flounder (Sand-Dab/Brill)	3,087	1,618				3,190	431	597	107	35	1,497	1,694	17,181
Winter Flounder (Blackback)	23,685	10,263			20,810	63,874	169,837	184,572	53,645	76,937	128,925	095'69	816,095
Witch Flounder (Gray Sole)	2,127	2,693			4,173	5,963	Ø	1,749	1,896		968'9	801	43,440
Wolffish (Ocean Catfish)	100	-			300	9		175	135	26		35	5,288
Yellowfin Tuna							3,175	12,308	4,454	9,482	1,353		30,772
Yellowtail Flounder	38,860	48,061	18,293	17,920		30,309	122,750	128,892	32,749	31,227	88,792		637,122
Grand Total	2,554,823	5,547,707		2,121,347	1,559,927	3,606,412	3,256,759	3,872,343	3,368,404	2,397,9191	3,780,043	2,908,320	38 647 841

Table 8. 2001 commercial landings (pounds) for the area south of Tuckernuck Island

	January	February	March	April	May	June	July	August	September		占	December	Grand Total
Albacore Tuna						380	553	1,069	2,558	3,805	1,353		9,718
American Lobster	65,872	14,256	32,141	67,387	112,323	203,694	419,031	376,557	336,181	313,315	1/8,339	1 100	2,193,548
American Plaice Flounder (DAB)	922	280	720	21	C L	96	917	1,0/0	2,155	200		OOT/T	7,000
American Shad		202		3	320	2	1		CT	6			23.150
Atlantic Croaker		73,150		¥									15
Atlantic Hallout	100 505	020 33	000 703	13	30								1.302.946
Atlantic Herring	108,500	05/030	16,770	204,000	200	2000	137	2 104	1 690	-	2 090	55	99 564
Atlantic Mackerel	50,054	6,004	10,2/9	0,300	0/400	7000	767	2,107	UCU/T	2	3000	5	30
Dall. Bio Evo Tinos								1.219	10.125				11,344
Black Coa Bace	6 774	3 694	6 677	16.372	5.777	1.263	6.313	25		16,614	6,568		69,977
Black Whiting	16.262	136,535	37.800	14,100	5.500	1.020	32.410	35,540	56,500			9,400	345,067
Blue Crah	28 538	200/201	1 500	2.355	1.570	11.870		150				65	46,048
Blue Shark	20,000		2000	25272	2 :2/=		09						09
Rhefin Tina								3,430		3,885	1,950		9,265
Bliefish					810	2,841	19,916	6,305	968'9	36,686	12,902	2,295	88,651
Bonito									20	14	12		46
Butterfish	2,509,542	1,559,553	1,163,403	326,449	35,864	54,665	136,741	77,124	24,348	22,571	14,749	8,019	5,933,028
Channeled Whelk							173	282	224				679
Chub Mackerel	30												30
Cod	36,182	21,649	20,080	26,156	1,058	890	29,236	3,868	2,095	1,718	1,782	1,270	145,984
Conger Eel	2,344	973	449	268	99		15	123	96		155	130	4,619
Crab (Species Not Specified)	5	2	1,225	20	125	118	100		150		64,944		66,722
Crevalle			2,700	1,200	900								4,800
Cunner	9		8	152	99	9	4	3			33		278
Cusk				153			318	416					887
Dogfish (Species Not Specified)					90	665							725
Dolphin Fish (Mahi-Mahi)						66	177	343	449		116		1,184
Eel (Species Not Specified)	996	646	887	792	865	7	7		100	45	173	120	4,603
Escolar											190		190
Flounder (Species Not Specified)			\$	1,579	4,215	2,275	1,583	5		2			9,699
Fourspot Flounder	30					120	170						320
Gizzard Shad						400				.,	,	000	400
Golden Tilefish	06	10,904	4,725	505						9,942	13,313	11,398	20,8//
Green Crab	60,820	17,839	30,842							,			105,501
Haddock	3	2,000	1,245	196		9	2,3/3	455	4/3	1,972			8,723
Hagfish	3,000						750	ļ					3,430
Hake (Species Not Specified)	4,955	2,900	7,507	9,040	8,243	1,000	3,091						41,747
Illex Squid	1,695	4,200	2,192	14,171	1,523	2	9,000	120	1	3	100	27.7	30,021
John Dory	2,005	1,558	1,759	1,378	115			09	525	911	6,985	2,542	17,838
Jonah Crab	204,529	82,034	129,195	173,907	135,966	194,471	113,275	105,384	142,056	150,071	206,216	1/1,959	1,809,063
King Mackerel	22.2.40	1	2	,,,,	2002. 07	400	45.036	140 66	CF 7 C	1 460	060.6	077.3	721 214
King Writing (Kingrish)	32,340	2/1/37	00,721	75,831	48,700	TOO'OOT	43,030	32,0/1	4 500	T,700	3,230	2,,,0	1 500
Knobbed Wheik									7,300				300
Little Tuna	245 430	770 073	020 000	507 503	070 00	20 126	1 217 085	721 686	104 646	283 818	346 251	107 771	4 840 273
Loligo Squid	373,120	020,077	923,303	304,303	01,570	20,120	1,414,000	2 435	130	010,002	310,231	11/17/1	2 565
Mako Shark (Species Not Specified)								151	251	285	535		1.222
Monk I were	4.716	13.826	5,608	1.798		10	10	624	8.447	6.971	14,104	9,916	66,030
Monk Taile	6,600	35 969	9,730	8 580	21 976	1 722	516	18 288	30,103	1.065	4.585	4.282	143,518
I'IUIN Tallo	1,777	המנילרה	7,16	רטיינט	44717	71,1	777	20104	22-100	====/-			(1, t

Table 8. 2001 commercial landings (pounds) for the area south of Tuckernuck Island

	January	February	March	April	May	June	July	August	September	October	November	December	Grand Total
Monkfish (Anglerfish/Goosefish)	164.022	204.285	96,263	123,720	170,120	234,763	84,275	60,472	55,178	199,624	901,401	358,750	2,652,873
Mullets										150			150
Ocean Pout	12	120	894	2,155								260	3,441
Octopus (Species Not Specified)				5						2			7
Other Finfish	970	315						1,000					2,285
Other Invertebrates			30									3	8
Pollock	122		15	1,946	65	18	1,189	307	73	22	8	200	3,998
Porbeagle Shark			39		01, 00	L	100	707			000	002 201	624 550
Red Crab					26,150	185	219,205	123,590	207	100	04,800	167,026	4 402 244
Red Hake (Ling)	58,631	699'62	143,091	121,459	140,825	182,197	153,637	165,478	57,490	36,995	/,/45	16,094	1,103,311
Redfish (Ocean Perch)		4/0	2,980	/د	, 4,	1 00	2000	200	2,0	77.025	22,022	732 667	774 575
Rock Crab	21,656	18,908	18,495	15,150	16,124	39,672	22,561	20,221	15,013	2//035	33,033	73,05/	2/1/7
Rough Scad				400			0,00	0,70					2 272
Sandbar Shark		C.			210	140	2,313	1,010	76+	11	90.061		171 748
Scup (Porgy)	31,6/3	59		5	6,833	140	190	1,314	720	CT	106,00		1 102
Sea Raven	70	15		22	638	130	330					i.	1,103
Sea Robins	9					40	1,500			!		32	1,631
Sea Scallop	4,395	3,000	1		20,880	628	1,230	1,029	310	145	35	18/	31,840
Seatrout, NK	17		19	139	4		388		120	110	180	20	1,004
Shark (Species Not Specified)			6,500						72				6,572
Shrimp (Pandalid)						700	1,610	5,398	2,702	2,700	420		13,530
Silver Hake (Whiting)	467,839	578,794	527,838	450,336	768,367	1,134,648	1,143,908	1,072,207	307,098	242,899	30,859	175,940	6,900,733
Skate	168,415	157,372	132,582	115,019	190,661	451,384	429,036	605,970	472,395	485,808	536,622	189,134	3,934,398
Skate Wings	2,040	1,365	1,060	24,787	8,560	3,625	1,527		8,700	45,775	37,786	39,107	174,332
Smooth Dogfish					40	1,094	1,712	1,235		695	65		4,841
Spanish Mackerel				1,500									1,500
Spiny Dogfish					2,830	2,665			118				5,613
Spotted Weakfish (Spotted Sea Trout)		2		4						22	22	172	253
Squid (Species Not Specified)	28,600	299'5	16,520	3,750	756		110	1,180		75	790		56,856
Striped Bass							260	100	873	38			1,571
Summer Flounder (Fluke)	161,556	148,279	115,764	102,214	20,748	7,195	12,166	18,341	7,003	7,999	30,254	61,257	42 500
Surf Clam							13,580	ç		Ç.	1 016		13,300
Swordfish					.,,,			715		10	1,010		1,040
Tautog					115	ŋ	4	75	7.7	ÀΤ	91		114
Inresner SharK	1	0	00,	1	0,00,	7000,	010	0,00	74	,,,,	000	27 454	070 070
llefish	21,651	49,5/8	53,180	//6'55	15,040	47,280	24,853	27,003	37,085	980	1,820	TC+//7	330,4/0
riggenisii								5	ţ				5
I una (species ivot specified)	CC.	23	S	040			6		220	116	823	36	1 806
Weakiisii (Squeteague/Giay Sea 110ut)	33	203	2 260	3773	1 259	4 610	3 050	2 055	330	1 206	0 740	870	30 080
Winte Hake Windowpane Flounder (Sand-Dab/Brill)	6 212	3,604	2,200	262	120		205	487	2	2021	9	190	14.064
Winter Flounder (Blackhack)	53.715	8.495	10.160	9.960	48.096	149.343	174.677	68.720	31,141	15,211	45,226	27,021	641,765
Witch Flounder (Grav Sole)	2,529	2,876	2,592	264	4,170	10,779	3,291	11,005	9,551	787	85	162	48,091
Wolffish (Ocean Catfish)		230				6	1,076	283	157				1,755
Yellowfin Tuna						627	1,496	8,602	3,607	1,692	2,393		18,417
der	187,735	100,860	56,366	26,955	25,594	47,426	68,104	64,133	33,202	1	33,235	27,788	679,255
		/						ı					

Table 9. 2002 commercial landings (pounds) for the area south of Tuckernuck Island

	January	February	March	April	May	June	July	August	September	October	November	December	November December Grand Total
Albacore Tima							253	1,677	646				2,576
American Eel		20	1,700										1,750
American Lobster	25,956	16,824	24,191	41,195	76,189	193,038	304,729	373,513	328,826	244,896	125,486	63,916	1,818,759
American Plaice Flounder (DAB)	685	150	135	1,500	35	1,200		250				65	4,020
American Shad			6	185	5								199
Atlantic Croaker					15,424				2,900		15		18,339
Atlantic Herring	3.945.675	3.945,675 2,335,785	898,585	112,400	630,015	10		09	100			838,600	8,761,230
Atlantic Mackerel	109,668	926,812	8.234.915	7	33,022	40	35	3,050	4,000	20		7,446	12,234,891
Bio Eve Tina	220/224	4	2/10-/2				136	759	560				1,455
Black Sea Bass	13.811	10.578	4.183	16,366	42,281	4,174	21,035	1,834		17,365	4,530	61	136,218
Black Whiting	730	1,415	7.250	1.160				500			57	365	11,477
Blue Crah		2=: /=	20-7:									1,167	1,167
Bluefin Tina		1.500					219	508	800				3,027
Bluefish	3,983	1,005	5		10,747	14,136	7,225	5,650	10,332	25,073	33,099	4,180	115,435
Bonito								5	276	30	120		431
Butterfish	14,839	27,224	78,170	52,851	15,633	48,855	24,628	14,894	41,991	5,541	1,252	25,414	351,292
Channeled Whelk						365	484	65				213	1,127
Cobia							45						45
Cod	6,873	5,952	1,961	16,400	717	1,469	584	366	246	850	203	4,671	40,292
Conger Eel	268	181	389	220	20	110	196	219	218	355	70	654	2,900
Crab (Species Not Specified)	10							174				2,207	2,391
Crevalle												3,000	3,000
Cunner	70		40										09
Cusk			8		21								24
Dolphin Fish (Mahi-Mahi)							298	562	1,938	7			2,542
Eel (Species Not Specified)	374	887	955	295	06	31	47	8			5	151	2,843
Flounder (Species Not Specified)			525		08							32	637
Fourspot Flounder		70	140	255								100	565
Golden Tilefish	20,049	55,745	86,248	53,567	44,270	10,741	51,567	216'52	89,288	73,944	45,061	75,961	682,356
Haddock	1,510			20,000		1,750		30					23,290
Hake (Species Not Specified)	6							2,330			10	30	2,379
Illex Squid					41,817			200	6,157		20		48,524
John Dory	380	6,870	3,095	1,368	1,000				240		165	1,312	14,430
Jonah Crab	146,025	208,402	252,184	164,138	192,176	222,933	118,034	92,085	118,211	128,492	264,974	364,898	2,275,552
Kina Whiting (Kinafish)	4,065	8,110	15,063	16,371	2,929	6,151	790	228	12,998	50	3,715	101	70,571
Knobbed Whelk							419				50		469
Loliao Sauid	141,440	437,364	724,856	577,793	1,430,048	312,715	794,138	273,167	246,719	164,859	30,251	73,999	5,207,349
Mako Shark (Shortfin)		<u> </u>						251	33	09			344
Mako Shark (Species Not Specified)										40			49
Monk Livers	5,606	7,520	3,696	5,760			210	28	356	1,862	9,384	7,760	42,212
Monk Tails	2,610	12,602	11,822	3,831	1,215	2,509	2,770	966	1,730	3,440	1,739	6,900	52,164
Monkfish (Anglerfish/Goosefish)	302,617	271,999	256,727	558,032	203,423	232,685	46,308	5,770	13,540	49,283	215,756	197,237	2,353,377
Northern Puffer					75								75
Ocean Pout	5		5	749	45							15	819

Table 9. 2002 commercial landings (pounds) for the area south of Tuckernuck Island

	January	February	March	April	May	June	July	August	September	October	November	October November December Grand Total	Grand Total
Other Finfish													59
Pollock	20	20	55			800	33	25	37		30	52	1,122
Red Crab	123,246			20	60,420	255,737	271,041	281,754	172,822	281,400	68,874		1,515,344
Red Hake (Ling)	15,554	31,420	55,046	25,006	21,674	808'28	46,030	40,753	73,232	20,869	3,302	6,970	427,664
Rock Crab	9,220	9,482	6,145	1,141	21,018	36,283	17,279	10,290	21,998	35,893	11,628	15,472	195,849
Sandbar Shark							213						213
Scup (Porqy)	429,839	20,740	5,081	26,706	15,068	811	4,518	2,156	824	1,800	131,675		639,218
Sea Raven		2	Þ		H		70				15	2	43
Sea Robins	370	15		2			70				623		1,030
Sea Scallop	42	17,084	146	50	395	551	461	378	516	40	52	27	19,742
Seatrout, NK	1,410	460	809	325							394		3,197
Shrimp (Panaeid)								2,100					2,100
Shrimp (Pandalid)						6,630	7,566	1,950	25	1,080	885		18,136
Silver Hake (Whiting)	222,867	632,066	731,819	446,469	273,316	327,819	258,178	121,189	226,190	62,410	36,803	58,856	3,397,982
Skate	188,359	101,208	124,226	182,557	130,678	296,990	149,412	270,737	298,876	305,306	266,672	127,043	2,442,064
Skate Wings	27,690	9,557	106	3,090	1,765	5,450			13,757	36,220	64,684	36,441	198,760
Smooth Doafish					1,615	1,500	400				110		3,625
Southern Flounder							1,550						1,550
Spiny Dogfish	1,000				51,263	1,800	200				670		54,933
Spot											450		450
Spotted Weakfish (Spotted Sea Trout)	1,315	885	156	20	10					85	1,223		3,694
Sauid (Species Not Specified)							150						150
Striped Bass						614	6,726	006			20		8,260
Summer Flounder (Fluke)	152,322	217,954	221,220	191,356	12,121	21,538	17,295	15,641	19,804	8,727	36,196	31,347	945,521
Swordfish							009	350					950
Tautog	6			20			132	22		93			276
Tilefish	400	1,472	3,232	583									5,687
Triggerfish									11		4		15
Tuna (Species Not Specified)	25												25
Weakfish (Squeteague/Gray Sea Trout)	2,494	1,882	2,581	376		137	10		909	1,105	1,753	632	11,570
Whelk (Conch Species Not Specified)						75							75
White Hake	570	1,968	1,799	3,225	2,550	2,375	5,450	1,200	2,975	8,875	1,025	28,100	60,112
Windowpane Flounder (Sand-Dab/Brill)	4,903	724	266	92	369	15	1,730	4		75	21	2,620	11,092
Winter Flounder (Blackback)	90,335	13,629	13,748	8,605	30,870	68,234	43,255	12,250	7,310	22,666	23,676	65,072	399,650
Witch Flounder (Gray Sole)	1,194	1,512	1,669	1,895	40	5,581	90	2,800	100	255	85	5	15,226
Wolffish (Ocean Catfish)	10							5					15
Yellowfin Tuna				200			915	1,663	1,346	40			4,164
Yellowtail Flounder	230,027		42,261	19,796	954	39,615		4,145	4,791	14,507	4,069		594,144
Grand Total	6,250,479	~	16	5,471,826	3,368,404	2,213,275	2,258,028	1,625,473	1,727,319	1,517,643	1,390,931	2,175,044	45,276,350

Table 10. 2003 commercial landings (pounds) for the area south of Tuckernuck Island

	January	February	March	April	May	June	July	August	September	October	November	November December Grand Total	Grand Total
Albacore Tuna				┢			100	204	319				623
American Lobster	13,974	5,934	16,427	30,529	260,09	97,760	274,395	344,388	207,442	259,726	187,588	59,042	1,557,302
American Plaice Flounder (DAB)		145	1,650		6,500	5,707	4,520	1,030	280				19,832
American Shad	2			15		300				8			325
Atlantic Halibut						13	17						30
Atlantic Herring	306,000	500	1,161,160	540,925	300,000							1,138,060	3,446,645
Atlantic Mackerel	3,314	8,450	94,680	27,784	370,737	10,990			5	52	20	702,580	1,218,612
Black Bellied Rosefish			20	13									33
Black Sea Bass	5,309	6,062	6,922	2,584	2,451	2,738	22	5,784	731	982	1,584	218	35,422
Black Whiting	170	470	471		20	23,640		150		1,150		2,975	29,046
Blacktip Shark	20												20
Blue Back Herring		750	65										815
Blue Crab			3,287							67,875			71,162
Blue Crab - Bushel	31,176												31,176
Blue Shark							200						200
Bluefin Tuna									639				639
Bluefish	191			Э	707	1,164	211	672	6,181	20,311	3,353	480	33,273
Blueline Tilefish		300	1,290	200									2,090
Bonito								5		40			45
Butterfish	41,770	35,957	62,653	44,701	28,443	10,929	2,850	102	30,764	11,198	6,702	41,516	317,585
Channeled Whelk							475				64	75	614
Chub Mackerel				25									25
Cod	16,296	11,300	18,193	791	2,048	30,670	2,725	099	106	360	175	3,082	86,406
Conger Eel	646	458	236	12	52				9	28	65	386	1,889
Crab (Species Not Specified)					347							20	367
Crevalle		009	1,500										2,100
Cunner								T					Ţ
Cusk		82											82
Dolphin Fish (Mahi-Mahi)							30	250	445				725
Eel (Species Not Specified)	538	1,363	1,550	266	40							744	4,801
Flounder (Species Not Specified)					374		171	459	265				1,269
Fourspot Flounder	40	150	530					200					920
Golden Tilefish	100,067	110,007	109,772	61,740	61,698	24,657	24,250	38,689	44,078	2,960	40,480	81,857	700,255
Haddock	2,070	7,860	2,071		61,995	17,017	5,534	610	2,000				99,157
Hagfish				50,000									50,000
Hake (Species Not Specified)		129			10	16				450		100	705
Illex Squid					550	1,380	20	20	20	9,005			11,055
John Dory	5,673	9,134	6,074	1,695	09		5		20	210	27.2	18,458	41,606
Jonah Crab	257,975	133,959	208,388	98,221	282,567	427,202	265,069	82,124	120,883	236,082	312,832	382,614	2,807,916
King Whiting (Kingfish)	385	3,220	1,400	43,600	22,308				17,385	5,150		13,438	106,886
Little Skate	000	3000	703	1	000	0.00	0.55	707.0	700 077	707	200 201	7 020	703 207
Loligo Squid	336,432	880,063	856,699	227,551	10,03/	3,053	2,416	2,585	116,921	325,123	C0//807	1,0/3,/51	4,103,395
Mark Shark (Species Not Specified)	10.850	11 684	7 264	2 630	2 540	795	647	89	623	7.039	19,102	11.161	73.902
Mont Taile	0.350	5 703	6 084	2,033	41 777	57 468	20.013	13 298	909	4 444	8 201	9 386	190.465
PIOUR TONS	2007	22,72	10010	2777	1+1,,,,	221/12	22/22	2000	22212		= 21/2		n ===: /5 ==

Table 10. 2003 commercial landings (pounds) for the area south of Tuckernuck Island

	January	repruary	March	April	May	שרווב	July	7	วะที่เลาเมา	II	Novellibei	_ II	Cialia sotal
Monkfish (Anglerfish/Goosefish)	226,201	200,495	229,205	417,824	964,791	665,790	211,054	83,982	70,392	190,421	442,812	239,724	3,942,691
Mussels												25	25
Ocean Pout	250		61	70									381
Other Finfish			20										20
Pollock	220	15	195	Ţ	305	1,917	744					200	3,597
Porbeagle Shark				159	20								179
Red Crab	4,608	151,014		54,576			161,982	276,525	210,150	203,275	271,170	121,561	1,454,861
Red Hake (Ling)	26,120	26,179	43,084	44,696	20,850	34,410	3,945	2,926	33,860	28,746	4,260	17,728	286,804
Redfish (Ocean Perch)			5			86						1	104
Rock Crab	12,547	6,215	10,886	845	10,809	33,333	30,296	4,772	33,300	28,159	18,460	950'2	196,678
Sand Tilefish	9				25							290	675
Scup (Poray)	43,333	9	æ	27	2,506	7,389	151	5,926	5,480	17,904	50,560	15,169	148,481
Sea Raven	20						87	5					112
Sea Robins		40	25	5					2	140	65		282
Sea Scallop		9/			105		529	288	218	630	24,223	8,850	35,219
Seatrout, NK	100	25		9								25	156
Shrimp (Pandalid)							300	1,320	1,365	1,270	9,630		13,885
Silver Hake (Whitina)	216,496	127,057	316,713	237,950	122,155	16,353	56,765	31,058	361,881	132,668	27,755	142,310	1,789,161
Skate	90,223	126,545	89,840	131,621	108,305	35,263	186,725	194,750	299,735	236,855	504,674	222,921	2,227,457
Skate Wings	21,568	47,184	32,352	44,898	49,681	26,356	14,696	2,825	6,569	25,485	89,651	86,024	447,289
Smooth Doafish		100	65	81			93	09	370				769
Spiny Doafish							200			600		009	1,400
Spotted Weakfish (Spotted Sea Trout)	15	220	9									30	271
Squid (Species Not Specified)									2,834			3,500	6,334
Striped Bass						74	2,052	31	33		222	30	2,442
Summer Flounder (Fluke)	116,513	166,449	323,328	33,076	6,426	4,515	1,562	4,332	809'6	111,361	21,793	140,386	939,349
Tautog				42	55		30	21	29	12	9	10	205
Tilefish	420	85	006								150	800	2,355
Triggerfish			183					15	159	18			375
Weakfish (Squeteague/Gray Sea Trout)	1,883	1,437	268	10					20	40	115	76	3,879
Whelk (Conch Species Not Specified)								88					88
White Hake	55,763	24,979	58,245	27,500	5,066	44,842	7,700	40	86,000	11,465	8,325	47,340	377,265
Windowpane Flounder (Sand-Dab/Brill)	932		25	77	90	300	700	35	3,260	2		137	5,558
Winter Flounder (Blackback)	41,140	9,406	6,846	886′9	27,525	8,052	121,611	70,005	29,044	14,375	14,825	8,633	358,450
Winter Skate											11,400	13,500	24,900
Winter Skate Wings												878	878
Witch Flounder (Gray Sole)	637	339	1,342	159	2,170	6,240	5,826	12,216	8,125	380	4	997	38,471
Wolffish (Ocean Catfish)						400		5					405
Yellowfin Tuna							236	393	558	9			1,193
Yellowtail Flounder	47,231	20,343	4,370		20,231	15,145	19,764	48,425	18,055	_			204,789
	2 040 547	2 DAR 547 2 143 489 3 687 983	2 687 983	7 139 165	2 596.473	1,615,476	1 430 753	1 231 672	1.740.133	1 959 052	2.351.684	4 673 186	27.567.613

Table 11. 2004 commercial landings (pounds) for the area south of Tuckernuck Island

	January	February	March	April	May	June	July	August	September	October	November	November December	Grand Total
Albacore Tuna							4	493	2,147	1,386	1,500		5,530
American Lobster	14,373	12,450	20,921	25,629	37,475	74,588	113,162	137,850	208,041	265,580	198,114	66,053	1,174,236
American Plaice Flounder (DAB)		470	100	1,180		4							1,790
American Shad		54				150	382	15	8,500				9,101
Atlantic Croaker				5							1,632		1,637
Atlantic Halibut			45										45
Atlantic Herring	163,000		60,725	60,000	220,000							1,772,683	2,276,408
Atlantic Mackerel	6,992,195	20,054	3,429	4,175	673,722	250				10		20	7,693,885
Bait											33,000		33,000
Bio Eve Tuna								330	2,000		5,500		12,890
Black Sea Bass	2,275	6,883	5,980	11,899	2,450	4,304	155	7,366	546	4,176	9,530	3,112	58,676
Black Whiting	1.610	5,100	37,145		22,550	35	20,250	37,000	6,708		7		130,405
Blue Crab		100				10,000	2,800			2,400			15,300
Bliefin Tina									170	4,000	650		4,820
Rliefish				3.570	326	3,490	7,270	17,186	20,040	22,612	19,248	9,534	103,276
Blueline Tilefish	100	400									30	200	730
Bonito							52	10	56		30		118
Rutterfish	82.070	30,885	27,201	21,135	32,277	4,248	6,346	7,520	3,531	2,358	27	2,079	219,677
Cancer Crab								12					12
Channeled Whelk						1,450	38	20					1,538
Dod	2.414	15.911	19.261	11,387	489	168	280	410	97	205	188	927	51,737
Congressed	871	279	56	25	4		10	F			10	1	1,257
Crab (Species Not Specified)			40			21	6						70
Cunner		32		90				450	20	1,975	1		2,568
Dooffsh (Species Not Specified)					450	9							490
Dolphin Fish (Mahi-Mahi)							35	318	300	258			911
Eel (Species Not Specified)	480	415	280	110					20	256		12	1,603
Flounder (Species Not Specified)		100		100								30	230
Fourspot Flounder		200	150				480	100			145	735	1,810
Golden Tilefish	134,192	207,262	358,925	159,734	149,667	896'09	79,284	60,237	20,909	124,032	58,996	134,798	1,599,004
Grouper (Species Not Specified)					250								250
Haddock		9,119	006'9	24,860								3	40,882
Hake (Species Not Specified)	2,555		150										2,705
Illex Squid				1,000	3,510	5,940	82,910	312,680	160				406,200
John Dory	5,417	6,847	1,518	3,330	210		30			100			17,452
Jonah Crab	140,624	203,281	125,316	212,435	276,538	334,911	383,224	282,934	153,005	93,174	164,622	270,192	2,640,256
King Whiting (Kingfish)	38,526	56,689	35,080	6,800	36,000		2,821	1,200	1,200	37,500	150	130	186,096
Little Skate	10,000									4,300	5,900	136,000	156,200
Little Skate Wings											300		300
Little Tuna							420						420
Loligo Squid	1,700,093	2,396,046	632,817	374,777	63,401	171,785	102,510	62,603	98,816	103,394	8,369	124,964	5,844,575
Mako Shark (Shortfin)								150	100	350			009
Monk Livers	16,730	29,689		13,207	5,330	2,814	1,105	309	72	1,223	8,694	10,269	97,291
Monk Tails	5,429	29,912		22,991	31,193	7,805	15,659	4,507	1,273	2,324	988′6	15,133	159,873
Monkfish (Anglerfish/Goosefish)	478,041	774,949	Ľ	739,060	591,854	270,598	64,230	26,760	6,039	19,496	135,322	147,910	3,756,672
Ocean Pout		8		165					20				193
Other Finfish										3			<u>ب</u>
Other Invertebrates			40	157									197

Table 11. 2004 commercial landings (pounds) for the area south of Tuckernuck Island

	January	February	March	April	May	June	July	August	September		November	October November December Grand Total	Grand Total
Pollock	351	423	1,460	199	ī	2	3	24	28			105	2,596
Porbeagle Shark		20				110							130
Red Crah	41.775	56.475		61,220	53,325		103,000	274,869	331,607	221,520	323,566	143,647	1,611,004
Red Hake (Ling)	14,201	41,780	42,903	18,274	36,367	15,065	74,331	116,288	45,657	18,485	442	240	424,033
Redfish (Ocean Perch)				30									30
Rock Crab	327	8,085	25	4,705	6,885	32,499	115,740	47,222	13,077	25,783	16,812	42,457	313,617
Sand Tilefish	348			4									352
Scallops - Bushel										25		400	425
Scup (Pordy)	2,001	2,300	4,233	64,957	1,947	1,608	828	2,352	1,687	15,870	172,095	83,706	353,584
Sea Raven	23			10			15	145	40			3	236
Sea Rohins										71	20	520	641
Sea Scallon	18.000	7.883	12.564	22.527	999	3.083	6,340	14,053	11,995	6,784	97,735	40,527	242,157
Seatrout NK	25	83	104	2					45				259
Shark (Species Not Specified)											800		800
Shrimn (Panaeid)							155	220					375
Shrimp (Pandalid)						533	1,175	897	1,275	175			4,055
Shrimn (Species Not Specified)				100									100
Silver Hake (Whiting)	365,258	627,540	488,200	236,215	199,497	134,140	235,020	462,992	177,001	33,378	2,469	4,362	2,966,072
Skate	95,016	162,244	154,361	204,196	221,154	179,138	146,570	156,825	207,500	521,831	203,383	104,464	2,356,682
Skate Wings	9,968	172,973	16,692	56,212	137,651	41,380	1,685	75	16	9,251	45,466	58,793	550,162
Skiniack Tuna									99				30
Smooth Doofish						1,000	40	170	810	1,000			3,020
Spider Crab		9.450											9,450
Spiny Dogfish	006	100		1,025	096	066		1,020	1,800	13,836	3,816	2,300	26,747
Spotted Weakfish (Spotted Sea Trout)	93	28	23			93							154
Sauid (Species Not Specified)										15,000			15,000
Striped Bass						154	598	153	15	64	81		1,065
Summer Flounder (Fluke)	341,878	583,991	85,366	55,835	8,156	20,630	8,647	23,820	15,217	48,228	125,431	146,903	1,464,102
Swordfish								1,000	1,200	1,200	2,000		5,400
Tautog							24		211	271	130		636
Tilefish	400	290		09						25			807
Tuna (Species Not Specified)									32				32
Wahoo								100					100
Weakfish (Squeteague/Gray Sea Trout)	144	207	48	23	31			20	120	835	99		1,494
Whelk (Conch Species Not Specified)				7			20						57
White Hake	36,410	36,550	59,990	24,371	41,500	5,000	56,600	86,798	19,563	2,591	32	200	369,905
Windowpane Flounder (Sand-Dab/Brill)	48	645	390	185			130	100		32		1,580	3,110
Winter Flounder (Blackback)	2,520	2,010	4,685	8,252	11,200	2,530	21,610	25,830	7,589	25,082	29,430	120,554	261,292
Winter Skate				33,000	18,905						6,670		58,575
Winter Skate Wings					15,400					10,000	3,800	2,000	31,200
Witch Flounder (Gray Sole)	393	2,275	3,566	1,454	50		250	12	300	09	280	547	9,187
Wolffish (Ocean Catfish)				10		30							40
Yellowfin Tuna						330	399	3,854	3,770	4,797	2,000		15,300
Yellowtail Flounder	1,525	16,396						18,655		7,320		40,809	103,216
Grand Total	10,722,599	5,508,883	2,736,777	2,497,079	2,903,431	1,391,837	1,657,732	2,203,045	1,433,435	1,674,658	1,701,440	3,489,232	37,920,148

Table 12. Total federally-reportable commercial landings (pounds) and number of species landed by month and year (Source: NMFS Vessel Trip Report Data for Area 537)

1999			No. Species	82	81	72	104	68	83	81	93	82	88	90	82	1,033
1998	Total	Landings	(sql)	6,057,635	5,557,807	5,174,398	3,011,345	2,402,064	3,537,931	3,416,936	2,566,944	3,979,237	4,273,794	3,177,557	3,622,302	46,777,950
		į	Species	85	87	9/	95	82	119	8	94	109	103	80	88	1,105
1997	Total	Landings	(sql)	4,965,695	7,924,335	6,331,398	4,164,481	3,605,314	3,744,508	3,739,067	3,537,248	4,991,021	4,524,387	2,158,799	3,592,757	53,276,010
		ė	Species	78	94	69	78	97	106	100	100	112	92	95	92	1,113
1996	Total	Landings	(sql)	6,856,327	6,133,864	6,019,870	5,950,154	5,188,026	2,690,783	2,777,715	3,581,165	3,515,722	4,051,864	6,130,604	5,246,193	58,142,287
,		ė	Species	118	82	- 22	87	114	119	109	131	101	105	104	110	1,257
1995	Total	Landings	(sql)	5,520,880	4,665,186	6,349,984	5,651,531	2,887,438	3,109,525	4,189,666	3,127,225	3,076,985	3,206,780	1,624,890	2,529,453	45,939,543
		Š.	Species	959	888	933	1,002	941	852	608	851	890	1,035	709	1,248	11,109
1994	Total	Landings	(sql)			258,791	3,695,746	1,776,935	2,611,746	2,609,931	2,814,038	7,246,341	4,549,950		3,181,250	31,147,995
,I		Š.	Species			41	390	407	536	514	672	892	888	830	977	6.147
			MONTH	January	February	March	April	Mav	Time	NII/	August	September	October	November	December	Grand Total

			긺	7	7	٦	_		_		П	1				司
			Total Landings (lbs)	55,608,940	52,237,932	57,652,830	42,426,931	31,405,478	30,700,770	33,540,021	30,787,012	35,755,218	23,968,224	30,012,262	35,421,179	468,516,797
2004	Total	Landings	(lbs)	10,722,599	5,508,883	2,736,777	2,497,079	2,903,431	1,391,837	1,657,732	2,203,045	1,433,435	1,674,658	1,701,440	3,489,232	37,920,148
		<u>.</u>	Species	67	73	58	85	70	89	73	79	81	94	68	<i>L</i> 9	904
2003	Total	Landings	(sql)	2,048,547	2,143,489	3,687,983	2,139,165	2,596,473	1,615,476	1,430,753	1,231,672	1,740,133	1,959,052	2,351,684	4,623,186	27,567,613
		Š.	Species	64	61	- 29	63	75	69	20	72	71	61	55	72	800
2002	Total	Landings	(sql)	6,250,479	540,612	11,817,316	5,471,826	3,368,404	2,213,275	2,258,028	1,625,473	1,727,319	1,517,643	1,390,931	2,175,044	45,276,350
		Š	Species	77	29	7.1	89	71	29	78	75	49	54	76	74	842
2001	Total	Landings	(sql)	4,855,765	4,062,218	4,181,204	2,764,954	1,942,512	2,920,720	4,399,376	3,164,575	1,867,866	1,933,475	2,699,459	1,632,548	36,424,672
		So.	Species	99	65	81	78	74	78	97	\$	8	77	79	54	917
2000	Total	Landings	(sql)	2,554,823	5,547,707	3,673,837	2,121,347	1,559,927	3,606,412	3,256,759	3,872,343	3,368,404	2,397,919	3,780,043	2,908,320	38,647,841
2		Š.	Species	78	92	79	81	98	79	8	93	93	88	77	65	1,001
			MONTH	January	February	March	April	May	June	July	August	September	October	November	December	Grand Total

Table 13. Top 20 federally-reportable commercial species landed (pounds) from Area 537 (Source: NMFS Vessel Trip Report Data for Area 537)

Charias	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	Grand Total
Atlantic Herring	1.036.400	5.505.545	5.505.545 13.914.398	10,382,565	5,228,357	8,282,320	6,151,077	1,302,946	8,761,230	3,446,645	2,276,408	66,287,891
Silver Hake (Whiting)	4.495,746	7,026,700	8,594,140	7,945,340	7,107,976	5,895,824	7,721,278	6,900,733	3,397,982	1,789,161	2,966,072	63,840,952
Lolino Sauid	7.889.974	5,430,481	4.879.523	4,589,031	7,188,567	6,605,265	4,074,037	4,840,273	5,207,349	4,103,396	5,844,575	60,652,471
Skate	2,094,350	2,761,886	4,590,493	6,902,689	6,389,164	4,269,972	3,820,212	3,934,398	2,442,064	2,227,457	2,356,682	41,789,367
Monkfish (Analerfish/Goosefish)	2,729,225	4,385,905	5,080,805	4,443,799	3,326,552	4,683,593	2,967,150	2,652,873	2,353,377	3,942,691	3,756,672	40,322,642
Atlantic Mackerel	1,571,045	4,875,109	5,801,529	3,008,088	584,932	1,177,579	720,423	99,564	12,234,891	1,218,612	7,693,885	38,985,657
American Lobster	1,351,023	1,965,426	2,309,457	3,037,752	2,602,481	2,995,387	2,342,206	2,193,548	1,818,759	1,557,302	1,174,236	23,347,577
Butterfish	1,188,713	1,576,820	1,678,105	2,285,717	1,451,897	1,119,224	503,963	5,933,028	351,292	317,585	219,677	16,626,021
Tonah Crah	97,638	166,893	469,916	942,428	1,319,390	1,537,743	1,796,458	1,809,063	2,275,552	2,807,916	2,640,256	15,863,253
Summer Flounder (Fluke)	661,278	1,722,608	1,285,215	831,980	813,120	915,555	679,049	692,776	945,521	939,349	1,464,102	10,950,553
Smid (Species Not Specified)	1,493,763	1,780,471	614,174	1,341,932	2,370,343	1,686,433	900,298	56,856	150	6,334	15,000	10,265,754
Red Hake (Ling)	351,486	845,477	683,752	792,585	966,293	1,176,482	1,288,277	1,163,311	427,664	286,804	424,033	8,406,164
Tilefish	47,271	1.026,906	951,928	1,743,495	1,626,502	619,539	399,570	358,470	5,687	2,355	807	6,782,530
Red Crab		12,362	480	120	127,620	892,368	280	621,558	1,515,344	1,454,861	1,611,004	6,235,997
Spiny Doafish	1,314,463	1,122,475	1,263,732	962,899	705,465	457,039	224,029	5,613	54,933	1,400	26,747	6,143,795
White Hake	819,833	848,086	914,684	630,432	1,000,465	663,286	38,545	39,080	60,112	377,265	369,905	5,761,693
Winter Flounder (Blackback)	395,110	411,772	673,265	494,866	479,586	510,104	816,095	641,765	399,650	358,450	261,292	5,441,955
Scup (Porav)	969,108	734,564	608,499	274,745	378,902	359,034	252,315	121,748	639,218	148,481	353,584	4,840,198
Illex Squid	512,931	542,614	1,199,671	757,936	667,376	118,238	519,001	30,021	48,524	11,055	406,200	4,813,567
Yellowtail Flounder	102,591	164,530	358,749	277,101	360,348	802,639	637,122	679,255	594,144	204,789	103,216	4,284,484
Grand Total	29,121,948	29,121,948 42,906,630 55,872,515	111	51,650,500	44,695,336	44,767,624	35,851,385	51,650,500 44,695,336 44,767,624 35,851,385 34,076,879	43,533,443	25,201,908	33,964,353	441,642,521

Table 14a. Total federally-reportable landings (pounds) for finfish and squid species and proportion of total catch for each species (Source: 1994-1995 NMFS Vessel Trip Report Catch Data for Area 537)

Species Name	Total	% of total	Species Name	Total	% of tot
-	Pounds	catch		Pounds	catch
oligo Squid Iver Hake (Whiting)	7,889,974 4,495,746	26.65% 15.19%	Silver Hake (Whiting) Atlantic Herring	7,026,700 5,505,545	
onkfish (Anglerfish/Goosefish)	2,729,225	9,22%	Loligo Squid	5,430,481	
ate	2,094,350	7.07%	Atlantic Mackerel	4,875,109	
dantic Mackerel	1,571,045	5.31%	Monkfish (Anglerfish/Goosefish)	4,385,905	10.09
guid (Species Not Specified)	1,493,763	5.05%	Skate	2,761,886	6.35
oiny Dogfish	1,314,463	4.44%	Squid (Species Not Specified)	1,780,471	4.09
utterfish	1,188,713	4.02%	Summer Flounder (Fluke)	1,722,608	
dantic Herring	1,036,400	3.50%	Butterfish	1,576,820	3.63
up (Porgy)	969,108	3.27%	Spiny Dogfish	1,122,475	2,58
hite Hake	819,833	2,77%	Tilefish	1,026,906	
ımmer Flounder (Fluke)	661,278	2.23%	White Hake	848,086	
ack Whiting	520,588 512,931	1.76% 1.73%	Red Hake (Ling) Scup (Porgy)	845,477 734,564	1.94 1.69
ex Squid uefish	437,467	1.48%	King Whiting (Kingfish)	695,390	
inter Flounder (Blackback)	395,110	1.33%	Illex Squid	542,614	
ed Hake (Ling)	351,486		Black Whiting	466,301	
ng Whiting (Kingfish)	301,045	1.02%	Winter Flounder (Blackback)	411,772	
od	118,899	0.40%	Bluefish	265,674	
itch Flounder (Gray Sole)	103,220	0.35%	Cod	245,243	
llowtail Flounder	102,591	0.35%	Yellowtail Flounder	164,530	
ogfish (Species Not Specified)	92,070	0.31%	Yellowfin Tuna	138,594	
g Eye Tuna	49,680	0.17%	Hake (Species Not Specified)	135,007	0.3
efish	47,271	0.16%	Dogfish (Species Not Specified)	115,582	
indowpane Flounder (Sand-Dab/Brill)	36,693	0.12%	Monk Tails	73,343	
llowfin Tuna	35,783		Windowpane Flounder (Sand-Dab/Brill)	52,106	
bacore Tuna	32,091	0.11%	Other Finfish	51,726	
ounder (Species Not Specified)	28,387	0.10%	Witch Flounder (Gray Sole)	51,605	
onk Tails	27,673	0.09%	Big Eye Tuna	46,711	
ther Finfish	20,660		Skate Wings	46,076	
uefin Tuna	16,649		Flounder (Species Not Specified)	33,599	
ke (Species Not Specified)	16,410		Monk Livers	33,545	
vordfish	14,701		Black Sea Bass	32,662	
onk Livers	13,443	0.05%	Albacore Tuna	26,845	
merican Plaice Flounder (DAB)	13,278		John Dory Swordfish	26,072	
rate Wings ack Sea Bass	12,898 6,467		Ocean Pout	22,777 19,978	
nub Mackerel	5,460		Chub Mackerel	17,328	
andbar Shark	3,273		American Plaice Flounder (DAB)	16,180	
olphin Fish (Mahi-Mahi)	2,481	<0.01%	Pollock	12,286	
edfish (Ocean Perch)	2,345		Shark (Species Not Specified)	11,807	
ohn Dory	2,286		Redfish (Ocean Perch)	10,641	
autog	2,101		Wolffish (Ocean Catfish)	9,771	
merican Shad	2,011		Shrimp (Pandalid)	7,998	
onito	1,405		Blue Back Herring	7,000	
cean Pout	1,305	<0.01%	Weakfish (Squeteague/Gray Sea Trout)	6,217	0.0
ako Shark (Shortfin)	1,293	<0.01%	Bluefin Tuna	4,754	0.0
ourspot Flounder	940	<0.01%	Conger Eel	4,606	
nark (Species Not Specified)	938		Eel (Species Not Specified)	4,342	
merican Eel	800		Dolphin Fish (Mahi-Mahi)	4,320	
eakfish (Squeteague/Gray Sea Trout)	759		Tautog	3,193	
hrimp (Pandalid)	720		Smooth Dogfish	3,070	
ako Shark (Longfin)	475		Haddock	2,319	
usky Shark	441		Spotted Weakfish (Spotted Sea Trout)	2,169	
olffish (Ocean Catfish)	423 388		Mako Shark (Shortfin)	2,164	<0.0
riped Bass	352		Cusk Tuna (Species Not Specified)	1,635 1,441	<0.0 <0.0
onger Eel ollock	314		Sea Robins	1,441	
una (Species Not Specified)	233		Bonito	1,221	
mooth Dogfish	200		Seatrout, NK	1,080	
ea Robins	163		Porbeagle Shark	1,027	
ako Shark (Species Not Specified)	138		Striped Bass	909	
el (Species Not Specified)	102	<0.01%	American Shad	834	
addock	97	<0.01%	Fourspot Flounder	815	<0.0
a Raven	79		Sculpins	375	
ootted Weakfish (Spotted Sea Trout)	71		Mako Shark (Species Not Specified)	362	
ue Back Herring	70		Thresher Shark	311	
riggerfish	53		Sea Raven	253	
and Tiger Shark	35		Wahoo	226	
ısk	28		Sharpnose Shark	180	
unner	27		Mako Shark (Longfin)	145	
ickory Shad	13		Frigate Mackerel	130	
ng Mackerel	ε		Atlantic Halibut	60	
rand Total	29,603,214	1	Cunner	45	
			King Mackerel	30	
			Triggerfish	18	<0.0
			Gizzard Shad	2	<0.0

Table 14b. Total federally-reportable landings (pounds) for finfish and squid species and proportion of total catch for each species (Source: 1996-1997 NMFS Vessel Trip Report Catch Data for Area 537)

1996	,	U. at tatal	1997	,	0/
Species Name	Total Pounds	% of total annual catch	Species Name	Total Pounds	% of total annual catch
Atlantic Herring	13,914,398	25,27%	Atlantic Herring	10,382,565	21.22%
Silver Hake (Whiting)	8,594,140	15.61%	Silver Hake (Whiting)	7,945,340	16.24%
Atlantic Mackerel	5,801,529 5,080,805	10.54%	Skate	6,902,689	14.11%
Monkfish (Anglerfish/Goosefish) Loligo Squid	4,879,523	9.23% 8.86%	Loligo Squid Mankfish (Anglerfish/Goosefish)	4,589,031 4,443,799	9.38% 9.08%
Skate	4,590,493	8.34%	Atlantic Mackerel	3,008,088	6.15%
Butterfish	1,678,105	3.05%	Butterfish	2,285,717	4.67%
Summer Flounder (Fluke)	1,285,215	2,33%	Tilefish	1,743,495	3.56%
Spiny Dogfish	1,263,732	2,30%	Squid (Species Not Specified)	1,341,932	2.74%
Illex Squid	1,199,671	2.18%	Spiny Dogfish	967,899	1.98%
Tilefish	951,928 914,684	1.73%	Summer Flounder (Fluke)	831,980	1.70%
White Hake Red Hake (Ling)	683,752	1.66% 1.24%	Red Hake (Ling) Illex Squid	792,585 757,936	1.62% 1.55%
Winter Flounder (Blackback)	673,265	1.22%	White Hake	630,432	1.29%
Squid (Species Not Specified)	614,174	1.12%	Winter Flounder (Blackback)	494,866	1.01%
Scup (Porgy)	608,499	1.11%	Yellowtail Flounder	277,101	0.57%
Yellowtail Flounder	358,749	0.65%	Scup (Porgy)	274,745	0.56%
Bluefish	316,922	0.58%	Monk Tails	268,224	0.55%
Dogfish (Species Not Specified)	296,529	0.54%	Bluefish	223,293	0.46%
Cod	174,080	0.32%	Monk Livers	107,672	0.22%
Flounder (Species Not Specified)	151,121	0.27%	Skate Wings	106,418	0.22%
King Whiting (Kingfish) Hake (Species Not Specified)	146,200 86,124	0.27% 0.16%	Dogfish (Species Not Specified) Cod	87,782 61,124	0.18% 0.12%
Black Whiting	85,632	0.16%	Flounder (Species Not Specified)	55,732	0.12%
Monk Tails	82,993	0.15%	Hake (Species Not Specified)	53,566	0.11%
Windowpane Flounder (Sand-Dab/Brill)	81,806	0.15%	Black Sea Bass	44,513	0.09%
Skate Wings	59,190	0.11%	Witch Flounder (Gray Sole)	43,650	0.09%
Witch Flounder (Gray Sole)	58,349	0.11%	Shrimp (Pandalid)	37,456	0.08%
Monk Livers	53,436	0.10%	Yellowfin Tuna	35,393	0.07%
Black Sea Bass	53,349	0.10% 0.10%	Other Finfish Windowpane Flounder (Sand-Dab/Brill)	24,905	0.05%
American Plaice Flounder (DAB) Other Finfish	52,671 48,624	0.10%	John Dorv	23,029 13,506	0.05% 0.03%
Yellowfin Tuna	44,080	0.08%	Swordfish	12,083	0.02%
Shrimp (Pandalid)	31,487	0.06%	American Plaice Flounder (DAB)	11,830	0.02%
John Dory	20,524	0.04%	Big Eye Tuna	10,680	0.02%
Big Eye Tuna	12,425	0.02%	Albacore Tuna	3,780	<0.01%
Swordfish	12,392	0.02%	Weakfish (Squeteague/Gray Sea Trout)	3,265	<0.01%
Redfish (Ocean Perch)	11,522	0.02%	Conger Eel	3,047	<0.01%
Weakfish (Squeteague/Gray Sea Trout)	9,792	0.02%	Haddock	2,629	<0.01%
Eel (Species Not Specified)	8,470 7,868	0.02% 0.01%	Seatrout, NK Dolphin Fish (Mahi-Mahi)	2,496 2,348	<0.01% <0.01%
Smooth Dogfish Wolffish (Ocean Catfish)	7,000	0.01%	Shrimp (Species Not Specified)	2,348	<0.01%
Pollock	6,912	0.01%	Pollock	1,941	<0.01%
Sculpins	5,600	0.01%	Bluefin Tuna	1,842	<0.01%
Bluefin Tuna	5,002	<0.01%	Eel (Species Not Specified)	1,635	<0.01%
Tautog	4,135	<0.01%	Blue Back Herring	1,610	<0.01%
Fourspot Flounder	4,075		Bait	1,500	<0.01%
Albacore Tuna	3,722	<0.01%	American Shad	1,330	<0.01%
Conger Eel	3,231	<0.01%	Sea Robins	1,267	<0.01%
Cusk Seatrout, NK	2,719 2,535	<0.01% <0.01%	Tautog Redfish (Ocean Perch)	1,069 915	<0.01% <0.01%
Shark (Species Not Specified)	2,535		Bonito	891	<0.01%
Sandbar Shark	1,752		Striped Bass	837	<0.01%
Spotted Weakfish (Spotted Sea Trout)	1,226		Fourspot Flounder	710	<0.01%
American Eel	1,030		Ocean Pout	626	<0.01%
Atlantic Halibut	1,000		Mako Shark (Species Not Specified)	567	<0.01%
Menhaden	1,000		Cunner Borbooks Charle	500	<0.01%
Mako Shark (Shortfin) Porbeagle Shark	957 946	<0.01% <0.01%	Porbeagle Shark Smooth Dogfish	384 371	<0.01% <0.01%
Striped Bass	880		Other Invertebrates	300	
American Shad	489		Bull Shark	264	
Chub Mackerel	435		Sea Raven	264	
Haddock	421	<0.01%	Wolffish (Ocean Catfish)	239	
Dolphin Fish (Mahi-Mahi)	391		Mako Shark (Shortfin)	235	
King Mackerel	350		Shark (Species Not Specified)	226	
Sea Robins	350		King Mackerel	208	<0.01%
Bonito Greenland Halibut	325		Cusk	181	
Greenland Halibut Sea Raven	250 223		Mako Shark (Longfin) Dusky Shark	168 160	
Atlantic Croaker	200		King Whiting (Kingfish)	159	
Mako Shark (Longfin)	169		Spotted Weakfish (Spotted Sea Trout)	124	
Blue Shark	161		Black Whiting	110	
Thresher Shark	150	<0.01%	Thresher Shark	73	<0.01%
Wahoo	120	<0.01%	White Marlin	70	<0.01%
Marlin (Species Not Specified)	85		Wahoo	34	
Ocean Pout	83		Sandbar Shark	32	
Triggerfish	70		Triggerfish	30	
Tiger Shark Skipjack Tuna	45		Chub Mackerel Atlantic Halibut	20 12	<0.01% <0.01%
Cunner	25		Skipjack Tuna	8	
Black Bellied Rosefish	22		Blue Shark	1 1	
Sea Urchins	8	<0.01%	Grand Total	48,931,634	1

Sum of landings within gray shaded area equal 90% or greater of total landings for that year.

Table 14c. Total federally-reportable landings (pounds) for finfish and squid species and proportion of total catch for each species (Source: 1998-1999 NMFS Vessel Trip Report Catch Data for Area 537)

1998	<u> </u>		1999	1	% of total
Species Name	Total Pounds	% of total annual catch	Species Name	Total Pounds	annual catch
.oligo Squid	7,188,567	17.06%	Atlantic Herring	8,282,320	20.19%
Silver Hake (Whiting) Skate	7,107,976 6,389,164	16.86% 15.16%	Loligo Squid Silver Hake (Whiting)	6,605,265 5,895,824	16.10% 14.37%
skaue Atlantic Herring	5,228,357	12.41%	Monkfish (Anglerfish/Goosefish)	4,683,593	11.42%
Honkfish (Anglerfish/Goosefish)	3,326,552	7.89%	Skate	4,269,972	10.41%
Squid (Species Not Specified)	2,370,343	5.62%	Squid (Species Not Specified)	1,686,433	4,11%
Tilefish	1,626,502	3.86%	Atlantic Mackerel	1,177,579	2.87%
Butterfish	1,451,897	3.44%	Red Hake (Ling)	1,176,482	2.87%
White Hake	1,000,465	2.37%	Butterfish	1,119,224	2.73%
Red Hake (Ling)	966,293	2.29%	Summer Flounder (Fluke)	915,555	2.23%
Summer Flounder (Fluke)	813,120	1.93%	Yellowtall Flounder	802,639	1.96%
Spiny Dogfish	705,465	1.67%	White Hake	663,286	1.629
Illex Squid	667,376	1.58%	Tilefish	619,539	1.51%
Atlantic Mackerel	584,932	1.39%	Winter Flounder (Blackback)	510,104	1.24%
Winter Flounder (Blackback)	479,586	1.14%	Spiny Dogfish	457,039	1.119
Monk Tails	399,199	0.95% 0.90%	Scup (Porgy) Monk Tails	359,034	0.889 0.599
Scup (Porgy) Yellowtail Flounder	378,902 360,348	0.90%	Dogfish (Species Not Specified)	240,587 193,348	0.59%
reliowali riodiluel Bluefish	165,869	0.39%	Bluefish	181,985	0.44%
Hake (Species Not Specified)	125,890		Black Whiting	173,801	0.429
Black Whiting	89,195	0.21%	King Whiting (Kingfish)	145,746	0.36%
Monk Livers	86,713		Illex Squid	118,238	0.29%
Skate Wings	73,089	0.17%	Monk Livers	108,215	0.26%
Cod	70,616		Hake (Species Not Specified)	93,709	0.23%
Flounder (Species Not Specified)	67,616		Black Sea Bass	93,266	0.23%
Dogfish (Species Not Specified)	49,358	0.12%	Witch Flounder (Gray Sole)	80,935	0.20%
King Whiting (Kingfish)	44,050		Cod	79,577	0.19%
Witch Flounder (Gray Sole)	39,988	0.09%	Skate Wings	28,364	0.07%
Black Sea Bass	38,970		Flounder (Species Not Specified)	26,568	
American Shad	32,408		American Plaice Flounder (DAB)	20,996	
Pollock	30,749		Yellowfin Tuna	18,369	
Other Finfish	21,190		Shrimp (Pandalid)	16,397	
Yellowfin Tuna	20,814		Bluefin Tuna	16,282	
Albacore Tuna	17,651		Weakfish (Squeteague/Gray Sea Trout)	15,980	
Big Eye Tuna	17,355		John Dory	13,895	0.03%
Shrimp (Pandalid) Swordfish	13,445 13,192		Haddock Windowpane Flounder (Sand-Dab/Brill)	13,528 13,051	0.0339 0.0329
John Dory	9,835		Seatrout, NK	12,509	
Windowpane Flounder (Sand-Dab/Brill)	9,790		Big Eye Tuna	11,638	
American Plaice Flounder (DAB)	8,568		Other Finfish	11,465	
Fourspot Flounder	7,845		Swordfish	8,270	
Seatrout, NK	7,143		Pollock	8,019	
Weakfish (Squeteague/Gray Sea Trout)	5,657		Conger Eel	6,580	
Conger Eel	4,909		Wolffish (Ocean Catfish)	5,234	
Eel (Species Not Specified)	3,907	<0.01%	Albacore Tuna	4,330	0.019
Bonito	2,986		Striped Bass	3,850	
Striped Bass	2,853		Dolphin Fish (Mahl-Mahi)	3,128	
Haddock	2,655		Fourspot Flounder	2,965	
Dolphin Fish (Mahi-Mahi)	2,560		Bonito	2,625	
Tautog	1,682		Ocean Pout	2,434	
Smooth Dogfish	1,505		Redfish (Ocean Perch)	2,344	
Shrimp (Species Not Specified)	1,468		Smooth Dogfish	2,318	
Blue Back Herring	1,415		Spotted Weakfish (Spotted Sea Trout)	2,107	
Bluefin Tuna	1,396 970		American Shad Eel (Species Not Specified)	1,710 1,651	
Sea Raven Spotted Weakfish (Spotted Sea Trout)	964		Cunner	1,051	
Wolffish (Ocean Catfish)	932		Sea Urchins	1,350	
Porbeagle Shark	787		Sea Raven	1,172	
Ocean Pout	700		Skipjack Tuna	1,077	
Sea Robins	612		Tautog	620	
Skipjack Tuna	531		Blue Back Herring	570	
Mako Shark (Species Not Specified)	464		Other Invertebrates	400	
Redfish (Ocean Perch)	431		Mako Shark (Shortfin)	249	< 0.019
Cusk	275	<0.01%	Chub Mackerel	210	
Thresher Shark	246		Mako Shark (Species Not Specified)	125	< 0.019
Mako Shark (Shortfin)	221		Cusk	96	
Triggerfish	139		Sea Robins	92	
Cunner	125		Porbeagle Shark	80	
Tuna (Species Not Specified)	87		Atlantic Croaker	75	
Blue Shark	66		Tiger Shark	64	
Wahoo	35		Wahoo	46	
Little Tuna	32		Mullets	30	
Lumpfish	12		Tuna (Species Not Specified)	26	
Rough Scad	6		Little Tuna	10	
Mako Shark (Longfin) Grand Total	42,147,012		Sculpins Triggerfish	10	
Granu Tutar	174,147,012	·	King Mackerel	2	
			I raing i racher Gi		. ~U.U.17

Table 14d. Total federally-reportable landings (pounds) for finfish and squid species and proportion of total catch for each species (Source: 2000-2001 NMFS Vessel Trip Report Catch Data for Area 537)

2000	1	% of total	2001	7-1-1	% of to
Species Name	Total Pounds	annual catch	Species Name	Total Pounds	annua catch
ilver Hake (Whiting)	7,721,278	23.04%	Silver Hake (Whiting)	6,900,733	22.0
tlantic Herring	6,151,077	18.36%	Butterfish	5,933,028	18.9
oligo Squid	4,074,037	12.16%	Loligo Squid	4,840,273	15.4
kate onkfish (Anglerfish/Goosefish)	3,820,212 2,967,150	11,40% 8,85%	Skate Montalist (Analysist (Consession)	3,934,398	12.5
onkrish (AnglernstyGoosensh) ed Hake (Ling)	1,288,277	3.84%	Monkfish (Anglerfish/Goosefish) Atlantic Herring	2,652,873 1,302,946	8.49 4.1
juid (Species Not Specified)	900,298	2.69%	Red Hake (Ling)	1,163,311	
inter Flounder (Blackback)	816,095	2.44%	Summer Flounder (Fluke)	692,776	2.2
lantic Mackerel	720,423	2.15%	Yellowtail Flounder	679,255	2.1
ımmer Flounder (Fluke)	679,049	2.03%	Winter Flounder (Blackback)	641,765	
ellowtall Flounder	637,122	1.90%	King Whiting (Kingfish)	421,214	
ex Squid	519,001	1.55%	Tilefish	358,470	
ıtterfish	503,963	1.50%	Black Whiting	345,067	
ng Whiting (Kingfish)	411,447	1.23%	Skate Wings	174,332	
efish	399,570	1.19%	Cod	145,984	
cup (Porgy)	252,315	0.75%	Monk Talls	143,518	
xd	234,323	0.70%	Scup (Porgy)	121,748	
olny Dogfish	224,029		Atlantic Mackerel Bluefish	99,564	
onk Tails ack Whiting	186,612 103,803	0.56% 0.31%	Black Sea Bass	88,651 69,977	0.2
ack Whiting ack Sea Bass	98,905	0.31%	Monk Livers	66,030	
onk Livers	92,838	0.28%	Squid (Species Not Specified)	56,856	
ake (Species Not Specified)	85,771	0.26%	Golden Tilefish	50,877	
rate Wings	81,416		Witch Flounder (Gray Sole)	48,091	
olden Tilefish	72,513	0.22%	Hake (Species Not Specified)	41,747	
uefish	70,595	0.21%	White Hake	39,080	0.1
fitch Flounder (Gray Sole)	43,440	0.13%	Illex Squid	30,021	
hite Hake	38,545	0.12%	Atlantic Croaker	23,150	0.0
ounder (Species Not Specified)	34,586		Yellowfin Tuna	18,417	0.0
wordfish	33,334	0.10%	John Dory	17,838	0.0
ellowfin Tuna	30,772	0.09%	Windowpane Flounder (Sand-Dab/Brill)	14,064	
ogfish (Species Not Specified)	30,076		Shrimp (Pandalid)	13,530	
nrimp (Pandalid)	25,074		Blg Eye Tuna	11,344	
g Eye Tuna	23,929 19,253	0.07% 0.06%	Albacore Tuna	9,718	
ther Finfish /indowpane Flounder (Sand-Dab/Brill)	17,181		Flounder (Species Not Specified) Bluefin Tuna	9,699 9,265	
outhern Flounder	13,925		Haddock	8,723	
bacore Tuna	12,460		American Plaice Flounder (DAB)	7,666	
hrimp (Species Not Specified)	9,300		Shark (Species Not Specified)	6,572	
merican Shad	8,146		Spiny Dogfish	5,613	
onger Eel	6,482		Smooth Dogfish	4,841	0.0
/olffish (Ocean Catfish)	5,288		Crevalle	4,800	0.0
merican Plaice Flounder (DAB)	5,064		Conger Eel	4,619	
el (Species Not Specified)	4,852		Eel (Species Not Specified)	4,603	0.0
addock	4,635		Redfish (Ocean Perch)	4,008	
edfish (Ocean Perch)	3,405		Pollock	3,998	
luefin Tuna	3,231		Ocean Pout	3,441	
ohn Dory	2,625		Sandbar Shark	3,323	
hark (Species Not Specified) /eakfish (Squeteague/Gray Sea Trout)	2,500		Hagfish Mako Shark (Shortfin)	3,250	
triped Bass	2,233 2,043		Other Finfish	2,565 2,285	
panish Mackerel	1,860		Weakfish (Squeteague/Gray Sea Trout)	1,806	
lako Shark (Shortfin)	1,713		Wolffish (Ocean Catfish)	1,755	
ollock	1,544		Sea Robins	1,631	<0.0
ea Raven	1,227		Striped Bass	1,571	
olphin Fish (Mahi-Mahi)	1,219		Spanish Mackerel	1,500	
eatrout, NK	1,109	<0.01%	Mako Shark (Species Not Specified)	1,222	<0.6
ourspot Flounder	1,077	<0.01%	Dolphin Fish (Mahi-Mahi)	1,184	<0.0
andbar Shark	935		Sea Raven	1,183	
cean Pout	810		Swordfish	1,046	<0.
hresher Shark	600		Seatrout, NK	1,004	
mooth Dogfish	490		Cusk Dogsich (Species Not Specified)	887	
usk Iako Shark (Species Not Specified)	319 292		Dogfish (Species Not Specified) American Shad	725 584	
iako Shark (Species Not Specified) pot	250		Tautog	414	
potted Weakfish (Spotted Sea Trout)	247		Gizzard Shad	400	
autog	219		Rough Scad	400	
ea Robins	211		Fourspot Flounder	320	
/ahoo	179		Little Tuna	300	
unner	145		Cunner	278	
onito	125		Spotted Weakfish (Spotted Sea Trout)	253	
agfish	100	<0.01%	Escolar	190	<0.
pah (Moonfish)	100	<0.01%	Mullets	150	<0.
lako Shark (Longfin)	94		Porbeagle Shark	79	
lacktip Shark	83		Thresher Shark	74	
orbeagle Shark	66		Blue Shark	60	
turgeon (Species Not Specified)	50		Bonito	46	
una (Species Not Specified)	25		Bait	30	
ctopus (Species Not Specified)	12		Chub Mackerel	30	
hub Mackerel	5		Other Invertebrates	30	
riggerfish	5		Atlantic Hallbut	15	
rigate Mackerel	3		Tuna (Species Not Specified)	12	
lue Shark Frand Total	33,509,613	<0.01%	Octopus (Species Not Specified) Triggerfish	7	
Frand Total	19960612	1	King Mackerel	3 2	
			THE PROPERTY OF THE PROPERTY O		

Table 14e. Total federally-reportable landings (pounds) for finfish and squid species and proportion of total catch for each species (Source: 2002-2003 NMFS Vessel Trip Report Catch Data for Area 537)

2002	Total	% of total
Species Name	Pounds	annual catch
tlantic Mackerel		31.02%
lantic Herring		
oligo Squid	5.207,349	13,20%
ilver Hake (Whiting)	205,720T	0.OT 30
kate	2,442,064	
onkfish (Anglerfish/Goosefish)	2,353,377	5.97%
ummer Flounder (Fluke)	945,521	2.40%
iolden Tilefish	682,356 630 218	1.73% 1.62%
cup (Porgy) ellowtail Flounder	639,218 594,144	1.51%
enowan Flounder led Hake (Ling)	427,664	1.08%
Vinter Flounder (Blackback)	399,650	1.01%
lutterfish	351,292	0.89%
kate Wings	198,760	0.50%
Black Sea Bass	136,218	0.35%
Bluefish	115,435	0.29%
(ing Whiting (Kingfish)	70,571	0.18%
Vhite Hake	60,112	0.15%
ipiny Dogfish	54,933	0.14%
Monk Tails New Sauld	52,164 48,524	0.13% 0.12%
llex Squid 1onk Livers	42,212	0.12%
Cod	40,292	0.11%
laddock	23,290	0.06%
Atlantic Croaker	18,339	0.05%
Shrimp (Pandalid)	18,136	
Vitch Flounder (Gray Sole)	15,226	
ohn Dory	14,430	0.04%
Weakfish (Squeteague/Gray Sea Trout)	11,570	0.03%
Black Whiting	11,477	0.03% 0.03%
Nindowpane Flounder (Sand-Dab/Brill) Striped Bass	11,092 8,260	0.03%
Filefish	5,687	
rellowfin Tuna	4,164	
American Plaice Flounder (DAB)	4,020	
Spotted Weakfish (Spotted Sea Trout)	3,694	
Smooth Dogfish	3,625	<0.01%
Seatrout, NK	3,197	
Bluefin Tuna	3,027	<0.01%
Crevalle	3,000	
Conger Eel	2,900	
Eel (Species Not Specified)	2,843	
Albacore Tuna	2,576 2,542	
Dolphin Fish (Mahi-Mahi) Hake (Species Not Specified)	2,379	
Shrimp (Panaeid)	2,100	1
American Eel	1,750	
Southern Flounder	1,550	
Big Eye Tuna	1,455	
Pollock	1,122	<0.01%
Sea Robins	1,030	
Swordfish	950	
Ocean Pout	819	
Flounder (Species Not Specified)	637	
Fourspot Flounder	565	
Spot Bonito	450 431	
Bonito Mako Shark (Shortfin)	344	
Mako Shark (Shortin) Tautog	276	1
Sandbar Shark	213	
American Shad	199	
Squid (Species Not Specified)	150	
Northern Puffer	75	
Cunner	60	
Other Finfish	59	
Cobia	45	
Sea Raven	43	
	40	
Mako Shark (Species Not Specified)	1	
Mako Shark (Species Not Specified) Tuna (Species Not Specified)	25	
Mako Shark (Species Not Specified) Tuna (Species Not Specified) Cusk	24	<0.01%
Mako Shark (Species Not Specified) Tuna (Species Not Specified)		<0.01% <0.01%

2003	Total	% of total
Species Name	Pounds	annual catch
Loligo Squid	1 1	19.16%
Monkfish (Anglerfish/Goosefish)	3,942,691	
Atlantic Herring	3,446,645	
skate	2,227,457	
Silver Hake (Whiting)	1,789,161	
Atlantic Mackerel	1,218,612	5.69%
Summer Flounder (Fluke)	939,349	
Golden Tilefish	700,255	
Skate Wings	447,289	
White Hake	377,265	1.76%
Winter Flounder (Blackback)	358,450	1.67%
Butterfish .	317,585	1.48%
Red Hake (Ling)	286,804	
Yellowtail Flounder	204,789	
Monk Tails	190,465	0.89%
Scup (Porgy)	148,481	
(ing Whiting (Kingfish)	106,886	
Haddock	99,157	
Cod	86,406	ı
Monk Livers	73,902	
Hagfish	50,000	0.23%
John Dory	41,606	
Witch Flounder (Gray Sole)	38,471	
Black Sea Bass	35,422	
Bluefish	33,273	
Black Whiting	29,046	1
Winter Skate	24,900	1
American Plaice Flounder (DAB)	19,832	
Shrimp (Pandalid)	13,885	
Illex Squid	11,055	
Squid (Species Not Specified)	6,334	t .
Windowpane Flounder (Sand-Dab/Brill)	5,558	
Eel (Species Not Specified)	4,801	
Weakfish (Squeteague/Gray Sea Trout)		
Pollock	3,597	
Striped Bass	2,442	
Tilefish	2,355	
Crevalle	2,100	
Blueline Tilefish	2,090	
Conger Eel	1,889	
	1,400	
Spiny Dogfish Flounder (Species Not Specified)	1,269	E .
Yellowfin Tuna	1,193	
Fourspot Flounder	920	
Winter Skate Wings	878	1
Blue Back Herring	815	
	769	
Smooth Dogfish Dolphin Fish (Mahi-Mahi)	725	3
Hake (Species Not Specified)	705	
Little Skate	703	1
	675	
Sand Tilefish	639	
Bluefin Tuna Albacore Tuna	623	
	405	
Wolffish (Ocean Catfish)	381	
Ocean Pout	375	
Triggerfish	325	
American Shad		
Sea Robins	282	1
Spotted Weakfish (Spotted Sea Trout)	271	
Tautog		
Blue Shark	200	
Porbeagle Shark	179	
Seatrout, NK	156	
Sea Raven	112	
Redfish (Ocean Perch)	104	
Cusk	82	
Mako Shark (Species Not Specified)	60	
Bonito	45	
Black Bellied Rosefish	33	
	30	
Atlantic Halibut		< 0.019
Atlantic Halibut Chub Mackerel	25	
Atlantic Halibut Chub Mackerel Blacktip Shark	20	<0.019
Atlantic Halibut Chub Mackerel		<0.019 <0.019

Table 14f. Total federally-reportable landings (pounds) for finfish and squid species and proportion of total catch for each species (Source: 2004 NMFS Vessel Trip Report Catch Data for Area 537)

2004			2004		
Species Name	Total Pounds	% of total annual catch	Species Name	Total Pounds	% of total annual catch
Atlantic Mackerel	7,693,885	24.11%	Smooth Dogfish	3,020	
Loligo Squid	5,844,575	18.31%	Hake (Species Not Specified)	2,705	
Monkfish (Anglerfish/Goosefish)	3,756,672	11.77%	Pollock	2,596	
Silver Hake (Whiting)	2,966,072	9.29%	Cunner	2,568	
Skate	2,356,682	7.38%	Fourspot Flounder	1,810	
Atlantic Herring	2,276,408	7.13%	American Plaice Flounder (DAB)	1,790	
Golden Tilefish	1,599,004	5.01%	Atlantic Croaker	1,637	<0.01%
Summer Flounder (Fluke)	1,464,102	4.59%	Eel (Species Not Specified)	1,603	<0.01%
Skate Wings	550,162	1.72%	Weakfish (Squeteague/Gray Sea Trout)	1,494	< 0.01%
Red Hake (Ling)	424,033	1.33%	Conger Eel	1,257	< 0.01%
Illex Squid	406,200		Striped Bass	1,065	<0.01%
White Hake	369,905		Dolphin Fish (Mahi-Mahi)	911	<0.01%
Scup (Porgy)	353,584		Tilefish	807	<0.01%
Winter Flounder (Blackback)	261,292		Shark (Species Not Specified)	800	<0.01%
Butterfish	219,677		Blueline Tilefish	730	<0.01%
King Whiting (Kingfish)	186,096		Sea Robins	641	1
Monk Tails	159,873		Tautog	636	<0.01%
Little Skate	156,200		Mako Shark (Shortfin)	600	< 0.01%
Black Whiting	130,405		Dogfish (Species Not Specified)	490	
Bluefish	103,276		Little Tuna	420	
Yellowtail Flounder	103,216		Shrimp (Panaeid)	375	
Monk Livers	97,291		Sand Tilefish	352	
Black Sea Bass	58,676		Little Skate Wings	300	
Winter Skate	58,575		Seatrout, NK	259	
Cod	51,737		Grouper (Species Not Specified)	250	B .
Haddock	40,882	1	Sea Raven	236	
Bait	33,000		Flounder (Species Not Specified)	230	1
Winter Skate Wings	31,200		Other Invertebrates	197	
Spiny Dogfish	26,747		Ocean Pout	193	
John Dory	17,452		Spotted Weakfish (Spotted Sea Trout)	154	
Yellowfin Tuna	15,300		Porbeagle Shark	130	
Squid (Species Not Specified)	15,000		Bonito	118	1
Big Eye Tuna	12,890		Shrimp (Species Not Specified)	100	1
Witch Flounder (Gray Sole)	9,187		Wahoo	100	
American Shad	9,101		Atlantic Halibut	45	
Albacore Tuna	5,530		Wolffish (Ocean Catfish)	40	
Swordfish	5,400		Tuna (Species Not Specified)	32	
Bluefin Tuna	4,820		Redfish (Ocean Perch)	30	
	4,055		Skipjack Tuna	30	
Shrimp (Pandalid) Windowpane Flounder (Sand-Dab/Brill)	3,110		Other Finfish	3	
[willingshalle Linnings (29110-1291/19111)	3,110	1 0.01076	Grand Total	31,912,026	

Sum of landings within gray shaded area equal 90% or greater of total landings for that year.

\$135,007.00 \$461,221.90 \$14,600.32 \$105,142.59

N/A \$1.59 \$1.00 \$0.85 \$0.56 \$0.56

\$3,687.21

\$757.95

Table 15a. Estimated Value of Federally-Reportable Commercial Landings in Area 537 - 1994-1995

1994				1995	
Species Name	Total Pounds*	Price per	Value	Species Name	Total Pounds*
Albacora Tina	32 091	\$0.91	\$29,202,81	Albacore Tuna	26,845
Amorican Eol	100	A/N		American I obster	1.965.426
American Lei	1 351 073	43.65	\$4 931 733 95	American Plaice Flounder (DAB)	16,180
American Dlaice Flounder (DAB)	13.278	41.15	\$15.269.70	American Shad	834
American Shad	2,011	\$0.65	\$1,307.15	Atlantic Halibut	9
Atlantic Herring ¹	1,036,400	\$0.05	\$47,199.04	Atlantic Herring ¹	5,505,545
Atlantic Mackerel	1,571,045	\$0.35	\$549,865.75	Atlantic Mackerel	4,875,109
Big Eye Tuna	49,680	\$3.20	\$158,976.00	Bay Scallop ¹	389
Black Sea Bass	6,467	\$2.29	\$14,809.43	Big Eye Tuna	46,711
Black Whiting	520,588	N/A		Black Sea Bass	32,662
Blue Back Herring ^{1,2}	2	\$0.05	\$3.50	Black Whiting	466,301
Blue Crab ^{3,4}	14,886	\$0.38	\$5,710.03	Blue Back Herring ^{1,2}	2,000
Bluefin Tuna	16,649	\$11.37	\$189,299.13	Blue Crab ^{3,4}	4,663
Bluefish	437,467	\$0.24	\$104,992.08	Bluefin Tuna	4,754
Bonito	1,405	\$0.73	\$1,025.65	Bluefish	265,674
Butterfish	1,188,713	\$0.45	\$534,920.85	Bonito	1,150
Channeled Whelk	1,240	\$1.56	\$1,934.40	Butterfish	1,576,820
Chub Mackerel	5,460	N/A		Channeled Whelk	1,483
Cod	118,899	\$1.17	\$139,111.83	Chub Mackerel ³	17,328
Conger Eel ¹	352	\$0.21	\$72.26	Cod	245,243
Crab (Species Not Specified) ³	5,001	\$0.38	\$1,918.30	Conger Eel ¹	4,606
Cunner	27	\$0.38	\$10.26	Crab (Species Not Specified)	58,323
Cusk	28	\$0.59	\$16.52	Cunner ¹	45
Dogfish (Species Not Specified)	92,070	\$0.17	\$15,651.90	Cusk	1,635
Dolphin Fish (Mahi-Mahi)	2,481	\$1.36	\$3,374.16	Dogfish (Species Not Specified)	115,582
Dusky Shark ⁴	441	\$0.74	\$326.34	Dolphin Fish (Mahi-Mahi)	4,320
Eel (Species Not Specified) 1,5	102	\$0.21	\$20.94	Eel (Species Not Specified) ^{1,3}	4,342
$ Flounder\left(Species\;Not\;Specified ight)^{1,4}$	28,387	\$1.07	\$30,335.24	Flounder (Species Not Specified)	33,599
Fourspot Flounder ^{1,4}	940	\$1.07	\$1,004.51	Fourspot Flounder ^{1,4}	815
Haddock	76	\$1.58	\$153.26	Frigate Mackerel	130
Hake (Species Not Specified) ¹	16,410	\$0.54	\$8,836.15	Gizzard Shad	2
Hickory Shad	13	N/A		Haddock	2,319
Illex Squid ¹	512,931	\$0.74	\$379,030.50	Hake (Species Not Specified)	135,007
John Dory	2,286	\$0.60	\$1,371.60	Illex Squid ¹	542,614
Jonah Crab	92,638	\$0.43	\$41,984.34	John Dory	26,072
King Mackerel*	9	\$0.75	\$4.52	Jonah Crab	166,893

\$350.00 \$1,398.90 \$64,606.86 \$92,985.90 \$1,012.00 \$599,191.60 \$2,357.97 \$4,678.56 \$282,029.45 \$2,441.18 \$17,496.90 \$12,60 \$981.00 \$15,025.66 \$4,363.20 \$2,301.26

\$0.05 \$0.30 \$0.35 \$0.35 \$0.35 \$0.27 \$1.15 \$0.27 \$0.23 \$0.28 \$0.28 \$0.28 \$0.28 \$0.28 \$0.28 \$0.28 \$0.28 \$0.28 \$0.28 \$0.28

\$7,763,432.70 \$21,681.20 \$500.40 \$171.60 \$247,749.53 \$2,681,309.95

\$0.85 \$1.34 \$0.60 \$1.34 \$0.05 \$0.05 \$2.86 \$2.86 \$2.86 \$2.25

\$22,818.25

Value

Price per

\$2,917.50 \$134,527.68 \$72,509.64

N/A

J:\E159\FEIR\Report\SMH reports ready to submit 09 27 06\STI Fisheries Report\Attachments\Attach A Table 15	
	eport\SMH reports ready to submit 09 27 06\STI Fisheries Report\Attachments\Attach A Table 1

Table 15a. Estimated Value of Federally-Reportable Commercial Landings in Area 537 - 1994-1995

\$695,390.00 \$3,149,678.98 \$195.75 \$2,402.04 \$488.70

\$48.90

Value

\$2,763,120.15 \$3,795.82 \$20,690.40 \$11,671.70 \$595.66 \$15,081.64 \$287,462.18 \$7,023.06 \$112,460.82 \$71.25 \$1,109,191.64 \$166.98 \$244.20 \$199,867.47 \$11,570.86 \$176.40 \$5,598.60 \$2,740,413.00 \$1,270,467.56 \$6,754.00 \$246,944.50 \$1,648.44 \$1,638,033.32 \$1,254.42 \$3,514,120.32

1994				1995		
N	Total	Price per	Value	Chorice Name	Total	Price per
Species Name	Pounds*	Pound**	vaiue	Species Name	Pounds*	Pound**
King Whiting (Kingfish) ¹	301,045	\$0.40	\$120,418.00	King Mackerel ¹	30	\$1.63
Loligo Squid	7,889,974	\$0.62	\$4,891,783.88	King Whiting (Kingfish) ¹	695,390	\$1.00
Mako Shark (Longfin)	475	\$1.75	\$831.25	Loligo Squid	5,430,481	\$0.58
Mako Shark (Shortfin)	1,293	\$0.96	\$1,241.28	Mako Shark (Longfin) ¹	145	\$1.35
Mako Shark (Species Not Specified)	138	\$1.75	\$241.50	Mako Shark (Shortfin)	2,164	\$1,11
Monk Livers	13,443	N/A		Mako Shark (Species Not Specified) ¹	362	\$1.35
Monk Tails	27,673	N/A		Monk Livers	33,545	N/A
Monkfish (Anglerfish/Goosefish) ¹	2,729,225	\$0.53	\$1,443,492.36	Monk Tails	73,343	N/A
Ocean Pout	1,305	\$0.17	\$221.85	Monkfish (Anglerfish/Goosefish) ¹	4,385,905	\$0.63
Other Finfish	20,660	\$0.52	\$10,743.20	Ocean Pout	19,978	\$0.19
Pollock	314	\$0.83	\$260.62	Other Finfish	51,726	\$0.40
Red Hake (Ling)	351,486	\$0.42	\$147,624.12	Pollock	12,286	\$0.95
Redfish (Ocean Perch)	2,345	\$0.58	\$1,360.10	Porbeagle Shark ¹	1,027	\$0.58
Rock Crab ³	42,750	\$0.39	\$16,715.87	Red Crab Crab ^{3,4}	12,362	\$1.22
Sand Tiger Shark ⁴	35	\$0.74	\$25.90	Red Hake (Ling)	845,477	\$0.34
Sandbar Shark ⁴	3,273	\$0.74	\$2,422.02	Redfish (Ocean Perch)	10,641	\$0.66
Scup (Porgy)	969,108	\$0.99	\$959,416.92	Rock Crab 3,4	92,181	\$1.22
Sea Raven ¹	79	\$0.10	\$7.71	Scallops - Shells	100	N/A
Sea Robins ¹	163	\$0.13	\$21.73	Sculpins 1	375	\$0.19
Sea Scallop	30,300	\$5.60	\$169,680.00	Scup (Porgy)	734,564	\$1.51
Shark (Species Not Specified)	826	\$0.74	\$694.12	Sea Raven ¹	253	\$0.66
Shrimp (Pandalid)	720	\$0.81	\$583.20	Sea Robins	1,221	\$0.20
Silver Hake (Whiting)	4,495,746	\$0.36	\$1,618,468.56	Sea Scallop	35,627	\$5.61
Skate	2,094,350	\$0.54	\$1,130,949.00	Seatrout, NK	1,080	N/A
Skate Wings	12,898	N/A		Shark (Species Not Specified)	11,807	\$0.98
Smooth Dogfish	200	\$0.35	\$70.00	Sharpnose Shark 4	180	\$0.98
Spiny Dogfish	1,314,463	\$0.15	\$197,169.45	Shrimp (Pandalid)	2,998	\$0.70
Spotted Weakfish (Spotted Sea Trout) ^{3,4}	71	\$0.94	\$66.58	Silver Hake (Whiting)	7,026,700	\$0.39
Squid (Species Not Specified) ¹	1,493,763	\$0.53	\$796,229.35	Skate	2,761,886	\$0.46
Striped Bass ¹	388	\$1.51	\$585.88	Skate Wings	46,076	N/A
Summer Flounder (Fluke)	661,278	\$1.67	\$1,104,334.26	Smooth Dogfish ¹	3,070	\$2.20
Surf Clam - Bushel	1,908	\$0.91	\$1,736.28	Spiny Dogfish	1,122,475	\$0.22
Swordfish	14,701	\$4.32	\$63,508.32	Spotted Weakfish (Spotted Sea Trout) ^{1,4}	2,169	\$0.76
Tautog	2,101	\$0.74	\$1,554.74	Squid (Species Not Specified)	1,780,471	\$0.92
Tilefish	47,271	\$1.46	\$69,015.66	Striped Bass	606	\$1.38
Triggerfish	23	N/A		Summer Flounder (Fluke)	1,722,608	\$2.04

Table 15
achments\Attach A
: Fisheries Report\Att
submit 09 27 06\STI Fis
IH reports ready to
59\FEIR\Report\SM
J:\E159\

Table 15a. Estimated Value of Federally-Reportable Commercial Landings in Area 537 - 1994-1995

1994				
Species Name	Total	Price per	Value	Species Nan
L	Pounds*	Pound ⁺ ↑		
Tuna (Species Not Specified) ¹	233	\$3.80	\$885.85	Surf Clam
Weakfish (Squeteague/Gray Sea Trout) ³	759	\$0.94	\$711.80	Swordfish
Whelk (Conch Species Not Specified)	35	\$1.27	\$44.45	Tautog
White Hake	819,833	\$0.68	\$557,486.44	Thresher Shark ¹
Windowpane Flounder (Sand-Dab/Brill)	36,693	\$0.52	\$19,080.36	Tilefish
Winter Flounder (Blackback)	395,110	\$1.35	\$533,398.50	Triggerfish
Witch Flounder (Gray Sole)	103,220	\$1.57	\$162,055.40	Tuna (Species Not Specifie
Wolffish (Ocean Catfish)	423	\$0.47	\$198,81	Wahoo ¹
Yellowfin Tuna	35,783	\$2.43	\$86,952.69	Weakfish (Squeteague/Gra
Yellowtail Flounder	102,591	\$1.28	\$131,316.48	Whelk (Conch Species Not
Grand Total	31,147,995		\$21,452,577	White Hake
				()

	Total	Price per	Onley
Species Name	Pounds*	Pound**	Value
Surf Clam	78,100	\$0.17	\$13,277.00
Swordfish	22,777	\$4.22	\$96,118.94
Tautog	3,193	\$0.81	\$2,586.33
Thresher Shark ¹	311	\$0.37	\$115.07
Tilefish	1,026,906	\$1.13	\$1,160,403.78
Triggerfish	18	N/A	
Tuna (Species Not Specified) ¹	1,441	\$2.44	\$3,516.04
Wahoo 1	226	\$1.32	\$298.32
Weakfish (Squeteague/Gray Sea Trout) 1	6,217	\$0.76	\$4,724.92
Whelk (Conch Species Not Specified) ⁶	40,797	\$1.27	\$51,812.19
White Hake	848,086	\$0.82	\$695,430.52
Windowpane Flounder (Sand-Dab/Brill)	52,106	\$0.56	\$29,179.36
Winter Flounder (Blackback)	411,772	\$1.37	\$564,127.64
Witch Flounder (Gray Sole)	51,605	\$1.82	\$93,921.10
Wolffish (Ocean Catfish)	9,771	\$0.53	\$5,178.63
Yellowfin Tuna	138,594	\$2.17	\$300,748.98
Yellowtail Flounder	164,530	\$1.42	\$233,632.60
Grand Total	45,939,543		\$33,862,216

^{*} Source: NMFS VTR data for Area 537
** Source: Price data obtained from NOAA dealer database and averaged from Dukes, Barnstable, Nantucket, Plymouth and Bristol counties unless indicated by another footnote.

¹ Price data were obtained from the Massachusetts-wide landings data available on NOAA Fisheries website.

² Used data for Atlantic herring.

³ Price data were obtained from the Rhode Island-wide landings data availble on NOAA Fisheries website.

⁴The dollar amount is from unspecified species (i.e. not genus and species name).

⁵ Used data for conger eel.

⁶ Used price from 1994

Table 15b. Estimated Value of Federally-Reportable Commercial Landings in Area 537 - 1996-1997

Species Name Total Price per Value Species Name Species Name Species Name Price per	1996				1997			
1,000 1,00	Species Name	Total Pounds*	Price per	Value	Species Name	Total Pounds*	Price per Pound**	Value
1,000 1,00	Albacore Tuna ¹	3,722	\$0.55	\$2,047.10	Albacore Tuna	3,780	\$0.86	\$3,250.80
1,300 1,30	American Eel 1	1,030	\$0.68	\$700.40	American Lobster	3,037,752	\$4.21	\$12,788,935.92
Palice Flounder (DAB) 52,0571 53,71,105.85 Altantic Herling 1 1,330	American Lobster	2,309,457	\$3.95	\$9,122,355.15	American Plaice Flounder (DAB)	11,830	\$1.45	\$17,153.50
Strad 489 47.7 \$3.56.7 Attantic Helmout 1.02 2.00 4.	American Plaice Flounder (DAB)	52,671	\$1.35	\$71,105.85	American Shad	1,330	\$0.68	\$904.40
Mainte Herring 10,382,585	American Shad	489	\$0.75	\$366.75	Atlantic Halibut	17	\$3.21	\$38.52
1,000 \$3.35 \$4.35.00 \$4.3	Atlantic Croaker	200	N/A		Atlantic Herring ¹	10,382,565	\$0.05	\$519,128.25
## 1,500 ##	Atlantic Halibut	1,000	\$3.35	\$3,350.00	Atlantic Mackerel	3,008,088	\$0.34	\$1,022,749.92
ackerel 5,801,529 \$10.43 \$2,494,657.47] Big Eye Tima 10,660 ackerel 2,801,529 \$10.43 \$2,202.70 Black Sea Bass 110 ackerel 2,81.60 \$4502.40 Black Sea Bass 110 ack Residual 2,82.03 \$1.50 ack Residual 3,840.00 Blue Back Herring 1,2 1,7244 Blass 11,7244 Blue Shark Herring 1,2 1,7244 Blue Shark Herring 1,2 1,670 \$19.78 \$10.29 \$	Atlantic Herring ¹	13,914,398	\$0.05	\$695,719.90	Bait	1,500	N/A	
p1 1 45.13 45.13 44.513	Atlantic Mackerel	5,801,529	\$0.43	\$2,494,657.47	Big Eye Tuna	10,680	\$2.03	\$21,680.40
12,425 \$1.00 \$15,227.5 Black Whiting 1.00	Bay Scallop 1	314		\$502.40	Black Sea Bass	44,513	\$2.27	\$101,044.51
ed Rosefish 3 22 \$1.00 \$1.00 Blue Back Herring \$1.2 \$1.00 \$1.00 Blue Back Herring \$1.2 \$1.00 \$1.00 Blue Back Herring \$1.2 \$1.00 \$1.00 Blue Back Herring \$1.00 \$1.00 Blue Back Herring \$1.00 Blue Back Herring \$1.00 Blue Shafk \$1.0	Big Eye Tuna	12,425		\$25,222.75	Black Whiting	110	N/A	
Bass 53,349 \$2,39 \$127,504.11 Blue Crab ^{1,4} 17,244 fing 40,40 \$0,50 \$3,840.00 Blue Shark ⁴ 1,842 - Bushel 1,6 \$0,50 \$3,840.00 Bluefish Tuna 223,293 c bushel 161 \$0,06 \$9,23 \$10,80 \$10,80 c bushel 161 \$0,06 \$48,910,33 Bluefish Tuna 223,293 d bushel 161 \$0,06 \$48,910,33 Bull Shark ⁴ 2,285,717 ab ^{1,4} 2,002 \$1,105 \$1,105 \$1,105 \$1,105 ab ^{1,4} 2,003 \$1,105 \$1,105 \$1,105 \$1,105 ab ^{1,4} 3,201 \$1,105 \$1,105 \$1,105 \$1,105 d bushelk 3,201 \$1,105 \$1,105 \$1,105 \$1,105 kerel ³ 1,406 \$1,105 \$1,105 \$1,105 \$1,105 g body \$1,105 \$1,105 \$1,105 \$1,105 \$1,105 g body	Black Bellied Rosefish 3	22		\$22.00	Blue Back Herring ^{1,2}	1,610	\$0.05	\$80.50
ting ting ting ting ting ting ting ting	Black Sea Bass	53,349		\$127,504.11	Blue Crab ^{1,4}	17,244	\$0.46	\$7,932.24
- Bushel 1,67	Black Whiting	85,632			Blue Shark 4	- -	\$0.60	\$0.60
- Bushel 19 N/A \$9.06 Bonito \$1.00 Bonito \$1	Blue Crab 1,4	7,680		\$3,840.00	Bluefin Tuna	1,842	\$9.25	\$17,038.50
k ³ 161 \$0.06 \$9.06 Bonito ¹ 891 Bonito ¹ 816,922 \$0.29 \$91,907.38 Bull Shark ⁴ 2,285,717 Bonito ¹ 822,87,17 Bonito ¹ 822,212.55 Calico Scallop ¹ 822,717 Bonito ¹ 822,712.55 Channeled Whelk Sp. 80.59 \$1.50 \$	Blue Crab - Bushel	19	N/A		Bluefish	223,293	\$0.29	\$64,754.97
1,678,102 \$9.78 \$48,919.56 Bull Shark	Blue Shark ³	161	\$0.06	\$9.69		891	\$0.75	\$668.25
316,922 \$ 6.029 \$ 91,907.38 Butterfish 2,285,717 Butterfish 2,285,717 Butterfish 2,285,717 Butterfish 2,203 \$ \$224.25 Calico Scaliop 1,5 Calico Scaliop 1	Bluefin Tuna	5,002	\$9.78	\$48,919.56	Bull Shark 4	264	\$0.60	\$158.40
325 \$0.69 \$\$224.25 Calico Scallop \$\$7,457 Calico Scallop \$\$1,5	Bluefish	316,922	\$0.29	\$91,907.38	Butterfish	2,285,717	\$0.37	\$845,715.29
bb 14	Bonito 1	325	\$0.69	\$224.25	Calico Scallop 1,5	6,218	\$6.64	\$41,287.52
bb 14	Butterfish	1,678,105	\$0.31	\$520,212.55	Channeled Whelk	5,467	\$1.56	\$8,528.52
kerel 3	Cancer Crab 1,4	250	\$0.50	\$125.00	Chub Mackerel 3	20	\$0.16	\$3.20
kerel 3	Channeled Whelk	3,921	\$1.51	\$5,920.71	PoO	61,124	\$1.10	\$67,236.40
174,080 \$1.15 \$200,192.00 Crab (Species Not Specified) 24,205 3,231 \$0.21 \$678.51 Cunner 500 50,002 \$0.28 \$49,501.00 Cusk 27,719 \$0.62 \$41,685.78 Dolphin Fish (Mahi-Mahi) \$8,778 \$1.16 \$450,409.93 Dusky Shark 391 \$4.16 \$450,409.93 Dusky Shark 391 \$4.16 \$45.75.60 Flounder (Species Not Specified) \$1.16 \$45.75.60 Flounder (Species Not Specified) \$1.11 \$1	Chub Mackerel 3	435	\$0.22	\$95.70	Conger Eel 1	3,047	\$0.45	\$1,371.15
1	Cod	174,080		\$200,192.00	Crab (Species Not Specified) ¹	24,205	\$0.46	\$11,134.30
cies Not Specified) ¹ 99,002 \$0.50 \$49,501.00 Cusk 2,719 \$0.62 \$1,685.78 Dolphin Fish (Mahi-Mahi) 2,348 2,719 \$0.62 \$1,685.78 Dolphin Fish (Mahi-Mahi) 2,348 2,719 \$0.62 \$1,685.78 Dolphin Fish (Mahi-Mahi) 2,348 391 \$1.16 \$\$50,409.93 Dusky Shark ³ 160 4,720 \$\$0.17 \$\$50,409.93 Dusky Shark ³ 160 4,730 \$\$0.17 \$\$50,409.93 Dusky Shark ³ 160 4,730 \$\$0.18 \$\$5.75.60 Flounder ^{1,7} \$\$0.400.93 Flounder ^{1,7} \$\$0.400.900.900.900.900.900.900.900.900.90	Conger Eel ¹	3,231		\$678.51	Cunner ¹	200	\$0.36	\$180.00
species Not Specified) 3 \$0.28 \$7.00 Dogfish (Species Not Specified) $87,782$ $87,782$ species Not Specified) 3 \$0.62 \$1,685.78 Dolphin Fish (Mahi-Mahi) $2,348$ 160 sh (Mahi-Mahi) 391 $$1.16$ $$450,409.93$ Dusky Shark 3 160 $1,635$ es Not Specified) 1,6 $8,470$ $$6.68$ $$5,759.60$ Flounder (Species Not Specified) 1,7 $15,732$ Flounder 1,7 $4,075$ $$2.12$ $$8,639.00$ Haddock $$2,629$ Flounder 1,7 $$2.54$ $$6.04$ $$6.04$ $$6.04$ $$6.04$ $$6.04$ Halibut 1,8 $$2.54$ $$6.04$	Crab (Species Not Specified) 1	99,002	\$0.50	\$49,501.00	Cusk	181	\$0.57	\$103.17
species Not Specified) 3 \$0.62 \$1,685.78 Dolphin Fish (Mahi-Mahi) 2,348 2,348 sh (Mahi-Mahi) 391 \$0.17 \$50,409.93 Dusky Shark 3 160 sh (Mahi-Mahi) 391 \$1.16 \$50,409.93 Dusky Shark 3 160 sh (Mahi-Mahi) 391 \$1.16 \$50,409.93 Dusky Shark 3 160 sh (Mahi-Mahi) 8,470 \$6.68 \$5,759.60 Flounder 1,7 1,637.32 Flounder 1,7 4,075 \$2.12 \$320,376.52 Fourspot Flounder 1,7 7,629 Flounder 1,7 4,075 \$2.12 \$8,639.00 Haddock 2,629 Halibut 1,8 250 \$2.54 \$610.45 Illex Squid 1,4 757,936 scies Not Specified) 3 86,124 \$0.31 \$26,698.44 John Dory 1 13,506 14,4 1,100.671 \$0.07 \$1,163.680 87 Kinn Markerel 1 208	Cunner ¹	25	\$0.28	\$7.00	Dogfish (Species Not Specified)	87,782	\$1.00	\$87,782.00
ies Not Specified) 3 296,529 \$0.17 \$50,409.93 Dusky Shark 3 160 [1,635] Mahi-Mahi)	Cusk	2,719	\$0.62	\$1,685.78	Dolphin Fish (Mahi-Mahi)	2,348	\$1.78	\$4,179.44
Mahi-Mahi	Dogfish (Species Not Specified) ³	296,529	\$0.17	\$50,409.93	Dusky Shark 3	160	\$0.72	\$115.20
Vot Specified) 1.5 8,470 \$0.68 \$5,759.60 Flounder (Species Not Specified) 55,732 55,732 scies Not Specified) 1.7 \$2.12 \$320,376.52 Fourspot Flounder 710 710 nder 1.7 \$2.12 \$8,639.00 Haddock 2,629 2,629 libut 1.8 \$2.54 \$635.00 Hake (Species Not Specified) 53,566 250 s Not Specified) \$1.45 \$610.45 Illex Squid 757,936 757,936 ab \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 ab \$1.00 \$1.00 \$1.00 \$1.00 \$1.00 \$1.00	Dolphin Fish (Mahi-Mahi)	391		\$453.56	Eel (Species Not Specified) 1,6	1,635	\$1.25	\$2,043.75
cies Not Specified) 1,7 121	Eel (Species Not Specified) 1,6	8,470		\$5,759.60	Flounder (Species Not Specified) 1,7	55,732	\$2.05	\$114,250.60
nder 1,7 4,075 \$2.12 \$8,639.00 Haddock 2,629 5.25 421 \$1.45 \$610.45 13,506 \$1.00 \$1 \$1.00 \$2.10 \$1.	Flounder (Species Not Specified) 1,7	151,121		\$320,376.52	Fourspot Flounder 1,7	710	\$2.05	\$1,455.50
	Fourspot Flounder 1,7	4,075	\$2.12	\$8,639.00	Haddock	2,629	\$1.41	\$3,706.89
\$ Not Specified) \$\frac{421}{3}\$ \text{\$\frac{1}{2}\$}\$ \$\frac{1}{2}\$\$ \$\frac{1}{2	Greenland Halibut ^{1,8}	250	\$2.54	\$635.00	$ Hake\left(Species\left(Not\right)\right $	53,566	\$0.39	\$20,890.74
s Not Specified) 3 86,124 \$0.31 \$26,698.44 John Dory 1 13,506 ab 1 \$0.62 \$8.06 Jonah Crab 942,428 2 42,428 2 41,100,571 \$0.07 \$1163,680,87 King Markerel 1 208	Haddock	421	\$1.45	\$610.45	Illex Squid 1,4	757,936	\$1.04	\$788,253.44
ab 1	Hake (Species Not Specified) ³	86,124	\$0.31	\$26,698.44	John Dory ¹	13,506	\$0.75	\$10,129.50
1 100 571 ¢0 07 ¢1 163 680 87 King Markeral 1	Horseshoe Crab ¹	13	\$0.62	\$8.06	Jonah Crab	942,428	\$0.51	\$480,638.28
1,135,0/1 \$1,103,000.0/	Illex Squid ^{1,4}	1,199,671	\$0.97	\$1,163,680.87	King Mackerel 1	208	\$1.60	\$332.80

Table 15b. Estimated Value of Federally-Reportable Commercial Landings in Area 537 - 1996-1997

1996				1997			
Species Name	Total	Price per	Value	Species Name	Total Pounds*	Price per Pound**	Value
	Founds	CV CV	40 000 00	Vina Whiting (Vinofich)	150	\$0.10	¢15 90
John Dory	420,024	\$0.42 0.72	\$0,020.00 \$77.554.00	Ming Wilding (Mingrish)	92	41.25	\$711.25
Jonan Crab	403,710	oc.04	07.100,774	Nicobed Wildin	200	1 0	50 00C 00E C#
King Mackerel	320	\$1.50	\$525.00	Loligo Squid	4,589,031	T0.04	42,784,308,91
King Whiting (Kingfish)	146,200	\$0.96	\$140,352.00	Mako Shark (Longfin)	108	c/.0\$	\$120.00
Knobbed Whelk	330	\$1.20	\$468.00	Mako Shark (Shortfin)	235	\$1.17	\$274.95
Loliao Sauid	4,879,523	\$0.73	\$3,562,051.79	Mako Shark (Species Not Specified) ¹	292	\$1.25	\$708.75
Mako Shark (Londfin)	169	\$1.63	\$275.47	Monk Livers	107,672	N/A	
Mako Shark (Shortfin)	957	\$1.62	\$1,550,34	Monk Tails	268,224	N/A	
Martin Constitution Not Constitution	0	V/IV		Monkfish (Anglerfish/Goosefish) 1	4 443 799	\$0.57	\$2,532,965,43
Marin (Species Not Specified)	0 00	K / Z		Constitution (New York Constitution)	626	\$0.0\$	\$162.76
Mennaden	1,000	A/N		Octail rout	24 905	41.08	¢26,897,40
Monk Livers	22,430	A/N		Otto Tarotokator	300	A/N/A	0
Monk Talls	02,333	A/N		סמופן זוואפורפטומופט	500	77 04	41 201 05
Monkfish (Anglerfish/Goosefish)	5,080,805	\$0.58	\$2,946,866.90	Pollock	1,941	\$0.00	\$1,201.00 \$40.64
Ocean Pout	83	\$0.28	\$23.24	Porbeagle Shark	384	17.1¢	4404.04
Other Finfish	48,624	\$0.98	\$47,651.52	Red Crab 1,4	120	\$0.46	\$55.20
Pollock	6,912	\$0.85	\$5,875.20	Red Hake (Ling)	792,585	\$0.25	\$198,146.25
Porbeagle Shark 1	946	\$0.72	\$681.12	Redfish (Ocean Perch)	915	\$0.61	\$558.15
Red Crah 1,4	480	\$0.50	\$240.00	Rock Crab ^{1,4}	80,022	\$0.46	\$36,810.12
Red Hake (Ling)	683.752	\$0.28	\$191,450.56	Sandbar Shark ³	32	\$0.07	\$2.24
Dedfish (Ocean Derch)	11 522	\$0.66	\$7,604.52	Scin (Pordy)	274.745	\$1.52	\$417,612.40
Rock Crah	75,377	\$0.40	\$30,150.80	Sea Raven	264	\$0.33	\$87.12
Sandbar Shark 4	1 752	\$0.75	\$1,314,00	Sea Robins	1,267	\$0.13	\$164.71
Carloine 1	7,600	\$0.40	\$2,240,00	Sea Scallon	83,949	\$6.97	\$585,124.53
Sciin (Porav)	608,499	\$1.21	\$736,283.79	Seatrout, NK	2,496	N/A	
Sea Raven 3	223	\$0.88	\$196.24	Shark (Species Not Specified)	226	\$0.60	\$135.60
Sea Robins	350	\$0.15	\$52.50	Shrimp (Pandalid) ^{1,9}	37,456	\$0.70	\$26,219.20
Con Control	115 643	\$6.10	¢705 422 30	Shrimp (Species Not Specified) 1,9	2,100	\$0.70	\$1,470.00
Sea Urchine	0,011	\$0.75	\$6.00	Silver Hake (Whiting)	7,945,340	\$0.38	\$3,019,229.20
Seatrout, NK	2,535	N/A	-	Skate	6,902,689	\$0.34	\$2,346,914.26
Shark (Species Not Specified)	2,535	\$0.75	\$1,901.25	Skate Wings ¹⁰	106,418	\$0.34	\$36,182.12
Shrimp (Pandalid)	31,487	\$0.63	\$19,836.81	Skipjack Tuna ^{1,4}	8	\$2.16	\$17.25
Silver Hake (Whiting)	8,594,140	\$0.38	\$3,265,773.20	Smooth Dogfish 1	371	\$0.23	\$85.33
Skate	4,590,493	\$0.47	\$2,157,531.71	Spiny Dogfish	967,899	\$0.16	\$154,863.84
Skate Wings 10	59,190		\$27,819.30	Spotted Weakfish (Spotted Sea Trout) 1,4	124	\$0.13	\$16.12
Skipiack Tuna ³	30		\$15.00	Squid (Species Not Specified) 1	1,341,932	\$1.04	\$1,395,609.28
Smooth Doafish	7.868		\$2,596,44	Striped Bass	837	\$1.41	\$1,180.17
Spiny Dogfish	1,263,732		\$265,383.72	Summer Flounder (Fluke)	831,980	\$2.07	\$1,722,198.60
Spotted Weakfish (Spotted Sea Trout) 1,4	1,226	\$0.80	\$980.80	Surf Clam	143,200	\$0.85	\$121,720.00
Squid (Species Not Specified)	614,174	\$0.70	\$429,921.80	Swordfish	12,083	\$2.72	\$32,865.76
Striped Bass	880		\$1,214.40	Tautog	1,069	\$1.07	\$1,143.83
Summer Flounder (Fluke)	1,285,215	\$2.23	\$2,866,029.45	Thresher Shark	/3	\$4.33	\$1/0.09

Table 15b. Estimated Value of Federally-Reportable Commercial Landings in Area 537 - 1996-1997

1996				1997		
	Total	Price per	16-1-2	Canada Nama	Total	Price per
Species Name	Pounds*	Pound**	vaine	Species Name	Pounds*	Pound**
Surf Clam - Bushel	110	\$0.88	\$96.80	Tilefish	1,743,495	\$1.29
Swordfish	12,392	\$4.02	\$49,815.84	Triggerfish	90	N/A
Tautod	4,135	\$0.88	\$3,638.80	Wahoo ³	34	\$1.26
Thresher Shark ¹	150	\$44.00	\$6,600.00	Weakfish (Squeteague/Gray Sea Trout) 1	3,265	\$0.13
Tiger Shark 4	45	\$0.75	\$33.75	Whelk (Conch Species Not Specified)	3,202	\$1.59
Tilefish 1	951,928	\$0.98	\$932,889.44	White Hake	630,432	\$0.83
Trionerfish	70	N/A		White Marlin	2	N/A
Tima (Species Not Specified)	m	\$3.73	\$11.19	Windowpane Flounder (Sand-Dab/Brill)	23,029	\$0.57
Wahoo 1	120	\$1.00	\$120.00	Winter Flounder (Blackback)	494,866	\$1.45
Weakfish (Squeteaque/Grav Sea Trout) 1	9,792	\$0.80	\$7,833.60	Witch Flounder (Gray Sole)	43,650	\$2.00
Whelk (Conch Species Not Specified) 11	, 665	\$1.59	\$1,057.35	Wolffish (Ocean Catfish)	239	\$0.51
White Hake	914,684	\$0.80	\$731,747.20	Yellowfin Tuna	35,393	\$2.61
Windowpane Flounder (Sand-Dab/Brill)	81,806	\$0.46	\$37,630.76	Yellowtail Flounder	277,101	\$1.48
Winter Flounder (Blackback)	673,265	\$1.41	\$949,303.65	Grand Total	53,276,010	
Witch Flounder (Gray Sole)	58,349	\$1.96	\$114,364.04			
Wolffish (Ocean Catfish)	7,140	\$10.70	\$76,398.00			
Yellowfin Tuna	44,080	\$2.24	\$98,739.20			
Yellowtail Flounder	358,749	\$1.42	\$509,423.58			
Grand Total	58,142,287		\$36,265,304			

\$42.84 \$424.45

\$5,091.18 \$523,258.56 \$13,126.53 \$717,555.70 \$87,300.00

\$2,249,108.55

Value

\$121.89 \$92,375.73 \$410,109.48

\$36,614,871

* Source: NMFS VTR data for Area 537
** Source: Price data obtained from NOAA dealer database and averaged from Dukes, Barnstable, Nantucket, Plymouth and Bristol counties unless indicated by another footnote.

¹ Price data were obtained from the Massachusetts-wide landings data available on NOAA Fisheries website.

² Used data for Atlantic herring.

³ Price data were obtained from the Rhode Island-wide landings data availble on NOAA Fisheries website.

⁴ The dollar amount is from unspecified species (i.e. not genus and species name).

5 Used data for Sea Scallop.

⁶ Used price for American Eel

7 Used price for Summer Flounder.

⁸Used price for Atlantic Halibut

9 Used price for Shrimp, Marine, Other

10 Used price for Skate Wings

¹¹ Price from 1997 was used.

Table 15c. Estimated Value of Federally-Reportable Commercial Landings in Area 537 - 1998-1999

1998				1999			
Snoriae Nama		Price per	Value	Species Name	Total	Price per	Value
omer consider	Pounds*	Pound**			Pounds*		
Albacore Tuna	17,651	\$0.51	\$9,002.01	Albacore Tuna 1	4,330	0.45	\$1,948.50
American Lobster	2,602,481	\$4.35	\$11,320,792.35	American Lobster	2,995,387	4.49	\$13,449,287.63
American Plaice Flounder (DAB)	8,568	\$1.42	\$12,166.56	American Plaice Flounder (DAB)	20,996	1.27	\$26,664.92
American Shad	32,408	\$0.51	\$16,528.08	American Shad	1,710	0.13	\$222.30
Atlantic Herring	5,228,357	\$0.05	\$261,417.85	Atlantic Croaker	75	0.50	\$37.50
Atlantic Mackerel	584,932	\$0.34	\$198,876.88	Atlantic Herring	8,282,320	0.08	\$662,585.60
Big Eve Tuna	17,355	\$3.11	\$53,974.05	Atlantic Mackerel	1,177,579	0.39	\$459,255.81
Black Sea Bass	38,970	\$2.26	\$88,072.20	Big Eye Tuna	11,638	3.68	\$42,827.84
Black Whiting	89,195	N/A	•	Black Sea Bass	93,266	2.08	\$193,993.28
Blue Back Herring 1,2	1,415	\$0.05	\$70.75	Black Whiting	173,801	N/A	
Blue Crab 1	11,929	\$0.40	\$4,771.60	Blue Back Herring ²	570	0.08	\$45.60
Blue Shark	99	\$0.71	\$46.86	Blue Crab	8,101	0.45	\$3,645.45
Bluefin Tuna	1,396	\$6.19	\$8,641.24	Blue Crab - Bushel	432	N/A	
Bluefish ¹	165,869	\$0.43	\$71,323.67	Bluefin Tuna	16,282	7.95	\$129,441.90
Bonito	2,986	\$1.17	\$3,493.62	Bluefish	181,985	0.29	\$52,775.65
Butterfish	1,451,897	\$0.49	\$711,429.53	Bonito	2,625	1.48	\$3,885.00
Channeled Whelk	3,402	\$1.79	\$6,089.58	Butterfish	1,119,224	0.52	\$581,996.48
Cod	70,616	\$1.28	\$90,388.48	Calico Scallop ⁵	9	7.29	\$43.74
Conger Eel	4,909	\$0.48	\$2,356.32	Channeled Whelk 4	8,036	0.84	\$6,750.24
Crab (Species Not Specified)	65,226	\$0.40	\$26,090.40	Chub Mackerel	210	N/A	
Cunner	125	\$0.27	\$33.75	Cod	79,577	1.37	\$109,020.49
Cusk	275	\$0.59	\$162.25	Conger Eel	6,580	0.58	\$3,816.40
Dogfish (Species Not Specified) ¹	49,358	\$1.35	\$66,633.30	Crab (Species Not Specified)	127,849	0.45	\$57,532.05
Dolphin Fish (Mahi-Mahi) ¹	2,560	\$1.45	\$3,712.00	Cunner	1,424	0.37	\$276.88
Eel (Species Not Specified) 1,7	3,907	\$0.48	\$1,875.36	Cusk	96	0.73	\$70.08
Flounder (Species Not Specified) ⁸	67,616	\$1.92	\$129,822.72	Dogfish (Species Not Specified) 3,6	193,348	0.15	\$29,002.20
Fourspot Flounder 8	7,845	\$1.92	\$15,062.40	Dolphin Fish (Mahi-Mahi)	3,128	2.47	\$7,726.16
Haddock	2,655	\$1.46	\$3,876.30	Eel (Species Not Specified) 1,7	1,651	0.58	\$957.58
Hake (Species Not Specified) ^{1,9}	125,890	\$0.50	\$62,945.00	Flounder (Species Not Specified) ⁸	26,568	2.09	\$55,527.12
Horseshoe Crab	400	\$0.98	\$392.00	Fourspot Flounder 8	2,965	2.09	\$6,196.85
Illex Squid ^{1,4}	922,376	\$0.89	\$593,964.64	Haddock	13,528	1.49	\$20,156.72
John Dory ¹	9,835	\$0.26	\$2,557.10	Hake (Species Not Specified) ^{1,9}	602'26	0.62	\$58,099.58
Jonah Crab	1,319,390	\$0.49	\$646,501.10	Horseshoe Crab ¹	300	0.55	\$165.00
King Whiting (Kingfish)	44,050	\$1.31	\$57,705.50	Illex Squid 1,4	118,238	99.0	\$78,037.08
Little Tuna	32	\$0.26	\$8.32	John Dory	13,895	0.36	\$5,002.20
Loligo Squid	7,188,567	\$0.97	\$6,972,909.99	Jonah Crab	1,537,743	0.51	\$784,248.93
Lumpfish	12	\$0.48	\$5.76	King Mackerel 1	1 145 746	1.86	\$1.86
Mako Shark (Longiin)	Ŧ	\$1.19	61.14	Mily Willing (Milying)	01/CTT	0.50	OL . T / T / T &

Table 15c. Estimated Value of Federally-Reportable Commercial Landings in Area 537 - 1998-1999

1998				1999			
	Total	Price per		Section 1	Total	Price per	Value
Species Name	Pounds*	Pound**	Value	Species Name	Pounds*	Pound**	Value
Mako Shark (Shortfin)	221	\$1.15	\$254.15	Knobbed Whelk 11	21	1.34	\$28.14
Mako Shark (Species Not Specified)	464	\$1.40	\$649.60	Little Tuna	10	0.26	\$2.60
Monk Livers	86,713	N/A		Loligo Squid	6,605,265	0.78	\$5,152,106.70
Monk Tails	399,199	N/A		Mako Shark (Shortfin)	249	1.26	\$313.74
Monkfish (Anglerfish/Goosefish)	3,326,552	\$1.27	\$4,224,721.04	Mako Shark (Species Not Specified)	125	0.13	\$16.25
Mussels	82	N/A		Monk Livers	108,215	A/N	
Ocean Pout	700	\$0.53	\$371.00	Monk Tails	240,587	A/N	
Other Finfish	21,190	\$0.52	\$11,018.80	Monkfish (Anglerfish/Goosefish)	4,683,593	1.64	\$7,681,092.52
Pollock	30,749	\$0.74	\$22,754.26	Mullets	90	N/A	1
Porbeagle Shark	787	\$0.90	\$708.30	Ocean Pout	2,434	0.50	\$1,217.00
Red Crab 1,4	127,620	\$0.40	\$51,048.00	Opah (Moonfish)		1.75	\$1.75
Red Hake (Ling)	966,293		\$280,224.97	Other Finfish	11,465	0.58	\$6,649.70
Redfish (Ocean Perch)	431	\$0.59	\$254.29	Other Invertebrates	400	N/A	
Rock Crab ^{1,4}	152,098		\$60,839.20	Pollock	8,019	0.85	\$6,816.15
Rouch Stad	9			Porbeagle Shark 4	80	1.44	\$115.20
Scin (Porav)	378,902	\$1.84	\$697,179.68	Red Crab	892,368	0.45	\$401,565.60
Sea Raven 1	970	\$0.15	\$145.50	Red Hake (Ling)	1,176,482	0.34	\$400,003.88
Sea Rohins 1	612	\$0.12	\$73.44	Redfish (Ocean Perch)	2,344	0.48	\$1,125.12
Sea Scallon	125.547	\$6,82	\$856,230.54	Rock Crab 1,4	177,309	0.40	\$70,923.60
Seatrout. NK	7,143	N/A	•	Scallops - Shells	315	N/A	
Shrimp (Pandalid) 1,10	13,445	÷	\$10,352.65	Sculpins	10	N/A	
Shrimp (Species Not Specified) 1,10	1,468		\$1,130.36	Scup (Porgy)	359,034	1.18	\$423,660.12
Silver Hake (Whiting)	7,107,976	\$0.46	\$3,269,668.96	Sea Raven	1,172	0.37	\$433.64
Skate	6,389,164	\$0.38	\$2,427,882.32	Sea Robins	92	0.18	\$16.56
Skate Wings	73,089		·	Sea Scallop	133,392	7.29	\$972,427.68
Skipjack Tuna ^{1,4}	531	\$3.07	\$1,631.73	Sea Urchins	1,350	1.03	\$1,390.50
Smooth Dogfish 3	1,505	\$0.28	\$421.40	Seatrout, NK	12,509	N/A	
Spiny Doafish	705,465	\$0.19	\$134,038.35	Shrimp (Pandalid) 1,10	16,397	0.59	\$9,674.23
Spotted Weakfish (Spotted Sea Trout) 4	964	\$1.38	\$1,330.32	Silver Hake (Whiting)	5,895,824	0.39	\$2,299,371.36
Squid (Species Not Specified)	2,370,343		\$2,109,605.27	Skate	4,269,972	0.38	\$1,622,589.36
Striped Bass	2,853		\$4,365.09	Skate Wings	28,364	N/A	
Summer Flounder (Fluke)	813,120	\$1.92	\$1,561,190.40	Skipjack Tuna ^{1,4}	1,077	2.34	\$2,519.93
Surf Clam	222,760	\$0.71	\$158,159.60	Smooth Dogfish 3	2,318	0.16	\$370.88
Swordfish	13,192	\$2.56	\$33,771.52	Soft Clam	4,480		\$0.00
Tautod	1,682		\$2,068.86	Spiny Dogfish	457,039	0.18	\$82,267.02
Thresher Shark 1	246	\$0.63	\$154.98	Spotted Weakfish (Spotted Sea Trout) 4	2,107	1.01	\$2,128.07
Tlefish	1,626,502		\$1,610,236.98	Squid (Species Not Specified)	1,686,433	0.82	\$1,3
Triagerfish	139	N/A		Striped Bass ¹	3,850	1.56	\$6,006.00
Tuna (Species Not Specified) 1	87	\$3.07	\$267.09	Summer Flounder (Fluke)	915,555	2.09	\$1,913,509.95

Table 15c. Estimated Value of Federally-Reportable Commercial Landings in Area 537 - 1998-1999

1998				
Species Name	Total Pounds*	Price per Pound**	Value	Species Name
Wahoo ¹	35	\$3.00	\$105.00	Surf Clam
Weakfish (Squeteague/Gray Sea Trout)	5,657	\$1.38	\$7,806.66	Swordfish
White Hake	1,000,465	\$0.92	\$920,427.80	Tautog
Windowpane Flounder (Sand-Dab/Brill)	9,790		\$4,209.70	Tiger Shark
Winter Flounder (Blackback)	479,586	\$1.45	\$695,399.70	Tilefish
Witch Flounder (Gray Sole)	39,988		\$67,579.72	Triggerfish
Wolffish (Ocean Catfish)	932	\$0.62	\$577.84	Tuna (Species Not Specified) ¹
Yellowfin Tuna	20,814	\$2.05	\$42,668.70	Wahoo 1
Yellowtail Flounder	360,348	\$1.44	\$518,901.12	Weakfish (Squeteague/Gray Sea
Grand Total	46,777,950		\$41,234,126	Whelk (Conch Species Not Speci
				White Hake

1999			
N CONTRACTOR	Total	Price per	onle.V
Species Maille	Pounds*	Pound**	Adiac
Surf Clam	492,956	0.76	\$374,646.56
Swordfish	8,270	3.41	\$28,200.70
Tautog	620	1.34	\$830.80
Tiger Shark	64	0.52	\$33.28
Tilefish	619,539	1.49	\$923,113.11
Triggerfish	2	N/A	
Tuna (Species Not Specified) 1	56	2.34	\$60.84
Wahoo 1	46	3.00	,\$138.00
Weakfish (Squeteague/Gray Sea Trout)	15,980	1.01	\$16,139.80
Whelk (Conch Species Not Specified)	61	0.84	\$51.24
White Hake	663,286	0.88	\$583,691.68
Windowpane Flounder (Sand-Dab/Brill)	13,051	0.33	\$4,306.83
Winter Flounder (Blackback)	510,104	1,30	\$663,135.20
Witch Flounder (Gray Sole)	80,935	1.60	\$129,496.00
Wolffish (Ocean Catfish)	5,234	29.0	\$3,506.78
Yellowfin Tuna 1	18,369	2.11	\$38,758.59
Yellowtail Flounder	802,639	1.24	\$995,272.36
Grand Total	47,396,388		\$43,165,266

* Source: NMFS VTR data for Area 537
** Source: Price data obtained from NOAA dealer database and averaged from Dukes, Barnstable, Nantucket, Plymouth and Bristol counties unless indicated by another footnote.

¹ Price data were obtained from the Massachusetts-wide landings data available on NOAA Fisheries website.

² Used data for Atlantic herring.

³ Price data were obtained from the Rhode Island-wide landings data availble on NOAA Fisheries website.

⁴ The dollar amount is from unspecified species (i.e. not genus and species name).

⁵Used price for Sea Scallop.

⁶ Used price for Spiny Dogfish

⁷ Used price for Conger Eel

⁸ Used price for Summer Flounder

⁹ Used price for Silver Hake

¹⁰ Used data for Shrimp, Marine, Other

¹¹ Used price from 1998

Table 15d. Estimated Value of Federally-Reportable Commercial Landings in Area 537 - 2000-2001

2000				2001			
Species Name	Total	Price per	Value	Species Name	Total Pounds*	Price per	Value
	Founds*	2	02 NEC 24	Albacoto Tima	0 718	1 33	¢17 974 94
Albacore I una	12,450		00.400,04	Albacole I ulia	2 102 570	25.4	#10 178 OK2 72
American Lobster	2,342,200		\$TT,547,075.38	Allielicali Loustel	0FC,CC1,2	5 5	47 070 64
American Plaice Flounder (DAB)	2,064	\$1.06	\$5,367.84	American Plaice Flounder (DAB)	000'/	+ 0	+0,2/6,/4
American Shad	8,146	\$0.58	\$4,724.68	American Shad	- 584 -	97.0	\$T.CD.\$
Atlantic Herring ¹	6,151,077	\$0.06	\$369,064.62	Atlantic Croaker	23,150	N/A	
Atlantic Mackerel	720,423	\$0.36	\$259,352.28	Atlantic Halibut	15	2.85	\$42.75
Ric Eve Tina	23,929	\$4.14	\$99,066.06	Atlantic Herring	1,302,946	09.0	\$781,767.60
Black Sea Base	98,905	¢1.83	\$180,996.15	Atlantic Mackerel	99,564	0.33	\$32,856.12
Black Whiting	103,803	N/A	-	Bait	.00	N/A	
Blacktin Shark 4	83	\$0,90	\$74.70	Big Eye Tuna	11,344	4.44	\$50,367.36
Blue Crab 4	31,914	\$0.57	\$18,190.98	Black Sea Bass	226'69	1.72	\$120,360.44
Blue Shark 4		\$0.90	\$0.90	Black Whiting	345,067	N/A	
Bluefin Tuna	3,231	\$10.45	\$33,763.95	Blue Crab ⁴	46,048	0.55	\$25,326.40
Bluefish	70,595	\$0.42	\$29,649.90	Blue Shark 4	9	1.16	\$69.60
Bonito 1	125	\$2,05	\$256.25	Bluefin Tuna	9,265	7.56	\$70,043.40
Butterfish	503,963	\$0.44	\$221,743.72	Bluefish	88,651	0.42	\$37,233.42
Cancer Crab 4	16,061	\$0.57	\$9,154.77	Bonito 3	46	0.14	\$6.44
Channeled Whelk 4	18,900	\$1.23	\$23,247.00	Butterfish	5,933,028	0.27	\$1,601,917.56
Chub Mackerel ⁵	S	\$0.38	\$1.90	Channeled Whelk ^{4, 11}	629	1.23	\$835.17
Cod	234,323	\$1.26	\$295,246.98	Chub Mackerel 5	30	0.37	\$11.10
Conger Eel	6,482	\$0.55	\$3,565.10	Cod	145,984	1.15	\$167,881.60
Crab (Species Not Specified)	214,913	\$0.57	\$122,500.41	Conger Eel	4,619	0.34	\$1,570.46
Cunner ¹	145	\$0.29	\$42.05	Crab (Species Not Specified)	66,722	0.55	\$36,697.10
Cusk	319	\$1.60	\$510.40	Crevalle	4,800	N/A	
Dogfish (Species Not Specified) ¹	30,076	\$0.65	\$19,549.40	Cunner 3	278	2.40	\$667.20
Dolphin Fish (Mahi-Mahi)	1,219	\$1.84	\$2,242.96	Cusk	887	0.44	\$390.28
Eel (Species Not Specified) ^b	4,852	\$0.55	\$2,668.60	Dogfish (Species Not Specified)	725	0.11	\$79.75
Flounder (Species Not Specified)	34,586	\$1.66	\$57,412.76	Dolphin Fish (Mahi-Mahi)	1,184	1.58	\$1,8/0.72
Fourspot Flounder	1,077	\$1.66	\$1,787.82	ecies Not Specified)	4,603	0.34	\$1,565.02
Frigate Mackerel	Υ :	A/N		Escolar	130		20,04
Golden Tilefish *, 10	72,513	\$1.49	\$108,044.37	Flounder (Species Not Specified)	669'6	0.67	40,498.33
Green Crab	257,094	\$0.57	\$146,543.58	Fourspot Flounder	320	0.67	\$214.40
Haddock	4,635	\$1.54	\$7,137.90	Gizzard Shad	400	A/N	
Hagfish ¹	100	\$0.26	\$26.00	Golden Tilefish 1,7	20,877	0.94	\$47,617.98
Hake (Species Not Specified) ³	85,771	\$0.29	\$24,873.59	Green Crab *	109,501	0.55	\$60,225.55
Horseshoe Crab	410	N/A		Haddock	8,723	1.35	\$11,776.05
Illex Squid 1,4	519,001	\$0.53	\$275,070.53	Hagfish	3,250	N/A	
John Dory ³	2,625	\$0.34	\$892.50	Hake (Species Not Specified) ³	41,747	0.29	\$12,106.63
Jonah Crab	1,796,458	\$0.53	\$952,122.74	Illex Squid 1,4	30,021	0.40	\$12,008.40
Jonah Crab - Bushel	8,050	\$0.53	\$4,266.50	John Dory	17,838	0.14	\$2,497.32
King Whiting (Kingfish)	411,447	\$0.45	\$185,151.15	Jonan Crab	T,009,005	0.00	\$7,013,013,40

Table 15d. Estimated Value of Federally-Reportable Commercial Landings in Area 537 - 2000-2001

2000				2001			
Species Name	Total Bounds*	Price per	Value	Species Name	Total Pounds*	Price per Pound**	Value
Lolino Sauid	4.074.037	\$0.63	\$2,566,643,31	King Mackerel ³	2	1.77	\$3.54
Mako Shark (Longfin) 4	94	\$0.64	\$60.16	King Whiting (Kingfish) 3	421,214	0.38	\$160,061.32
Mako Shark (Shortfin)	1,713	\$1.00	\$1,713.00	Knobbed Whelk 12	1,500	1.26	\$1,890.00
Mako Shark (Species Not Specified) 1	292	\$0.64	\$186.88	Little Tuna	300	0.07	\$21.00
Monk Livers	92,838	N/A		Loligo Squid	4,840,273	0.62	\$3,000,969.26
Monk Tails	186,612	N/A		Mako Shark (Shortfin)	2,565	1.50	\$3,847.50
Monkfish (Anglerfish/Goosefish)	2,967,150	\$1.88	\$5,578,242.00	Mako Shark (Species Not Specified) *	1,222	0.66	\$806.52
Ocean Pout	810	\$0.40	\$324.00	Monk Livers	66,030	AN.	
Octopus (Species Not Specified)	12	N/A		Monk Tails	143,518	N/A	7
Opah (Moonfish)	100	N/A	1	Monkfish (Anglerfish/Goosefish)	2,652,873	1.60	\$4,244,596.80
Other Finfish	19,253	\$1.13	\$21,755.89	Mullets	051	A Y	4441
Pollock	1,544	\$0.82	\$1,266.08	Ocean Pout	3,441	0.13	\$447.33
Porbeagle Shark 4	99	\$0.90	\$59.40	Octopus (Species Not Specified)	^	N/A	1
Quahogs/Bushel	12,928	N/A		Other Finfish	2,285	0.89	\$2,033.65
Razor Clam 1,7	2,957	\$0.79	\$2,336.03	Other Invertebrates	90	N/A	
Red Crab ¹	280	\$0.69	\$193.20	Pollock	3,998	0.74	\$2,958.52
Red Hake (Ling)	1,288,277	\$0.42	\$541,076.34	Porbeagle Shark	62	0.85	\$67.15
Redfish (Ocean Perch)	3,405	\$0.49	\$1,668.45	Red Crab ^{1,4}	621,558	0.71	\$441,306.18
Rock Crab 1,4	275,366	\$0.49	\$134,929.34	Red Hake (Ling)	1,163,311	0.36	\$418,791.96
Sandbar Shark ⁴	935	\$0.90	\$841.50	Redfish (Ocean Perch)	4,008	0.49	\$1,963.92
Scallops - Shells	3,574	N/A		Rock Crab	271,525	0.50	\$135,762.50
Scup (Porgy)	252,315	\$1.46	\$368,379.90	Rough Scad	400	N/A	
Sea Raven ³	1,227	\$0.42	\$515,34	Sandbar Shark	3,323	0.26	\$863.98
Sea Robins ³	211	\$0.13	\$27.43	Scup (Porgy)	121,748	0.92	\$112,008.16
Sea Scallop	137,357	\$5.91	\$811,779.87	Sea Raven 3	1,183	0.49	\$579.67
Seatrout, NK	1,109	N/A		Sea Robins 3	1,631	0.11	\$179.41
Shark (Species Not Specified)	2,500	\$0.90	\$2,250.00	Sea Scallop	31,840	4.13	\$131,499.20
Shrimp (Pandalid) ^{1,8}	25,074	\$0.69	\$17,301.06	Seatrout, NK	1,004	N/A	
Shrimp (Species Not Specified) 1,8	006'6	\$0.69	\$6,417.00	Shark (Species Not Specified)	6,572	1.16	\$7,623.52
Silver Hake (Whiting)	7,721,278	\$0.38	\$2,934,085.64	Shrimp (Pandalid) ^{1,8}	13,530	0.75	\$10,147.50
Skate	3,820,212	₩	\$1,413,478.44	Silver Hake (Whiting)	6,900,733	0.38	\$2,622,278.54
Skate Wings	81,416			Skate	3,934,398	0.28	\$1,101,631.44
Smooth Dogfish ^{1,4}	490	\$0.65	\$318.50	Skate Wings	174,332	N/A	
Soft Clam 1,7	19,760	\$0.79	\$15,610.40	Smooth Dogfish 3,4	4,841	0.11	\$532.51
Southern Flounder ⁴	13,925	\$1.66	\$23,115.50	Spanish Mackerel	1,500	0:30	\$450.00
Spanish Mackerel ³	1,860	\$1.00	\$1,860.00	Spiny Dogfish	5,613	0.22	\$1,234.86
Spiny Dogfish	224,029	\$0.23	\$51,526.67	Spotted Weakfish (Spotted Sea Trout) 4	253	0.81	\$204.93
Spot	250	N/A		Squid (Species Not Specified)	56,856	0.34	\$19,331.04
Spotted Weakfish (Spotted Sea Trout) 4	247	\$0.76	\$187.72	Striped Bass ¹ Summer Hounder (Fluke)	1,571	2.27	\$3,566.17 \$1.364.768.72
Oddia (obesies Not obesiliea)	200/200	200	2011 04/0404				

Table 15d. Estimated Value of Federally-Reportable Commercial Landings in Area 537 - 2000-2001

2000				2001			
Species Name	Total Pounds*	Price per	Value	Species Name	Total Pounds*	Price per Pound**	Value
Striped Bass ¹	2,043	\$2.86	\$5,842.98	Surf Clam	13,580	0.79	\$10,728.20
Sturgeon (Species Not Specified)	20	N/A		Swordfish	1,046	3.23	\$3,378.58
Summer Flounder (Fluke)	679,049	\$1.84	\$1,249,450.16	Tautog	414	1.12	\$463.68
Swordfish	33,334	\$3.40	\$113,335.60	Thresher Shark ⁴	74	1.16	\$85.84
Tautoa	219	\$1.39	\$304.41	Tilefish ¹	358,470	0.94	\$336,961.80
Thresher Shark 4	900	\$0.90	\$540.00	Triggerfish	m	N/A	
Tilefish ¹	399,570	\$1.79	\$715,230.30	Tuna (Species Not Specified) 1	12	3.25	\$39.00
Triagerfish		N/A		Weakfish (Squeteague/Gray Sea Trout)	1,806	96.0	\$1,733.76
Tuna (Species Not Specified)	25	\$3.55	\$88.75	White Hake	39,080	0.64	\$25,011.20
Wahoo 3	179	\$2,10	\$375.90	Windowpane Flounder (Sand-Dab/Brill)	14,064	0.31	\$4,359.84
Weakfish (Squeteague/Grav Sea Trout)	2,233	\$0.93	\$2,076.69	Winter Flounder (Blackback)	641,765	0.98	\$628,929.70
White Hake	38,545	\$0.69	\$26,596.05	Witch Flounder (Gray Sole)	48,091	1.23	\$59,151.93
Windowpane Flounder (Sand-Dab/Brill)	17,181	\$0.26	\$4,467.06	Wolffish (Ocean Catfish)	1,755	0.56	\$982.80
Winter Flounder (Blackback)	816,095	\$1.10	\$897,704.50	Yellowfin Tuna	18,417	3.65	\$67,222.05
Witch Flounder (Gray Sole)	43,440	\$1.35	\$58,644.00	Yellowtail Flounder	679,255	0.96	\$652,084.80
Wolffish (Ocean Catfish)	5,288	\$0.60	\$3,172.80	Grand Total	36,424,672		\$29,880,205
Yellowfin Tuna	30,772	\$2.16	\$66,467.52				
Yellowtail Flounder	637,122	\$1.00	\$637,122.00				
Grand Total	38,647,841		\$33,612,413				

* Source: NMFS VTR data for Area 537
** Source: Price data obtained from NOAA dealer database and averaged from Dukes, Barnstable, Nantucket, Plymouth and Bristol counties unless indicated by another footnote.

¹ Price data were obtained from the Massachusetts-wide landings data available on NOAA Fisheries website.

² Used data for Atlantic herring.

³ Price data were obtained from the Rhode Island-wide landings data availble on NOAA Fisheries website.

⁴ The dollar amount is from unspecified species (i.e. not genus and species name).

⁵ Used price for Atlantic Mackerel.

⁶ Used price for Conger Eel

7 Used price for Atlantic Surf Clam

⁸ Used price for Shrimp, Marine, Other

⁹ Used price for Summer Flounder

¹⁰ Used price from 1999
¹¹ Used price from 2000
¹² Used price from 2002

Table 15e. Estimated Value of Federally-Reportable Commercial Landings in Area 537 - 2002-2003

2002				2003			
Species Name	Total	Price per	Value	Species Name	Total Pounds*	Price per Pound**	Value
Albacore Tuna	2,576	\$0.50	\$1,288.00	Albacore Tuna	623	0.79	\$492.17
American Eel ⁵	1,750	\$0,40	\$700.00	American Lobster	1,557,302	4.93	\$7,677,498.86
American Lobster	1,818,759	\$4,39	\$7,984,352.01	American Plaice Flounder (DAB)	19,832	1.23	\$24,393.36
American Plaice Flounder (DAB)	4,020	\$1.10	\$4,422.00	American Shad	325	0.98	\$318.50
American Shad	199	\$0.15	\$29.82	Atlantic Halibut	8	3.61	\$108.30
Atlantic Croaker	18,339	N/A		Atlantic Herring	3,446,645	0.05	\$172,332.25
Atlantic Herring 1	8,761,230	\$0.06	\$525,673.80	Atlantic Mackerel	1,218,612	0.29	\$353,397.48
Atlantic Mackerel	12,234,891	\$0.41	\$5,016,305.31	Black Bellied Rosefish	33	N/A	
Big Eye Tuna	1,455	\$3.73	\$5,427.15	Black Sea Bass	35,422	1.72	\$60,925.84
Black Sea Bass	136,218	\$1.61	\$219,310.98	Black Whiting	29,046	N/A	
Black Whiting	11,477	N/A		Blacktip Shark 1,4	20	0.53	\$10.60
Blue Crab 1,4	1,167	\$0.55	\$641.85	Blue Back Herring ²	815	0.05	\$40.75
Bluefin Tuna	3,027	\$7.95	\$24,064.65	Blue Crab 4	71,162	0.55	\$39,139.10
Bluefish	115,435	\$0.50	\$57,717.50	Blue Crab - Bushel 4	31,176	0.55	\$17,146.80
Bonito	431	\$2.18	\$939.58	Blue Shark ^{1,4}	200	0.53	\$106.00
Butterfish	351,292	\$0.41	\$144,029.72	Bluefin Tuna	639	6.93	\$4,428.27
Channeled Whelk 11	1,127	\$2.20	\$2,479.40	Bluefish	33,273	0.50	\$16,636.50
Cobia	45	N/A		Blueline Tilefish 4	2,090	0.73	\$1,525.70
Cod	40,292	\$1.31	\$52,782.52	Bonito	45	1.93	\$86.85
Conger Eel	2,900	\$0.40	\$1,160.00	Butterfish	317,585	0.47	\$149,264.95
Crab (Species Not Specified)	2,391	\$0.40	\$956.40	Channeled Whelk	614	2.20	\$1,350.80
Crevalle	3,000	N/A		Chub Mackerel 2	22	0.05	\$1.25
Cunner 3	9	\$2.47	\$148.20	Cod	86,406	1.45	\$125,288.70
Cusk	24	\$0.55	\$13.20	Conger Eel	1,889	0.35	\$661.15
Dolphin Fish (Mahi-Mahi)	2,542	\$1.23	\$3,126.66	Crab (Species Not Specified)	367	0.35	\$128.45
Eel (Species Not Specified) ⁵	2,843	\$0.40	\$1,137.20	Crevalle	2,100	N/A	
Flounder (Species Not Specified) 1,6	637	\$1.60	\$1,019.20	Cunner		1.07	\$1.07
Fourspot Flounder 1,6	565	\$1.60	\$904.00	Cusk	82	0.55	\$45.10
Golden Tilefish 1,7	682,356	\$1.96	\$1,337,417.76	Dolphin Fish (Mahi-Mahi)	725	1.78	\$1,290.50
Haddock	23,290	\$1.37	\$31,907.30	Eel (Species Not Specified)	4,801	0.86	\$4,128.86
Hake (Species Not Specified) 1,8	2,379	\$0.40	\$951.60	Flounder (Species Not Specified) 1,5	1,269	1.91	\$2,423.79
Illex Squid 1,4	48,524	\$0.53	\$25,717.72	Fourspot Flounder 1,6	920	1.91	\$1,757.20
John Dory ¹	14,430	\$0.71	\$10,245.30	Golden Tilefish	700,255	1.05	\$735,267.75
Jonah Crab	2,275,552		\$1,228,798.08	Haddock	99,157	4:	\$142,786.08
King Whiting (Kingfish)	70,571	\$0.88	\$62,102.48	Hagfish	20,000	N/A	
Knobbed Whelk	469		\$590.94	Hake (Species Not Specified) 1,8	705	0.43	\$303.15
Loligo Squid	5,207,349		\$3,853,438.26	Illex Squid ^{1,4}	11,055	0.50	\$5,527.50
Mako Shark (Shortfin)	344	\$1.16	\$399.04	John Dory	41,606	0.73	\$30,372.38

Table 15e. Estimated Value of Federally-Reportable Commercial Landings in Area 537 - 2002-2003

2002				2003			
Chariae Nama	Total	Price per	Value	Species Name	Total	Price per	Value
Species Maine	Pounds*	Pound**		. 1	Pounds*	Pound**	
Mako Shark (Species Not Specified)	40	₩	\$42.40	Jonah Crab	2,807,916	0.53	\$1
Monk Livers	42,212			King Whiting (Kingtish)	106,886	0.30	<u>~</u>
Monk Tails	52,164			Little Skate	703	0.38	
Monkfish (Anglerfish/Goosefish)	2,353,377	\$1.30	\$3,059,390.10	Loligo Squid	4,103,396	0.91	\$3,734,0
Northern Puffer	75	N/A		Mako Shark (Species Not Specified)	3	0.14	\$8.40
Ocean Pout 1	819	\$0.30	\$245.70	Monk Livers	73,902	N/A	
Other Finfish	59	\$0.93	\$54.87	Monk Tails	190,465	N/A	
Pollock	1,122	\$0.82	\$920.04	Monkfish (Anglerfish/Goosefish)	3,942,691	1.26	\$4,967,790.66
Red Crab	1,515,344	\$0.86	\$1,303,195.84	Mussels	22	N/A	
Red Hake (Ling)	427,664	\$0.34	\$145,405.76	Ocean Pout 1	381	0.18	\$68.58
Rock Crab	195,849	\$0.50	\$97,924.50	Other Finfish	20	0.42	\$8.40
Sandbar Shark 4	213	\$0.85	\$181.05	Pollock	3,597	0.53	\$1,906.41
Scup (Poray)	639,218	\$0.78	\$498,590.04	Porbeagle Shark 4,12	179	0.85	\$152,15
Sea Raven 3	. 43	\$0.63	\$27.09	Red Crab	1,454,861	1.04	\$1,513,055.44
Sea Robins 3	1,030		\$103.00	Red Hake (Ling)	286,804	0.33	\$94,645.32
Sea Scallop	19,742		\$90,023.52	Redfish (Ocean Perch)	104	0.58	
Seatrout, NK	3,197		-	Rock Crab	196,678	0.50	\$98,339.00
Shrimp (Panaeid) 1,9	2,100	\$0.89	\$1,869.00	Sand Tilefish	675		\$0.00
Shrimp (Pandalid) ^{1,9}	18,136	\$0.89	\$16,141.04	Scup (Porgy)	148,481	0.75	\$111,360.75
Silver Hake (Whiting)	3,397,982	\$0.39	\$1,325,212.98	Sea Raven ³	112	0.49	\$54.88
Skate	2,442,064	\$0.30	\$732,619.20	Sea Robins 3	282	0.08	\$22.56
Skate Wings	198,760	N/A		Sea Scallop	35,219	5.03	\$177,151.57
Smooth Dogfish	3,625	\$1.00	\$3,625.00	Seatrout, NK	156	1.00	\$156.00
Southern Flounder 10	1,550		\$2,573.00	Shrimp (Pandalid)	13,885	0.80	\$11,108.00
Spiny Dogfish	54,933	₩.	\$10,986.60	Silver Hake (Whiting)	1,789,161	0.55	\$984,038.55
Spot	450	N/A		Skate	2,227,457	0.38	\$846,433.66
Spotted Weakfish (Spotted Sea Trout) 1,4	3,694		\$2,696.62	Skate Wings	447,289	N/A	
Squid (Species Not Specified) 1	150	\$0.53	\$79.50	Smooth Dogfish 3	769	0.14	\$107.66
Striped Bass ¹	8,260	\$1.81	\$14,949.38	Spiny Dogfish	1,400	0.13	\$182,00
Summer Flounder (Fluke)	945,521	\$1.66	\$1,569,564.86	Spotted Weakfish (Spotted Sea Trout)	271	1.00	\$271.00
Swordfish	950	\$3.65	\$3,467.50	Squid (Species Not Specified) ¹	6,334	0.50	\$3,167.00
Tautog	276	\$1.42	\$391.92	Striped Bass 1	2,442	1.72	
Tilefish 1	5,687	\$1.96	\$11,146.52	Summer Flounder (Fluke)	939,349	1.87	\$1,756,582.63
Triggerfish	15	\$0.64	\$9.60	Tautog	205	1.32	\$270.60
Tuna (Species Not Specified)	25	\$1.80	\$45.00	Tilefish 1	2,355	0.86	\$2,025.30
Weakfish (Squeteague/Gray Sea Trout) 1	11,570	\$1.35	\$15,619.50	Triggerfish	375	0.41	\$153.75
Whelk (Conch Species Not Specified) 11	75	\$1.98	\$148.50	Weakfish (Squeteague/Gray Sea Trout)	3,879	1.00	\$3,879.00
White hake	90,112	 ⊤ / •∩¢	\$45,0/9.52 		3) 	

Table 15e. Estimated Value of Federally-Reportable Commercial Landings in Area 537 - 2002-2003

2002				
Species Name	Total Pounds*	Price per Pound**	Value	Species Nam
Windowpane Flounder (Sand-Dab/Brill)		\$0.41	\$4,547.72	White Hake
Winter Flounder (Blackback)	399,620		\$467,590.50	Windowpane Flounder (Sar
Witch Flounder (Grav Sole)	15,226		\$19,793.80	Winter Flounder (Blackback
Wolffish (Ocean Catfish)	, 15	\$0.69	\$10.35	Winter Skate
Yellowfin Tuna	4,164	0,	\$8,994.24	Winter Skate Wings
Yellowtail Flounder	594,144	- 0,	\$659,499.84	Witch Flounder (Gray Sole)
Grand Total	45,276,350		\$30,710,563	Wolffish (Ocean Catfish)
				Volloudin Trun

2003			
Complete Control Control	Total	Price per	Value
Species Maine	*Spunod	Pound**	Value
White Hake	377,265	0.57	₩
Windowpane Flounder (Sand-Dab/Brill)	5,558	0.32	\$1,778.56
Winter Flounder (Blackback)	358,450	1.27	\$455,231.50
Winter Skate	24,900	0.42	\$10,458.00
Winter Skate Wings	878	N/A	
Witch Flounder (Gray Sole)	38,471	1.47	\$56,552.37
Wolffish (Ocean Catfish)	405	0.74	\$299.70
Yellowfin Tuna	1,193	1.86	\$2,218.98
Yellowtail Flounder	204,789	1.19	\$243,698.91
Grand Total	27,567,613		\$26,392,871

* Source: NMFS VTR data for Area 537

** Source: Price data obtained from NOAA dealer database and averaged from Dukes, Barnstable, Nantucket, Plymouth and Bristol counties unless indicated by another footnote.

¹ Price data were obtained from the Massachusetts-wide landings data available on NOAA Fisheries website.

² Used data for Atlantic herring.

³ Price data were obtained from the Rhode Island-wide landings data availble on NOAA Fisheries website.

⁴ The dollar amount is from unspecified species (i.e. not genus and species name).

5 Used for conger eel.

⁶ Used price for Summer Flounder ⁷ Used price for Tilefish

8 Used price for Silver Hake

⁹Used price for Shrimp, Marine, Other

 10 Used price for Summer Flounder 11 Used price from 2003

12 Used price from 2002

Table 15f. Estimated Value of Federally-Reportable Commercial Landings in Area 537 - 2004

2004			
Species Name	Total Pounds*	Price per Pound**	Value
Albacore Tuna	5,530	\$0.56	\$3,096.80
American Lobster	1,174,236	\$4.84	\$5,683,302.24
American Plaice Flounder (DAB)	1,790	\$1.19	\$2,130.10
American Shad ¹	9,101	\$0.19	\$1,729.19
Atlantic Croaker	1,637	N/A	
Atlantic Halibut	45	\$3.95	\$177.75
Atlantic Herring	2,276,408	\$0.07	\$159,348.56
Atlantic Mackerel	7,693,885	\$0.35	\$2,692,859.75
Bait	33,000	N/A	
Big Eye Tuna	12,890	\$5.51	\$71,023.90
Black Sea Bass	28,676	\$1.88	\$110,310.88
Black Whiting	130,405	N/A	
Blue Crab ³	15,300	\$0.65	\$9,945.00
Bluefin Tuna	4,820	\$7.94	\$38,270.80
Bluefish	103,276	\$0.44	\$45,441.44
Blueline Tilefish 1	730	\$0.69	\$503.70
Bonito 1	118	\$2.25	\$265.50
Butterfish	219,677	\$0.42	\$92,264.34
Cancer Crab 1,3	12	\$0.65	\$7.80
Channeled Whelk	1,538	\$2.25	\$3,460.50
Cod	51,737	\$1.62	\$83,813.94
Conger Eel	1,257	\$0.15	\$188.55
Crab (Species Not Specified)	2	\$0.65	\$45.50
Cunner 1	2,568	\$1.00	\$2,568.00
Dogfish (Species Not Specified) ²	490	\$0.10	\$49.00
Dolphin Fish (Mahi-Mahi)	911	\$1.79	\$1,630.69
Eel (Species Not Specified) ⁴	1,603	\$1.19	\$1,907.57
Flounder (Species Not Specified) ⁵	230	\$1,54	\$354.20
Fourspot Flounder 5	1,810	\$1.54	\$2,787.40
Golden Tilefish	1,599,004	\$0.82	\$1,311,183.28
Grouper (Species Not Specified)	250	N/A	
Haddock	40,882	\$1.35	\$55,190.70
Hake (Species Not Specified) ⁶	2,705	\$0.46	\$1,244.30
Illex Squid ^{1,3}	406,200	\$1.00	\$406,200.00
John Dory	17,452	\$0.40	\$6,980.80
Jonah Crab	2,640,256	\$0.29	\$765,674.24
King Whiting (Kingfish)	186,096	\$0.80	\$148,876.80
Little Skate ³	156,200	\$0.39	\$60,918.00

Table 15f. Estimated Value of Federally-Reportable Commercial Landings in Area 537 - 2004

2004			
Species Name	Total	Price per	Value
	Founds*	Found 1/A	
Little Skate Wings	300	N/N	!
Little Tuna 1,3	420	\$0.59	\$247.80
Loligo Squid	5,844,575	\$0.74	\$4,324,985.50
Mako Shark (Shortfin)	009	\$1.27	\$762.00
Monk Livers	97,291	N/A	
Monk Tails	159,873	N/A	
Monkfish (Anglerfish/Goosefish)	3,756,672	\$1.42	\$5,334,474.24
Ocean Pout 1	193	\$0.10	\$19.30
Other Finfish	c	\$0.36	\$1.08
Other Invertebrates	197	N/A	
Pollock	2,596	\$0.55	\$1,427.80
Porbeagle Shark	130		\$46.80
Red Crab ¹	1,611,004	\$1.07	\$1,723,774.28
Red Hake (Ling)	424,033	\$0.40	\$169,613.20
Redfish (Ocean Perch)	30	\$0.64	\$19.20
Rock Crab 1	313,617	\$0.56	\$175,625.52
Sand Tilefish ³	352	\$0.55	\$193.60
Scallops - Bushel	425	N/A	
Scup (Porgy)	353,584	\$1.02	\$360,655.68
Sea Raven 2	236		\$181.72
Sea Robins ¹	641	\$0.21	\$134.61
Sea Scallop	242,157	₩.	\$1,431,147.87
Seatrout, NK	259		
Shark (Species Not Specified)	800		\$944.00
Shrimp (Panaeid) 1,7	375	\$0.58	\$217.50
Shrimp (Pandalid) 1,7	4,055	\$0.58	\$2,351.90
Shrimp (Species Not Specified) 1,7	100		\$58.00
Silver Hake (Whiting)	2,966,072	\$0.46	\$1,364,393.12
Skate	2,356,682	\$0.39	\$919,105.98
Skate Wings	550,162	N/A	
Skipjack Tuna ^{1,3}	30	\$0.59	\$17.78
Smooth Dogfish 1	3,020	\$0.23	\$697.62
Spider Crab 1	9,450	\$0.88	\$8,316.00
Spiny Dogfish	26,747	\$0.21	\$5,616.87
Spotted Weakfish (Spotted Sea Trout) 1,3	154	\$1.12	\$172.48
Squid (Species Not Specified) 1	15,000		\$15,000.00
Striped Bass	1,065		\$1,735.95
Summer Flounder (Fluke)	1,464,102	\$1.54	\$2,254,717.08

Table 15f. Estimated Value of Federally-Reportable Commercial Landings in Area 537 - 2004

2004			
Species Name	Total Pounds*	Price per	Value
Swordfish	5,400	\$3.87	\$20,898.00
Tauton	,636	\$1.52	
Tilefish	807	\$0.98	
Tuna (Species Not Specified) ¹	32	\$0.59	\$18.88
Wahoo i	100	\$1.85	\$185.00
Weakfish (Squeteague/Gray Sea Trout)	1,494	\$1.12	\$1,673.28
Whelk (Conch Species Not Specified) ⁸	57	\$1.98	\$112.86
White Hake	369,905	\$0.82	\$303,322.10
Windowpane Flounder (Sand-Dab/Brill)	3,110	\$0.35	\$1,088.50
Winter Flounder (Blackback)	261,292	\$1.32	\$344,905.44
Winter Skate	58,575	₩	\$27,530.25
Winter Skate Wings	31,200	N/A	
Witch Flounder (Gray Sole)	9,187	\$1.40	\$12,861.80
Wolffish (Ocean Catfish)	40	\$0.69	\$27.60
Yellowfin Tuna	15,300	\$2.75	\$42,075.00
Yellowtail Flounder	103,216	\$1.19	\$122,827.04
Grand Total	37,920,148		\$30,739,689

* Source: NMFS VTR data for Area 537
** Source: Price data obtained from NOAA dealer database and averaged from Dukes,
Barnstable, Nantucket, Plymouth and Bristol counties unless indicated by another footnote.

¹ Price data were obtained from the Massachusetts-wide landings data

available on NOAA Fisheries website.

² Price data were obtained from the Rhode Island-wide landings data availble on NOAA Fisheries website.

³ The dollar amount is from unspecified species (i.e. not genus and species name).

⁴Used price for American Eel

⁵ Used price for Summer Flounder

⁶ Used price for Silver Hake

⁷ Used price for Shrimp, Marine, Other

⁸ Used price data from 2003

2004 2003 2002 2001 2000 1999 Year 1998 1997 1996 1995 1994 4,000,000 16,000,000 14,000,000 12,000,000 10,000,000 8,000,000 6,000,000 2,000,000 Pounds

Federally-Reportable Atlantic Herring Landings in Area 537: 1994-2004

2004 2003 2002 2001 2000 1999 Year 1998 1997 1996 1995 1994 10,000,000 9,000,000 3,000,000 2,000,000 8,000,000 7,000,000 1,000,000 6,000,000 5,000,000 4,000,000 Pounds

Federally-Reportable Silver Hake Landings in Area 537: 1994-2004

2004 2003 2002 2001 2000 1999 Year 1998 1997 1996 1995 1994 6,000,000 sbnuoq 5,000,000 4,000,000 1,000,000 9,000,000 5,000,000,3 3,000,000 2,000,000 Ö 8,000,000 7,000,000

Federally-Reportable Loligo Squid Landings in Area 537: 1994-2004

2004 2003 2002 2001 2000 1999 Year 1998 1997 1996 1995 1994 **ebnuo9** 4,000,000 1,000,000 Ö 8,000,000 7,000,000 6,000,000 5,000,000 3,000,000 2,000,000

Federally-Reportable Skate Landings in Area 537: 1994-2004

2004 2003 2002 2001 2000 1999 Year 1998 1997 1996 1995 1994 **abnuo9** 3,000,000 Ö 4,000,000 2,000,000 1,000,000 6,000,000 5,000,000

Federally-Reportable Monkfish (Anglerfish/Goosefish) Landings in Area 537: 1994-2004

2004 2003 2002 2001 2000 1999 Year 1998 1997 1996 1995 1994 14,000,000 ó 12,000,000 10,000,000 8,000,000 4,000,000 2,000,000 6,000,000 Pounds

Federally-Reportable Atlantic Mackerel Landings in Area 537: 1994-2004

2004 2003 2002 2001 2000 1999 Year 1998 1997 1996 1995 1994 500,000 2,500,000 2,000,000 1,500,000 1,000,000 Ö 3,500,000 3,000,000 Pounds

Federally-Reportable American Lobster Landings in Area 537: 1994-2004

2004 2003 2002 2001 2000 1999 Year 1998 1997 1996 1995 1994 5,000,000 Ö 6,000,000 4,000,000 3,000,000 2,000,000 1,000,000 7,000,000 Pounds

Federally-Reportable Butterfish Landings in Area 537: 1994-2004

2004 2003 2002 2001 2000 1999 Year 1998 1997 1996 1995 1994 4,500,000 -1,000,000 500,000 3,000,000 2,500,000 2,000,000 0

Federally-Reportable Jonah Crab Landings in Area 537: 1994-2004

2004 2003 2002 2001 2000 1999 Year 1998 1997 1996 1995 1994 2000,000 -1,800,000 800,000 - 000'009 400,000 200,000 0 2,000,000 1,600,000 1,400,000 1,200,000

Federally-Reportable Summer Flounder (Fluke) Landings in Area 537: 1994-2004

2004 2003 2002 2001 2000 1999 Year 1998 1997 1996 1995 1994 0 500,000 1,000,000 2,500,000 2,000,000 1,500,000 Pounds

Federally-Reportable Squid (Species Not Specified) Landings in Area 537: 1994-2004

2004 2003 2002 2001 2000 1999 Year 1998 1997 1996 1995 1994 o 400,000 200,000 1,400,000 1,200,000 1,000,000 800,000 600,000 Pounds

Federally-Reportable Red Hake Landings in Area 537: 1994-2004

2004 2003 2002 2001 2000 1999 Year 1998 1997 1996 1995 1994 2000,000 -1,200,000 -400,000 2,000,000 1,800,000 800,000 - 000'009 200,000 1,600,000 1,400,000

Federally-Reportable Tilefish Landings in Area 537: 1994-2004

2004 2003 2002 2001 2000 1999 Year 1998 1997 1996 1995 1994 2,000,000 − 1,000,000 − 1,000 1,400,000 ò 000'009 400,000 200,000 1,800,000 1,600,000 1,200,000

Federally-Reportable Red Crab Landings in Area 537: 1994-2004

2004 2003 2002 2001 2000 1999 Year 1998 1997 1996 1995 1994 200,000 0 - 000'008 400,000 1,400,000 1,000,000 600,000 1,200,000 Pounds

Federally-Reportable Spiny Dogfish Landings in Area 537: 1994-2004

2004 2003 2002 2001 2000 1999 Year 1998 1997 1996 1995 1994 0 800,000 400,000 200,000 1,200,000 1,000,000 600,000 Pounds

Federally-Reportable White Hake Landings in Area 537: 1994-2004

2004 2003 2002 2001 2000 1999 Year 1998 1997 1996 1995 1994 **Pounds** 800,000 700,000 - 000'009 300,000 200,000 100,000 Ö 900,000 400,000

Federally-Reportable Winter Flounder Landings in Area 537: 1994-2004

2004 2003 2002 2001 2000 1999 Year 1998 1997 1996 1995 1994 200,000 1,200,000 000'009 400,000 Ó 1,000,000 800,000 Pounds

Federally-Reportable Scup (Porgy) Landings in Area 537: 1994-2004

2004 2003 2002 2001 2000 1999 Year 1998 1997 1996 1995 1994 800,000 400,000 Ö 1,400,000 1,200,000 1,000,000 000'009 200,000 Pounds

Federally-Reportable Illex Squid Landings in Area 537: 1994-2004

2004 2003 2002 2001 2000 1999 Year 1998 1997 1996 1995 1994 **Pounds** 500,000 400,000 - 000'006 700,000 0 000'009 800,000 300,000 200,000 100,000

Federally-Reportable Yellowtail Flounder Landings in Area 537: 1994-2004

Attachment B

MarineFisheries Commercial Fisheries Data

Table 1. State-reported landings (pounds) from gill nets in Area 16 (Source: DMF Commercial Data for Area 16 - 1990-2004)

						, X	Year							1000
Species	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	lotai
Atlantic Mackerel	8,871	7,673	1,501	1,600	3,835	520	1,000	250		100	5,550	2,621	4,656	38,177
Bluefish	10,574	27,502		4,235	11,335	9,484	1,800	25	400	100		468		66,320
Bonito		400	16	282	30									728
Cod	230,627	252,559	9,451	48,273	30,186	8,493	28,630		45,900	44,116	25,663	22,200	8,779	754,877
Clisk		175	140			38	***			200		450		1,003
Dab (Plaice)										20		450		200
Doafish	3,654,078	2,697,310	1,001,990	220,115	353,570	442,018	105,800	2,250	28,228		12,743	2,537	5,170	8,525,809
Flounder (unclassified)			311											355
Fluke													354	354
Grav Sole (Witch)												2	2	4
Groundfish (unclassified)						331								331
Haddock	5		90			51					220	69		785
Hake		4	250	3,137										3,427
Herring (unclassified)			7											7
Monkfish	77,423	151,873	142,176	277,257	145,751	202,228	245,190	81,203	227,967	153,090	176,564	454,759	303,477	2,638,958
Pollock	4,238	354	12,105	4,037	5	6,570				000'6	264	22,740	2	59,318
Red Hake	7.											12		12
Scin				55										55
Skate	18,327	68,797	75,530	92,555	67,587	39,589	68,400	6,482	33,226	39,620	94,394	93,853	166,276	864,636
Summer flounder	30				264	200								494
Tautog	2,136	1,627	50	9	595									4,414
White Hake										8,500	3			8,503
Whiting											11,858			11,858
Winter Flounder	1,012	3,685	72	3,495	61	157				50	329	193	3	9,057
Wolffish		8									19			27
Yellowtail Flounder	378	3,268	167	40	97						က	95		3,961
Total	4,007,699	4,007,699 3,215,315	1,244,253	655,087	613,229	709,679	53 655,087 613,229 709,679 450,820 90,210 335,721	90,210	335,721	254,826	327,961 600,447	600,447	488,722	12,993,969

Table 2. State-reported conch landings (pounds) from fish pots in Area 16 from 1990 through 2004 (Source: DMF Commercial Data 1990-2004)

,						۲	Year							Total
Month	1992		1993 1994 1995	1995	1996	1997	1998	1999	2000	2001	1996 1997 1998 1999 2000 2001 2002 2003 2004	2003	2004	- Cla
Apr	0		0	0	Ι' -	0	0	0	0	0	0	0	0	7,050
May	0	1,900			7,000									8,900
Jun	0	7,106	400											7,506
Jul	0	7,924	431											8,355
Aug	0	5,630												5,630
Sep	0	3,112												3,112
Oct	0	5,145	650											5,795
Nov	0	1,883												1,883
Total	0	0 32,750 1,481	1,481	0	0 14,000	0	0	0	0	0	0	0	0	0 48,231

Table 3. State-reported sea bass landings (pounds) from fish pots in Area 16 from 1990 through 2004 (Source: DMF Commercial Data 1990-2004)

								Year								Total
Month	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	1990 1991 1992 1993 1994 1995 1996 1997 1998 1999 2000 2001 2002 2003 2004	2003	2004	
														20		90
Ain				90			32							75		125
Spor				99	250		69							75		460
2500				94	250		29			1,022		2,123				3,556
NON NO				76						55		384				515
Total	0	0	0	254	200	0	168	0	0	0 1,077	0	0 2,507	0	200		0 4,706

Table 4. State-reported scup landings (pounds) from fish pots in Area 16 from 1990 through 2004 (Source: DMF Commercial Data 1990-2004)

RA 4L						Year						Total
	1994	1994 1995	1996 1997	1997	1998	1999	1998 1999 2000 2001 2002 2003 2004	2001	2002	2003	2004	וסומו
Jun	97											97
Jul	105											105
Aug	168		335		1,463							1,966
Sep	137		1,298		2,724							4,159
Ö	142		189		629							960
Total	649	0	0 1,822	0	0 4,816	0	0	0	0	0	0	0 7,287

Table 5. State-reported crab landings (pounds) from lobster pots in Area 16 from 1990 through 2004 (Source: DMF Commercial Data 1990-2004)

								Year								Total
Mont	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	lotai
Jan	39,824	52,756	30,953	41,915	54,606	68,240	143,422	68,559	114,205	168,402	124,026	195,437	253,220	137,597	38,917	1,532,078
Feb	13,795	27,567	8,412	1,437	61,332	79,371	82,841	52,229	82,479	156,109	161,895	99,477	205,691	84,655	133,167	1,250,456
Mar	31,043	20,578	30,010	48,002	60,541	103,075	45,662	46,727	91,973	147,209	174,094	122,988	226,546	165,210	103,628	1,417,285
Apr	19,038	39,547	36,376	33,870	62,110	85,596	39,040	61,121	55,795	171,374	138,872	128,497	156,246	175,303	238,913	1,441,698
May	15,209	39,876	31,222	90,428	70,330	102,476	84,889	73,676	64,426	130,608	100,548	91,344	164,646	137,937	188,004	1,385,620
Jun	25,851	29,276	26,748	86,570	71,799	89,368	78,365	65,444	74,188	120,355	76,086	129,444	119,882	213,040	183,575	1,389,993
Ja D	19,564	30,069	32,271	55,006	22,215	49,875	96,283	66,400	107,445	68,202	77,362	81,037	94,162	115,169	188,441	1,103,500
Aug	4,482	13,371	28,525	37,188	15,941	26,537	55,532	30,714	63,832	72,054	65,512	68,017	66,369	57,582	182,234	787,889
Sep	7,958	10,841	27,199	32,689	48,616	45,739	37,330	37,465	65,227	137,991	118,091	92,764	101,272	60,555	98,911	922,648
<u>t</u>	16,578	27,194	65,936	58,331	69,051	72,121	64,922	63,208	71,517	181,320	135,974	126,890	110,431	113,974	76,113	1,253,560
Nov	37,441	28,031	67,910	52,186	66,576	79,675	269,79	73,869	127,388	136,913	145,332	177,805	149,658	175,660	166,041	1,552,180
Dec	44,987	30,163	76,865	59,232	75,643	103,364	103,259	96,132	224,355	218,488	86,665	137,794	240,502	164,081	248,274	1,909,804
Total	275,770	349,268	462,427	596,853	678,761	905,437	899,242	735,544	1,142,829	1,709,024	1,404,457	1,451,494	1,888,625	1,600,763	1,846,219	15,946,710

Table 6. State-reported lobster landings (pounds) from lobster pots in Area 16 from 1990 through 2004 (Source: DMF Commercial Data 1990-2004)

Attachment C

NOAA Fisheries MRFSS Recreational Data

Table 1. Recreational fishing effort by mode based on MRFSS interviews from Barnstable/Dukes/Nantucket Counties

			Party/Charter	Private/Rental	
Year	Wave	Shore	Boat	Boat	Total
1990	wave 2	4	0	30	34
	wave 3	177	103	263	543
	wave 4	358	241	761	1,360
i	wave 5	267	108	504	879
	wave 6	54	0	46	100
	total	860	452	1,604	2,916
1991	wave 2	81	0	40	121
	wave 3	122	47	230	399
	wave 4	345	208	459	1,012
	wave 5	396	66	353	815
	wave 6	115	0	17	132
	total	1,059	321	1,099	2,479
1992	wave 2	25	0	9	34
	wave 3	203	85	270	558
	wave 4	325	185	485	995
	wave 5	319	116	340	775
	wave 6	118	10	13	141
	total	990	396	1,117	2,503
1993	wave 2	59	0	2	61
	wave 3	285	87	326	698
	wave 4	452	210	740	1,402
	wave 5	391	65	384	840
	wave 6	69	0	35	104
	total	1,256	362	1,487	3,105
1994	wave 2	84	6	10	100
	wave 3	341	102	281	724
	wave 4	308	222	465	995
	wave 5	609	112	448	1,169
	wave 6	47	9	19	75
	total	1,389	451	1,223	3,063
1995	wave 2	93	0	2	95
	wave 3	318	88	431	837
	wave 4	337	239	941	1,517
	wave 5	460	60	395	915
	wave 6	56	15	11	82
	total	1,264	402	1,780	3,446
1996	wave 2	23	0	0	23
	wave 3	252	78	345	675
	wave 4	323	111	663	1,097
	wave 5	387	83	297	767
	wave 6	12	18	8	38
	total	997	290	1,313	2,600
1997	wave 2	14	23	8	45
	wave 3	297	74	321	692
	wave 4	319	145	456	920
	wave 5	411	149	210	770
	wave 6	87	29	51	167

Table 1. Recreational fishing effort by mode based on MRFSS interviews from Barnstable/Dukes/Nantucket Counties

			Party/Charter	Private/Rental	
Year	Wave	Shore	Boat	Boat	Total
1998	wave 2	5	6	10	21
	wave 3	200	110	316	626
	wave 4	420	165	630	1,215
	wave 5	201	86	316	603
	wave 6	170	42	40	252
	total	996	409	1,312	2,717
1999	wave 2	81	11	44	136
	wave 3	375	70	344	789
	wave 4	459	99	431	989
	wave 5	337	63	183	583
	wave 6	66	31	33	130
	total	1,318	274	1,035	2,627
2000	wave 2	40	0	17	57
	wave 3	293	81	265	639
	wave 4	337	149	477	963
	wave 5	147	77	233	457
	wave 6	24	18	26	68
	total	841	325	1,018	2,184
2001	wave 2	79	26	42	147
	wave 3	253	97	215	565
	wave 4	375	103	570	1,048
	wave 5	279	79	217	575
	wave 6	84	31	24	139
	total	1,070	336	1,068	2,474
2002	wave 2	108	32	5	145
	wave 3	141	109	231	481
	wave 4	299	142	417	858
	wave 5	313	63	173	549
	wave 6	186	69	10	265
	total	1,047	415	836	2,298
2003	wave 2	104	79	4	187
	wave 3	286	144	299	729
	wave 4	366	221	525	1,112
	wave 5	291	124	302	717
	wave 6	126	18	17	161
	total	1,173	586	1,147	2,906
2004	wave 2	82	17	6	105
	wave 3	233	216	242	691
	wave 4	157	155	379	691
	wave 5	176	133	253	562
	wave 6	98	60	11	169
	total	746	581	891	2,218
Grand Total		16,134	6,020	17,976	40,130

Table 2. Recreational fishing effort by hours fished based on MRFSS interviews from Barnstable/Dukes/Nantucket Counties

		Total hours	Mean of hours		
Year	Wave	fished	fished		std dev
1990	wave 2	156.00	4.59	4.59	1.98
	wave 3	1,970.50	3.63	3.63	1.83
	wave 4	4,449.00	3.27	3.27	1.84
	wave 5	3,351.10	3.81	3.81	2.16
	wave 6	299.00	2.99	2.99	1.70
	total	10,225.60	3.66	3.51	0.61
1991	wave 2	345.00	2.85	JIJI	1.90
エララエ	wave 2	1,284.00	3.22		1.70
	wave 4	3,214.50	3.18		1.83
		3,075.00	3.77		2.33
	wave 5	347.00	2.63		2.55 1.45
	wave 6			2 22	0.43
1000	total	8,265.50	3.13	3.33	
1992	wave 2	70.00	2.06		1.24
	wave 3	1,958.50	3.54		1.94
	wave 4	3,076.50	3.09		1.89
	wave 5	3,026.00	3.91		2.26
	wave 6	357.50	2.54		1.85
	total	8,488.50	3.03	3.39	0.74
1993	wave 2	117.00	1.92		1.03
	wave 3	2,234.00	3.20		1.93
	wave 4	4,436.00	3.16		1.96
	wave 5	2,704.00	3.22		1.91
	wave 6	260.50	2.50		1.73
	total	9,751.50	2.80	3.14	0.58
1994	wave 2	231.50	2.32		1.32
	wave 3	2,571.30	3.55		4.13
	wave 4	3,452.00	3.47		2.38
	wave 5	3,860.50	3.30		2.69
	wave 6	217.50	2.90		1.95
	total	10,332.80	3.11	3.37	0.51
1995	wave 2	197.00	2.07		1.26
	wave 3	2,929.00	3.50		3.96
	wave 4	4,642.00	3.06		1.82
	wave 5	2,940.00	3.21		2.11
	wave 6	344.00	4.19		10.94
	total	11,052.00	3.21	3.21	0.77
1006	wave 2	39.00	1.70	,	0.78
1996			3.44		2.17
	wave 3	2,323.00	1		1
	wave 4	3,632.00	3.33		4.66
	wave 5	2,478.00	3.24		2.15
	wave 6	185.00	4.87		4.67
100=	total	8,657.00	3.32	3.33	1.12
1997	wave 2	213.00	4.72		3.94
	wave 3	2,355.00	3.42		2.13
	wave 4	3,233.00	3.53		2.37
	wave 5	2,848.00	3.72		2.55
	wave 6	628.00	3.76		2.99
	total	9,277.00	3.83	3.58	0.52

Table 2. Recreational fishing effort by hours fished based on MRFSS interviews from Barnstable/Dukes/Nantucket Counties

		Total hours	Mean of hours		
Year	Wave	fished	fished		std dev
1998	wave 2	87.00	4.12		3.40
	wave 3	2,094.00	3.35		2.16
	wave 4	4,127.00	3.40		2.07
	wave 5	2,186.00	3.62		2.14
	wave 6	720.00	2.86		2.29
	total	9,214.00	3.47	3.39	0.46
1999	wave 2	371.00	2.73		1.86
	wave 3	2,626.00	3.33		1.97
	wave 4	3,368.00	3.40		1.97
	wave 5	1,936.00	3.32		1.95
	wave 6	566.00	4.35		2.55
	total	8,867.00	3.43	3.38	0.58
2000	wave 2	127.00	2.23	3.50	1.35
2000	wave 2 wave 3	2,270.00	3.57		2.07
	wave 4	3,315.50	3.44		2.02
	wave 5	1,723.50	3.77		2.09
	wave 6	311.50	4.58		2.95
	total		3.52	3.55	2.95 0.85
2001	wave 2	7,747.50 492.50	3.35	3.33	2.65
2001		1	3.50		
	wave 3	1,976.00	1		1.90
	wave 4	3,287.50	3.14		1.70
	wave 5	1,980.00	3.45		2.59
	wave 6	584.00	4.20	2.26	3.44
	total	8,320.00	3.53	3.36	0.40
2002	wave 2	463.50	3.20		2.94
	wave 3	1,853.50	3.85		2.19
	wave 4	2,750.00	3.21		1.84
	wave 5	1,738.50	3.17		2.23
	wave 6	811.00	3.06		2.12
	total	7,616.50	3.32	3.31	2.14
2003	wave 2	697.00	3.73		2.72
	wave 3	2,329.50	3.20		1.82
	wave 4	3,694.50	3.33		2.05
	wave 5	2,536.50	3.54		2.14
	wave 6	495.50	3.08		2.44
	total	9,753.00	3.36	3.36	2.10
2004	wave 2	313.00	3.01		2.67
	wave 3	2,534.00	3.69		1.91
	wave 4	2,381.50	3.45		1.84
	wave 5	1,982.00	3.53		1.99
	wave 6	722.00	4.27		3.08
	total	7,932.50	3.58	3.58	2.07
Grand To	otal	135,500.40	3.35		0.64

Table 3. Gear used by surveyed recreational anglers based on MRFSS interviews from Barnstable/Dukes/Nantucket Counties

			dip/ A								
		hook &	frame	cast	gill						
Year	Wave	line	net	net	net	seine	trawi	trap	spear	hand	other
1990	wave 2	34									
	wave 3	541							2		
	wave 4	1,359					1				
	wave 5	875	2	2			_				
	wave 6	100	_	-							
	total	2,909	2	2	0	0	1	0	2	o	0
1991	wave 2	118				<u> </u>		2	1		
	wave 3	396						1	2		
	wave 4	1,002	5			1		1	2	1	
	wave 5	815				_			_	_	
	wave 6	132									
	total	2,463	5	o	0	1	0	4	5	1	o
1992	wave 2	34		<u> </u>		<u> </u>					
	wave 3	556	2								
	wave 4	993	_						2		
	wave 5	767					1		8	1	
	wave 6	141							_		
	total	2,491	2	0	0	o	lo	0	10	lo	0
1993	wave 2	61		 	T -		1	l			
	wave 3	693				2		1	2		
	wave 4	1,394	1					3	1	3	
	wave 5	837			1	1		1	_		
	wave 6	104			-	-		_			
	total	3,089	1	0	1	3	lo	5	3	3	0
1994	wave 2	100			 -		 				
	wave 3	722	1						1		
	wave 4	990	1						2		2
	wave 5	1,160		2		1		1		1	4
	wave 6	75									
	total	3,047	2	2	0	1	0	1	3	1	6
1995	wave 2	95									
	wave 3	834	1	1		1					1
	wave 4	1,512						2	1		2
	wave 5	915									
	wave 6	82									
	total	3,438	1	1	0	0	0	2	1	0	3
1996	wave 2	23				<u> </u>					
	wave 3	674				1					
E CONTROL DE CONTROL D	wave 4	1,091	1							1	1
	wave 5	, 760						:			
	wave 6	38									1
	total	2,586	1	0	0	1	0	0	0	1	0
1997	wave 2	43									
	wave 3	673	4	-							
	wave 4	903	5						1		
	wave 5	758	4								4
	wave 6	167									
	total	2,544	13	0	0	0	0	0	1	0	4

Table 3. Gear used by surveyed recreational anglers based on MRFSS interviews from Barnstable/Dukes/Nantucket Counties

			dip/ A				<u> </u>				
		hook &	frame	cast	gill						
Year	Wave	line	net	net	net	seine	trawl	trap	spear	hand	other
1998	wave 2	21									
	wave 3	624									
	wave 4	1,208						1			1
	wave 5	, 599							4		
	wave 6	252									
	total	2,704	0	0	0	0	0	1	4	0	1
1999	wave 2	136									
	wave 3	788	1								
	wave 4	987	1						1		
	wave 5	582	1								
	wave 6	130									
	total	2,623	3	0	0	0	0	0	1	0	0
2000	wave 2	56									1
	wave 3	638	1								
	wave 4	959						4			
	wave 5	456									1
	wave 6	68									
	total	2,177	1	0	0	0	0	4	0	0	2
2001	wave 2	147									
	wave 3	564						1			
	wave 4	1,048									
	wave 5	575									
	wave 6	139									
	total	2,473	0	0	0	0	0	1	0	0	0
2002	wave 2	145									
	wave 3	479					1				
	wave 4	856						2			
	wave 5	549									
	wave 6	265			}						
	total	2,294	0	0	0	0	1	2	0	0	0
2003	wave 2	187									
	wave 3	729		1							
	wave 4	1,112									
	wave 5	717									
	wave 6	161									
	total	2,906	0	0	0	0	0	0	0	0	0
2004	wave 2	105									
	wave 3	681	10								
-	wave 4	690									1
	wave 5	561	1								
	wave 6	169									
	total	2,206	11	0	0	0	0	0	0	0	1
TOTAL		39,950	42	5		6	2	20	30	6	17

Table 4. Number of fish reported by surveyed anglers and number of fish observed by interviewer based on MRFSS interviews from Barnstable/Dukes/Nantucket Counties

		Sh	ore	Party/Ch	arter Boat	Private/R	ental Boat	То	tal
Year	Wave		Observed	Reported	Observed				
1990	wave 2	2	20	0.0	07	6	16	8	16
	wave 3	159	29	93	87	264	100	516	216
	wave 4	444	55 47	252	220	800	113	1,496	388
	wave 5	270	47 02	430	264	745	159	1,445	470
	wave 6	174	92	775	E-7-4	108	6	282	98
1991	total wave 2	1,049	223 4	775	571	1,923 19	394	3,747	1,188
TAAT	wave 2 wave 3	86	77	139	59		71	26	75 250
	wave 4	237	92	466	168	1,572 627	222 120	1,797	358
	wave 5	349	106	228	61	786	146	1,330	380
	wave 6	210	100	220	01	11	4	1,363	313 113
	total	889	388	833	288		5 63	221	
1992	wave 2	889	300	033	200	3,015	2	4,737	1,239
1332	wave 2	98	41	478	69	723	111	1,299	221
	wave 4	210	41	419	381	488	111	1,299	533
	wave 5	1,190	74	613	129	1,057	106	2,860	309
	wave 6	760	64	57	123	1,057	14	818	78
	total	2,258	220	1,567	579	2,270	344	6,095	1,143
1993	wave 2	-							
	wave 3	161	23	267	77	420	127	848	227
	wave 4	634	49	764	108	1,148	212	2,546	369
	wave 5	511	112	200	48	765	179	1,476	339
	wave 6	78	57			102	74	180	131
	total	1,384	241	1,231	233	2,435	592	5,050	1,066
1994	wave 2		2					0	2
	wave 3	267	57	231	136	444	127	942	320
	wave 4	266	37	524	193	924	163	1,714	393
	wave 5	644	58	530	63	1,051	125	2,225	246
	wave 6	36		96	1	30	5	162	6
	total	1,213	154	1,381	393	2,449	420	5,043	967
1995	wave 2	3	-	450		12	4-4	15	0
	wave 3	288	31	453	44	1,478	174	2,219	249
	wave 4	179	21	816	168	1,727	279	2,722	468
	wave 5	1,570	32	266	22	1,210	82	3,046	136
	wave 6	213	0.4	81	30	5		299	30
1006	total	2,253	84	1,616	264	4,432	535	8,301	883
1996	wave 2	22	24	1 220	27	1 222	174	22	0
	wave 3	227 282	24 3	1,230	37 40	1,222	174	2,679	235
	wave 4 wave 5	519	8	553 365	40 44	1,670	103	2,505	146
	wave 5	2	13	276	10	939	70	1,823 278	122 23
	total	1,052	48	2,424	131	3,831	347	1	
1997	wave 2	1,052	70	2 ,424 297	10	3/03T	34/	7,307 297	526 10
1991	wave 2	244	28	876	20	1,374	83	297 2,494	131
	wave 4	266	22	659	33	848	78	1,773	133
	wave 5	414	21	1,522	49	791	44	2,727	114
	wave 6	100	13	185	40	813	13	1,098	66
	total	1,024	84	3,539	152	3,826	218	8,389	454
<u> </u>	LULAI	1,024	04	3,339	132	3,020	719	0,389	434

Table 4. Number of fish reported by surveyed anglers and number of fish observed by interviewer based on MRFSS interviews from Barnstable/Dukes/Nantucket Counties

		Sh	ore	Party/Cha	arter Boat	Private/R	ental Boat	То	tal
Year	Wave	Reported	Observed	Reported	Observed	Reported	Observed	Reported	Observed
1998	wave 2	2		218		4		224	0
	wave 3	252	17	1,280	95	1,929	91	3,461	203
	wave 4	381	20	548	31	2,077	127	3,006	178
	wave 5	358	7	1,023	10	1,129	48	2,510	65
	wave 6	169	13	985	8	636	29	1,790	50
	total	1,162	57	4,054	144	5,775	295	10,991	496
1999	wave 2	78		35		22	3	135	3
	wave 3	377	25	1,683	2	3,026	77	5,086	104
	wave 4	351	15	882	17	1,311	59	2,544	91
	wave 5	155	2	1,216		, 587	20	1,958	22
	wave 6	267	4	135	8	1,234	8	1,636	20
	total	1,228	46	3,951	27	6,180	167	11,359	240
	wave 2	9				39		48	0
	wave 3	370	15	1,863	19	1,372	54	3,605	88
	wave 4	340	22	1,057	50	1,587	139	2,984	211
	wave 5	85	2	1,732	14	489	40	2,306	56
	wave 6	7	_	384		1		392	0
	total	811	39	5,036	83	3,488	233	9,335	355
	wave 2	97	3	1,233	1	9		1,339	4
	wave 3	210	20	2,028	27	1,390	39	3,628	86
	wave 4	354	21	, 743	77	1,668	172	2,765	270
	wave 5	399	19	842	36	755	19	1,996	74
	wave 6	46		745		207	13	998	13
	total	1,106	63	5,591	141	4,029	243	10,726	447
2002	wave 2	146	2	612		-70-0		758	2
	wave 3	163	19	5,171	205	1,955	45	7,289	269
	wave 4	319	27	848	44	1,645	89	2,812	160
	wave 5	296	32	572	25	515	68	1,383	125
	wave 6	199	84	221	101	396		816	185
	total	1,123	164	7,424	375	4,511	202	13,058	741
2003	wave 2	9		1,595		-,		1,604	0
	wave 3	241	15	2,402	53	1,460	89	4,103	157
	wave 4	351	10	1,854	216	1,550	100	3,755	326
	wave 5	483	12	720	96	887	22	2,090	130
	wave 6	238	54	581	137	5		824	191
	total	1,322	91	7,152	502	3,902	211	12,376	804
2004	wave 2	202	2	88	37	3,502		290	39
	wave 3	149	19	4,367	316	1,433	20	5,949	355
	wave 4	147	15	617	174	1,036	104	1,800	293
	wave 5	155	4	734	124	1,189	30	2,078	158
	wave 6	131	26	1,033	55	56	3	1,220	84
	total	784	66	6,839	706	3,714	157	11,337	929
TOTAL		18,658	1,968	53,413	4,589	55,780	4,921	127,851	11,478

Table 5. Numbers and species observed by MRFSS interviewers from surveys conducted in Dukes/Barnstable/Nantucket counties

	Shore		Party/Chart	er	Private/Ren	
		Total		Total		Total
Year	Species Name	Number	Species Name	Number		Number
1990	Atlantic mackerel	72	scup	456	bluefish	171
	bluefish	68	bluefish	41	tautog	83
	scup	37	winter flounder	28	scup	51
	pollock	26	black sea bass	17	winter flounder	40
	summer flounder	7	tautog	16	summer flounder	15
	winter flounder	4	striped bass	4	black sea bass	9
	black sea bass	3	smooth dogfish shark	3	Atlantic mackerel	8
	Atlantic menhaden	2	Atlantic cod	2	striped bass	7
	Atlantic bonito	1	Atlantic bonito	1	white perch	3
	smooth dogfish shark	1	fourspot flounder	1	northern searobin	2
	striped bass	1	ocean pout	1	American eel	1
	tautog	1	summer flounder	1	Atlantic cod	1
	_				Atlantic menhaden	1
					cunner	1
					searobins	1
1991	bluefish	185	scup	165	Atlantic mackerel	162
	Atlantic mackerel	89	bluefish	101	bluefish	160
	scup	22	tautog	9	scup	70
	windowpane	18	black sea bass	5	winter flounder	61
	pollock	12	striped bass	3	tautog	58
	Atlantic bonito	11	cunner	2	summer flounder	21
Į	butterfish	9	northern searobin	1	Atlantic cod	6
	winter flounder	9	searobins	1	striped bass	6
	Atlantic herring	7	summer flounder	1	Little tunny	5
	tautog	7			black sea bass	5
	cunner	5			pollock	4
	little tunny	4			albacore	2
	striped bass	3			Atlantic bonito	2
1	black sea bass	2			American eel	- 1
	summer flounder	2				_
	Atlantic menhaden	1				
	needlefish	ī				
	Spanish mackerel	1				
1992	Atlantic mackerel	82	scup	429	scup	100
	bluefish	55	bluefish	83	bluefish	64
	scup	41	striped bass	21	winter flounder	43
	winter flounder	16	tautog	17	tautog	39
	summer flounder	8	black sea bass	11	Atlantic mackerel	28
	albacore	4	northern searobin	11	summer flounder	20
	striped bass	4	Atlantic mackerel	3	striped bass	15
	Atlantic bonito	3	left-eye flounder	2	Atlantic cod	13
	Atlantic herring	2	summer flounder	2	black sea bass	11
	pollock	2	Tanna nound		Atlantic bonito	5
	northern searobin	1			Atlantic silverside	2
	rainbow smelt	1			bluefin tuna	2
	searobin	1			haddock	1
		-			yellowtail flounder	1

Table 5. Numbers and species observed by MRFSS interviewers from surveys conducted in Dukes/Barnstable/Nantucket counties

	Shore		Party/Charl	ter	Private/Rer	
		Total		Total		Total
Year	Species Name	Number		Number	- p	Number
1993	bluefish	52	bluefish	126	bluefish	215
	Atlantic bonito	50	scup	51	Atlantic bonito	100
	rainbow smelt	45	striped bass	18	winter flounder	81
	scup	21	tautog	16	scup	66
	winter flounder	20	Atlantic cod	11	summer flounder	43
	Atlantic silverside	15	Atlantic bonito	4	tautog	40
	cunner	14	black sea bass	2	striped bass	24
	striped bass	5	ocean pout	2	Atlantic cod	6
	tautog	5	winter flounder	2	black sea bass	6
	windowpane	5	summer flounder	1	Spanish sardine	4
	pollock	2			windowpane	2
	summer flounder	2			Atlantic menhaden	1
	Atlantic tomcod	1			lamprey sea	1
	blueback herring	1			shortfin mako shark	1
Î	mummichog	1			Spanish mackerel	1
	northern searobin	1			spiny dogfish shark	1
	winter skate	1			' ' '	
1994	bluefish	55	scup	224	bluefish	107
	sand lance	18	bluefish	87	Atlantic mackerel	88
	American sandlance	15	summer flounder	21	summer flounder	68
İ	scup	15	Atlantic mackerel	18	striped bass	40
	Atlantic mackerel	14	striped bass	17	winter flounder	35
	summer flounder	13	northern searobin	12	scup	29
	striped bass	6	tautog	6	Atlantic bonito	20
	winter flounder	5	Atlantic bonito	2	tautog	17
	albacore	2	Atlantic cod	2	skipjack tuna	6
	Atlantic bonito	2	black sea bass	1	Atlantic cod	2
	cunner	2	blueback herring	1	bigeye tuna	2
l	windowpane	2	shortfin mako shark	1	cunner	2
li	Atlantic menhaden	1	skipjack tuna	1	black sea bass	1
	blueback herring	1			chub mackerel	1
	pollock	1			striped searobin	1
	rainbow smelt	1			yellowfin tuna	1
	skipjack tuna	1				
1995	bluefish	66	bluefish	107	bluefish	169
	Atlantic bonito	5	scup	67	Atlantic mackerel	101
	white perch	3	striped bass	39	summer flounder	84
	winter flounder	3	finescale menhaden	29	striped bass	53
	striped bass	2	tautog	6	scup	43
	Atlantic herring	1	black sea bass	5	winter flounder	39
	cunner	1	Atlantic bonito	4	tautog	19
	scup	1	white perch	2	yellowfin tuna	7
	summer flounder	1	winter flounder	2	Atlantic bonito	6
	tautog	1	pollock	1	black sea bass	4
			summer flounder	1	Atlantic menhaden	3
			yellowfin tuna	1	bluefin tuna	2
			1		skipjack tuna	2
					bigeye tuna	1
					blueback herring	1
					cunner	1

Table 5. Numbers and species observed by MRFSS interviewers from surveys conducted in Dukes/Barnstable/Nantucket counties

	Shore		Party/Char	ter	Private/Rer	
		Total		Total		Total
Year 1996	Species Name	Number 14		Number 57		Number
1990	bluefish Atlantic mackerel	14	bluefish	30	bluefish Atlantic mackerel	79 60
	winter flounder	11	scup striped bass	25	winter flounder	54
	striped bass	3	finescale menhaden	23 7	SCUP	43
	Atlantic bonito	2	tautog	4	striped bass	43
	summer flounder	2	pollock	3	summer flounder	28
	windowpane flounder	2	black sea bass	2	tautog	24
	tautog	1	summer flounder	2	Atlantic bonito	6
	ladiog	_	Atlantic mackerel	1	cunner	2
			T Garres Tracker er	-	little skate	2
					smooth dogfish	2
					Atlantic herring	1
					black sea bass	- ī
					northern searobin	1
					shorthorn sculpin	- 1
1997	bluefish	26	finescale menhaden	49	bluefish	68
	striped bass	22	striped bass	36	striped bass	50
	Atlantic mackerel	12	scup	31	summer flounder	27
	summer flounder	10	bluefish	18	scup	22
	blueback herring	5	black sea bass	6	Atlantic mackerel	17
	scup	4	tautog	4	winter flounder	15
	windowpane flounder	4	Atlantic bonito	3	black sea bass	4
	winter flounder	1	summer flounder	3	tautog	4
			pollock	2	Atlantic bonito	3
					finescale menhaden	3
					spiny dogfish	2
					little skate	1
					sand lance	1
1000	<u> </u>				skate	1
1998	striped bass	21	striped bass	47	summer flounder	103
	bluefish	12	pollock	39	striped bass	69
	Atlantic mackerel	11 2	bluefish	30	bluefish	56
	Atlantic croaker		finescale menhaden	7 7	Atlantic mackerel	29
	pollock summer flounder	2 2	scup Atlantic mackerel	3	winter flounder	11
	tautog	2	Atlantic mackerel Atlantic herring	2	scup black sea bass	10 7
	American eel	1	black sea bass	2	Itautog	6
	American shad	1	spiny dogfish	2	cunner	4
	scup	1	winter flounder	2	Curinci	7
	white perch	1	summer flounder	1		
	yellowtail flounder	1	tautog	1		
1999	bluefish	18	striped bass	10	summer flounder	47
	striped bass	7	finescale menhaden	8	striped bass	46
	winter flounder	5	scup	6	Atlantic mackerel	23
	cunner	3	bluefish	2	bluefish	18
	summer flounder	3	winter flounder	1	winter flounder	17
	Atlantic mackerel	2			scup	5
	white perch	2			tautog	5
	Atlantic bonito	1			black sea bass	4
	Atlantic tomcod	1			albacaore tuna	1
	longhorn sculpin	1			Atlantic bonito	1
	pollock	1				
	shark (NS)	1				
ll	tautog	1				

Table 5. Numbers and species observed by MRFSS interviewers from surveys conducted in Dukes/Barnstable/Nantucket counties

	Shore		Party/Char		Private/Rer	
ear (Species Name	Total Number	Species Name	Total Number	Species Name	Total Number
2000	striped bass	10	scup	35	summer flounder	83
.000	bluefish	7	striped bass	18	scup	44
	scup	5	summer flounder	9	striped bass	40
	black sea bass	4	bluefish	9 7	bluefish	
				-		28
	rainbow smelt	4	Atlantic cod	6	bluefin tuna	9
	summer flounder	3	black sea bass	6	black sea bass	8
	winter flounder	3	Atlantic bonito	2	tautog	7
	northern searobin	2			winter flounder	7
	Spanish mackerel	1			Atlantic mackerel	4
					Atlantic bonito	2
					white perch	1
001	striped bass	20	bluefish	85	bluefish	85
	scup	19	scup	27	striped bass	66
	bluefish	15	striped bass	22	summer flounder	28
	alewife	3	summer flounder	5	scup	27
	Spanish mackerel	3	Atlantic cod	1	Atlantic bonito	15
	Little tunny	1	black sea bass	1	black sea bass	
			DIACK SEG DOSS	T		12
	black sea bass	1			tautog	4
	tautog	1			Atlantic cod	3
					winter flounder	2
					cunner	1
002	Atlantic mackerel	84	scup	197	striped bass	73
	striped bass	29	Atlantic cod	99	bluefish	50
	scup	15	striped bass	36	summer flounder	29
	cunner	15	bluefish	21	black sea bass	15
	summer flounder	7	summer flounder	11	scup	14
	bluefish	5	black sea bass	9	winter flounder	6
	winter flounder	5	pollock	2	tautog	5
	Atlantic herring	1	Pollocit	-	Atlantic cod	5
	Brown trout	1			yellowtail flounder	1
	1	1				1
	little tunny albacore tuna				windowpane	_
	albacore tuna	1			little skate	1
					Atlantic mackerel	1
			was		Atlantic bonito	1
003	Atlantic mackerel	49	scup	274	striped bass	75
	striped bass	19	Atlantic cod	68	summer flounder	41
	bluefish	12	cunner	60	bluefish	33
	tautog	3	striped bass	44	scup	20
	summer flounder	3	black sea bass	34	Atlantic mackerel	20
	little tunny	2	bluefish	13	black sea bass	7
	spiny dogfish	1	tautog	4	winter flounder	4
	scup	1	winter flounder	3	tautog	3
	winter flounder	1	summer flounder	2	bluefin tuna	3
	William Houliam	Т	Summer mounder	2		
					Atlantic cod	2
					spiny dogfish	1
					blueback herring	1
					little tunny	1
04	Atlantic mackerel	25	scup	473	striped bass	54
	striped bass	12	Atlantic cod	89	bluefish	42
	alewife	10	black sea bass	85	summer flounder	27
	scup	10	striped bass	34	scup	22
	winter flounder	4	bluefish		black sea bass	8
	bluefish	3	tautog	4	Atlantic mackerel	3
	Brown trout	1	haddock		Atlantic bonito	3 1
		1			Auditic Donito	1
	little tunny	T	northern searobin	2		
			Atlantic wolfish	1		
	1		Atlantic bonito	1		

Attachment D

NOAA Fisheries Recreational Vessel Trip Report (VTR) Data

Table 1. 1994 recreational landings (counts) reported by federally-permitted charter and party boats for Area 537 (Source: NMFS Vessel Trip Report Data for Area 537)

					200	Counts by Month				Total
Species	April	May	June	July	August	August September October November December	October	November	December	B
Albacore Tuna				240	412	269	48			696
American Lobster				2,750		5,757	6,399	4,450		19,356
Atlantic Mackerel		9								9
Big Eye Tuna					2	T	1			4
Black Sea Bass									115	115
Black Whiting						2,500				2,500
Blue Shark			10	1		14				25
Bluefin Tuna				255	27	238	8			528
Bluefish			37	249	13		25	25,500		25,824
Bonito					8	27	Н			118
Butterfish						200		20		550
	2,053	935	1,872	3,023	1,149		101		212	9,345
Cunner		10								10
Dolphin Fish (Mahi-Mahi)				-	239	50				290
Dusky Shark						88				88
Hake (Species Not Specified)				300						300
Illex Squid								4,600		4,600
Jonah Crab						81				81
Little Tuna					Ţ	Ţ				2
Loligo Squid		15,250				196,536		8,000		219,786
Mako Shark (Longfin)							1			н
Mako Shark (Shortfin)			1	2	1	1	2			7
Mako Shark (Species Not Specified)	_			2						2
Monkfish (Anglerfish/Goosefish)		850	8,200					391		9,441
Ocean Pout		26								56
Pollock		45	400	100			25			570
Red Hake (Ling)							75	20		125
Sandbar Shark				2						2
Scup (Porgy)		750		100				5,050		5,900
Silver Hake (Whiting)		1,000				2				1,002
Skipjack Tuna					34	5				39
Spiny Dogfish		5								5
Squid (Species Not Specified)							1,500	650		2,150
Striped Bass				32					5	37
Summer Flounder (Fluke)		200				985		6,545		7,730
Thresher Shark			73	ī	Ţ					75
Tuna (Species Not Specified)					3	2				5
White Hake							25,500	8,350	12	33,862
Winter Flounder (Blackback)		1						2,747		2,748
Witch Flounder (Gray Sole)			500					15		515
Yellowfin Tuna			2	230	1,427	1,419	222			3,300
Yellowtail Flounder					8					8
Grand Total	2,053	2,053 19,108 11,095 7,288	11,095	7,288	3,407	208,476	33,908	966,398	344	352,077

Table 2. 1995 recreational landings (counts) reported by federally-permitted charter and party boats for Area 537 (Source: NMFS Vessel Trip Report Data for Area 537)

						Cor	Counts by Month	Month					Total
Species	January	February	March April		Мау Ји	June Ju	July A	August	September	October	November	December	
Albacore Tuna								14	25	51			06 -
American Lobster		208				4	4,326	328		942			5,804
Atlantic Mackerel					18					100			118
Big Eye Tuna							1		204				205
Black Sea Bass					70				40				09
Blue Shark						119	25	4	Ţ				149
Bluefin Tuna							27	446	380	200			1,053
Bluefish					9	40	121	223	445	2,556			3,391
Bonito								31	75				106
Butterfish					_	850		009		1,400			2,850
Chub Mackerel										40			40
Cod	376	462	773	797	2,256 4	4,580 2	2,048	1,551	870	202			14,420
Cunner					4		18		***************************************				22
Cusk						20							20
Doafish (Species Not Specified)					76			T					77
Dolphin Fish (Mahi-Mahi)							7	12	82				101
Flounder (Species Not Specified)					-								1
Haddock						155							155
Hake (Species Not Specified)						300							300
Illex Squid					3,485								3,485
John Dory	250									25			275
Jonah Crab										125			125
Little Tuna								8					6
Loligo Squid					Ţ	1,000 5	5,250	1,000		5,400			12,650
Mako Shark (Shortfin)						2	258	3					507
Mako Shark (Species Not Specified)							5						7
Monk Tails	1,280												1,280
Monkfish (Anglerfish/Goosefish)		16			-	4,550	331	81	1,115	8			6,841
Ocean Pout				11	345	12	4						3/2
Other Finfish									10				10
Pollock	10				71	689	12	74		25			881
Red Hake (Ling)					906 4	4,864 3	3,600	1,000					10,370
Sandbar Shark							Ţ						H
Scup (Porgy)					1,025				2	200			1,230
Sea Robins					┯	-							200
Silver Hake (Whiting)					918 4	4,772 2	20,701	5,000	58,800				90,191
Skipjack Tuna								37	13				51

Table 2. 1995 recreational landings (counts) reported by federally-permitted charter and party boats for Area 537 (Source: NMFS Vessel Trip Report Data for Area 537)

						රි	unts by	Counts by Month					Total
Species	January	January February	March April	April	May Ju	June J	July	ugust	September	October	August September October November December	December	B)
Spiny Doafish					3								3
Sauid (Species Not Specified)									800				800
Striped Bass					8	3	H	16	23				51
Summer Flounder (Fluke)	3,100				107		114	18	740	1,500		400	5,979
Swordfish									3	Ħ			4
Tautod					43								43
Thresher Shark							-						1
Tilefish						144							144
Tuna (Species Not Specified)								13	3	2			18
White Hake					T	1,100		400					1,500
White Marlin							2		130				132
Winter Flounder (Blackback)					147					800			947
Wolffish (Ocean Catfish)						251							251
Yellowfin Tuna							1,010	2,661	17,944	994		11	22,620
Yellowtail Flounder							H		25				26
Grand Total	5,016	989	773	808	808 9,668 23,697 37,865	3,697	17,865	13,540	81,733	15,769		411	189,966

Table 3, 1996 recreational landings (counts) reported by federally-permitted charter and party boats for Area 537 (Source: NMFS Vessel Trip Report Data for Area 537)

						Con	Counts by Month	lonth				Total
Species	February March April	March	April	May	June	July	August	August September	October 6 1	October November December	December	
Albacore Tuna						8	17	11	19			55
Atlantic Herring					15							15
Atlantic Mackerel						S	100					200
Bir Eve Tina						10	L.	T				12
Black Sea Bass					9				15	150	20	192
Blue Shark					56	27	77	12	Н			88
Bliefin Tina						2	133	₩-4				19
Bluefish				2	41	1,052	3,882	144	27	12		5,160
Bonito					✝		61	45				106
Cod	586	669	2,174 2,407	2,407	2,262	1,676	494	65	61	310	404	11,138
Cunner			69	21	4	45					30	209
Dolphin Fish (Mahi-Mahi)						9	Ξ	1				18
Dusky Shark							1					н
Haddock					75							75
Hake (Species Not Specified)				7	100	7	120					224
Mako Shark (Lonafin)						F	-		1			က
Mako Shark (Shortfin)					2		2	2				9
Mako Shark (Species Not Specified)							Ţ	1				m
Marlin (Species Not Specified)							Ţ					H
Monkfish (Anglerfish/Goosefish)					2							2
Ocean Pout		5	24	178	51	22						280
Other Finfish							9					9
Pollock			93	263	266	167	330		8	47	10	1,316
Porbeagle Shark											H	-
Redfish (Ocean Perch)			위		2							20
Sculpins						8						8
Scup (Porgy)									1,980	2		1,982
Sea Raven					7	2						\
Shark (Species Not Specified)						2			3			7
Silver Hake (Whiting)			8		22	1			100			180
Skipjack Tuna			1	١.	,	17	2	72				10/
Spiny Dogfish			67	n	7		3	30	٥٢	71		346
Striped bass Circumor Elounder (Fluke)				•	3 8	270	8 «	8	27	2		357
Swordfish					Ī			-				
Thresher Shark						H	-	2				4
Tlefish									15			15
Tuna (Species Not Specified)							1					T -1
White Hake				160	500	1					140	801
Winter Flounder (Blackback)				1								
Wolffish (Ocean Catfish)				12	2							4
Yellowfin Tuna						14	41	229	65			452
Yellowtail Flounder			9	010	3	- 60, 6	230	763	200	1227	202	230
Grand Total	280	704	67477	3,039	2,429 3,039 3,010 3,439	2,432	2,003	070	2,332	700	000	10//07

Table 4. 1997 recreational landings (counts) reported by federally-permitted charter and party boats for Area 537 (Source: NMFS Vessel Trip Report Data for Area 537)

				***************************************		S	unts by	Counts by Month					Total
Species	January	February	March	April	May .	Iune .	Iuly A	ugust	Sepi	ŏ	November	December	loral
Albacore Tuna					-			m	158	46			207
American Lobster						F	1,000						1,000
Atlantic Mackerel					30		-						30
Big Eye Tuna				_					2				2
Black Sea Bass	3						1	30	10	28	393	006	1,395
Blue Shark						2	298	6					609
Bluefin Tuna					-	_		19	16				35
Bluefish						54 1	1,998	5,771	5,031	2,172	22		15,048
Bonito					-		-	41	101	56			252
Cod	142	15	1,306	877	2,029	948	749	1,442	304	43	49	9	7,910
Conger Eel					30		_						30
Cunner			4	25				4	200				233
Cusk					-	15							15
Dogfish (Species Not Specified)								2					2
								11	224	200			435
Dusky Shark						_	,						1
Hake (Species Not Specified)				8	320	260							588
Little Tuna							_	17	5	4			26
Mako Shark (Shortfin)							4	4					8
Mako Shark (Species Not Specified)							3		1				4
Monkfish (Anglerfish/Goosefish)	н					1							1
Northern Puffer						4			***************************************				4
Ocean Pout	9		20	342	214								612
Other Finfish								뭐					10
Pollock	15		95	34	161	122	98	36	3				496
Red Hake (Ling)			15	S			ᅱ						21
Redfish (Ocean Perch)				5	20								55
Scup (Porgy)							35		120	1,046			1,201
Silver Hake (Whiting)				40	40								8
Skipjack Tuna							13	36	28	25			102
Spiny Dogfish				15	21	-			11				47
Striped Bass					4	-	125	49	13	14			251
Summer Flounder (Fluke)					7	15	47	12			4		80
Swordfish								-		8			81
Tautog			2	65							59		126
Thresher Shark							ᅱ						7
Tilefish						200							200
Tuna (Species Not Specified)						1	1	4					4
Wahoo									30				9
White Hake	30		275										305
Winter Flounder (Blackback)					77		7				72		98 -
Wolffish (Ocean Catrish)				T	1		+	207	000	7.0			775
Yellowrin Tuna	107	7.	1771	,	,	7000	2,2,5	381	300	47	002	500	072 62
Grand Total	767	CT	1,/T/ 1	1,410	7,914	- 1000/1	_11	7007/	100,0	2,007	200	200	C1 C43C

Table 5. 1998 recreational landings (counts) reported by federally-permitted charter and party boats for Area 537 (Source: NMFS Vessel Trip Report Data for Area 537)

						Š	Counts by Month	Month				Total
Species	February March April	March	April	May	June	July	August	August September	October	November	December	50
Albacore Tuna						11	119	8,021	2,136			10,287
American Shad									9			9
Atlantic Mackerel				20								20
Big Eye Tuna						4		186	3			193
Black Sea Bass		15						104	40	159	390	708
Blue Shark					1	89		2				71
Bluefin Tuna							9	151				157
Bluefish				2	8	3,068	3,516	39	801			7,434
Bonito						2	8	101	164			275
Butterfish									43			43
Cod	20	739	329	1,322	1,046	1,301	806	208	12	119	25	6,029
Conger Eel									90			30
Dogfish (Species Not Specified)								2				2
Dolphin Fish (Mahi-Mahi)						37	265	220	2			524
Flounder (Species Not Specified)								1				1
Haddock				8								40
Hake (Species Not Specified)						9						9
Little Tuna							24	49				73
Loligo Squid				_					2,080			2,080
Mako Shark (Longfin)								1				
Mako Shark (Shortfin)						1	H					3
Mako Shark (Species Not Specified)						T						2
Monk Livers									41			41
Monkfish (Anglerfish/Goosefish)									30			300
Ocean Pout				32		.S	54					94
Other Finfish								4				4
Pollock			9	130	301	214						651
Red Hake (Ling)									2,415			2,415
Scup (Porgy)		30						81		220		331
Silver Hake (Whiting)				100					688'6			686'6
Skipjack Tuna							37	75				112
Squid (Species Not Specified)									9,335			9,335
Striped Bass		10		12	140	163	183	143	98	91		828
Summer Flounder (Fluke)				130	119	200	278	64				791
Tautog			80						112	310		502
Thresher Shark						1						1
Tilefish									102			102
Tuna (Species Not Specified)								165	4			169
Wahoo								2				2
Yellowfin Tuna					П	45	221	330	81			678
Yellowtail Flounder	G	202	_		,	,	200	11	000	000	1	11
Grand Total	07	/94	415	1,821	1,616	5,127	5,620	796'6	32,582	899	4I5	59,3/1

Table 6. 1999 recreational landings (counts) reported by federally-permitted charter and party boats for Area 537 (Source: NMFS Vessel Trip Report Data for Area 537)

						S	Counts by Month	onth				Total
Salpade	February	March April	April	May	June	July	August	July August September October November December	October	November	December	
Albacore Tuna							561	124	31			716
Big Eye Tuna									2			3
Black Sea Bass						42	352	105	232	106	297	1,134
Blue Shark					7	7	₽	3				13
Bluefin Tuna						10	13	62	6			94
Bluefish				9	37	28	80	43	150	1		375
Bonito						2	23	84	132			274
Butterfish				91	4							14
Cod	215	890	1,692	1,687	870	469	682	62	187	177	16	6,947
Cunner		9		70	6							35
Cusk					22							22
Dogfish (Species Not Specified)							3					3
Dolphin Fish (Mahi-Mahi)						78	364	213				655
Haddock				09								60
Hake (Species Not Specified)			47		5							52
Little Tuna							3	22	5			30
Loligo Squid										2,000		2,000
Mako Shark (Longfin)						 			1			1
Mako Shark (Shortfin)						2	ī	H				4
Monk Tails				9,200								9,200
Monkfish (Anglerfish/Goosefish)				6,800								008'9
Ocean Pout			54	137	41	23	5					260
Ocean Sunfish (Moola)								1				+-1
Other Finfish				40			1					41
Pollock		320	785	232	460		6	23			2	1,865
Red Hake (Ling)			100	64	270		25	15				474
Redfish (Ocean Perch)			5							15		20
Scup (Porgy)					200	2,700	5,925	2,115	1,100	4,000		16,340
Shark (Species Not Specified)						, - 1						1
Silver Hake (Whiting)					_					10		10
Skipjack Tuna							33	33				72
Spiny Dogfish				50	65							115
Striped Bass				6	87	11	43	19	2	18		251
Summer Flounder (Fluke)						162						162
Swordfish							-1					
Tautog							75	8		106	25	214
Thresher Shark						귀						
Tilefish					83			2				82
Tuna (Species Not Specified)							17	7				24
Wahoo							4	126				130
White Hake				3			40	49				83
Winter Flounder (Blackback)			409	116								525
Yellowfin Tuna					2	2	240	914	130			1,359
Yellowtail Flounder							7					7
Grand Total	215	1,246	3,092	1,246 3,092 18,428 2,460 3,639	2,460	3,639	8,545	4,022	2,049	6,434	343	50,4/3

Table 7. 2000 recreational landings (counts) reported by federally-permitted charter and party boats for Area 537 (Source: NMFS Vessel Trip Report Data for Area 537)

						ပိ	unts	Counts by Month					Total
Species	January	February	March	April	May	June	July	August	Sep	ŏ	November	December	50
Albacore Tuna		- William Control of the Control of						380	164	96			711
Black Sea Bass	02					663	620	869	575	70	1,108	265	4,019
Blue Shark						8	3		9				17
Bluefin Tuna							T		22	19			42
Bluefish							31	78	87	17	25		238
Bonito						_		9	30				36
Cod	35	39	261	129	375	30	495	465	280		68	1,418	3,616
Cunner	15	38	14				35	4				2	108
Cusk	12		H		88								101
Dolphin Fish (Mahi-Mahi)							9	46	43	2			97
King Whiting (Kingfish)									12				12
Little Tuna									9				9
Mako Shark (Shortfin)							2	3	3				8
Mako Shark (Species Not Specified)							1						1
Ocean Pout					20	28			9				54
Pollock		09	27	4	200				Ţ			30	622
Red Hake (Ling)	300	375	325	100	5	10	30	34			218	175	1,572
Sculpins							3						m
Scup (Porgy)						2,650	3,250	3,939	2,053	9	1,190	5	13,093
Sea Raven							2						2
Silver Hake (Whiting)											2		2
Skipjack Tuna							6	5	9				20
Striped Bass						8	31	62	88	8	19		238
Summer Flounder (Fluke)							6	161					170
Swordfish									T-I				
Tautog						32	150	20	20		300		552
Thresher Shark							T	Ţ	H				3
Tilefish					83				7				90
Wahoo									3				m
White Hake		175	40		300		15						530
Winter Flounder (Blackback)				159	130								289
Yellowfin Tuna							59	64	378	137			809
Yellowtail Flounder				_						20			20
Grand Total	432	289	899	392	1,501	1,501 3,429 4,800	1,800	5,996	3,792	341	2,951	1,895	26,884

Table 8. 2001 recreational landings (counts) reported by federally-permitted charter and party boats for Area 537 (Source: NMFS Vessel Trip Report Data for Area 537)

						Cor	Counts by Month	donth	1 E	ı		Total
Species	February	March	April	Мау	June		냀	September	8	November	December	
Albacore Tuna						143	100	157	9			406
Atlantic Mackerel				20								50
Big Eye Tuna								,1				
Black Sea Bass		12			85	431	375	115	1,650	924	130	3,722
Blue Shark					2	2	œ		3			15
Bluefin Tuna					1		10	1,398	9			1,415
Bluefish				9	12	928	134	2,011	170	67		3,328
Bonito						H	11	75				87
Butterfish						Ħ						7-4
Cod	301	160	803	243	835	759	381	31	193	39	76	3,771
Cunner	7	3		9								16
Cusk					300							300
Dolphin Fish (Mahi-Mahi)						81	160	507	43			791
Eel (Species Not Specified)		2										5
Flounder (Species Not Specified)				Ŧ								귀
Haddock	Н				21							22
Little Tuna								106				106
Mako Shark (Longfin)					383							383
Mako Shark (Shortfin)						5	178					183
Mako Shark (Species Not Specified)						FI	5	Ţ				7
Ocean Pout	2		43	119	63	129						356
Other Finfish						9	Ţ					7
Pollock	10	40		40	570	1	1		10		9	678
Red Hake (Ling)	395	366	524	289	207	160	36		51		181	2,209
Rock Crab						19						19
Scup (Porgy)					380	527	2,078	1,088	4,805	427		9,305
Shark (Species Not Specified)						뒴						H
Silver Hake (Whiting)	70	20				2			4		15	111
Skipjack Tuna						3	19	14				36
Smooth Dogfish					H							
Striped Bass				88	88	165	27	5	99	24		473
Summer Flounder (Fluke)				49	386	880	42					1,357
Swordfish								T				Ţ
Tautog			4							20		24
Thresher Shark						2						2
Tilefish					110				12			122
Tuna (Species Not Specified)									Ţ			1
Whelk (Conch Species Not Specified)						Ţ						
White Hake				н								7
Winter Flounder (Blackback)			109	154		56	6		,			667
Yellowfin Tuna	201	-	0,	,		34	83	145	42	701	270	310
Grand Total	98/	90/	1,483	1,046 3,454		4,308	3,004	5,055	790'/	TOC'T	330	+76'67

Table 9. 2002 recreational landings (counts) reported by federally-permitted charter and party boats for Area 537 (Source: NMFS Vessel Trip Report Data for Area 537)

						ပ	unts	Counts by Month	h				Total
Species	January	February	March	April	May	June	July	June July August	epi	October	November	November December	1830
Albacore Tuna								242	42	47			331
Atlantic Mackerel				75			1	1					77
Black Sea Bass	42					13	15	30	40	326	5,672	245	6,383
Blue Runner										က			က
Blue Shark								1					Ħ
Bluefin Tuna							36	11	49	13			109
Bluefish					3	35	129	124	61	50	467		869
Bonito							101		10				20
Cod	122	9	149	159	69	285	2	9		12	8	2	902
Cunner				19							116	10	145
Cusk						10							10
Dogfish (Species Not Specified)									1				1
Dolphin Fish (Mahi-Mahi)							3	10	354	285			954
Eel (Species Not Specified)							-						1
Golden Tilefish										5			5
Haddock						29							29
Hake (Species Not Specified)			20										50
Mako Shark (Shortfin)						Ţ	1	3	1				6
Mako Shark (Species Not Specified)						1	5	1					7
Monkfish (Anglerfish/Goosefish)						1							H
Ocean Pout	20				200	4	10						234
Pollock	30		10		6	40						2	92
Red Hake (Ling)	35		376	116			9				ი	80	622
Scup (Porgy)	9								10	782	16,892		17,690
Silver Hake (Whiting)					50							H	51
Skate							_		4				4
Skipjack Tuna							16	18	27				61
Spiny Dogfish				15	25						33	 1	74
Striped Bass					61	122	102	232	55	108	27		707
Summer Flounder (Fluke)						39	249	55	11				354
Swordfish									₩				
Tautog				23	_		_			29	712	40	831
Thresher Shark							1						H
Tilefish										24			24
Wahoo									Ţ				
White Hake	20												20
Winter Flounder (Blackback)				56			1			4	8		39
Wolffish (Ocean Catfish)						 1							Ţ
Yellowfin Tuna					1		9	4	100	82			232
Grand Total	275	9	585	433	417	581	6/5	7/8	/9/	2,099	23,946	381	30,943

Table 10. 2003 recreational landings (counts) reported by federally-permitted charter and party boats for Area 537 (Source: NMFS Vessel Trip Report Data for Area 537)

						Count	Counts by Month				-1-1-
Species	March	April	May	June	July	August	September	October	November	December	local
Albacore Tuna						8	25	107	16		183
Big Eye Tuna								2			2
Black Sea Bass					141	20		440	235		836
Blue Shark				311	10	12					333
Bluefin Tuna					23	41	14	62			157
Bluefish				14	307	722	09	29			1,132
Bonito							2				2
Cod	166	809	976	1,100	17				3	410	3,431
Cunner	20	2	6	20	12			2	5		103
Cusk			65	16							81
Dolphin Fish (Mahi-Mahi)						501	566	99			833
Golden Tilefish			3	20							53
Haddock			21	320							401
Little Tuna							5				5
Mako Shark (Longfin)					Ţ						1
Mako Shark (Shortfin)					4			7			9
Mako Shark (Species Not Specified)						2	Ţ				3
Ocean Pout			15								15
Pollock	1	12	313	175					1	10	512
Red Hake (Ling)	149	11	55	7							222
Scup (Porgy)					47	51	1,000	16,600	2,350		20,048
Sea Raven			4								4
Silver Hake (Whiting)					70						70
Skipjack Tuna						28	19				47
Spiny Dogfish									2		2
Striped Bass			30	18	356	654	96				1,154
Summer Flounder (Fluke)			113	28	2,403	2,480		1	1		5,026
Swordfish									2		2
Tautog			129		1				329		459
Thresher Shark					2						2
Wahoo							09	2			62
White Marlin						1					H
Winter Flounder (Blackback)			11						2		13
Wolffish (Ocean Catfish)				Ţ							1
Yellowfin Tuna					2	- 1	1,218	246	21		1,665
Grand Total	336	834	1,724 2,120	2,120	3,396	4,698	2,793	17,579	2,967	420	36,867

Table 11. 2004 recreational landings (counts) reported by federally-permitted charter and party boats for Area 537 (Source: NMFS Vessel Trip Report Data for Area 537)

						Coun	Counts by Month	4onth				-
Species	February	March	arch April I	May J	June Ju	July At	ugust	September	October	November	December	lotai
Albacore Tuna						9	9	92	53			211
Big Eye Tuna									2			2
Black Sea Bass	******				30	3	09	150	335	14		592
Blue Shark					3 1	13	12					28
Bluefin Tuna							95	30	12			138
Bluefish					28 5	22	777	19	42			923
Bonito							2	100	51			153
Cod	167	595	300		24 5	52	34		12		Ţ	1,155
Conger Eel											20	20
Cunner			2		-	10						12
Cusk									4			4
Dolphin Fish (Mahi-Mahi)						1	64	207	227			499
Haddock									12			15
Little Tuna								11	T			12
Mako Shark (Longfin)					2		2					4
Mako Shark (Shortfin)					7	208	9	2	T			217
Pollock	T		4						8			8
Porbeagle Shark						1						1
Red Hake (Ling)		1		1	-	09				12	30	104
Scup (Porgy)					12		300	524	4,900	11		5,747
Skate					_	12	20					62
Skipjack Tuna							3	6				12
Striped Bass					16		24	7	19			99
Summer Flounder (Fluke)				100	470 1,2	1,269 1	1,242	29				3,110
Swordfish									2			2
Tautog				37								37
Thresher Shark						2						2
Thresher Shark (Bigeye)									1			T
Triggerfish							10					10
Wahoo							115	83	1			199
Winter Flounder (Blackback)					_	9	2					8
Yellowfin Tuna							503	669	165			1,372
Grand Total	168	266	306	138	585 1,7	,706 3	3,361	1,962	5,846	37	51	14,726

Table 12. Recreational landings (counts) by species and month reported by federally-permitted charter and party boats for Area 537 from 1994-2004 (Source: NMFS Vessel Trip Report Data for Area 537)

					Coun	ts by M	onth fr	Counts by Month from 1994-2004	-2004				1
Species	January	February	March	April	May	June	July	August	August September	October	November	December	10.Cd
Albacore Tuna							485	1,916	9,115	2,634	16		14,166
American Lobster		208					8,076	328	5,757	7,341	4,450		26,160
American Shad										9			9
Atlantic Herring						15							15
Atlantic Mackerel				75	154		101	101		100			531
Big Eye Tuna							15	4	395				424
Black Sea Bass	115		27		20	797	1,254	1,565	1,139	3,116	8,761	2,362	19,156
Black Whiting									2,500				2,500
Blue Runner										3			3
Blue Shark						484	754	69	38				1,349
Bluefin Tuna						1	358	681	2,361				3,747
Bluefish					25	306	7,998	15,320	7,940	9	26,094		63,722
Bonito							33	303	650				1,429
Butterfish					10	854	Ţ	900	500	1,443	50		3,458
Chub Mackerel										40			40
Cod	675	1,811	2,708	10,122	12,249	13,852	10,673	7,112	1,820	1,328	794	2,520	68,664
Conger Eel					30					30		20	80
Cunner	15	45	47	117	20	103	120	8	200	5	121	42	893
Cusk	12		1		153	383				4			553
Dogfish (Species Not Specified)					9/			9	3				85
Dolphin Fish (Mahi-Mahi)							220	1,683	2,167	1,127			5,197
Dusky Shark							1	7-1	88				90
Eel (Species Not Specified)			2								1		9
Flounder (Species Not Specified)					2				1				3
Golden Tilefish					3	20				5			28
Haddock		T			151	630				15			797
Hake (Species Not Specified)			20	22	322	999	308	120					1,520
Illex Squid					3,485						4,600		8,085
John Dory	250									25			275
Jonah Crab									81	125			206
King Whiting (Kingfish)									12				12
Little Tuna								53	202	11			269
Loligo Squid					15,250	1,000	5,250	1,000	196,536	12,480	10,000		241,516
Mako Shark (Longfin)						382	2	3	1	3			394
Mako Shark (Shortfin)						250	487	202	11	2			955
Mako Shark (Species Not Specified)						3	19	6	5				36
Marlin (Species Not Specified)								F					F
Monk Livers										41			41
Monk Tails	1,280				200								10,480
Monkfish (Anglerfish/Goosefish)	H	16			7,679	12,753	331	100	1,115	1,000	391		23,386
Normern Puner	30	7	111	VLV	2,0	4 6	103	i i	U				7 222
Ocean Fout	07	7	C	+	1,319	133	133	2	0 7				7,333
Jocean Summin (Plotia)									7				T

Table 12. Recreational landings (counts) by species and month reported by federally-permitted charter and party boats for Area 537 from 1994-2004 (Source: NMFS Vessel Trip Report Data for Area 537)

					Cour	its by M	onth fr	Counts by Month from 1994-2004	-2004				1
Species	January	Jary February March	March	April	May	June	July	August 5	August September		October November	December	וסומ
Other Finfish					40		9	18	14				
Pollock	52	71	523	938	1,764	3,023	524	510	27	143	50	63	7,691
Porbeagle Shark							Н						
Red Hake (Ling)	332	0//	1,232	856	1,320	5,358	3,857	1,095	15	2,541	289	466	18,134
Redfish (Ocean Perch)				20	20	20					15		105
Rock Crab							19						19
Sandbar Shark							3						3
Sculpins							11						
Scup (Porgy)	9		30		1,775	3,542	6,659	12,293	6,996	31,419	30,142	5	92,867
Sea Raven					4	2	7						13
Sea Robins					200								200
Shark (Species Not Specified)							4						4
Silver Hake (Whiting)		70	20	70	2,108	4,822	20,773	2,000	58,802	6,993	12	16	101,686
Skate							12	20	4				99
Skipjack Tuna		**********					54	326	254	25			629
Smooth Dogfish						1							┯
Spiny Dogfish				59	109	67			11		35	-	282
Squid (Species Not Specified)									800	10,835	650		12,285
Striped Bass			10		214	603	1,043	1,376	535	421	195	5	4,402
Summer Flounder (Fluke)	3,100				701	1,136	5,603	4,296	1,829	1,501	9,550	400	25,1
Swordfish								2	7	83	2		
Tautog			2	172	209	32	151	125	28	168	1,836	65	2,788
Thresher Shark						73	14	3	3				93
Thresher Shark (Bigeye)										Ţ			1
Tilefish					83	537			6	153			782
Triggerfish								11					10
Tuna (Species Not Specified)								38	177	7			222
Wahoo								119	305	e			427
Whelk (Conch Species Not Specified)							1						П
White Hake	05	175	315		464	1,600	16	440	40	25,500	8,350	152	37,
White Marlin							2	1	130				133
Winter Flounder (Blackback)			1	703	572		32	11		804	2,829		4,955
Witch Flounder (Gray Sole)						200					15		515
Wolffish (Ocean Catfish)					13	255							268
Yellowfin Tuna						8	1,465	5,952	23,676	2,188	21	ŢŢ	33,321
Yellowtail Flounder							1	245	36	20			302
Total	5,920	3,169	8,026	13,661	59,824	54,313	76,940	63,154	326,345	123,534	106,269	6,129	847,284

Table 13. Top 10 recreational species landings (counts) reported by federally-permitted charter and party boats for Area 537 from 1994-2004 (Source: NMFS Vessel Trip Report Data for Area 537)

					Cou	Counts by Year	_					Total
Salpade	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	- Oral
Loligo Squid	219,786	12,650			2,080	2,000						241,516
Silver Hake (Whiting)	1,002	161'06	180	8	686'6	10	2	111	51	70		101,686
Scup (Porgy)	5,900	1,230	1,982	1,201	331	16,340	13,093	9,305	17,690	20,048	5,747	92,867
Cod	9,345	14,420	11,138	7,910	6,029	6,947	3,616	3,771	905	3,431	1,155	68,664
Bluefish	25,824	3,391	5,160	15,048	7,434	375	238	3,328	698	1,132	923	63,722
White Hake	33,862	1,500	801	305		83	230	T	20			37,102
Yellowfin Tuna	3,300	22,620	452	725	829	1,359	809	310	232	1,665	1,372	33,321
American Lobster	19,356	5,804		1,000								26,160
Summer Flounder (Fluke)	7,730	5,979	357	80	791	162	170	1,357	354	5,026	3,110	25,116
Monkfish (Anglerfish/Goosefish)	9,441	6,841	2	1	300	008'9			T			23,386
Total	337,540	166,621	22,068	28,347	34,630	36,075	20,257	20,184	22,121	33,375	14,311	713,540

Attachment E

NOAA Fisheries Resource Trawl Data

Table 1. Total annual catch number for each species reported in the fall trawls conducted from 1964-2002 (Source: NMFS Research Trawl Data)

Species Name	1964	1976	1978	1979	1980	1987	1991	1995	1999	2002	Total
ALEWIFE	1										1
AMERICAN LOBSTER								2			2
AMERICAN LOBSTER-MALE										1	1
AMERICAN SHAD								1			1
ATLANTIC BONITO								-		1	1
ATLANTIC COD			2								2
ATLANTIC COD ATLANTIC MACKEREL			1			3		2			6
ATLANTIC ROCK CRAB			$\frac{1}{1}$		1				8		10
BLACK SEA BASS	1	6		33				1	22		63
BLUEFISH					1	2		5		2	10
BLUESPOTTED CORNETFISH									1		1
		2			64	235	10	14	302	65	692
BUTTERFISH					07	233	10	7.7	302	03	1
CONGER EEL									Т.	6	6
FLUKE				10		ļ	1	4	14	- 0	54
FOURSPOT FLOUNDER		6	7	19	3		┝──┷		7.4		24
GOOSEFISH	1							l	າ	-	2
GULF STREAM FLOUNDER					<u> </u>	 	ļ		<u>2</u> 5		6
JONAH CRAB					 	1 1 5		<u> </u>	7	_	24
LADY CRAB				<u> </u>	2	15			 	4	24
LADY CRAB MALE						<u> </u>	 		20	1	138
LITTLE SKATE	13	18	20	38	15		3	11	20	1 400	
LOLIGO SQUID					400		400	126		1,400	1,400
LONGFIN SQUID		122	1	211	480	442	432	136	578		2,402
LONGHORN SCULPIN						ļ			3	1	3
MACKEREL SCAD				ļ	ļ				13	1	14
MOUSTACHE SCULPIN			2			<u> </u>	ļ		<u></u>		2
NORTHERN PIPEFISH			1			ļ	ļ				2
NORTHERN PUFFER				1	1	ļ	ļ	ļ			1
NORTHERN SEAROBIN	12	3		265			1 1	2	5		288
PLANEHEAD FILEFISH		1							1		2
RED HAKE	6	6	6								18
ROUGH SCAD					<u> </u>		1	·			1
ROUND HERRING								1		2,077	2,079
SCUP	13	22		127	104	35	263	72	955		1,591
SEA RAVEN			2		<u></u>	<u> </u>					2
SEA SCALLOP			1								1
SHRIMP UNCL											
SILVER HAKE	90	29	446	30]	27	31			705
SMALLMOUTH FLOUNDER									1		1
SMOOTH DOGFISH		1		2			6	9	3		21
SMOOTH SKATE			1								1
SPIDER CRAB UNCL					1						1
SPINY DOGFISH	51	80	194	128	97	21	. 36	6	273		886
SPINY DOGFISH - FEMALE										5	
STRIPED ANCHOVY									1		1
STRIPED SEAROBIN				1							1
SUMMER FLOUNDER	1]	. 1	. 2			11
WINDOWPANE	28		25	58	5	5	1				145
WINTER FLOUNDER	54		26								113
WINTER SKATE			1							1.0000	86
YELLOWTAIL FLOUNDER	15	 	4				<u> </u>	1			20
Grand Total	286						785	1 22/	2,296	1 2 550	

Table 2. Total annual catch number for each species reported in the spring trawls conducted from 1964-2002 (Source: NMFS Research Trawl Data)

Species Name	1972	1974	1979	1981	1984	1988	1992	1993	1996	
ALEWIFE			6	5	2			1	3	17
AMERICAN LOBSTER								2		2
ATLANTIC COD	3	1	2	15	1			1		23
ATLANTIC HERRING		1	77	5	14			51		148
ATLANTIC ROCK CRAB				45		8		4	2	59
ATLANTIC SILVERSIDE	3		3	1	9		1		1	18
BLACK SEA BASS		1								1
BLUEBACK HERRING						1				1
FOURSPOT FLOUNDER		1								1
GOOSEFISH							1			1
JONAH CRAB							14			14
LING UNCL						1				1
LITTLE SKATE	58	73	18	60		209	1,607	253	19	
LONGHORN SCULPIN	72	57	5	54	32	3	14	2	2	241
NORTHERN PIPEFISH				4			1			5
NORTHERN SAND LANCE			664		21	1			1	687
NORTHERN SEAROBIN		4	İ							4
OCEAN POUT	95		1	12	18					126
PIPEFISH SEAHORSE UNCL						7				7
RED HAKE		37		348			1	2	5	393
SCUP		1							<u></u>	1
SEA RAVEN	2			7	2	5	5	2		23
SILVER HAKE		36		3						39
SMALLMOUTH FLOUNDER							2			2
SPIDER CRAB UNCL				5						5
SPINY DOGFISH		167								167
WINDOWPANE	38			54			6			
WINTER FLOUNDER	31	20				1				
WINTER SKATE	21	10	2			1,512	295	105	1	
YELLOWTAIL FLOUNDER	15			9						24
Grand Total	338	451	799	828	126	1,796	1,977	435	43	6,793

Table 3. Total annual catch weight (kg) for each species reported in the fall trawls conducted from 1964-2002 (Source: NMFS Research Trawl Data)

Species Name	1964	1976	1978	1979	1980	1987	1991	1995	1999	2002	Total
ALEWIFE	0.0										0.0
AMERICAN LOBSTER	0.0							0.6			0.6
AMERICAN LOBSTER-MALE								0,0		0.1	0.1
AMERICAN SHAD	 							0.1		0.1	0.1
ATLANTIC BONITO	 							0.1		1.8	1.8
ATLANTIC COD	 		16.0							1.0	16.0
ATLANTIC COD ATLANTIC MACKEREL	 					0.2		0.5			
			0.1		- 0.0	0.2		0.5			0.8
ATLANTIC ROCK CRAB	- <u> </u>		0.1		0.0				0.4		0.5
BLACK SEA BASS	0.5	0.5		2.7		4 1-		0.0	0.0	4.0	3.7
BLUEFISH					4.7	4.5		8.0		4.0	21.2
BLUESPOTTED CORNETFISH									0.0		0.0
BUTTERFISH		0.1			0.2	9.8	0.0	0.5	2.6	0.5	13.7
CONGER EEL									0.1		0.1
FLUKE										6.1	6.1
FOURSPOT FLOUNDER		0.8	1.5	5.0	1.2		0.3	0.5	2.5		11.8
GOOSEFISH	4.1		5.5								9.6
GULF STREAM FLOUNDER									0.0		0.0
Jonah Crab						0.1			0.3		0.4
LADY CRAB					0.0	1.1			0.0		1.1
LADY CRAB MALE										0.1	0.1
LITTLE SKATE	10.0	9.7	8.7	20.5	9.7		1.1	6.2	10.5		76.4
LOLIGO SQUID										19.9	19.9
LONGFIN SQUID		3.3	0.2	4.1	10.0	6.5	9.1	0.9	12.2		46.3
LONGHORN SCULPIN									0.0		0.0
MACKEREL SCAD									0.1	0.0	0.1
MOUSTACHE SCULPIN			0.0								0.0
NORTHERN PIPEFISH			0.0	0.0							0.0
NORTHERN PUFFER				0.0							0.0
NORTHERN SEAROBIN	3.2	0.0		5.2			0.0	0.0	0.1		8.5
PLANEHEAD FILEFISH		0.0							0.0		0.0
RED HAKE	2.3	1.5	0.6								4.4
ROUGH SCAD			0.0				0.0			<u> </u>	0.0
ROUND HERRING								0.0	0.0	56.1	
SCUP	3.2	3.8		12.1	7.0	0.7	3.9	2.7	11.2		44.6
SEA RAVEN	3.2		0.2		7.0		- 3.3		*****	<u> </u>	0.2
SEA SCALLOP			0.0								0.0
SHRIMP UNCL			0.8								0.8
SILVER HAKE	7.7	0.9	6.5	2.2		 	0.0	0.3	0.3		17.9
SMALLMOUTH FLOUNDER	'''	0.5	0.5				0.0	0.5	0.0		0.0
SMOOTH DOGFISH	-	0.3		2.6			20.0	37.1			69.1
SMOOTH SKATE		0.5	0.5	2.0			20.0	37.1	9.1		0.5
SPIDER CRAB UNCL	 		0.5		0.0		<u> </u>		<u> </u>		0.0
SPINY DOGFISH	118.8	221.0	362.9	321.0			77.2	10.8	485.3	 	1,848.0
	110.0	221.0	302.9	321.0	209.0	42.0	11.2	10.8	705.5		
SPINY DOGFISH - FEMALE						 	 	 		6.4	
STRIPED ANCHOVY	ļ					 	<u> </u>		0.0	ļ	0.0
STRIPED SEAROBIN	 			0.0	ļ		 	 	 		0.0
SUMMER FLOUNDER	1.8		<u> </u>			3.0					15.0
WINDOWPANE	6.8	2.5	1.8				0.2	<u> </u>			24.3
WINTER FLOUNDER	22.2		7.2	1.5							37.5
WINTER SKATE			5.0			·	1.5	3.9	7.5		55.2
YELLOWTAIL FLOUNDER	3.2		1.0		0.2						4.4
Grand Total	183.8	244.4	418.6	403.4	255.0	80.2	116.7	77.8	548.4	94.9	2,423.2

Table 4. Total annual catch weight (kg) for each species reported in the spring trawls conducted from 1964-2002 (Source: NMFS Research Trawl Data)

Species Name	1972	1974	1979	1981	1984	1988	1992	1993	1996	Total
ALEWIFE			1.5	0.6	0.3			0.1	0.5	3
AMERICAN LOBSTER								0.3		0.3
ATLANTIC COD	4.5	3.6	9.5	0.0	2.7			0.0		20.3
ATLANTIC HERRING		0.0	16.5	1.0	1.6			6.7		25.8
ATLANTIC ROCK CRAB				4.0		0.8		0.4	0.1	5.3
ATLANTIC SILVERSIDE	0.0		0.0	0.0	0.0		0.0		0.0	0.0
BLACK SEA BASS		0.0								0.0
BLUEBACK HERRING						0.0				0.0
FOURSPOT FLOUNDER		0.0			***************************************					0.0
GOOSEFISH							0.2			0.2
JONAH CRAB							1.3			1.3
LING UNCL						0.0			***	0.0
LITTLE SKATE	37.6	39.5	9.5	34.0		87.2	364.7	51.8	1.7	626.0
LONGHORN SCULPIN	16.3	13.6	1.5	19.5	10.3	1.3	4.5	0.7	0.6	68.3
NORTHERN PIPEFISH				0.0			0.0			0.0
NORTHERN SAND LANCE			2.5		0.2	0.0			0.0	2.7
NORTHERN SEAROBIN		0.9								0.9
OCEAN POUT	117.9		1.2	11.5	23.0					153.6
PIPEFISH SEAHORSE UNCL						0.0				0.0
RED HAKE		16.3		5.0			0.0	0.0	0.0	21.3
SCUP		0.0								0.0
SEA RAVEN	0.9			6.7	3.3	4.8	2.3	0.8		18.8
SILVER HAKE		14.5		0.0						14.5
SMALLMOUTH FLOUNDER							0.0			0.0
SPIDER CRAB UNCL				0.3						0.3
SPINY DOGFISH		587.4								587.4
WINDOWPANE	11.8	10.9	3.8	15.5	0.7	6.5	0.5	0.7	0.3	50.7
WINTER FLOUNDER	12.7	7.3	3.5	51.5	11.8	8.0	8.0	1.0	1.4	105.2
WINTER SKATE	21.3	17.2	6.5	27.5	5.7	639.8	162.5	73.7	0.5	954.7
YELLOWTAIL FLOUNDER	5.9			2.5						8.4
Grand Total	228.9	711.2	56.0	179.6	59.6	748.4	544.0	136.2	5.1	2,669.0