

2022 Geological & Geophysical Data Inventory

U.S. Outer Continental Shelf

U.S. Department of the Interior Bureau of Ocean Energy Management

OCS Report BOEM 2023-032

2022 Geological & Geophysical Data Inventory

U.S. Outer Continental Shelf

Acknowledgements: This report was developed in coordination with subject matter experts across the entire bureau, including significant contributions from BOEM regional Resource Evaluation offices.

U.S. Department of the Interior Bureau of Ocean Energy Management Office of Strategic Resources Resource Evaluation Division

Contents

Abbreviations	. iv
Introduction	1
Permits, Data Acquisition, and Reimbursement	1
Geophysical Data Surveys	3
2-D Surveys	3
3-D Surveys	3
4-D Surveys	3
AVO Surveys	3
4-C Surveys	4
Magnetic and Gravity Surveys	
CSEM Surveys	
Geological Data Collection	4
Bottom Sampling and Shallow Coring	
Deep Stratigraphic	
High Resolution Data	
G&G Data Release	5
Analysis of Present BOEM Data Coverage on the OCS	5
Mileage/Blocks	
Geological and/or Geophysical Exploration Permits	6
Expenditures	
Tables	9
Appendix	14
Alaska Region OCS Tables for Data Inventory, Permits Expenditures	. 15
Atlantic Region OCS Tables for Data Inventory, Permits, Expenditures	.18
Gulf of Mexico Region OCS Tables for Data Inventory, Permits, Expenditures	.21
Pacific Region OCS Tables for Data Inventory, Permits, Expenditures	.24

Figures

Figure 1: Outer Continental Shelf Planning Areas	2
Figure 2: Seismic Data Purchases by Fiscal Year	
Figure 3: Permits Issued by Type per Calendar Year	

Tables

Table 1: Summary of Estimates of CDP (2-D) Seismic Miles in the BOEM InventoryThrough FY 2022 by Planning Area (Rounded off to Nearest 1,000 Miles)
Table 2: Summary of BOEM-Purchased 2-D Seismic Data for FY 1968-202210
Table 3: Summary of BOEM-Purchased 3-D Seismic Data for FY 1968-2022
Table 4: Summary of BOEM's G&G Data Inventory, by DataType and Region, FY 1968-202211
Table 5: Total Number of Permits Issued for G&G Exploration by Calendar Year12
Table 6: Summary of G&G Data Expenditures by Data Typeand Region, FY 1968-2022 (in nominal dollars)13

Abbreviations

AVO	Amplitude Variation with Offset
BOEM	Bureau of Ocean Energy Management
BSEE	Bureau of Safety and Environmental Enforcement
CDP	Common Depth Point Seismic Data
CFR	Code of Federal Regulations
COST	Continental Offshore Stratigraphic Test
CSEM	Controlled Source Electromagnetic survey
CY	Calendar Year
DOI	Department of the Interior
DST	Deep Stratigraphic Test (well)
FY	Fiscal Year
G&G	Geological and Geophysical
GOM	Gulf of Mexico
GRAV	Gravity Data
HRD	High-Resolution Data
MAG	Magnetic Data
MMS	Minerals Management Service
OBS	Ocean Bottom Seismometers
OCS	Outer Continental Shelf
OCSLA	Outer Continental Shelf Lands Act

4-C	Four Component Seismic Data
2-D	Two-Dimensional Seismic Data
3-D	Three-Dimensional Seismic Data
4-D	Four-Dimensional Seismic Data

Introduction

This report catalogs the current and historical geological and geophysical (G&G) data permitting activities and G&G data purchases of the Bureau of Ocean Energy Management's (BOEM) Resource Evaluation Program.

BOEM's regulations (30 CFR Part 551) govern the process for pre-lease G&G exploration for oil, gas, and sulphur resources on the Outer Continental Shelf (OCS). Part 551 applies to both G&G exploration and scientific research. The purpose of these regulations is to prescribe (1) when a permit or the filing of a notice is required to conduct G&G activities on the OCS and (2) operating procedures for conducting exploration activities, as well as requirements for disclosing data and information, conditions for reimbursing permittees for certain costs, and other conditions under which exploration must be conducted. Similar regulations addressing pre-lease prospecting activities for minerals other than oil, gas, or sulphur can be found in 30 CFR Part 580.

This report focuses primarily on the aggregation and summary of administrative data, such as the totals for permits issued, data acquired, and expenditures for these data. These items are influenced by a number of factors, including overall trends of oil and gas prices, access to OCS acreage, and the shift of industry investment to international and onshore opportunities.

This report tracks all data by fiscal year with the exception of permits issued, which is tracked by calendar year due to BOEM permit-issuance procedure. This report includes transactions through the end of Fiscal Year 2022, however, permitting data is included through December 31, 2022. All dollar amounts are reported in nominal United States dollar values and are not adjusted for inflation.

Permits, Data Acquisition, and Reimbursement

BOEM administers certain provisions of the Outer Continental Shelf Lands Act (OCSLA) through regulations found at Title 30 of the Code of Federal Regulations (CFR). These regulations govern permitting, data acquisition and release, pre-leasing, and post-lease operations on the OCS.

For administrative and planning purposes, BOEM has established four OCS regions - Alaska, Pacific, Atlantic, and Gulf of Mexico (GOM) - comprised of 26 planning areas, as shown in Figure 1.



Figure 1: Outer Continental Shelf Planning Areas

BOEM issues permits to industry to allow for the collection of pre-lease G&G data and approves the collection of post-lease G&G data to inform industry-submitted Exploration Plans and Development and Production Plans. These G&G permits, issued by the regional Offices of Resource Evaluation, set forth the specific requirements for each data-gathering activity. These requirements include the area where the data may be collected, the timing of the activity, approved equipment and methods, environmental mitigation measures, and other relevant information.

BOEM does not typically acquire G&G data directly. Instead, BOEM often obtains G&G data from lessees and permittees. By regulation, BOEM has access to certain permitted seismic data and information (such as processed, analyzed, or interpreted data) as soon as the data become available, and lessees and operators are required, upon request, to provide BOEM with data collected on their leases. Approximately 90 percent of the BOEM seismic data inventory consists of data that the oil and gas industry acquired via G&G permits, where permittees and lessees are only reimbursed for the cost of data reproduction. Should industry have data available in areas not under BOEM jurisdiction, e.g., state waters or adjacent foreign waters, and BOEM requests those data, BOEM pays a significantly higher "market price" for obtaining the information.

Geophysical Data Surveys

2-D Surveys

The two-dimensional (2-D) geophysical data in the BOEM inventory is common depth point (CDP) seismic information collected along a survey line. Also known as common midpoint or common reflection point data, the data are derived from a common location in the ocean sub-bottom where sound waves originating from a source near the ocean surface are reflected back to the surface. Table 1 shows estimates of the amount of 2-D data in the BOEM inventory in miles, by BOEM planning area.

Historically, most data were collected in 2-D. Today, the vast majority of geophysical data collected, and most of the data recently added to the BOEM inventory, are three-dimensional (3-D) seismic; this is especially true for GOM OCS data collection.

3-D Surveys

The evolution of 3-D seismic data and information in conjunction with the advancement of interactive computer workstations has made it possible to more closely define and assess the potential for oil and gas occurrence on the OCS, especially with regard to subsalt prospects. Compared with the results of 2-D surveys, 3-D information provides greater detail and delineation of the subsurface geologic conditions associated with the occurrence of hydrocarbons.

4-D Surveys

As 3-D seismic technology evolved, 3-D reflection techniques began to portray not only subsurface structure and stratigraphy but information about fluids within the subsurface as well. Three dimensional seismic surveys that are shot over the same area at different times can now detect changes from one fluid or gas to another (where present), e.g., oil to water. Thus, time-lapse 3-D seismic surveys, known more commonly as 4-D seismic surveys, have been used to monitor fluid movement in producing reservoirs where changes in fluid content are imaged with seismic techniques over an interval of time. To date, the main purpose of these surveys has been reservoir management, e.g., determining where and how long to drain hydrocarbon-bearing areas, and monitoring gas injection or water flooding during enhanced recovery operations.

AVO Surveys

A specialized processing technique that can be used with both 2-D and 3-D seismic data is Amplitude Variation with Offset (AVO). AVO involves the variation in amplitude of a seismic reflection with the angle of incidence or source-geophone distance and is processed using the raw data gathered. It can be used as a direct hydrocarbon indicator.

4-C Surveys

Another type of data acquisition is 2-D or 3-D four component (4-C) surveys, which involves the recording of marine seismic data with ocean bottom seismometers (OBS) on the seafloor. Each OBS consists of a hydrophone, recording pressure changes of passing P-waves, and three orthogonal geophones recording movement in three components of direction (x, y, and z axes) of passing shear waves (s-waves). Three dimensional 4-C is a recording of multiple parallel lines of seismometers achieved by recording seismic waves from each line simultaneously or in sequence by recording a line of geophones, moving the line a short distance and parallel to the previous line, etc.

Magnetic and Gravity Surveys

Magnetic surveys measure the magnetic field or a component (such as the vertical component) at a series of different locations over an area of interest, usually to locate concentrations of magnetic anomalies or to determine depth to basement. Gravity surveys produce measurements of the gravitational field at a series of different locations over an area of interest and are used to identify density differences that may indicate different rock types. Gravity data are usually displayed as anomaly maps.

CSEM Surveys

Controlled Source Electromagnetic (CSEM) surveys are being conducted in areas of the GOM and elsewhere. Although not a new technology, it is a relatively new application for the deeper water OCS provinces. The data gathered from these surveys are often used in conjunction with seismic reflection data to generate direct recognition of hydrocarbon fluid resistivity in potential subsurface reservoirs.

Geological Data Collection

Bottom Sampling and Shallow Coring

In general, bottom samples are obtained by dropping a weighted tube to the ocean floor and recovering it with an attached wire line. Shallow coring (no deeper than 500 feet) is performed by both conventional rotary drilling equipment and by wireline deployment of pressure core systems to obtain a sample of the sediments of the shallow subsurface.

Deep Stratigraphic Tests

A deep stratigraphic test, as defined in 30 CFR § 551.1, means, "drilling that involves the penetration into the sea bottom of more than 500 feet (152 meters)." These wells are sometimes known as Continental Offshore Stratigraphic Test (COST) wells and are drilled primarily to gather geological information. Conversely, shallow test drilling, as defined in the same regulatory provision, means, "drilling into the sea bottom to depths less than those specified in the definition of a deep stratigraphic test." Three COST wells drilled on the

OCS have encountered hydrocarbons: the COST B-3 (Atlantic Region), Point Conception No.1 (Pacific Region), and the Norton COST No. 2 (Alaska Region). A discussion of the deep stratigraphic test program is described in OCS Report MMS-90-0028.

High Resolution Data

Up until 1982, all BOEM regional offices directly acquired pre-lease, tract-specific, shallow hazards data, or high-resolution data (HRD). After BOEM established the area-wide leasing program in 1982, the detailed shallow hazards analysis function was shifted to the post-sale phase, and it is now the responsibility of the lessee to collect site-specific hazards data.

A company must obtain a G&G permit from BOEM to conduct a pre-lease hazards survey. Shallow hazards survey data and information are available to BOEM and the Bureau of Safety and Environmental Enforcement (BSEE), as outlined in the applicable regulations and the terms of the permit or lease. These data are then submitted to BOEM as part of the safety review process.

G&G Data Release

BOEM's regulations at 30 CFR § 551.14(b)(1) and § 550.197 establish the release timeframes for proprietary G&G data and information. Pre-lease geophysical information will not be released to the public for 25 years; raw geophysical data is held for 50 years before it is released to the public. The proprietary term for geological information is 10 years. The Minerals Management Service (MMS), a BOEM predecessor agency, first released geophysical data sets in 2001, which included data sets from southern Alaska, the Arctic, the Bering Sea, Southern California through Washington/Oregon, the North, Mid, and South Atlantic planning areas, and the Eastern, Central, and Western GOM. The data may be searched for and downloaded at the National Archive of Marine Seismic Surveys (NAMSS): <u>https://walrus.wr.usgs.gov/NAMSS/</u>. Additional information can be found at the BOEM regional homepage at: <u>http://www.boem.gov/BOEM-Regions/</u>.

Analysis of BOEM Data Coverage on the OCS

Mileage/Blocks

BOEM has amassed a large inventory of both 2-D and 3-D seismic data. Table 1 shows the coverage of 2-D seismic data, by region and planning area, that BOEM purchased through Fiscal Year (FY) 2022. Tables 2 and 3 summarize the total amount of 2-D and 3-D data purchased by year through FY 2022. Figure 2 provides an illustrative representation of the data listed in Tables 2 and 3. Table 4 summarizes BOEM data inventory by type and location through FY 2022. As noted in Table 4, BOEM currently has 377,449 blocks of 3-D seismic information and 3.4 million line-miles of conventional 2-D seismic information. The additions to the BOEM inventory in FY 2022 represent a 2.5% increase in the cumulative 3-D seismic data

inventory. Each block of 3-D data coverage typically provides a more detailed view of the subsurface than a 2-D seismic line-mile.

BOEM has not purchased all the permit data shot and recorded by industry, primarily due to poor data quality or the redundancy in available data sets. Since the early 1990s, the volume of 3-D seismic data has increased in concert with the development and use of interactive computer workstations. For some areas where BOEM previously obtained 2-D or 3-D seismic information, BOEM continues to purchase new information as a result of the use of state-of-the-art acquisition methods and equipment, or the reprocessing of previously-acquired data using more modern techniques.



Figure 2: Seismic Data Purchases by Fiscal Year

Geological and Geophysical (G&G) Exploration Permits

Table 5 provides a summary of G&G exploration permitting for the OCS since 1960, with a differentiation between geological permits and geophysical permits from 1969 to 2022. Figure 3 displays the permitting data by calendar year and shows a relatively steady decline over the past 30 years, from close to 300 permits in Calendar Year (CY) 1988 to 20 in CY 2022. The greatest number of permits issued in one year was 574 in 1983, during which time significant exploration activity was occurring in all four OCS regions.

Tables A-2, A-5, A-8, and A-11 show total permits issued by OCS Region. The GOM Region has granted 84 percent of all BOEM permits issued, followed by the Alaska Region

with eight percent, the Pacific Region with six percent, and the Atlantic Region with two percent. The regional differences can be attributed to factors such as leasing moratoria, operating conditions (e.g., arctic ice), the discovery of new hydrocarbon plays, and the presence of existing infrastructure.

Since 1969, approximately 94 percent of the permits issued have been for geophysical exploration, with geological exploration permits accounting for only five percent. Nonenergy permits also account for just over a half percent of all permits. While the total number of 3-D seismic permits issued compared to all permits issued is relatively small (13 percent), over the past 10 years, 3-D permits (including 4-D) have comprised 42 percent of all geophysical permits issued. Permits for deep stratigraphic test wells or COST wells comprise about six percent of all geological permits issued.



Figure 3: Permits Issued by Type per Calendar Year

Expenditures

Under 30 CFR § 551.13(a), BOEM can purchase OCS G&G data for the cost of data reproduction. As a result, BOEM purchases large amounts of data at costs much lower than market price.

BSEE's Acquisition Operations recently conducted a market survey and an analysis of occupational categories and associated labor rates. After conducting its analysis, BSEE assessed an appropriate reimbursement rate of \$4.00 to \$5.00 per gigabyte of G&G data beginning in FY21. In December 2015, after conducting a market survey to establish

industry pricing, BSEE adopted a reimbursement rate of \$2/gigabyte for all G&G data. Prior to 2015, BSEE was using a reimbursement rate of \$20.48/gigabyte rate for G&G data.

Table 6 shows the total expenditures for G&G data since 1968 for those data presented in Table 4, including the distribution of G&G data expenditures by region. The GOM and Alaska regions have the largest portion of the expenditures with 40 and 37 percent, respectively. The Alaska Region has over twice the offshore area of the other three regions combined. The GOM Region, with over 95 percent of OCS production, represents the largest database of G&G data. The Atlantic Region (14 percent) and the Pacific Region (9 percent) are comparable in terms of expenditures, although this difference is primarily due to the purchases of high-resolution data in the Atlantic (see Table 6). The Pacific Region has the smallest expenditures for G&G data because much of the OCS offshore California, Washington and Oregon was under moratoria from the 1980s to 2008.

Overall, the early to mid-1980s saw a dramatic increase in G&G data expenditures by BOEM, as more reprocessed data were acquired to address area-wide leasing and a more aggressive proposed OCS leasing schedule. Due to regulatory changes in reimbursement procedures in 1986, the cost per mile dropped dramatically. This change coupled with a generally less-aggressive leasing schedule and new exploration opportunities worldwide has led to a steady decrease in total expenditures from the 1980s to the present.

Table 1. Summary of Estimates of CDP (2-D) Seismic Line Miles in the BOEM Inventory Through FY	
2022 by Planning Area (Rounded to Nearest 1,000 Miles)	

Planning Area	Estimated Mileage			
Alaska				
Gulf of Alaska Cook Inlet Kodiak Shumagin North Aleutian St. George Basin Aleutian Arc Bowers Basin Aleutian Basin St. Matthew-Hall Norton Basin Navarin Basin Hope Basin Chukchi Sea Beaufort Sea Total	$\begin{array}{r} 36,000\\ 23,000\\ 23,000\\ 10,000\\ 43,000\\ 50,000\\ < 500\\ <1,000\\ <1,000\\ 10,000\\ 25,000\\ 55,000\\ 9,000\\ 141,000\\ \underline{88,000}\\ 515,000\\ \end{array}$			
Atlantie	2			
North Atlantic Mid-Atlantic South Atlantic Straits of Florida Total	146,000 95,000 76,000 <u>11,000</u> 328,000			
Gulf of Me	xico			
Eastern GOM Central GOM Western GOM Total	269,000 1,522,000 <u>656,000</u> 2,447,000			
Pacific				
Southern California Central California Northern California Wash./Oregon Total	85,000 21,000 19,000 <u>8,000</u> 133,000			

FY	Total Miles		
1968-1975	269,814		
1976	108,922		
1977	42,808		
1978	54,426		
1979	31,489		
1980	19,400		
1981	69,904		
1982	79,961		
1983	120,743		
1984	89,853		
1985	71,521		
1986	47,287		
1987	113,680		
1988	78,920		
1989	53,494		
1990	85,280		
1991	40,513		
1992	49,191		
1993	25,482		
1994	7,138		
1995	8,930		
1996	33,296		
1997	39,682		
1998	90,981		
1999	30,135		
2000	64,710		
2001	6,668		
2002	1,506		
2003	48,154		
2004	101,282		
2005	48,829		
2006	170,379		
2007	108,080		
2008	2,953		
2009	35,130		
2010	195,487		
2011	135,884		
2012	46,923		
2013	46,694		
2014	248		
2015	147,555		
2016	299,028		
2017	26,318		
2018	10,061		
2019	137,695		
2020	3,719		
2020	38,851		
2022	84,595		
Total	3,423,599		

Table	2.	Summary of BOEM-Purchased
2-D	Se	ismic Data for FY 1968-2022

Table 3. Summary of BOEM-Purchased3-D Seismic Data for FY 1968-2022

FY	Total OCS Blocks		
1968-1992	0		
1993	1,563		
1994	1,420		
1995	1,826		
1996	1,470		
1997	3,129		
1998	3,460		
1999	3,226		
2000	6,161		
2001	3,602		
2002	7,182		
2003	6,272		
2004	6,193		
2005	4,996		
2006	6,495		
2007	11,855		
2008	22,606		
2009	27,547		
2010	23,137		
2011	9,259		
2012	37,092		
2013	34,132		
2014	21,294		
2015	33,427		
2016	30,764		
2017	8,566		
2018	5,686		
2019	8,218		
2020	15,450		
2021	22,145		
2022	9,276		
Total	377,449		

Data Type	Region	Mileage*
	Alaska	515,233
	Atlantic	328,513
2-D Seismic	Gulf of Mexico	2,446,990
	Pacific	132,863
	Total	3,423,599
	Alaska	59,855
	Atlantic	49,509
High Resolution	Gulf of Mexico	176,693
5	Pacific	30,582
	Total	316,639
	Alaska	84,683
	Atlantic	104,665
CDP Interpretations	Gulf of Mexico	293,925
L.	Pacific	42,365
	Total	465,774
	Alaska	404,599
	Atlantic	15,783
Gravity and Magnetics	Gulf of Mexico	856,253
	Pacific	110,150
	Total	1,386,785
	Alaska	1,210
	Atlantic	0
3-D Seismic	Gulf of Mexico	376,187
	Pacific	52
	Total	377,449
	Alaska	0
	Atlantic	0
3-D/4-C	Gulf of Mexico	9,005
	Pacific	0
	Total	9,005
	Alaska	81
	Atlantic	0
3D-AVO	Gulf of Mexico	43,001
	Pacific	0
	Total	43,082
	Alaska	14
	Atlantic	5
Deep Stratigraphic Tests	Gulf of Mexico	14
	Pacific	_2
	Total	35

Table 4. Summary of BOEM's G&G Data Inventory, by Data Typeand Region, FY 1968-2022

(*3-D seismic, 3-D/4-C data, and AVO are measured in OCS blocks and Deep Stratigraphic Test units are wells drilled.)

Year	Α	В	С	D	Е	F	G
1960-1968	2,353						
1969	258	249	9	0	0	0	0
1970	213	203	10	0	0	0	0
1971	210	205	5	0	0	0	0
1972	220	210	10	0	0	0	0
1973	339	321	18	0	0	0	0
1974	357	345	12	2	0	0	0
1975	510	487	23	3	0	0	0
1976	420	400	20	7	0	0	0
1977	452	436	16	4	Ő	Ő	Ő
1978	342	329	13	2	0	0	0
1979	276	265	11	0	Ő	Ő	0 0
1980	318	302	16	1	ů 0	0	0
1981	394	383	10	0	0	0	0
1982	502	490	12	3	0	0	0
1983	574	542	32	1	16	0	0
1985			25		18		
	543	518		0		0	0
1985	398	382	16	0	38	0	0
1986	211	207	4	0	32	0	0
1987	298	282	16	0	42	0	0
1988	313	289	24	0	45	0	0
1989	249	237	12	1	47	0	0
1990	251	241	9	0	57	1	0
1991	170	156	12	0	45	2	0
1992	141	137	3	0	53	1	0
1993	147	135	11	0	70	1	0
1994	133	117	16	0	53	0	0
1995	104	92	11	0	50	1	0
1996	136	120	16	0	59	0	0
1997	159	139	20	0	69	ů 0	1
1998	157	143	14	ů 0	59	ů 0	1
1999	111	98	13	0	44	ů 0	0
2000	80	73	5	0	32	2	0
2000	110	103	7	0	33	0	0
2001	80	75	5	0	20	0	3
2002	107	100	3		20	0 4	2
2003	107	91	10	0	29	4	
				0			
2005	101	93	6	0	25	2	0
2006	87	82	2	0	24	3	0
2007	95	92	2	0	32	1	0
2008	112	104	1	2	23	7	0
2009	84	64	12	4	9	8	1
2010	55	46	4	0	8	5	1
2011	42	33	3	0	19	6	0
2012	44	38	2 2	0	20	4	4
2013	47	40	2	0	15	5	4
2014	68	65	3	0	22	0	3
2015	77	70	7	0	15	0	4
2016	24	22	1	0	22	1	0
2017	37	29	7	1	8	1	1
2018	43	35	8	0	12	0	3
2019	66	52	9	0	21	5	3
2019	28	23	3	0	7	2	5
	31	23	3 7	0	2	$\frac{2}{0}$	5
2021	20	18	0	0	5	2	3
2022	20	10	U	U	5	2	5
Total	12,800	9,832	549	31	1,221	66	44

Table 5. Total Number of Permits Issued for G&G Exploration by CY

A=Total Number of Geological, Geophysical, and Strategic Minerals Permits Issued; B=Number of Geophysical Permits Issued; C=Number of Geological Permits Issued; D=Number of Geological Permits Issued for Deep Stratigraphic Tests; E=Number of Geophysical Permits Issued for 3-D Seismic Data; F=Number of Permits Issued for Strategic (Nonenergy) Minerals; G=Number of Permits Issued for 4-D Seismic Data

Data Type	Region	Expenditures (\$)
	Alaska	
2-D Seismic High Resolution CDP Interpretations Gravity and Magnetics 3-D Seismic 3-D/4-C AVO Total		41,052,227 11,125,798 439,793 1,027,238 1,511,327 0 <u>28,048</u> 55,184,431
	Atlantic	
2-D Seismic High Resolution CDP Interpretations Gravity and Magnetics 3-D Seismic 3-D/4-C AVO Total		11,774,315 9,751,232 242,774 2,902 0 0 21,771,223
Gı	lf of Mexico	
2-D Seismic High Resolution CDP Interpretations Gravity and Magnetics 3-D Seismic (ex. AVO) 3-D/4-C AVO Total		32,300,504 12,740,402 1,096,580 892,671 12,819,380 3,402 <u>396,896</u> 60,249,835
	Pacific	
2-D Seismic High Resolution CDP Interpretations Gravity and Magnetics 3-D Seismic 3-D/4-C AVO Total		9,563,176 3,696,394 72,175 534,363 27,925 0 0 13,894,033

Table 6. Summary of G&G Data Expenditures by DataType and Region, FY 1968-2022 (in nominal dollars)

Ī

Detailed annual expenditures, by region, are shown in Tables A-3, A-6, A-9, and A-12.

Appendix

Alaska Region OCS

A-1	Summary of G&G Data Inventory for Alaska by FY	15
A-2	Number of Permits Issued for G&G Exploration in Alaska by CY	16
A-3	Summary of Expenditures by BOEM for G&G Data by FY for Alaska (in nominal dollars)	17

Atlantic Region OCS

A-4	Summary of G&G Data Inventory for the Atlantic by FY18
A-5	Number of Permits Issued for G&G Exploration in the Atlantic by CY19
A-6	Summary of Expenditures by BOEM for G&G Data by FY for the Atlantic (in nominal dollars)

Gulf of Mexico Region OCS

A-7	Summary of G&G Data Inventory for the Gulf of Mexico by FY 21
A-8	Number of Permits Issued for G&G Exploration in the Gulf of Mexico by CY 22
A-9	Summary of Expenditures by BOEM for G&G Data by FY for the Gulf of Mexico (in nominal dollars)

Pacific Region OCS

A-10	Summary of G&G Data Inventory for the Pacific by FY	24
A-11	Number of Permits Issued for G&G Exploration in the Pacific by CY	25
A-12	Summary of Expenditures by BOEM for G&G data by FY for the Pacific (in nominal dollars)	.26

ear	2-D	HRD	Interpretations	Grav/Mag	3-D*	3D-AVO	DST
1968-1975	70,306	5,500	32,819	55,710	0	0	1
1976	37,785	19,163	30,164	0	0	0	4
1977	11,952	5,606	21,700	23,470	0	0	4
1978	28,524	0	0	36,625	0	0	0
1979	8,538	5,412	0	25,465	0	0	0
1980	10,109	7,703	0	0	0	0	1
1981	35,430	4,590	ů 0	14,969	Ő	ů 0	0
1982	16,624	0	0	0	Ő	0	2
1983	51,903	0	0	0	0	0	2
1984	30,961	7,904	0	5,850	0	0	0
1985	30,270	0	0	0	0	0	0
1986	21,603	1,600	0	0 0	Ő	ů 0	Ő
1987	49,532	470	0	80,826	Ő	ů 0	Ő
1988	14,963	1,741	0	0	Ő	ů 0	Ő
1989	3,136	166	0	9,543	0	ů 0	0
1990	8,557	0	0	11,046	0	ů 0	0
1991	3,964	0	0	1,500	0	0	0
1992	0	0	0	0	0	0	0
1993	1,893	0	0	0	0	0	0
1994	2,422	0	0	102,845	0	0	0
1995	737	0	0	3,000	0	0	0
1996	315	0	0	0	0	0	0
1997	382	0	0	0	3*	0	0
1997	273	0	0	0	0	0	0
1999	0	0	0	0	0 7*	0	0
2000	0	0	0	0	12*	0	0
2000	0	0	0	0	0	0	0
2001	0	0	0	0	11*	0	0
2002	0	0	0	0	0	0	0
2003	0	0	0	0	0	0	0
2004	0	0	0	0	0	0	0
2005	0	0	0	0	0	0	0
2000	32,281	0	0	1,915	204	0	0
2007	0	0	0	0	204 54	0	0
2008	0	0	0	0	20	0	0
200)	0	0	0	0	315	66*	0
2010	486	0	0	0	227	15*	0
2011	480	0	0	0	0	0	0
2012	0	0	0	0	0	0	0
2013	0	0	0	0	0	0	0
2014	3,662	0	0	0	0	0	0
2015	0	0	0	0	0	0	0
2010	0	0	0	0	0	0	0
2017	0	0	0	2,253	0	0	0
2018	35,488	0	0	2,233 5,982	9	0	0
2019	1,410	0	0	0	174	0	0
2020	1,474	0	0	23,600	0	0	0
2021	253	0	0	0	174	0	0
Total	515,233	59,855	84,683	404,599	1210*	81*	14

Table A-1. Summary of G&G Data Inventory for Alaska by FY

* Purchases for 3-D seismic data are measured in OCS blocks; all other purchases, in this table are measured in miles. The DST dates are assigned based upon completion dates and are measured in terms of wells completed.

Year	Α	В	С	D	Е	F
1960-1968	75					
1969	31	28	3	0	0	(
1970	40	36	4	0	0	(
1971	27	26	1	0	0	(
1972	17	17	0	Ő	Ő	Ì
1972	33	32	1	0	0	(
1974	47	44	3	0	0	(
1975	82	74	8	0	0	(
1975	69		8 8	4	0	
		61		4		(
1977	33	29	4		0	
1978	9	8	1	0	0	(
1979	32	30	2	0	0	(
1980	41	36	5	1	0	(
1981	54	49	5	0	0	(
1982	85	79	6	3	0	(
1983	103	80	23	1	0	(
1984	70	62	8	0	0	
1985	63	56	7	Ő	ů 0	ĺ
1985	18	17	1	0	0	
		17				
1987	18		4	0	0	
1988	13	9	4	0	0	
1989	17	14	3	0	0	
1990	19	15	3	0	0	
1991	7	4	1	0	0	
1992	7	6	0	0	0	
1993	11	10	0	0	2	
1994	3	3	0	0	1	
1995	1	1	0	0	1	
1996	6	6	Ő	Ő	5	
1997	5	4	1	ů 0	0	ĺ
1998	2	2	0	0	2	
1999	2	2	0	0	2	
2000	1	1	0	0	1	
2001	0	0	0	0	0	
2002	1	1	0	0	0	
2003	1	1	0	0	0	
2004	1	1	0	0	1	
2005	1	1	0	0	1	
2006	4	4	0	0	3	
2007	5	4	1	0	3	
2008	4	4	0	Ő	4	
2009	1	1	ů 0	ů 0	1	
2010	2	2	0	0	1	
2010	2	$\frac{2}{0}$	0		0	
2011	0			0		
2012	2	1	0	0	0	
2013	1	1	0	0	0	
2014	3	3	0	0	3	
2015	1	1	0	0	1	
2016	0	0	0	0	0	
2017	0	0	0	0	0	
2018	1	1	0	0	0	
2019	1	1	0	0	1	
2020	1	1	0	0	1	
2020	1	1	Ő	ů	1	(
2021	0	0	0	0	0	Ì
2022	Ū.	0	v	v	v	,
fotal	1,072	884	107	14	35	

Table A-2. Number of Permits Issued for G&G Exploration in Alaska by CY

Dashed lines = Individual breakouts not established; A=Total Number of Geological, Geophysical, and Strategic Minerals Permits; B=Number of Geophysical Permits; C=Number of Geological Permits; D=Number of Geological Permits Issued for Deep Stratigraphic Tests; E=Number of Geophysical Permits Issued for 3-D Seismic Data; F=Number of Permits Issued for Strategic (Nonenergy) Minerals.

Year	2-D	HRD	Interpretations	Grav/Mag	3-D	3D-AVO	DS
1968-1975	2,803,939	119,700	160,832	7,515	0	0	0
1976	1,628,153	1,598,789	268,961	0	0	0	0
1977	271,035	36,473	10,000	49,450	0	0	Õ
1978	2,956,280	0	0	408,679	0	0	0
1979	2,180,700	2,019,512	0	125,148	0	0	0
1980	1,086,423	5,789,936	Ő	0	Ő	Õ	Ő
1981	5,231,130	1,531,458	0	69,286	0	0	0
1982	1,817,736	0	0 0	0	ů 0	Ő	0
1983	5,673,514	0	0	ů 0	0	0 0	0
1984	4,118,626	19,238	0	27,072	0	Ő	0
1985	3,669,129	0	0	0	0	Ő	0
1986	2,780,556	950	0	0	0	0	0
1987	2,301,780	400	0	249,951	0	0 0	0
1988	1,339,007	3,425	0	0	0	0	0
1988	347,872	5,917	0	21,851	0	0	0
1989	832,476	0	0	51,681	0	0	0
1990	518,613	0	0	15,573	0	0	0
	,						
1992	0	0	0	0	0	0	0
1993	139,117	0	0	0	0	0	0
1994	579,129	0	0	0	0	0	0
1995	167,170	0	0	750	0	0	0
1996	113,071	0	0	0	0	0	0
1997	195,855	0	0	0	0	0	0
1998	192,947	0	0	0	0	0	0
1999	0	0	0	0	358,155	0	0
2000	0	0	0	0	348,073	0	0
2001	0	0	0	0	0	0	0
2002	0	0	0	0	762,911	0	0
2003	0	0	0	0	0	0	0
2004	0	0	0	0	0	0	0
2005	0	0	0	0	0	0	0
2006	0	0	0	0	0	0	0
2007	2,329	0	0	152	29,226	0	0
2008	0	0	0	0	9,401	0	0
2009	0	0	0	0	392	0	0
2010	0	0	0	0	3,106	28,048	0
2011	2	0	0	0	63	0	0
2012	0	0	0	0	0	0	0
2013	0	0	0	0	0	0	0
2014	0	0	0	0	0	0	0
2015	1,574	0 0	Ő	Ő	Ő	Ő	0
2016	0	ů 0	ů 0	Ő	Ő	Ő	0
2017	Ő	0	ů 0	ů 0	Ő	Ő	0
2018	Ő	ů 0	ů 0	130	Ő	Ő	0
2019	8,260	Ő	ů 0	0	Ő	Ő	0
2020	665	0	0	0	0	0 0	0
2020	264	0	0	ů 0	0	0	0
2021	94,875	0	0	0	0	0	0
Total	\$41,052,227	\$11,125,798	\$439,793	\$1,027,238	\$1,511,327	\$28,048	\$(

Table A-3. Summary of Expenditures by BOEM for G&G Data by FY for Alaska (in nominal dollars)

1968-1975 1976 1977 1978 1979 1980 1981 1982 1983 1984 1985 1986 1987 1988 1989 1990 1991 1992 1993 1994 1995	41,958 25,211 21,032 14,281 6,877 585 9,950 19,074 30,077 9,386 1,640 424 2,356 827 2,730 31 1,042 2,377	$ \begin{array}{r} 1,740\\ 23,867\\ 6,100\\ 0\\ 0\\ 0\\ 10,660\\ 7,142\\ 0\\ $	$ \begin{array}{c} 11,802\\ 29,822\\ 3,177\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\$	$ \begin{array}{c} 14,267\\ 1,076\\ 440\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0$	0 0 0 0 0 0 0 0 0 0 0 0 0	0 2 0 1 0 0 0 0 0 0 0
1977 1978 1979 1980 1981 1982 1983 1984 1985 1986 1987 1988 1989 1990 1991 1992 1993 1994	25,211 21,032 14,281 6,877 585 9,950 19,074 30,077 9,386 1,640 424 2,356 827 2,730 31 1,042	$\begin{array}{c} 6,100\\ 0\\ 0\\ 10,660\\ 7,142\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\$	$3,177 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\$	440 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	2 2 0 1 0 0 0 0 0
1977 1978 1979 1980 1981 1982 1983 1984 1985 1986 1987 1988 1989 1990 1991 1992 1993 1994	21,032 14,281 6,877 585 9,950 19,074 30,077 9,386 1,640 424 2,356 827 2,730 31 1,042	$\begin{array}{c} 6,100\\ 0\\ 0\\ 10,660\\ 7,142\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\$	$3,177 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\ 0 \\$	440 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	2 0 1 0 0 0 0
1979 1980 1981 1982 1983 1984 1985 1986 1987 1988 1989 1990 1991 1992 1993 1994	6,877 585 9,950 19,074 30,077 9,386 1,640 424 2,356 827 2,730 31 1,042	$\begin{array}{c} 0\\ 10,660\\ 7,142\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\ 0\\$	0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0	0 0 0 0 0 0	1 0 0 0 0
1980 1981 1982 1983 1984 1985 1986 1987 1988 1989 1990 1991 1992 1993 1994	6,877 585 9,950 19,074 30,077 9,386 1,640 424 2,356 827 2,730 31 1,042	$ \begin{array}{r} 10,660 \\ 7,142 \\ 0 \\ $	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0 0	0 0 0 0
1981 1982 1983 1984 1985 1986 1987 1988 1989 1990 1991 1992 1993 1994	9,950 19,074 30,077 9,386 1,640 424 2,356 827 2,730 31 1,042	7,142 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0	0 0 0 0	0 0 0
1981 1982 1983 1984 1985 1986 1987 1988 1989 1990 1991 1992 1993 1994	9,950 19,074 30,077 9,386 1,640 424 2,356 827 2,730 31 1,042	7,142 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0	0 0 0	0 0
1982 1983 1984 1985 1986 1987 1988 1989 1990 1991 1992 1993 1994	19,074 30,077 9,386 1,640 424 2,356 827 2,730 31 1,042	0 0 0 0 0 0 0	0 0 0 0 0 0	0 0 0 0	0 0 0	0 0
1983 1984 1985 1986 1987 1988 1989 1990 1991 1992 1993 1994	30,077 9,386 1,640 424 2,356 827 2,730 31 1,042	0 0 0 0 0 0	0 0 0 0 0	0 0 0	0 0	0
1984 1985 1986 1987 1988 1989 1990 1991 1992 1993 1994	9,386 1,640 424 2,356 827 2,730 31 1,042	0 0 0 0 0	0 0 0 0	0 0	0	
1985 1986 1987 1988 1989 1990 1991 1992 1993 1994	1,640 424 2,356 827 2,730 31 1,042	0 0 0 0	0 0 0	0		
1986 1987 1988 1989 1990 1991 1992 1993 1994	424 2,356 827 2,730 31 1,042	0 0 0	0 0			0
1987 1988 1989 1990 1991 1992 1993 1994	2,356 827 2,730 31 1,042	0 0	0	0	0	0
1988 1989 1990 1991 1992 1993 1994	827 2,730 31 1,042	0		0	0	0
1989 1990 1991 1992 1993 1994	2,730 31 1,042		0	0	0	0
1990 1991 1992 1993 1994	31 1,042		0	0	0	0
1991 1992 1993 1994	1,042	0	0	0	0	0
1992 1993 1994		0	0	0	0	0
1993 1994		0	0	0	0	0
1994	0	Ő	0 0	Ő	0 0	Ő
	ů 0	Ő	Ő	Ő	0 0	Ő
	ů 0	0 0	0 0	Ő	Ő	Ő
1996	ů 0	0	0	0	0	0
1997	ů 0	0 0	0	0	0	0
1998	ů 0	0	0	0	0	0
1999	ů 0	0	0	0	0	0 0
2000	ů 0	0	0	0	0	0 0
2001	ů 0	0 0	0	0	0	0
2002	ů 0	0	0	0	0	0
2002	23,109	0	0	0	0	0
2003	0	0	0	0	0	0
2001	0	0	0	0	0	0
2005	0	0	0	0	0	0
2000	ů 0	0	0	0	0	0
2007	969	0	0	0	0	0
2000	0	0	0	0	0	0
2009	0	0	0	0	0	0
2010	0	0	0	0	0	0
2011	0	0	0	0	0	0
2012	0	0	0	0	0	0
2013	0	0	0	0	0	0
2014	0	0	0	0	0	0
2015	0	0	0	0	0	0
2010	0	0	0	0	0	0
2017	10,061	0	0	0	0	0
2018	102,207	0	59,864	0	0	0
2019	2,309	0	0	0	0	0
2020	2,309	0	0	0	0	0
2021	0	0	0	0	0	0
Total		49,509	104,665			

Table A-4. Summary of G&G Data Purchases for the Atlantic by FY

* Purchases for 3-D seismic data are measured in OCS blocks; all other purchases, in this table are measured in miles. The DST dates are assigned based upon completion dates and are measured in terms of wells completed.

Year 1960-1968 1969 1970 1971 1972 1973 1974 1975 1976 1977	A 45 7 4 4 4 4 2 29 35 20	B 7 3 4 4 4 2 23 28	C 0 1 0 0 0 0 0	D 0 0 0 0 0 0 0 0	E 0 0 0 0	F
1969 1970 1971 1972 1973 1974 1975 1976	7 4 4 4 4 2 29 35	7 3 4 4 4 2 23	0 1 0 0 0 0	0 0 0 0	0 0 0 0	0 0 0
1970 1971 1972 1973 1974 1975 1976	4 4 4 2 29 35	3 4 4 2 23	1 0 0 0 0	0 0 0	0 0 0	0 0
1971 1972 1973 1974 1975 1976	4 4 2 29 35	4 4 2 23	0 0 0 0	0 0	0 0	0
1972 1973 1974 1975 1976	4 4 2 29 35	4 4 2 23	0 0 0	0	0	
1973 1974 1975 1976	4 2 29 35	4 2 23	0 0			
1974 1975 1976	2 29 35	2 23	0	0		0
1974 1975 1976	2 29 35	23	0		0	0
1975 1976	29 35	23		0	0	0
1976	35		6	1	0	0
		/ X	° 7	3	Ő	Ő
		20	0	0	0	ů 0
1978	17	13	4	1	0	Ő
1979	9	9	0	0	0	0
1980	15		0	0	0	0
		15				
1981	17	16	1	0	0	0
1982	11	11	0	0	0	0
1983	10	10	0	0	0	0
1984	6	6	0	0	0	0
1985	2	1	1	0	0	0
1986	3	2	1	0	0	0
1987	2	0	2	0	0	0
1988	4	4	0	0	0	0
1989	0	0	0	0	0	0
1990	1	1	0	0	0	0
1991	0	0	0	0	0	0
1992	0	0	0	0	0	0
1993	0	0	0	0	0	0
1994	0	0	0	0	0	0
1995	1	0	0	0	0	1
1996	0	0	0	0	0	0
1997	2	1	1	0	0	0
1998	0	0	0	0	0	0
1999	0	0	0	0	0	0
2000	1	0	0	0	0	1
2001	0	0	0	0	0	0
2002	0	0	0	0	0	0
2003	0	0	0	0	0	0
2004	2	0	0	0	0	2
2005	2	Ő	ů 0	Ő	0	2
2005	0	Ő	ů 0	Ő	0	0
2000	1	0	0	0	0	1
2007	2	0	0	0	0	2
2008	2	0	0	0	0	2
2009	0	0	0	0	0	
2010	5	0	0	0	0	5
2011	2	0	0	0	0	0 5 2
2012	3	0	0	0	0	3
2013	0	0	0	0	0	0
2014	0	0	0	0	0	0
2013	2					
	20	0 0	1	0	0	1
2017			0	0	0	0
2018	0	0	0	0	0	0
2019	4	1	0	0	0	3
2020	0	0	0	0	0	0
2021	0	0	0	0	0	0
2022	2	0	0	0	0	2
otal	282	185	25	5	0	27

Table A-5. Number of Permits Issued for G&G Exploration in the Atlantic by CY

Dashed lines = Individual breakouts not established; A=Total Number of Geological, Geophysical, and Strategic Minerals Permits; B=Number of Geophysical Permits; C=Number of Geological Permits; D=Number of Geological Permits Issued for Deep Stratigraphic Tests; E=Number of Geophysical Permits Issued for 3-D Seismic Data; F=Number of Permits Issued for Strategic (Nonenergy) Minerals.

			ic (in nominai a				
Year	2-D	HRD	Interpretations	Grav/Mag	3-D	DST	
1968-1975	309,029	4,900	0	0	0	0	
1976	196,687	2,256,167	45,282	2,902	0	0	
1977	242,868	1,968,513	9,992	0	0	0	
1978	581,562	0	0	0	0	0	
1979	119,250	0	0	0	0	0	
1980	51,096	4,278,448	0	0	0	0	
1981	179,682	1,243,204	0	0	0	0	
1982	1,882,723	0	0	0	0	0	
1983	1,718,584	0	0	0	0	0	
1984	1,500,298	0	0	0	0	0	
1985	287,135	0	0	0	0	0	
1986	87,307	0	0	0	0	0	
1987	438,792	0	0	0	0	0	
1988	71,510	0 0	0 0	Ő	0	Ő	
1989	120,042	0	0	0	0	0	
1990	150	0	0	0	0	0	
1991	2,790	0	0 0	0	Ő	0	
1992	1,933	0	0	0	0	0	
1992	0	0	0	0	0	0	
1994	0	0	0	0	0	0	
1995	0	0	0	0	0	0	
1995	0	0	0	0	0	0	
1990	0	0	0	0	0	0	
1997	0	0	0	0	0	0	
1998	0	0	0	0	0	0	
2000	0	0	0	0	0	0	
2000	0	0	0	0	0	0	
2001	0	0	0	0	0	0	
2002	1,080,000	0	0	0	0	0	
2003		0	0	0	0	0	
2004	0		0	0		0	
2005	0 0	0 0	0	0	0 0		
						0	
2007	0	0	0	0	0	0	
2008	156,100	0	0	0	0	0	
2009	0	0	0	0	0	0	
2010	0	0	0	0	0	0	
2011	0	0	0	0	0	0	
2012	0	0	0	0	0	0	
2013	0	0	0	0	0	0	
2014	0	0	0	0	0	0	
2015	0	0	0	0	0	0	
2016	0	0	0	0	0	0	
2017	0	0	0	0	0	0	
2018	307,629	0	0	0	0	0	
2019	2,092,983	0	187,500	0	0	0	
2020	346,165	0	0	0	0	0	
2021	0	0	0	0	0	0	
2022	0	0	0	0	0	0	
Total	\$11,774,315	\$9,751,232	\$242,774	\$2,902	\$0	\$0	

Table A-6. Summary of Expenditures by BOEM for G&G Data by FY for theAtlantic (in nominal dollars)

Year	2-D	HRD	Interpretations	Grav/Mag	3-D (All)*	3-D/4-C*	3D-AVO*	DST
1968-1975	143,458	88,549	120,038	19,670	0	0	0	2
1976	31,474	9,367	19,380	56,272	0	0	0	0
1977	4,485	18,119	0	0	0	0	0	0
1978	7,188	8,275	0	0	0	0	0	0
1979	11,681	5,018	0	0	0	0	0	0
1980	4,758	15,940	0	0	0	0	0	0
1981	16,454	500	0	0	0	0	0	0
1982	28,700	0	0	0	0	0	0	0
1983	26,290	0	0	0	0	0	0	0
1984	40,828	0	0	0	0	0	0	0
1985	31,430	0	0	0	0	0	0	0
1986	22,616	0	0	0	0	0	0	0
1987	43,073	0	0	0	0	0	0	0
1988	56,265	0	0	0	0	0	0	0
1989	43,121	0	0	0	0	0	0	1
1990	76,692	0	0	0	0	0	0	0
1991	35,507	Ő	ů 0	ů 0	ů 0	ů 0	ů 0	Ő
1992	46,814	Ő	Ő	ů 0	ů 0	Ő	ů 0	Ő
1993	23,589	Ő	ů 0	0	1,563	ů 0	ů 0	Ő
1994	4,416	0	ů 0	0	1,420	0	0 0	0 0
1995	8,193	0	0	0	1,826	0	0	0
1996	32,797	0	0	0	1,458	0	0	0
1997	39,300	0	0	0	3,105	0	0	0
1998	90,708	0	0	178,305	3,452	0	0	0
1998	30,135	0	0	52,000	3,219	0	0	0
2000	64,710	0	0	284,084	6,138	0	0	0
2000	6,668	0	0	0	3,602	0	0	0
2001	1,506	0	0	0	5,002 7,171	0	0	0
2002	25,045	0	0	0	6,272	0	1,492	0
2003				0	6,193	37	67	
	101,282	0	0					0
2005	48,829	0	0	0	4,996	0	0	0
2006	170,379	0	0	0	6,495	0	0	0
2007	75,799	0	0	0	11,651	0	0	0
2008	1,984	0	0	79,082	22,552	0	0	0
2009	35,130	0	0	0	27,527	0	0	10
2010	195,487	0	0	0	22,822	0	0	0
2011	135,398	0	0	0	9,032	0	0	0
2012	46,923	0	0	0	37,092	3,846	0	0
2013	46,694	0	0	0	34,132	420	0	0
2014	248	0	0	0	21,294	3,651	1,896	0
2015	143,893	0	0	3,175	33,427	541	3,248	0
2016	299,028**	0	0	0	30,764	0	9,095	0
2017	26,318	0	0	0	8,566	0	1,990	1
2018	0	30,825	154,507	0	5,686	164	2,935	0
2019	0	19	0	183,665	8,209	0	4,477	0
2020	0	15	0	0	15,276	0	6,125	0
2021	37,377	0	0	0	22,145	274	9,340	0
2022	84,320	66	0	0	9,102	72	2,336	0
Total	2,446,990	176,693	293,925	856,253	376,187	9,005	43,001	14

Table A-7. Summary of G&G Data Purchases for the Gulf of Mexico by FY

*Purchases for 3-D seismic, 3-D/4-C data, and AVO data are measured in OCS blocks; all other purchases, in this table are measured in miles. The DST dates are assigned based upon completion dates and are measured in terms of wells completed.

**High figure is due to purchase of reprocessed old data and not due to new seismic acquisitions by industry.

Year	Α	В	С	D	Ε	F	G
1960-1968	2,071						
1969	207	204	3	0	0	0	0
1970	166	162	4	0	0	0	0
1971	179	175	4	Õ	Õ	0	0
1972	198	188	10	0	0	0	0
1973	272	264	8	0	0	0	0
1974	284	275	9	2	0	0	0
1975	353	348	5	0	0	0	0
1976	292	289	3	0	0	0	0
1977	368	361	7	ů	Ő	ů 0	0 0
1978	278	278	Ó	Ő	ů 0	ů 0	0 0
1979	211	204	7	Ő	ů 0	ů 0	0 0
1980	231	225	6	0	0	0	0
1980	283	223	3	0	0	0	0
1981	285 344	341	3	0	0	0	0
1982	416	416	3 0	0	0 16	0	0
1985	410	408		0	18		0
		408 295	3 5			0	0
1985	300			0	38	0	
1986	170	169	1	0	32	0	0
1987	258	252	6	0	42	0	0
1988	263	251	12	0	45	0	0
1989	232	223	9	1	47	0	0
1990	227	222	5	0	57	0	0
1991	163	152	11	0	45	0	0
1992	134	131	3	0	53	0	0
1993	136	125	11	0	68	0	0
1994	130	114	16	0	52	0	0
1995	102	91	11	0	49	0	0
1996	130	114	16	0	54	0	0
1997	152	134	18	0	69	0	1
1998	155	141	14	0	57	0	1
1999	109	96	13	0	42	0	0
2000	78	72	5	0	31	1	0
2001	110	103	7	0	33	0	0
2002	79	74	5	0	20	0	3
2003	106	99	3	0	28	4	2
2004	100	90	10	0	14	0	0
2005	98	92	6	0	24	0	0
2006	82	77	2	0	21	3	0
2007	89	88	1	0	29	0	0
2008	106	100	1	2	19	5	0
2009	81	63	12	0	8	6	5
2010	53	44	4	0	7	5	1
2011	37	33	3	0	19	1	0
2012	40	37	2	0	20	1	4
2013	43	39	2 2	0	15	2	4
2014	65	62	3	0	19	0	3
2015	76	69	7	0	15	0	4
2016	22	22	0	0	22	0	0
2017	37	29	7	0	8	1	1
2018	42	34	8	0	12	0	3
2019	61	50	9	0	20	2	3
2020	27	22	3	0	6	2	5
2021	30	23	7	0	1	0	5
2022	18	18	0	0	5	0	3
Total	10,705	8,268	333	5	1,180	33	48

Table A-8. Number of Permits Issued for G&G Exploration in the Gulf of Mexico by CY

Dashed lines = Individual breakouts not established; A=Total Number of Geological, Geophysical, and Strategic Minerals Permits; B=Number of Geophysical Permits; C=Number of Geological Permits; D=Number of Geological Permits Issued for Deep Stratigraphic Tests; E=Number of Geophysical Permits Issued for 3-D Seismic Data; F=Number of Permits Issued for Strategic (Nonenergy) Minerals; G=Number of Permits Issued for 4-D Seismic Data.

Year	2-D	HRD	Interpretations	Grav/Mag	3-D	DST
1968-1975	5,255,068	2,795,562	722,442	129,500	0	0
1976	1,489,665	514,141	134,084	385,234	0	0
1977	579,583	3,072,088	0	0	0	0
1978	330,183	1,438,856	0	0	0	0
1979	492,299	949,697	0	0	0	0
1980	388,329	3,926,990	0	0	0	0
1981	939,506	31,805	0	0	0	0
1982	2,936,727	0	0	0	0	0
1983	3,678,684	0	0	0	0	0
1984	3,999,326	0	0	0	0	0
1985	2,768,574	0	0	0	0	0
1986	1,600,031	0	0	0	0	0
1987	1,824,927	0	0	0	0	0
1988	1,075,515	0	0	0	0	0
1989	885,748	0	0	0	0	0
1990	704,670	ů 0	Ő	ů 0	ů 0	Ő
1991	289,266	0	0	0	0	0
1992	376,893	ů 0	Ő	ů 0	ů 0	Ő
1993	200,407	ů 0	Ő	ů 0	537,908	Ő
1994	26,946	ů 0	Ő	ů 0	647,592	Ő
1995	21,535	ů 0	Ő	ů 0	592,223	0 0
1996	1,151,587	ů 0	Ő	ů 0	526,471	0 0
1997	44,103	ů	ů 0	ů 0	1,150,050	0 0
1998	96,771	ů 0	ů 0	12,000	1,289,773	0 0
1999	42,227	ů 0	ů 0	3,000	1,154,577	0
2000	83,359	0 0	ů 0	10,070	1,816,038	0
2000	457,463	ů	ů 0	0	729,196	0 0
2002	3,185	ů 0	ů 0	ů	341,756	0 0
2002	24,902	ů	ů	ů 0	288,443	0 0
2003	185,470	ů	ů	ů 0	283,346	0 0
2005	10,445	ů 0	ů 0	ů 0	216,934	0 0
2006	29,071	ů 0	Ő	ů 0	281,331	0 0
2007	10,126	ů 0	ů 0	ů 0	429,173	0
2008	965	ů 0	ů 0	9,679	628,018	0 0
2009	217,613	ů	ů 0	0	507,389	0 0
2010	16,170	ů 0	ů 0	ů 0	341,090	0
2010	15,307	0	ů 0	0	155,123	0
2011	2,672	0	0	0	134,734	0
2012	7,146	0	0	0	256,756	0
2013	300	0	ů 0	0	172,454	0
2014	5,935	0	ů 0	0	430,741	0
2015	5,922	0 0	ů 0	ů 0	56,485	0
2010	3,292	6,092	ů 0	0 0	60,108	0
2018	0	4,695	240,054	ů 0	29,188	0
2010	0 0	476	0	343,188	49,421	0
2019	0 0	0	ů 0	0	60,910	0
2020	22,591	0	ů 0	0 0	49,735	0
2021	0	0	0	0	2,715	0
Total	\$32,300,504	\$12,740,402	\$1,096,580	\$892,671	\$13,219,678	\$0

Table A-9. Summary of Expenditures by BOEM for G&G Data by FY for theGulf of Mexico (in nominal dollars)

.

V	2-D	UDD	Indone stations	Crear Mag	2 D∳	DCT
Year	2-D	HRD	Interpretations	Grav/Mag	3-D*	DST
1968-1975	14,092	9,971	15,552	87,637	0	1
1976	14,452	2,429	2,288	1,851	0	0
1977	5,339	5,979	24,525	3,950	0	0
1978	4,433	1,155	0	0	0	1
1979	4,393	6,578	0	0	0	0
1980	3,948	4,470	0	0	0	0
1981	8,070	0	0	3,662	0	0
1982	15,563	0	0	13,050	0	0
1983	12,473	0	0	0	0	0
1984	8,678	0	0	0	0	0
1985	8,181	0	0	0	0	0
1986	2,644	0	0	0	0	0
1987	18,719	0	0	0	0	0
1988	6,865	0	0	0	0	0
1989	4,507	0	0	0	0	0
1990	0	0	0	0	0	0
1991	0	0	0	0	0	0
1992	0	0	0	0	0	0
1993	0	0	0	0	0	0
1994	300	0	0	0	0	0
1995	0	0	0	0	0	0
1996	184	0	0	0	12	0
1997	0	0	0	0	21	0
1998	0	0	0	0	8	0
1999	0	0	0	0	0	0
2000	ů 0	Ő	0	Ő	11	ů 0
2001	ů 0	Ő	ů 0	Ő	0	Ő
2002	0	0	0	ů 0	ů 0	ů 0
2002	0	0	0	ů 0	0	ů 0
2003	ů 0	Ő	ů 0	Ő	Ő	Ő
2005	0	0	0	ů 0	ů 0	ů 0
2005	0	0	0	ů 0	ů 0	ů 0
2007	ů 0	Ő	ů 0	Ő	Ő	Ő
2008	ů 0	Ő	0	Ő	Ő	ů 0
2009	0	0	0	ů 0	ů 0	ů 0
2010	ů 0	Ő	Ő	Ő	Ő	Ő
2010	ů 0	Ő	0	Ő	Ő	ů 0
2012	ů 0	0	0	0	0	Ő
2012	0	0	0	0	0	0
2013	0	0	0	0	0	0
2014	0	0	0	0	0	0
2015	0	0	0	0	0	0
2010	0	0	0	0	0	0
2017	0	0	0	0	0	0
2018	0	0	0	0	0	0
2019	0	0	0	0	0	0
2020	0	0	0	0	0	0
2021	22	0	0	0	0	0
Total	132,863	30,582	42,365	110,150	52	2

Table A-10. Summary of G&G Data Inventory for the Pacific by FY

* Purchases for 3-D seismic data are measured in OCS blocks; all other purchases in this table are measured in line miles. The DST dates are assigned based upon completion dates and are measured in wells completed.

1960-1968 162 1970 13 10 3 0 0 1971 0 0 0 0 0 1971 1 1 0 0 0 1972 1 1 0 0 0 1973 30 21 9 0 0 1975 46 42 4 1 0 1976 24 22 2 0 0 1977 31 26 5 0 0 1978 38 30 8 1 0 1980 31 26 5 0 0 1981 40 38 2 0 0 1982 62 59 3 0 0 1984 56 42 14 0 0 1985 33 32 5 8 0 </th <th></th> <th></th> <th></th> <th>С</th> <th>D</th> <th>Ε</th> <th>F</th>				С	D	Ε	F
1969 13 10 3 0 0 1970 3 2 1 0 0 1971 0 0 0 0 0 1972 1 1 0 0 0 1974 24 24 0 0 0 1975 46 42 4 1 0 1976 24 22 2 0 0 1977 31 26 5 0 0 1980 31 26 5 0 0 1981 40 38 2 0 0 1982 62 59 3 0 0 1984 56 42 14 0 0 1985 33 30 3 0 0 1986 20 19 1 0 0 1987 20 16 4 0	1960-1968	162					
1970 3 2 1 0 0 1971 1 1 0 0 0 1972 1 1 0 0 0 1973 30 21 9 0 0 1974 24 24 0 0 0 1975 46 42 4 1 0 1976 24 22 2 0 0 1977 31 26 5 0 0 1978 38 30 8 1 0 1979 24 22 2 0 0 1981 40 38 2 0 0 1981 40 38 2 0 0 1982 62 59 3 0 0 1984 56 42 14 0 0 1985 33 32 25 8 0 0 1999 0 0 0 0					0		0
1971 0 0 0 0 1972 1 1 0 0 0 1973 30 21 9 0 0 1974 24 24 0 0 0 1975 46 42 4 1 0 1977 31 26 5 0 0 1977 31 26 5 0 0 1977 31 26 5 0 0 1978 38 30 8 1 0 1980 31 26 5 0 0 1982 62 59 3 0 0 1984 56 42 14 0 0 1985 33 30 3 0 0 0 1984 56 42 14 0 0 0 1987 20 16 4 0 0 0 1988 33 25 8 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>							
1972 1 1 0 0 0 1973 30 21 9 0 0 1974 24 24 0 0 0 1975 46 42 4 1 0 1976 24 22 2 0 0 1977 31 26 5 0 0 1978 38 30 8 1 0 1979 24 22 2 0 0 1981 40 38 2 0 0 1982 62 59 3 0 0 1984 56 42 14 0 0 1984 56 42 14 0 0 1984 33 25 8 0 0 1989 0 0 0 0 0 1999 0 0 0<							0
1973 30 21 9 0 0 1974 24 22 2 0 0 1976 24 22 2 0 0 1977 31 26 5 0 0 1977 31 26 5 0 0 1978 38 30 8 1 0 1980 31 26 5 0 0 1981 40 38 2 0 0 1982 62 59 3 0 0 1983 45 36 9 0 0 1984 56 42 14 0 0 1986 20 19 1 0 0 1986 20 19 1 0 0 1999 0 0 0 0 0 0 1999 0 0 0 <							0
1974 24 24 0 0 0 1975 46 42 4 1 0 1976 24 22 2 0 0 1978 38 30 8 1 0 1979 24 22 2 0 0 1981 40 38 2 0 0 1981 40 38 2 0 0 1981 40 38 2 0 0 1983 45 36 9 0 0 1984 56 42 14 0 0 1985 33 30 3 0 0 1986 20 19 1 0 0 1987 20 16 4 0 0 1989 0 0 0 0 0 0 1999 0 0 0 <							0
1975 46 42 4 1 0 1976 24 22 2 0 0 1977 31 26 5 0 0 1979 24 22 2 0 0 1980 31 26 5 0 0 1982 62 59 3 0 0 1983 45 36 9 0 0 1984 56 42 14 0 0 1985 33 30 3 0 0 1985 20 16 4 0 0 1986 20 16 4 0 0 1987 0 0 0 0 0 1989 0 0 0 0 0 1991 0 0 0 0 0 1992 0 0 0 0							0
1976 24 22 2 0 0 1977 31 26 5 0 0 1978 38 30 8 1 0 1979 24 22 2 0 0 1980 31 26 5 0 0 1981 40 38 2 0 0 1982 62 59 3 0 0 1983 45 36 9 0 0 1984 56 42 14 0 0 1985 33 30 3 0 0 1986 20 19 1 0 0 1989 0 0 0 0 0 1999 0 0 0 0 0 1989 0 0 0 0 0 1999 0 0 0 0				0	0	0	0
1977 31 26 5 0 0 1979 24 22 2 0 0 1980 31 26 5 0 0 1981 40 38 2 0 0 1982 62 59 3 0 0 1984 56 42 14 0 0 1985 33 30 3 0 0 1986 20 19 1 0 0 1987 20 16 4 0 0 1987 20 16 4 0 0 1987 0 0 0 0 0 1988 33 25 8 0 0 1999 0 0 0 0 0 1992 0 0 0 0 0 1992 0 0 0 0		46	42	4	1	0	0
1978 38 30 8 1 0 1979 24 22 2 0 0 1980 31 26 5 0 0 1981 40 38 2 0 0 1982 62 59 3 0 0 1983 45 36 9 0 0 1984 56 42 14 0 0 1985 33 30 3 0 0 1986 20 19 1 0 0 1988 33 25 8 0 0 1989 0 0 0 0 0 1991 0 0 0 0 0 1992 0 0 0 0 0 1994 0 0 0 0 0 1997 0 0 0 0	1976	24	22	2	0	0	0
1978 38 30 8 1 0 1979 24 22 2 0 0 1980 31 26 5 0 0 1981 40 38 2 0 0 1982 62 59 3 0 0 1983 45 36 9 0 0 1984 56 42 14 0 0 1985 33 30 3 0 0 1986 20 19 1 0 0 1988 33 25 8 0 0 1989 0 0 0 0 0 1991 0 0 0 0 0 1992 0 0 0 0 0 1994 0 0 0 0 0 1997 0 0 0 0	1977	31	26	5	0	0	0
1979 24 22 2 0 0 1980 31 26 5 0 0 1981 40 38 2 0 0 1982 62 59 3 0 0 1984 56 42 14 0 0 1985 33 30 3 0 0 1986 20 19 1 0 0 1987 20 16 4 0 0 1988 33 25 8 0 0 1988 0 0 0 0 0 1999 0 0 0 0 0 1999 0 0 0 0 0 1994 0 0 0 0 0 1995 0 0 0 0 0 1997 0 0 0 0	1978	38	30	8	1	0	0
1980 31 26 5 0 0 1981 40 38 2 0 0 1982 62 59 3 0 0 1983 45 36 9 0 0 1984 56 42 14 0 0 1985 33 30 3 0 0 1985 20 19 1 0 0 1987 20 16 4 0 0 1988 33 25 8 0 0 1989 0 0 0 0 0 1991 0 0 0 0 0 1992 0 0 0 0 0 1993 0 0 0 0 0 1994 0 0 0 0					0		0
1981 40 38 2 0 0 1982 62 59 3 0 0 1983 45 36 9 0 0 1984 56 42 14 0 0 1985 33 30 3 0 0 1986 20 19 1 0 0 1987 20 16 4 0 0 1988 33 25 8 0 0 1989 0 0 0 0 0 0 1990 4 3 1 0 0 0 1992 0 0 0 0 0 0 1992 0 0 0 0 0 0 1993 0 0 0 0 0 0 1995 0 0 0 0 0 0 1996 0 0 0 0 0 0 1999 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td>0</td></t<>							0
1982 62 59 3 0 0 1983 45 36 9 0 0 1984 56 42 14 0 0 1985 33 30 3 0 0 1987 20 16 4 0 0 1988 33 25 8 0 0 1988 33 25 8 0 0 1991 0 0 0 0 0 1992 0 0 0 0 0 1994 0 0 0 0 0 1995 0 0 0 0 0 1997 0 0 0 0 0 2000 0 0 0 0 0 2001 0 0 0 0 0							0
1983 45 36 9 0 0 1984 56 42 14 0 0 1985 33 33 0 0 0 1986 20 19 1 0 0 1987 20 16 4 0 0 1988 33 25 8 0 0 1989 0 0 0 0 0 1989 0 0 0 0 0 1991 0 0 0 0 0 1992 0 0 0 0 0 1993 0 0 0 0 0 1994 0 0 0 0 0 1995 0 0 0 0 0 1995 0 0 0 0 0 2000 0 0 0 0 0 2001 0 0 0 0 0 2005 <							
1984 56 42 14 0 0 1985 33 30 3 0 0 1986 20 19 1 0 0 1987 20 16 4 0 0 1988 33 25 8 0 0 1990 4 3 1 0 0 1991 0 0 0 0 0 1992 0 0 0 0 0 1993 0 0 0 0 0 1994 0 0 0 0 0 1995 0 0 0 0 0 1997 0 0 0 0 0 2000 0 0 0 0 0 2001 0 0 0 0 0 2002 0 0 0 0 0							0
1985 33 30 3 0 0 1986 20 19 1 0 0 1987 20 16 4 0 0 1988 33 25 8 0 0 1989 0 0 0 0 0 1990 4 3 1 0 0 1991 0 0 0 0 0 1992 0 0 0 0 0 1993 0 0 0 0 0 1995 0 0 0 0 0 0 1997 0 0 0 0 0 0 1998 0 0 0 0 0 0 2001 0 0 0 0 0 0 2002 0 0 0 0 0 0 2004 0 0 0 0 0 0 2005 0 0							0
1986 20 19 1 0 0 1987 20 16 4 0 0 1988 33 25 8 0 0 1989 0 0 0 0 0 1990 4 3 1 0 0 1991 0 0 0 0 0 1992 0 0 0 0 0 1993 0 0 0 0 0 1994 0 0 0 0 0 1995 0 0 0 0 0 1996 0 0 0 0 0 2000 0 0 0 0 0 2001 0 0 0 0 0 2002 0 0 0 0 0 2003 0 0 0 0 0 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0</td>							0
19872016400198833258001989000001990431001991000001992000001993000001994000001995000001996000001997000001998000002000000002001000002003000002004000002005000002006110002007000002007000002005000002006110002010000002011000002012000002013000002014000002015000002016							0
198833258001989000001990431001991000001992000001993000001994000001995000001996000001997000001998000002000000002001000002003000002005000002006110002007000002011000002012000002013000002014000002015000002016000002017000002014000002015000002016000002017000002012 <t< td=""><td></td><td></td><td></td><td>1</td><td>0</td><td>0</td><td>0</td></t<>				1	0	0	0
1989000000199043100199100000199200000199300000199400000199500000199600000199700000199800000200000000200100000200200000200300000200400000200500000200611000200700000201000000201100000201300000201400000201500000201600000201700000201800000201900000201200000201				4	0	0	0
199043100 1991 00000 1992 00000 1993 00000 1994 00000 1995 00000 1996 00000 1997 00000 1998 00000 2000 00000 2001 00000 2002 00000 2003 00000 2005 00000 2005 00000 2006 11000 2007 00000 2008 00000 2010 00000 2011 00000 2013 00000 2014 00000 2017 00000 2018 00000 2019 00000 2011 00000 2012 00000 2013 00	1988	33	25	8	0	0	0
199043100 1991 00000 1992 00000 1993 00000 1994 00000 1995 00000 1996 00000 1997 00000 1998 00000 2000 00000 2001 00000 2002 00000 2003 00000 2005 00000 2005 00000 2006 11000 2007 00000 2008 00000 2010 00000 2011 00000 2013 00000 2014 00000 2017 00000 2018 00000 2019 00000 2011 00000 2012 00000 2013 00	1989	0	0	0	0	0	0
199100000 1992 00000 1993 00000 1994 00000 1995 00000 1996 00000 1997 00000 1998 00000 2000 00000 2001 00000 2002 00000 2003 00000 2004 00000 2005 00000 2006 11000 2008 00000 2011 00000 2012 00000 2013 00000 2014 00000 2015 00000 2016 00000 2018 00000 2019 00000 2012 00000 2014 00000 2014 00000 2019 00				1	0	0	0
199200000 1993 00000 1994 00000 1995 00000 1996 00000 1997 00000 1998 00000 2000 00000 2001 00000 2002 00000 2003 00000 2004 00000 2005 00000 2006 11000 2007 00000 2008 00000 2011 00000 2013 00000 2014 00000 2015 00000 2014 00000 2015 00000 2014 00000 2018 00000 2019 00000 2012 00000 2012 00000 2013 00							0
199300000 1994 00000 1995 00000 1996 00000 1997 00000 1998 00000 2000 00000 2001 00000 2001 00000 2002 00000 2003 00000 2005 00000 2006 11000 2007 00000 2008 00000 2011 00000 2011 00000 2013 00000 2014 00000 2015 00000 2017 00000 2018 00000 2019 00000 2019 00000 2019 00000 20112 00000 2012 00000 2014 00 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>0</td>							0
1994000000 1995 000000 1996 000000 1997 000000 1998 000000 2000 000000 2001 000000 2002 000000 2003 000000 2004 000000 2005 000000 2006 110000 2007 00000 2008 000000 2010 000000 2011 000000 2013 000000 2014 000000 2015 000000 2014 000000 2018 000000 2019 000000 2012 000000 2013 000000 2014 0 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>							
199500000 1996 00000 1997 00000 1998 00000 1999 00000 2000 00000 2001 00000 2002 00000 2003 00000 2004 00000 2005 00000 2006 11000 2007 00000 2008 00000 2010 00000 2011 00000 2012 00000 2014 00000 2014 00000 2017 00000 2018 00000 2019 00000 2019 00000 2012 00000 2011 00000 2012 00000 2014 00000 2019 00							0
199600000 1997 00000 1998 00000 1999 00000 2000 00000 2001 00000 2002 00000 2003 00000 2004 00000 2005 00000 2006 11000 2007 00000 2008 00000 2011 00000 2013 00000 2014 00000 2015 00000 2014 00000 2017 00000 2018 00000 2019 00000 2019 00000 2019 00000 2011 00000 2012 00000 2014 00000 2018 00000 2021 00							0
199700000 1998 00000 1999 00000 2000 00000 2001 00000 2002 00000 2003 00000 2004 00000 2005 00000 2006 11000 2006 11000 2007 00000 2008 00000 2010 00000 2011 00000 2013 00000 2014 00000 2015 00000 2014 00000 2017 00000 2018 00000 2019 00000 2019 00000 2011 00000 2012 00000 2014 00000 2014 00000 2019 00							0
1998000000 1999 000000 2000 000000 2001 000000 2002 000000 2003 000000 2004 000000 2005 000000 2006 110000 2006 110000 2008 000000 2010 000000 2011 000000 2012 000000 2013 000000 2014 000000 2015 000000 2016 000000 2018 000000 2019 000000 2019 000000 2011 000000 2012 000000 2014 000000 2019 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td>0</td></t<>							0
1999000000 2000 000000 2001 000000 2002 000000 2003 000000 2004 000000 2005 000000 2006 110000 2006 110000 2008 000000 2009 000000 2010 000000 2011 000000 2013 000000 2014 000000 2015 000000 2016 000000 2018 000000 2019 000000 2019 000000 2019 000000 2019 000000 2011 000000 2012 000000 2014 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td>0</td></t<>							0
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1998						0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		0	0	0	0	0	0
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	2000	0	0	0	0	0	0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2001	0	0	0	0	0	0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2002	0	0	0	0	0	0
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		0	0	0	0	0	0
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$							0
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$							0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$							0
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$							
$\begin{array}{cccccccccccccccccccccccccccccccccccc$							0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$							0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		0	0		v		0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2010			0			0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2011						0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		0					0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	2013	0	0		0		0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		0	0		0	0	0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$							0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$							Ő
2018 0 0 0 0 0 2019 0 0 0 0 0 2020 0 0 0 0 0 2021 0 0 0 0 0	2017						0
2019 0 0 0 0 0 2020 0 0 0 0 0 0 2021 0 0 0 0 0 0							0
2020 0 0 0 0 0 2021 0 0 0 0 0 0	2010						0
2021 0 0 0 0 0							
	2020						0
2022 0 0 0 0 0							0
	2022	0	0	0	0	0	0
Fotal 741 495 84 2 O			40-	<u>.</u>	-	c	0

Table A-11. Number of Permits Issued for G&G Exploration in the Pacific by CY

Dashed lines = Individual breakouts not established; A=Total Number of Geological, Geophysical, and Strategic Minerals Permits; B=Number of Geophysical Permits; C=Number of Geological Permits; D=Number of Geological Permits Issued for Deep Stratigraphic Tests; E=Number of Geophysical Permits Issued for 3-D Seismic Data; F=Number of Permits Issued for Strategic (Nonenergy) Minerals

Year	2-D	HRD	Interpretations	Grav/Mag	3-D	DST
1968-1975	697,733	175,000	49,617	415,913	0	NA
1976	486,139	57,660	20,596	17,275	0	0
1977	188,930	752,400	1,962	11,796	0	0
1978	137,754	23,685	0	0	0	NA
1979	346,612	1,588,695	0	0	0	0
1980	249,048	1,098,954	0	ů 0	ů 0	ů 0
1981	689,372	0	0	20,029	ů 0	0
1982	1,918,891	0	0	69,350	0	0
1983	1,309,608	0	0	0,550	0	0
1985	1,262,030	0	0	0	0	0
		0		0	0	
1985	848,777		0			0
1986	356,700	0	0	0	0	0
1987	921,422	0	0	0	0	0
1988	93,748	0	0	0	0	0
1989	44,273	0	0	0	0	0
1990	0	0	0	0	0	0
1991	0	0	0	0	0	0
1992	0	0	0	0	0	0
1993	0	0	0	0	0	0
1994	443	0	0	0	0	0
1995	0	0	0	0	0	0
1996	1,714	0	0	0	10,452	0
1997	0	0	0	0	13,479	0
1998	0	0	0	0	3,344	0
1999	0	0	0	0	0	0
2000	0	0	0	0	650	0
2001	0 0	Õ	0	0	0	0
2002	0	0	0	0	0	0
2003	Ő	Ő	ů 0	Ő	Ő	Ő
2004	0	ů 0	0	ů 0	ů 0	0
2004	0	0	0	0	0	0
2005	0	0	0	0	0	0
2000	0	0	0	0	0	0
	0	0		0		
2008			0		0	0
2009	0	0	0	0	0	0
2010	0	0	0	0	0	0
2011	0	0	0	0	0	0
2012	0	0	0	0	0	0
2013	0	0	0	0	0	0
2014	0	0	0	0	0	0
2015	0	0	0	0	0	0
2016	0	0	0	0	0	0
2017	0	0	0	0	0	0
2018	0	0	0	0	0	0
2019	0	0	0	0	0	0
2020	0	0	0	0	0	0
2021	0	0	0	0	0	0
2022	9,992	0	0	0	0	0
Total	\$9,563,176	\$3,696,394	\$72,175	\$534,363	\$27,925	\$0

Table A-12. Summary of Expenditures by BOEM for G&G Data by FY for thePacific (in nominal dollars)



The Department of the Interior Mission

As the Nation's principal conservation agency, the Department of the Interior has responsibility for most of our nationally owned public lands and natural resources. This includes fostering sound use of our land and water resources; protecting our fish, wildlife, and biological diversity; preserving the environmental and cultural values of our national parks and historical places; and providing for the enjoyment of life through outdoor recreation. The Department assesses our energy and mineral resources and works to ensure that their development is in the best interests of all our people by encouraging stewardship and citizen participation in their care. The Department also has a major responsibility for American Indian reservation communities and for people who live in island territories under U.S. administration.