






- Ripples
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 189 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



- Ripples
- Lease Area
- Complex Habitat
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet
Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 190 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware





1:5,000 Complex Habitat Maps



- Ripples
- Lease Area
- Complex Habitat
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 191 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



- Ripples
- Irregular Seafloor
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 192 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



- Ripples
- Irregular Seafloor
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



Scale: 1:5,000

Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022




Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 193 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



- Ripples
- Offshore Export Cable Corridor
- Lease Area
- Complex Habitat
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet
Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 194 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



- Ripples
- Offshore Export Cable Corridor
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet
Scale: 1:5,000

Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022




Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 195 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



-  Ripples
-  Minor Sand Ridges
-  Amalgamated Sand Waves
-  Lease Area
-  Heterogeneous Complex Habitat
-  Soft Bottom Habitat
-  Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



Scale: 1:5,000

Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022




Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 196 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware





1:5,000 Complex Habitat Maps



- Ripples
- Minor Sand Ridges
- Troughs
- Amalgamated Sand Waves
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 197 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



- Ripples
- Minor Sand Ridges
- Troughs
- Amalgamated Sand Waves
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet
Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 198 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



- Ripples
- Minor Sand Ridges
- Troughs
- Amalgamated Sand Waves
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for NMFS-Modified CMECS Classification

Sheet 199 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



- Ripples
- Troughs
- Amalgamated Sand Waves
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet
Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 200 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



- Ripples
- Amalgamated Sand Waves
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet
Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 201 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



- Ripples
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 202 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



- Ripples
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet
Scale: 1:5,000

Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022




Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 203 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



- Ripples
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 204 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



- Ripples
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet
Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 205 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



- Ripples
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 206 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



- Ripples
- Irregular Seafloor
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 207 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



- Ripples
- Irregular Seafloor
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



Scale: 1:5,000

Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022




Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 208 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



- Ripples
- Offshore Export Cable Corridor
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 209 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



- Ripples
- Irregular Seafloor
- Offshore Export Cable Corridor
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 210 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



- Ripples
- Minor Sand Ridges
- Amalgamated Sand Waves
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 211 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



- Ripples
- Minor Sand Ridges
- Troughs
- Amalgamated Sand Waves
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 212 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware



1:5,000 Complex Habitat Maps



-  Ripples
-  Minor Sand Ridges
-  Troughs
-  Amalgamated Sand Waves
-  Lease Area
-  Heterogeneous Complex Habitat
-  Soft Bottom Habitat
-  Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet
Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 213 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



- Ripples
- Troughs
- Amalgamated Sand Waves
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 214 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



- Ripples
- Troughs
- Amalgamated Sand Waves
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



Scale: 1:5,000

Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022




Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 215 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



- Ripples
- Amalgamated Sand Waves
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 216 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



- Ripples
- Amalgamated Sand Waves
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet
Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 217 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware





1:5,000 Complex Habitat Maps



- Ripples
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 218 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



-  Ripples
-  Lease Area
-  Heterogeneous Complex Habitat
-  Soft Bottom Habitat
-  Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet
Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 219 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



- Ripples
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet
Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 220 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



- Ripples
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 221 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



- Ripples
- Irregular Seafloor
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 222 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



- Ripples
- Irregular Seafloor
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 223 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



- Ripples
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 224 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware





1:5,000 Complex Habitat Maps



- Ripples
- Irregular Seafloor
- Offshore Export Cable Corridor
- Lease Area
- Complex Habitat
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 225 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



- Ripples
- Irregular Seafloor
- Offshore Export Cable Corridor
- Complex Habitat
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet
Scale: 1:5,000

Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for NMFS-Modified CMECS Classification

Sheet 226 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



- Ripples
- Irregular Seafloor
- Troughs
- Lease Area
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet
Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 227 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



- Ripples
- Irregular Seafloor
- Sand Waves Dune Field
- Troughs
- Amalgamated Sand Waves
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet
Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for NMFS-Modified CMECS Classification

Sheet 228 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



- Ripples
- Sand Waves Dune Field
- Troughs
- Amalgamated Sand Waves
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet
Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 229 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware



1:5,000 Complex Habitat Maps



- Ripples
- Irregular Seafloor
- Troughs
- Amalgamated Sand Waves
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for NMFS-Modified CMECS Classification

Sheet 230 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



- Ripples
- Irregular Seafloor
- Troughs
- Amalgamated Sand Waves
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 231 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



- Ripples
- Troughs
- Amalgamated Sand Waves
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet
Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 232 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



- Ripples
- Irregular Seafloor
- Troughs
- Amalgamated Sand Waves
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 233 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



- Ripples
- Irregular Seafloor
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet
Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 234 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



- Ripples
- Amalgamated Sand Waves
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 235 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware



1:5,000 Complex Habitat Maps



-  Ripples
-  Amalgamated Sand Waves
-  Lease Area
-  Heterogeneous Complex Habitat
-  Soft Bottom Habitat
-  Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


**Habitat Maps Detail for
NMFS-Modified CMECS Classification**

Sheet 236 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware





1:5,000 Complex Habitat Maps



- Ripples
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 237 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



- Ripples
- Irregular Seafloor
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for NMFS-Modified CMECS Classification

Sheet 238 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



- Ripples
- Irregular Seafloor
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 239 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



- Ripples
- Irregular Seafloor
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 240 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



- Ripples
- Irregular Seafloor
- Offshore Export Cable Corridor
- Lease Area
- Complex Habitat
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet
Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022

Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 241 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps

Path: J:\U167 - US Wind MD\04_Graphics\GIS\APRX\BenthicU167_BenthicTaxa_ComplexHabitDetail_NMFS-Update.aprx

Drawing Date: 6/30/2023 Author: kbachand


© 2023 TRC Companies



- Ripples
- Irregular Seafloor
- Offshore Export Cable Corridor
- Lease Area
- Complex Habitat
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet
Scale: 1:5,000

Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 242 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



- Ripples
- Irregular Seafloor
- Offshore Export Cable Corridor
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet
Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for NMFS-Modified CMECS Classification

Sheet 243 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



- Ripples
- Irregular Seafloor
- Sand Waves Dune Field
- Amalgamated Sand Waves
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022


Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 244 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware




1:5,000 Complex Habitat Maps



- Ripples
- Irregular Seafloor
- Sand Waves Dune Field
- Troughs
- Amalgamated Sand Waves
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet
Scale: 1:5,000



Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022

Habitat Maps Detail for
NMFS-Modified CMECS Classification

Sheet 245 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware



1:5,000 Complex Habitat Maps