

- Ripples
- Major Sand Ridges
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet

Scale: 1:5,000

Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022

Habitat Maps Detail for NMFS-Modified CMECS Classification

Sheet 348 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware

TRC

1:5,000 Complex Habitat Maps

Path: J:\U167 - US Wind MD\04 Graphics\GIS\APRX\Benthic\U167_BenthicTaxa_ComplexHab\U167_BenthicTaxa_ComplexHabDetailed_NMFS-Update.aprx

Drawing Date: 6/30/2023 Author: kbachand



- Ripples
- Major Sand Ridges
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet

Scale: 1:5,000

Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022

Habitat Maps Detail for NMFS-Modified CMECS Classification

Sheet 349 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware

TRC

1:5,000 Complex Habitat Maps

Path: J:\U167 - US Wind MD\04 Graphics\GIS\APRX\Benthic\U167_BenthicTaxa_ComplexHab\U167_BenthicTaxa_ComplexHabDetailed_NMFS-Update.aprx

Drawing Date: 6/30/2023 Author: kbachand



- Ripples
- Major Sand Ridges
- Lease Area
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet

Scale: 1:5,000

Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022

Habitat Maps Detail for NMFS-Modified CMECS Classification

Sheet 350 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware

TRC

1:5,000 Complex Habitat Maps



- Ripples
- Irregular Seafloor
- Major Sand Ridges
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet

Scale: 1:5,000

Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022

Habitat Maps Detail for NMFS-Modified CMECS Classification

Maryland Offshore Wind Project
Offshore Maryland and Delaware

TRC

1:5,000 Complex Habitat Maps

Path: J:\U167 - US Wind MD\04 Graphics\GIS\APRX\Benthic\U167_BenthicTaxa_ComplexHab\U167_BenthicTaxa_ComplexHabDetailed_NMFS-Update.aprx

Drawing Date: 6/30/2023 Author: kbachand



- Ripples
- Irregular Seafloor
- Major Sand Ridges
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet

Scale: 1:5,000

Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022

Habitat Maps Detail for NMFS-Modified CMECS Classification

Sheet 352 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware

TRC

1:5,000 Complex Habitat Maps

Path: J:\U167 - US Wind MD\04 Graphics\GIS\APRX\Benthic\U167_BenthicTaxa_ComplexHab\U167_BenthicTaxa_ComplexHabDetailed_NMFS-Update.aprx

Drawing Date: 6/30/2023 Author: kbachand



- Ripples
- Irregular Seafloor
- Major Sand Ridges
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet

Scale: 1:5,000

Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022

Habitat Maps Detail for NMFS-Modified CMECS Classification

Sheet 353 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware

TRC

1:5,000 Complex Habitat Maps

Path: J:\U167 - US Wind MD\04 Graphics\GIS\APRX\Benthic\U167_BenthicTaxa_ComplexHab\U167_BenthicTaxa_ComplexHabDetailed_NMFS-Update.aprx

Drawing Date: 6/30/2023 Author: kbachand



Ripples
Irregular Seafloor
Major Sand Ridges
Lease Area
Heterogeneous Complex Habitat
Soft Bottom Habitat
Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet

Scale: 1:5,000

Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022

Habitat Maps Detail for NMFS-Modified CMECS Classification

Sheet 354 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware

TRC

1:5,000 Complex Habitat Maps



Ripples
Irregular Seafloor
Major Sand Ridges
Lease Area
Heterogeneous Complex Habitat
Soft Bottom Habitat
Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000
Feet

Scale: 1:5,000

Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022

Habitat Maps Detail for NMFS-Modified CMECS Classification

Sheet 355 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware

1:5,000 Complex Habitat Maps

Path: J:\U167 - US Wind MD\04 Graphics\GIS\APRX\Benthic\U167_BenthicTaxa_ComplexHab\U167_BenthicTaxa_ComplexHabDetailed_NMFS-Update.aprx

Drawing Date: 6/30/2023 Author: kbachand



Ripples
Irregular Seafloor
Major Sand Ridges
Lease Area
Heterogeneous Complex Habitat
Soft Bottom Habitat
Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet

Scale: 1:5,000

Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022

Habitat Maps Detail for NMFS-Modified CMECS Classification

Sheet 356 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware

TRC

1:5,000 Complex Habitat Maps

Path: J:\U167 - US Wind MD\04 Graphics\GIS\APRX\Benthic\U167_BenthicTaxa_ComplexHab\U167_BenthicTaxa_ComplexHabDetailed_NMFS-Update.aprx

Drawing Date: 6/30/2023 Author: kbachand



- Ripples
- Irregular Seafloor
- Major Sand Ridges
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet

Scale: 1:5,000

Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022

Habitat Maps Detail for NMFS-Modified CMECS Classification

Sheet 357 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware

TRC

1:5,000 Complex Habitat Maps



- Ripples
- Major Sand Ridges
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet

Scale: 1:5,000

Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022

Habitat Maps Detail for NMFS-Modified CMECS Classification

Sheet 358 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware

TRC

1:5,000 Complex Habitat Maps



- Ripples
- Major Sand Ridges
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet

Scale: 1:5,000

Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022

Habitat Maps Detail for NMFS-Modified CMECS Classification

Sheet 359 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware

TRC

1:5,000 Complex Habitat Maps

Path: J:\U167 - US Wind MD\04 Graphics\GIS\APRX\Benthic\U167_BenthicTaxa_ComplexHab\U167_BenthicTaxa_ComplexHabDetailed_NMFS-Update.aprx

Drawing Date: 6/30/2023 Author: kbachand



Ripples
Major Sand Ridges
Lease Area
Soft Bottom Habitat
Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet
Scale: 1:5,000

Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022

Habitat Maps Detail for NMFS-Modified CMECS Classification

Sheet 360 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware

TRC

1:5,000 Complex Habitat Maps

Path: J:\U167 - US Wind MD\04 Graphics\GIS\APRX\Benthic\U167_BenthicTaxa_ComplexHab\U167_BenthicTaxa_ComplexHabDetailed_NMFS-Update.aprx
Drawing Date: 6/30/2023 Author: kbachand



- Ripples
- Major Sand Ridges
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet

Scale: 1:5,000

Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022

Habitat Maps Detail for NMFS-Modified CMECS Classification

Sheet 361 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware

TRC

1:5,000 Complex Habitat Maps

Path: J:\U167 - US Wind MD\04 Graphics\GIS\APRX\Benthic\U167_BenthicTaxa_ComplexHab\U167_BenthicTaxa_ComplexHabDetailed_NMFS-Update.aprx

Drawing Date: 6/30/2023 Author: kbachand



- Ripples
- Major Sand Ridges
- Lease Area
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet

Scale: 1:5,000

Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022

Habitat Maps Detail for NMFS-Modified CMECS Classification

Sheet 362 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware

TRC

1:5,000 Complex Habitat Maps

Path: J:\U167 - US Wind MD\04 Graphics\GIS\APRX\Benthic\U167_BenthicTaxa_ComplexHab\U167_BenthicTaxa_ComplexHabDetailed_NMFS-Update.aprx

Drawing Date: 6/30/2023 Author: kbachand

Path: J:\U167 - US Wind MD\04 Graphics\GIS\APRX\Benthic\U167_BenthicTaxa_ComplexHab\U167_BenthicTaxa_ComplexHabDetailed_NMFS-Update.aprx
Drawing Date: 6/30/2023 Author: kbachand



- Ripples
- Irregular Seafloor
- Major Sand Ridges
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet

Scale: 1:5,000

Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022

Habitat Maps Detail for NMFS-Modified CMECS Classification

Sheet 363 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware

TRC

1:5,000 Complex Habitat Maps



Ripples
Irregular Seafloor
Major Sand Ridges
Lease Area
Heterogeneous Complex Habitat
Soft Bottom Habitat
Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet

Scale: 1:5,000

Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022

Habitat Maps Detail for NMFS-Modified CMECS Classification

Sheet 364 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware

1:5,000 Complex Habitat Maps



Ripples
Irregular Seafloor
Major Sand Ridges
Lease Area
Heterogeneous Complex Habitat
Soft Bottom Habitat
Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet

Scale: 1:5,000

Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022

Habitat Maps Detail for NMFS-Modified CMECS Classification

Sheet 365 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware

TRC

1:5,000 Complex Habitat Maps

Path: J:\U167 - US Wind MD\04 Graphics\GIS\APRX\Benthic\U167_BenthicTaxa_ComplexHab\U167_BenthicTaxa_ComplexHabDetailed_NMFS-Update.aprx

Drawing Date: 6/30/2023 Author: kbachand



Ripples
Irregular Seafloor
Major Sand Ridges
Lease Area
Heterogeneous Complex Habitat
Soft Bottom Habitat
Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet

Scale: 1:5,000

Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022

Habitat Maps Detail for NMFS-Modified CMECS Classification

Sheet 366 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware

TRC

1:5,000 Complex Habitat Maps

Path: J:\U167 - US Wind MD\04 Graphics\GIS\APRX\Benthic\U167_BenthicTaxa_ComplexHab\U167_BenthicTaxa_ComplexHabDetailed_NMFS-Update.aprx

Drawing Date: 6/30/2023 Author: kbachand



- Ripples
- Irregular Seafloor
- Major Sand Ridges
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet

Scale: 1:5,000

Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022

Habitat Maps Detail for NMFS-Modified CMECS Classification

Sheet 367 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware

TRC

1:5,000 Complex Habitat Maps

Path: J:\U167 - US Wind MD\04 Graphics\GIS\APRX\Benthic\U167_BenthicTaxa_ComplexHab\U167_BenthicTaxa_ComplexHabDetailed_NMFS-Update.aprx

Drawing Date: 6/30/2023 Author: kbachand



- Ripples
- Irregular Seafloor
- Major Sand Ridges
- Megaripples
- Lease Area
- Complex Habitat
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet

Scale: 1:5,000

Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022

Habitat Maps Detail for NMFS-Modified CMECS Classification

Sheet 368 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware

TRC

1:5,000 Complex Habitat Maps

Path: J:\U167 - US Wind MD\04 Graphics\GIS\APRX\Benthic\U167_BenthicTaxa_ComplexHab\U167_BenthicTaxa_ComplexHabDetailed_NMFS-Update.aprx

Drawing Date: 6/30/2023 Author: kbachand



Ripples
Irregular Seafloor
Major Sand Ridges
Megaripples
Lease Area
Complex Habitat
Heterogeneous Complex Habitat
Soft Bottom Habitat
Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet

Scale: 1:5,000

Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022

Habitat Maps Detail for NMFS-Modified CMECS Classification

Sheet 369 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware

TRC

1:5,000 Complex Habitat Maps

Path: J:\U167 - US Wind MD\04 Graphics\GIS\APRX\Benthic\U167_BenthicTaxa_ComplexHab\U167_BenthicTaxa_ComplexHabDetailed_NMFS-Update.aprx

Drawing Date: 6/30/2023 Author: kbachand



Ripples
Irregular Seafloor
Lease Area
Heterogeneous Complex Habitat
Soft Bottom Habitat
Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet

Scale: 1:5,000

Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022

Habitat Maps Detail for NMFS-Modified CMECS Classification

Sheet 370 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware

TRC

1:5,000 Complex Habitat Maps

Path: J:\U167 - US Wind MD\04 Graphics\GIS\APRX\Benthic\U167_BenthicTaxa_ComplexHab\U167_BenthicTaxa_ComplexHabDetailed_NMFS-Update.aprx

Drawing Date: 6/30/2023 Author: kbachand



Ripples
Irregular Seafloor
Major Sand Ridges
Lease Area
Heterogeneous Complex Habitat
Soft Bottom Habitat
Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet

Scale: 1:5,000

Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022

Habitat Maps Detail for NMFS-Modified CMECS Classification

Sheet 371 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware

TRC

1:5,000 Complex Habitat Maps

Path: J:\U167 - US Wind MD\04 Graphics\GIS\APRX\Benthic\U167_BenthicTaxa_ComplexHab\U167_BenthicTaxa_ComplexHabDetailed_NMFS-Update.aprx

Drawing Date: 6/30/2023 Author: kbachand

Drawing Date: 6/30/2023 Author: kbachand



Ripples
Major Sand Ridges
Lease Area
Heterogeneous Complex Habitat
Soft Bottom Habitat
Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet

Scale: 1:5,000

Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022

Habitat Maps Detail for NMFS-Modified CMECS Classification

Sheet 372 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware

TRC

1:5,000 Complex Habitat Maps



Ripples
Irregular Seafloor
Major Sand Ridges
Lease Area
Heterogeneous Complex Habitat
Soft Bottom Habitat
Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet

Scale: 1:5,000

Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022

Habitat Maps Detail for NMFS-Modified CMECS Classification

Sheet 373 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware

TRC

1:5,000 Complex Habitat Maps

Path: J:\U167 - US Wind MD\04 Graphics\GIS\APRX\Benthic\U167_BenthicTaxa_ComplexHab\U167_BenthicTaxa_ComplexHabDetailed_NMFS-Update.aprx

Drawing Date: 6/30/2023 Author: kbachand



Ripples
Irregular Seafloor
Major Sand Ridges
Lease Area
Heterogeneous Complex Habitat
Soft Bottom Habitat
Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet

Scale: 1:5,000

Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022

Habitat Maps Detail for NMFS-Modified CMECS Classification

Sheet 374 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware

TRC

1:5,000 Complex Habitat Maps



Ripples
Irregular Seafloor
Major Sand Ridges
Lease Area
Heterogeneous Complex Habitat
Soft Bottom Habitat
Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet

Scale: 1:5,000

Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022

Habitat Maps Detail for NMFS-Modified CMECS Classification

Sheet 375 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware

TRC

1:5,000 Complex Habitat Maps

Path: J:\U167 - US Wind MD\04 Graphics\GIS\APRX\Benthic\U167_BenthicTaxa_ComplexHab\U167_BenthicTaxa_ComplexHabDetailed_NMFS-Update.aprx

Drawing Date: 6/30/2023 Author: kbachand



Ripples
Irregular Seafloor
Major Sand Ridges
Lease Area
Heterogeneous Complex Habitat
Soft Bottom Habitat
Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet

Scale: 1:5,000

Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022

Habitat Maps Detail for NMFS-Modified CMECS Classification

Sheet 376 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware

TRC

1:5,000 Complex Habitat Maps

Path: J:\U167 - US Wind MD\04 Graphics\GIS\APRX\Benthic\U167_BenthicTaxa_ComplexHab\U167_BenthicTaxa_ComplexHabDetailed_NMFS-Update.aprx

Drawing Date: 6/30/2023 Author: kbachand



- Ripples
- Irregular Seafloor
- Major Sand Ridges
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet

Scale: 1:5,000

Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022

Habitat Maps Detail for NMFS-Modified CMECS Classification

Sheet 377 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware

TRC

1:5,000 Complex Habitat Maps

Path: J:\U167 - US Wind MD\04 Graphics\GIS\APRX\Benthic\U167_BenthicTaxa_ComplexHab\U167_BenthicTaxa_ComplexHabDetailed_NMFS-Update.aprx

Drawing Date: 6/30/2023 Author: kbachand



Ripples
Irregular Seafloor
Major Sand Ridges
Lease Area
Heterogeneous Complex Habitat
Soft Bottom Habitat
Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet
Scale: 1:5,000

Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022

Habitat Maps Detail for NMFS-Modified CMECS Classification

Sheet 378 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware

TRC

1:5,000 Complex Habitat Maps



Ripples
Irregular Seafloor
Major Sand Ridges
Lease Area
Heterogeneous Complex Habitat
Soft Bottom Habitat
Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet

Scale: 1:5,000

Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022

Habitat Maps Detail for NMFS-Modified CMECS Classification

Sheet 379 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware

TRC

1:5,000 Complex Habitat Maps

Path: J:\U167 - US Wind MD\04 Graphics\GIS\APRX\Benthic\U167_BenthicTaxa_ComplexHab\U167_BenthicTaxa_ComplexHabDetailed_NMFS-Update.aprx

Drawing Date: 6/30/2023 Author: kbachand



- Ripples
- Irregular Seafloor
- Major Sand Ridges
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet

Scale: 1:5,000

Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022

Habitat Maps Detail for NMFS-Modified CMECS Classification

Sheet 380 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware

TRC

1:5,000 Complex Habitat Maps



Ripples
Irregular Seafloor
Major Sand Ridges
Lease Area
Soft Bottom Habitat
Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet
Scale: 1:5,000

Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022

Habitat Maps Detail for NMFS-Modified CMECS Classification

Sheet 381 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware

TRC

1:5,000 Complex Habitat Maps



- Ripples
- Irregular Seafloor
- Major Sand Ridges
- Megaripples
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet

Scale: 1:5,000

Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022

Habitat Maps Detail for NMFS-Modified CMECS Classification

Sheet 382 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware

TRC

1:5,000 Complex Habitat Maps

Path: J:\U167 - US Wind MD\04 Graphics\GIS\APRX\Benthic\U167_BenthicTaxa_ComplexHab\U167_BenthicTaxa_ComplexHabDetailed_NMFS-Update.aprx

Drawing Date: 6/30/2023 Author: kbachand



- Ripples
- Irregular Seafloor
- Megaripples
- Lease Area
- Heterogeneous Complex Habitat
- Soft Bottom Habitat
- Bathymetry Depth Contour (0.5 m Interval)

Benthic habitat classifications shown follow the NMFS-modified CMECS classification system, with areas of 5% gravel or more mapped as complex, heterogeneous complex, or large-grained complex habitat.

Area of Detail



0 500 1,000 Feet

Scale: 1:5,000

Source:
1) ESRI, World Ocean Base
2) GEMS, Detailed Bathymetry, 2021/2022

Habitat Maps Detail for NMFS-Modified CMECS Classification

Sheet 383 OF 383

Maryland Offshore Wind Project
Offshore Maryland and Delaware

TRC

1:5,000 Complex Habitat Maps