

Appendix A: Revolution Wind Cumulative Visual Simulations

MV11: Wasque Point, Edgartown, Massachusetts

Existing Conditions

Simulation Size: 66" in width by 29.3" in height. Images This box should should be viewed from a distance of 15 inches in order to obtain the proper perspective.



Powered by Ørsted & Eversource

Environmental Data Date Taken: 9/11/2021

Time: 11:49 AM Temperature: 72°F Humidity: 46% Visibility: >10 miles Wind Direction: West Wind Speed: 9 mph Conditions Observed: Fair

Camera Information

Camera: Canon EOS 5D Mark IV Resolution: 30.4 Megapixels Lens Focal Length: 50 mm Camera Height: 25.7 feet AMSL Notes:

- existing light sources.
- WTG, this degree of atmospheric perspective is not applied to the photosimulations. three-dimensional (3D) model of the island.

Key Observation Point Information County: Dukes Town: Edgartown State: Massachusetts Location: Martha's Vineyard Latitude, Longitude: 41.35082° N, 70.45932° W **Direction of View (Center):** South-Southwest (202.4°)

Field of View: 124° x 55° Visual Resources Landscape Similarity Zone: Shoreline Beach User Group: Local Resident, Tourist/Vacationers

Aesthetic Resource: Wasque Point

• Photosimulation Size: 66" in width by 29.3" in height. Images should be viewed from 15 inches in order to obtain the proper perspective. • The potential number of WTGs and OSSs screened from view was calculated using a curvature of the earth model based on the distance, viewer height, and maximum structure height. This analysis does not consider the screening effects of intervening vegetation, structures, and topography. Offshore Substation location and dimensions are based on preliminary publicly available project data. Projects for which this data is not currently available, WTGs are used for all foundation positions. OSS positions and dimensions considered in this photosimulation are subject to potential modification. • Nighttime photosimulations are digitally adjusted from daytime photographs. Nighttime photographs captured at each represented KOP inform the presence or lack of

• The existing WTGs associated with the Block Island Wind Farm are 16.9 miles from KOP LI04. In the daytime photosimulation, the WTGs appear faint due to atmospheric perspective commonly occurring on clear days such as the conditions illustrated in this photosimulation. In order to illustrate maximum potential visibility of the proposed

Photographs were not obtained from NL01 during field review due to public access restrictions. In place of an actual photograph from this location, EDR created a virtual







Powered by Ørsted & Eversource

Appendix A: Revolution Wind Cumulative Visual Simulations

MV11: Wasque Point, Edgartown, Massachusetts

Visual Simulation: 2023 Project Construction (South Fork Wind and Vineyard Wind North)



Humidity: 46% Visibility: >10 miles Wind Direction: West Wind Speed: 9 mph Conditions Observed: Fair

Environmental Data Date Taken: 9/11/2021

Time: 11:49 AM

Temperature: 72°F

Camera Information Camera: Canon EOS 5D Mark IV Resolution: 30.4 Megapixels Lens Focal Length: 50 mm Camera Height: 25.7 feet AMSL Notes:

- existing light sources.
- WTG, this degree of atmospheric perspective is not applied to the photosimulations. Photographs were not obtained from NL01 during field review due to public access restrictions. In place of an actual photograph from this location, EDR created a virtual three-dimensional (3D) model of the island.

Key Observation Point Information

County: Dukes Town: Edgartown State: Massachusetts

Location: Martha's Vineyard Latitude, Longitude: 41.35082° N, 70.45932° W **Direction of View (Center):** South-Southwest (202.4°) Field of View: 124° x 55°

Visual Resources

Landscape Similarity Zone: Shoreline Beach User Group: Local Resident, Tourist/Vacationers Aesthetic Resource: Wasque Point

• Photosimulation Size: 66" in width by 29.3" in height. Images should be viewed from 15 inches in order to obtain the proper perspective. • The potential number of WTGs and OSSs screened from view was calculated using a curvature of the earth model based on the distance, viewer height, and maximum structure height. This analysis does not consider the screening effects of intervening vegetation, structures, and topography. Offshore Substation location and dimensions are based on preliminary publicly available project data. Projects for which this data is not currently available, WTGs are used for all foundation positions. OSS positions and dimensions considered in this photosimulation are subject to potential modification.

• Nighttime photosimulations are digitally adjusted from daytime photographs. Nighttime photographs captured at each represented KOP inform the presence or lack of

• The existing WTGs associated with the Block Island Wind Farm are 16.9 miles from KOP LI04. In the daytime photosimulation, the WTGs appear faint due to atmospheric perspective commonly occurring on clear days such as the conditions illustrated in this photosimulation. In order to illustrate maximum potential visibility of the proposed

Project	Year of Development	WTG Model	Potential Number of WTGs & OSSs Visible*	Total Number of WTGs & OSSs in Project	Distance to Nearest Visible WTG (miles)	Distance to Furthest Visible WTG (miles)
South Fork Wind Farm	2023	12 MW	12	13	37.8	42.5
Vineyard Wind North	2023	14 MW	69	69	15.9	27.5







Powered by Ørsted & Eversource

Appendix A: Revolution Wind Cumulative Visual Simulations

MV11: Wasque Point, Edgartown, Massachusetts

Visual Simulation: 2023 Project Construction with Revolution Construction added (Revolution Wind, South Fork Wind, and Vineyard Wind North)

Environmental Data

Date Taken: 9/11/2021 Time: 11:49 AM Temperature: 72°F Humidity: 46% Visibility: >10 miles Wind Direction: West Wind Speed: 9 mph Conditions Observed: Fair

Camera Information Camera: Canon EOS 5D Mark IV Resolution: 30.4 Megapixels Lens Focal Length: 50 mm Camera Height: 25.7 feet AMSL

Notes:

- existing light sources.
- The existing WTGs associated with the Block Island Wind Farm are 16.9 miles from KOP LI04. In the daytime photosimulation, the WTGs appear faint due to atmospheric WTG, this degree of atmospheric perspective is not applied to the photosimulations. three-dimensional (3D) model of the island.



Key Observation Point Information

County: Dukes Town: Edgartown

State: Massachusetts

Location: Martha's Vineyard Latitude, Longitude: 41.35082° N, 70.45932° W **Direction of View (Center):** South-Southwest (202.4°) Field of View: 124° x 55°

Visual Resources

Landscape Similarity Zone: Shoreline Beach User Group: Local Resident, Tourist/Vacationers Aesthetic Resource: Wasque Point

• Photosimulation Size: 66" in width by 29.3" in height. Images should be viewed from 15 inches in order to obtain the proper perspective. • The potential number of WTGs and OSSs screened from view was calculated using a curvature of the earth model based on the distance, viewer height, and maximum structure height. This analysis does not consider the screening effects of intervening vegetation, structures, and topography. • Offshore Substation location and dimensions are based on preliminary publicly available project data. Projects for which this data is not currently available, WTGs are used for all foundation positions. OSS positions and dimensions considered in this photosimulation are subject to potential modification.

• Nighttime photosimulations are digitally adjusted from daytime photographs. Nighttime photographs captured at each represented KOP inform the presence or lack of

perspective commonly occurring on clear days such as the conditions illustrated in this photosimulation. In order to illustrate maximum potential visibility of the proposed

Photographs were not obtained from NL01 during field review due to public access restrictions. In place of an actual photograph from this location, EDR created a virtual

Project	Year of Development	WTG Model	Potential Number of WTGs & OSSs Visible*	Total Number of WTGs & OSSs in Project	Distance to Nearest Visible WTG (miles)	Distance to Furthest Visible WTG (miles)
South Fork Wind Farm	2023	12 MW	12	13	37.8	42.5
Vineyard Wind North	2023	14 MW	69	69	15.9	27.5
Revolution Wind	2023	12 MW	100	102	24.9	44.7







Powered by Ørsted & Eversource

Appendix A: Revolution Wind Cumulative Visual Simulations

MV11: Wasque Point, Edgartown, Massachusetts

Visual Simulation: Full Lease Build-out Including Revolution Wind

Environmental Data Date Taken: 9/11/2021

Time: 11:49 AM Temperature: 72°F Humidity: 46% Visibility: >10 miles Wind Direction: West Wind Speed: 9 mph Conditions Observed: Fair

Camera Information Camera: Canon EOS 5D Mark IV Resolution: 30.4 Megapixels Lens Focal Length: 50 mm Camera Height: 25.7 feet AMSL Notes:

- for all foundation positions. OSS positions and dimensions considered in this photosimulation are subject to potential modification. existing light sources.
- WTG, this degree of atmospheric perspective is not applied to the photosimulations. Photographs were not obtained from NL01 during field review due to public access restrictions. In place of an actual photograph from this location, EDR created a virtual
- three-dimensional (3D) model of the island.



County: Dukes **Town:** Edgartown

State: Massachusetts

Location: Martha's Vineyard Latitude, Longitude: 41.35082° N, 70.45932° W **Direction of View (Center):** South-Southwest (202.4°) Field of View: 124° x 55°

Visual Resources

Landscape Similarity Zone: Shoreline Beach User Group: Local Resident, Tourist/Vacationers Aesthetic Resource: Wasque Point

• Photosimulation Size: 66" in width by 29.3" in height. Images should be viewed from 15 inches in order to obtain the proper perspective. • The potential number of WTGs and OSSs screened from view was calculated using a curvature of the earth model based on the distance, viewer height, and maximum structure height. This analysis does not consider the screening effects of intervening vegetation, structures, and topography. • Offshore Substation location and dimensions are based on preliminary publicly available project data. Projects for which this data is not currently available, WTGs are used

• Nighttime photosimulations are digitally adjusted from daytime photographs. Nighttime photographs captured at each represented KOP inform the presence or lack of

• The existing WTGs associated with the Block Island Wind Farm are 16.9 miles from KOP LI04. In the daytime photosimulation, the WTGs appear faint due to atmospheric perspective commonly occurring on clear days such as the conditions illustrated in this photosimulation. In order to illustrate maximum potential visibility of the proposed

Project	Year of Development	WTG Model	Potential Number of WTGs & OSSs Visible*	Total Number of WTGs & OSSs in Project	Distance to Nearest Visible WTG (miles)	Distance to Furthest Visible WTG (miles)
South Fork Wind Farm	2023	12 MW	12	13	37.8	42.5
Vineyard Wind North	2023	14 MW	69	69	15.9	27.5
Revolution Wind	2023	12 MW	100	102	24.9	44.7
New England Wind Phase 1	2024	16 MW	41	41	25.1	32.7
New England Wind Phase 2	2024	19 MW	79	79	27.8	44.1
Sunrise Wind	2024	15 MW	111	123	29.5	47.1
Mayflower Wind	2024	12 MW	138	149	31.0	49.4
Liberty Wind	2025-2030	12 MW	22	139	39.4	44.8
Beacon Wind	2025-2030	12 MW	139	157	24.2	44.6
Bay State Wind	2025-2030	12 MW	156	185	15.0	44.3







Powered by Ørsted & Eversource

Appendix A: Revolution Wind Cumulative Visual Simulations

MV11: Wasque Point, Edgartown, Massachusetts

Visual Simulation: Full Lease Build-out Excluding Revolution Wind

Environmental Data Date Taken: 9/11/2021

Time: 11:49 AM Temperature: 72°F Humidity: 46% Visibility: >10 miles Wind Direction: West Wind Speed: 9 mph Conditions Observed: Fair

Camera Information Camera: Canon EOS 5D Mark IV Resolution: 30.4 Megapixels Lens Focal Length: 50 mm Camera Height: 25.7 feet AMSL Notes:

- for all foundation positions. OSS positions and dimensions considered in this photosimulation are subject to potential modification. existing light sources.
- WTG, this degree of atmospheric perspective is not applied to the photosimulations. three-dimensional (3D) model of the island.



Key Observation Point Information
--

County: Dukes Town: Edgartown

State: Massachusetts

Location: Martha's Vineyard Latitude, Longitude: 41.35082° N, 70.45932° W **Direction of View (Center):** South-Southwest (202.4°) Field of View: 124° x 55°

Visual Resources

Landscape Similarity Zone: Shoreline Beach User Group: Local Resident, Tourist/Vacationers Aesthetic Resource: Wasque Point

• Photosimulation Size: 66" in width by 29.3" in height. Images should be viewed from 15 inches in order to obtain the proper perspective. • The potential number of WTGs and OSSs screened from view was calculated using a curvature of the earth model based on the distance, viewer height, and maximum structure height. This analysis does not consider the screening effects of intervening vegetation, structures, and topography. • Offshore Substation location and dimensions are based on preliminary publicly available project data. Projects for which this data is not currently available, WTGs are used

• Nighttime photosimulations are digitally adjusted from daytime photographs. Nighttime photographs captured at each represented KOP inform the presence or lack of

• The existing WTGs associated with the Block Island Wind Farm are 16.9 miles from KOP LI04. In the daytime photosimulation, the WTGs appear faint due to atmospheric perspective commonly occurring on clear days such as the conditions illustrated in this photosimulation. In order to illustrate maximum potential visibility of the proposed

Photographs were not obtained from NL01 during field review due to public access restrictions. In place of an actual photograph from this location, EDR created a virtual

Project	Year of Development	WTG Model	Potential Number of WTGs & OSSs Visible*	Total Number of WTGs & OSSs in Project	Distance to Nearest Visible WTG (miles)	Distance to Furthest Visible WTG (miles)
South Fork Wind Farm	2023	12 MW	12	13	37.8	42.5
Vineyard Wind North	2023	14 MW	69	69	15.9	27.5
New England Wind Phase 1	2024	16 MW	41	41	25.1	32.7
New England Wind Phase 2	2024	19 MW	79	79	27.8	44.1
Sunrise Wind	2024	15 MW	111	123	29.5	47.1
Mayflower Wind	2024	12 MW	138	149	31.0	49.4
Liberty Wind	2025-2030	12 MW	22	139	39.4	44.8
Beacon Wind	2025-2030	12 MW	139	157	24.2	44.6
Bay State Wind	2025-2030	12 MW	156	185	15.0	44.3







Powered by Ørsted & Eversource

Appendix A: Revolution Wind Cumulative Visual Simulations

MV11: Wasque Point, Edgartown, Massachusetts

Visual Simulation: Revolution Wind Without Other Foreseeable Future Changes



Temperature: 72°F Humidity: 46% Visibility: >10 miles Wind Direction: West Wind Speed: 9 mph Conditions Observed: Fair

Camera Information Camera: Canon EOS 5D Mark IV Resolution: 30.4 Megapixels Lens Focal Length: 50 mm Camera Height: 25.7 feet AMSL Notes:

Environmental Data

Date Taken: 9/11/2021

Time: 11:49 AM

- existing light sources. WTG, this degree of atmospheric perspective is not applied to the photosimulations. three-dimensional (3D) model of the island.

Key Observation Point Information

County: Dukes Town: Edgartown State: Massachusetts Location: Martha's Vineyard Latitude, Longitude: 41.35082° N, 70.45932° W **Direction of View (Center):** South-Southwest (202.4°) Field of View: 124° x 55°

Visual Resources

Landscape Similarity Zone: Shoreline Beach User Group: Local Resident, Tourist/Vacationers Aesthetic Resource: Wasque Point

• Photosimulation Size: 66" in width by 29.3" in height. Images should be viewed from 15 inches in order to obtain the proper perspective. • The potential number of WTGs and OSSs screened from view was calculated using a curvature of the earth model based on the distance, viewer height, and maximum structure height. This analysis does not consider the screening effects of intervening vegetation, structures, and topography. • Offshore Substation location and dimensions are based on preliminary publicly available project data. Projects for which this data is not currently available, WTGs are used for all foundation positions. OSS positions and dimensions considered in this photosimulation are subject to potential modification.

• Nighttime photosimulations are digitally adjusted from daytime photographs. Nighttime photographs captured at each represented KOP inform the presence or lack of

• The existing WTGs associated with the Block Island Wind Farm are 16.9 miles from KOP LI04. In the daytime photosimulation, the WTGs appear faint due to atmospheric perspective commonly occurring on clear days such as the conditions illustrated in this photosimulation. In order to illustrate maximum potential visibility of the proposed

Photographs were not obtained from NL01 during field review due to public access restrictions. In place of an actual photograph from this location, EDR created a virtual

Project	Year of Development	WTG Model	Potential Number of WTGs & OSSs Visible*		Distance to Nearest Visible WTG (miles)	Distance to Furthest Visible WTG (miles)
Revolution Wind	2023	12 MW	100	102	24.9	44.7



