



KOP: Umpqua Lighthouse | Season: Spring | Time of Day: Morning

Base Photographic Documentation

Date (MM/DD/YYYY):	3/29/2023	Distance to Nearest Turbine (Miles):	32.79
Time (24hr):	9:13	Number of Turbines:	262
GPS Longitude:	-124.1988873	Hub Height (ft):	725
GPS Latitude:	43.66301076	Support Structure Height (ft):	106
Viewpoint Elevation (ft):	113.9009	Rotor Diameter (ft):	935
Camera Height (ft):	5.41	Total Height to Tip of Blade (ft):	1,171
Camera Heading:	WNW		

Camera Information

Camera Make & Model:	Canon EOS 5DS R
Camera Sensor Size:	36mm x 24mm
Lens Make & Model:	Sigma F1.4 DG HSM A031
Lens Focal Length:	20mm
Field of View:	65.47ø (H) / 46.397ø (V)

Sun, Sky, and Weather Information

Turbine Information

Sun Azimuth:	115.76
Sun Elevation:	42.01
Lighting Angle (On Turbines):	Left Lit
Weather Conditions:	Partly Cloudy
Predicted Visibility (Miles):	11.93
Temperature (°F):	43
Temperature (°C):	6
Humidity (%):	86
SQM Reading:	N/A

Image Preview



Context Map



Key Observation Point (KOP)

Turbines

Viewing Instructions

For 11 x 17 inch Printed Display: Viewing distance is 19.7 inches (500 mm) For On-Screen Display: Viewing distance is 19.7 inches (500 mm)




Umpqua Lighthouse, Morning, Heading WNW - Existing View

BOE MANAGEMENT

KW Oregon Offshore Wind

Umpqua Lighthouse
Spring / Morning
Heading WNW

Viewpoint LocationProject Area



Latitude:
Longitude:
Elevation of Viewpoint Position:
Height of Camera Above Ground:
Date of Photography:
Horizontal Field of View:
Vertical Field of View:

CORRECT VIEWING OF TRUEVIEW™ PHOTO SIMULATIONS

59.25 in

NOTES:

Viewpoint locations have been precision surveyed by

Surveyor
Westland Resources
Engineering & Environmental Services Inc
Portland, OR
(971) 256-0046

(971) 256-0046

Heights are above mean sea level.

Structure design and placement are subject to final engineering.

No part of this photo simulation shall be altered in any way.

Photo Simulation Created Using TrueView™ Technology (Patent No.: US 8,184,906 B2)

Truescape®

truescape.com




Umpqua Lighthouse, Morning, Heading WNW - Proposed View - Predicted Visibility

KW Oregon Offshore Wind

Umpqua Lighthouse Spring / Morning

Viewpoint LocationProject Area



Elevation of Viewpoint Position: Height of Camera Above Ground: Date of Photography: Horizontal Field of View: Vertical Field of View:

CORRECT VIEWING OF TRUEVIEW™ PHOTO SIMULATIONS

Viewpoint locations have been precision surveyed by

Surveyor
Westland Resources
Engineering & Environmental Services Inc
Portland, OR
(971) 256-0046

Heights are above mean sea level.

Structure design and placement are subject to final engineering.

No part of this photo simulation shall be altered in any way.

Photo Simulation Created Using TrueView™ Technology (Patent No.: US 8,184,906 B2) Provided by

Truescape®

truescape.com





Umpqua Lighthouse, Morning, Heading WNW - Proposed View - Maximum Visibility

KW Oregon Offshore Wind


Umpqua Lighthouse Spring / Morning

Viewpoint LocationProject Area



Elevation of Viewpoint Position: Height of Camera Above Ground: Date of Photography: Horizontal Field of View: Vertical Field of View:

CORRECT VIEWING OF TRUEVIEW™ PHOTO SIMULATIONS



Viewpoint locations have been precision surveyed by

Surveyor
Westland Resources
Engineering & Environmental Services Inc
Portland, OR
(971) 256-0046

Heights are above mean sea level.

Structure design and placement are subject to final engineering.

No part of this photo simulation shall be altered in any way.

Photo Simulation Created Using TrueView™ Technology (Patent No.: US 8,184,906 B2) Provided by

Truescape®

truescape.com







KOP: Umpqua Lighthouse | Season: Spring | Time of Day: Noon

Base Photographic Documentation

Date (MM/DD/YYYY):	3/29/2023	Distance to Nearest Turbine (Miles):	32.79
Time (24hr):	12:18	Number of Turbines:	262
GPS Longitude:	-124.1988873	Hub Height (ft):	725
GPS Latitude:	43.66301076	Support Structure Height (ft):	106
Viewpoint Elevation (ft):	113.9009	Rotor Diameter (ft):	935
Camera Height (ft):	5.41	Total Height to Tip of Blade (ft):	1,171
Camera Heading:	WNW		

Camera Information

Camera Make & Model:	Canon EOS 5DS R
Camera Sensor Size:	36mm x 24mm
Lens Make & Model:	Sigma F1.4 DG HSM A032
Lens Focal Length:	20mm
Field of View:	65.47ø (H) / 46.397ø (V)

Sun, Sky, and Weather Information


Turbine Information

Sun Azimuth:	184.72
Sun Elevation:	58.99
Lighting Angle (On Turbines):	Top-Left Lit
Weather Conditions:	Sunny
Predicted Visibility (Miles):	26.71
Temperature (°F):	55
Temperature (°C):	13
Humidity (%):	53
SQM Reading:	N/A

Image Preview



Context Map



Key Observation Point (KOP)

Turbines

Viewing Instructions


For 11 x 17 inch Printed Display: Viewing distance is 19.7 inches (500 mm) For On-Screen Display: Viewing distance is 19.7 inches (500 mm)



KW Oregon Offshore Wind

Umpqua Lighthouse Spring / Noon

Viewpoint LocationProject Area



43.66301076 Elevation of Viewpoint Position: Height of Camera Above Ground: Date of Photography: 3/29/2023 at 12:18 Horizontal Field of View: Vertical Field of View:

CORRECT VIEWING OF TRUEVIEW™ PHOTO SIMULATIONS

Viewpoint locations have been precision surveyed by

Surveyor
Westland Resources
Engineering & Environmental Services Inc
Portland, OR
(971) 256-0046

Heights are above mean sea level.

For on-screen display: Scale bar to be 4 inches wide Viewing distance 19.7 inches

Structure design and placement are subject to final engineering.

No part of this photo simulation shall be altered in any way.

Photo Simulation Created Using TrueViewTM Technology (Patent No.: US 8,184,906 B2)

Truescape®




Umpqua Lighthouse, Noon, Heading WNW - Proposed View - Predicted Visibility

KW Oregon Offshore Wind


Umpqua Lighthouse Spring / Noon

Viewpoint LocationProject Area



43.66301076 Elevation of Viewpoint Position: Height of Camera Above Ground: Date of Photography: 3/29/2023 at 12:18 Horizontal Field of View: Vertical Field of View:

CORRECT VIEWING OF TRUEVIEW™ PHOTO SIMULATIONS



Viewpoint locations have been precision surveyed by

Surveyor
Westland Resources
Engineering & Environmental Services Inc
Portland, OR
(971) 256-0046

Heights are above mean sea level.

Structure design and placement are subject to final engineering.

No part of this photo simulation shall be altered in any way.

Photo Simulation Created Using TrueViewTM Technology (Patent No.: US 8,184,906 B2)

Truescape®



9/2023 at 12:18 - KOP 5



KW Oregon Offshore Wind

Umpqua Lighthouse Spring / Noon

Viewpoint LocationProject Area

43.66301076 Elevation of Viewpoint Position: Height of Camera Above Ground: Date of Photography: 3/29/2023 at 12:18 Horizontal Field of View: Vertical Field of View:

CORRECT VIEWING OF TRUEVIEW™ PHOTO SIMULATIONS

Viewpoint locations have been precision surveyed by

Surveyor
Westland Resources
Engineering & Environmental Services Inc
Portland, OR
(971) 256-0046

Heights are above mean sea level.

For on-screen display: Scale bar to be 4 inches wide Viewing distance 19.7 inches

Structure design and placement are subject to final engineering.

No part of this photo simulation shall be altered in any way.

Photo Simulation Created Using TrueViewTM Technology (Patent No.: US 8,184,906 B2)

Truescape®



29/2023 at 12:18 - KOP 5



KOP: Umpqua Lighthouse | Season: Spring | Time of Day: Afternoon

Base Photographic Documentation

Date (MM/DD/YYYY):	3/29/2023	Distance to Nearest Turbine (Miles):	32.79
Time (24hr):	15:13	Number of Turbines:	262
GPS Longitude:	-124.1988873	Hub Height (ft):	725
GPS Latitude:	43.66301076	Support Structure Height (ft):	106
Viewpoint Elevation (ft):	113.9009	Rotor Diameter (ft):	935
Camera Height (ft):	5.41	Total Height to Tip of Blade (ft):	1,171
Camera Heading:	WNW		

Camera Information

Camera Make & Model:	Canon EOS 5DS R
Camera Sensor Size:	36mm x 24mm
Lens Make & Model:	Sigma F1.4 DG HSM A033
Lens Focal Length:	20mm
Field of View:	65.47ø (H) / 46.397ø (V)

Sun, Sky, and Weather Information


Turbine Information

Sun Azimuth:	246.74
Sun Elevation:	40.46
ighting Angle (On Turbines):	Right Lit
Veather Conditions:	Sunny
Predicted Visibility (Miles):	19.70
ēmperature (°F):	51
ēmperature (°C):	11
Humidity (%):	71
SQM Reading:	N/A

Image Preview



Context Map



Key Observation Point (KOP)

Turbines

Viewing Instructions

For 11 x 17 inch Printed Display: Viewing distance is 19.7 inches (500 mm) For On-Screen Display: Viewing distance is 19.7 inches (500 mm)




Umpqua Lighthouse, Afternoon, Heading WNW - Existing View

KW Oregon Offshore Wind


Umpqua Lighthouse Spring / Afternoon

Viewpoint LocationProject Area



Elevation of Viewpoint Position: Height of Camera Above Ground: Date of Photography: Horizontal Field of View: Vertical Field of View:

CORRECT VIEWING OF TRUEVIEW™ PHOTO SIMULATIONS



Viewpoint locations have been precision surveyed by

Surveyor
Westland Resources
Engineering & Environmental Services Inc
Portland, OR
(971) 256-0046

Heights are above mean sea level.

Structure design and placement are subject to final engineering. No part of this photo simulation shall be altered in any way.

Photo Simulation Created Using TrueViewTM Technology (Patent No.: US 8,184,906 B2)

Truescape®

truescape.com




Umpqua Lighthouse, Afternoon, Heading WNW - Proposed View - Predicted Visibility

KW Oregon Offshore Wind

Umpqua Lighthouse Spring / Afternoon

Viewpoint LocationProject Area



Elevation of Viewpoint Position: Height of Camera Above Ground: Date of Photography: Horizontal Field of View: Vertical Field of View:

CORRECT VIEWING OF TRUEVIEW™ PHOTO SIMULATIONS

Viewpoint locations have been precision surveyed by

Surveyor
Westland Resources
Engineering & Environmental Services Inc
Portland, OR
(971) 256-0046

Heights are above mean sea level.

Structure design and placement are subject to final engineering.

No part of this photo simulation shall be altered in any way.

Photo Simulation Created Using TrueViewTM Technology (Patent No.: US 8,184,906 B2)

Truescape®

For on-screen display: Scale bar to be 4 inches wide Viewing distance 19.7 inches



:9/2023 at 15:13 - KOP 5



KW Oregon Offshore Wind

Umpqua Lighthouse Spring / Afternoon

Viewpoint LocationProject Area

Elevation of Viewpoint Position: Height of Camera Above Ground: Date of Photography: Horizontal Field of View: Vertical Field of View:

CORRECT VIEWING OF TRUEVIEW™ PHOTO SIMULATIONS

Viewpoint locations have been precision surveyed by

Surveyor
Westland Resources
Engineering & Environmental Services Inc
Portland, OR
(971) 256-0046

Heights are above mean sea level.

For on-screen display: Scale bar to be 4 inches wide Viewing distance 19.7 inches

Structure design and placement are subject to final engineering.

No part of this photo simulation shall be altered in any way.

Photo Simulation Created Using TrueViewTM Technology (Patent No.: US 8,184,906 B2)

Truescape®

For on-screen display: Scale bar to be 4 inches wide Viewing distance 19.7 inches



29/2023 at 15:13 - KOP 5



KOP: Umpqua Lighthouse | Season: Spring | Time of Day: Night

Base Photographic Documentation

Date (MM/DD/YYYY):	3/29/2023	Distance to Nearest Turbine (Miles):
Time (24hr):	21:27	Number of Turbines:
GPS Longitude:	-124.1988873	Hub Height (ft):
GPS Latitude:	43.66301076	Support Structure Height (ft):
Viewpoint Elevation (ft):	113.9009	Rotor Diameter (ft):
Camera Height (ft):	5.41	Total Height to Tip of Blade (ft):
Camera Heading:	WNW	

Camera Information

Camera Make & Model:	Canon EOS 5DS R
Camera Sensor Size:	36mm x 24mm
Lens Make & Model:	Sigma F1.4 DG HSM A034
Lens Focal Length:	20mm
Field of View:	65.47ø (H) / 46.397ø (V)

Sun, Sky, and Weather Information

Turbine Information

Sun Azimuth:	N/A
Sun Elevation:	N/A
Lighting Angle (On Turbines):	N/A
Weather Conditions:	Fair
Predicted Visibility (Miles):	N/A
Temperature (°F):	43
Temperature (°C):	6
Humidity (%):	97
SQM Reading:	20.17

Image Preview



Context Map



Key Observation Point (KOP)

Turbines

Viewing Instructions


For 11 x 17 inch Printed Display: Viewing distance is 19.7 inches (500 mm) For On-Screen Display: Viewing distance is 19.7 inches (500 mm)



KW Oregon Offshore Wind

Umpqua Lighthouse

Viewpoint LocationProject Area



Elevation of Viewpoint Position: Height of Camera Above Ground: Date of Photography: 3/29/2023 at 21:27 Horizontal Field of View: Vertical Field of View:

CORRECT VIEWING OF TRUEVIEW™ PHOTO SIMULATIONS

Viewpoint locations have been precision surveyed by

Surveyor
Westland Resources
Engineering & Environmental Services Inc
Portland, OR
(971) 256-0046

Heights are above mean sea level.

Structure design and placement are subject to final engineering. No part of this photo simulation shall be altered in any way.

Photo Simulation Created Using TrueView[™] Technology (Patent No.: US 8,184,906 B2)

truescape.com



BUREAU OF OCEAN ENERGY MANAGEMENT

KW Oregon Offshore Wind

Umpqua Lighthouse

Viewpoint LocationProject Area



43.66301076 Elevation of Viewpoint Position: Height of Camera Above Ground: Date of Photography: 3/29/2023 at 21:27 Horizontal Field of View: Vertical Field of View:

CORRECT VIEWING OF TRUEVIEW™ PHOTO SIMULATIONS

Scale bar to be 4 inches wide

Viewing distance 19.7 inches

Viewpoint locations have been precision surveyed by

Surveyor
Westland Resources
Engineering & Environmental Services Inc
Portland, OR
(971) 256-0046

Heights are above mean sea level.

Structure design and placement are subject to final engineering.

No part of this photo simulation shall be altered in any way.

Photo Simulation Created Using TrueView[™] Technology (Patent No.: US 8,184,906 B2) Provided by

